



Collaborative Testing Services, Inc
FORENSIC TESTING PROGRAM

Body Fluid Identification Test No. 17-578 Summary Report

This proficiency test was sent to 360 participants. Each participant received a sample pack containing six items for examination. Participants were asked to examine each item and report the body fluid(s) identified. Data were returned from 304 participants (84.4% response rate) and are compiled into the following tables:

	<u>Page</u>
<u>Manufacturer's Information</u>	2
<u>Summary Comments</u>	3
<u>Key to Screening Results</u>	4
<u>Table 1: Screening Conclusions & Test(s) Performed</u>	5
<u>Table 2: Serology Screening Results</u>	202
<u>Table 3: Additional Comments</u>	374
<u>Appendix: Data Sheet</u>	384

This report contains the data received from the participants in this test. Since these participants are located in many countries around the world, and it is their option how the samples are to be used (e.g., training exercise, known or blind proficiency testing, research and development of new techniques, etc.), the results compiled in the Summary Report are not intended to be an overview of the quality of work performed in the profession and cannot be interpreted as such. The Summary Comments are included for the benefit of participants to assist with maintaining or enhancing the quality of their results. These comments are not intended to reflect the general state of the art within the profession.

Participant results are reported using a randomly assigned "WebCode". This code maintains participant's anonymity, provides linking of the various report sections, and will change with every report.

Manufacturer's Information

Each sample pack consisted of six separate items for testing. Two items contained non-scenario related swabs (Items 1 and 2), two items contained swabs that related to the provided scenario (Items 3 and 4), and two items (Items 5 and 6) contained distinct articles of clothing that also related to the provided scenario. Participants were asked to examine Items 1 and 2 for body fluids that they typically encounter in routine casework examinations. For Items 3 through 6, the participants were asked to examine the items using the information provided by the scenario for guidance.

SAMPLE PREPARATION: The stain on Item 1 (Swabs: white plastic handle) was prepared with human semen. The stain on Item 2 (Swabs: pink plastic handle) was prepared using human saliva. The stain on Item 3 (Swabs: blue plastic handle) was prepared from a suspension of human whole blood and human semen. The stain on Item 4 (Swabs: yellow plastic handle) was prepared using human whole blood. The stain on Item 5 (Red Cotton Headband) was prepared from a suspension of human whole blood and human saliva. The stain on Item 6 (Torn White Polyester Shoelace) was prepared from a suspension of human saliva and human semen. In all samples where semen was used, the semen was mixed in a 1:1 ratio with TAE buffer. In all samples where a mixture is present, the two body fluids were mixed in a 1:1 ratio. Stains from different sources were prepared at separate times and were packaged once thoroughly dried.

SAMPLE SET ASSEMBLY: Each sample set contained the following: questioned swabs (Items 1, 2, 3, and 4), two questioned articles of clothing (Item 5: red cotton headband and Item 6: one half of a white polyester shoelace), and one package of unused swabs for substrate control. All items were packaged and sealed into individual envelopes, which were then packaged. The entire process stated above was repeated for each individual sample set.

VERIFICATION: All but one pre-distribution participant confirmed the manufacturer's expectations by reporting consistent body fluid identifications for Items 1 through 6. The remaining participant reported consistent results for all items except for Item 1 where the individual reported inconclusive for the presence of blood based on a negative result when tested with Tetramethylbenzidine and a positive result when tested with HemaTrace®.

Sample Preparation Schedule

<u>Item</u>	<u>Substrate</u>	<u>Body Fluid</u>	<u>Volume</u>
1	4 Swabs: white plastic handle	Semen	100µL per swab
2	4 Swabs: pink plastic handle	Saliva	100µL per swab
3	4 Swabs: blue plastic handle	Blood and Semen	100µL per swab
4	4 Swabs: yellow plastic handle	Blood	100µL per swab
5	Red Cotton Headband	Blood and Saliva	100µL
6	Torn White Polyester Shoelace	Saliva and Semen	100µL

Completed sample sets were stored at -20°C until shipment on March 27, 2017, following receipt of predistribution results.

Summary Comments

The 17-578 Body Fluid Identification test was designed to allow participants to assess their proficiency in the identification of stains that may contain dried body fluids. Each participant received six items for testing, four items were swabs and two were whole evidence items. No scenario was provided for Items 1 and 2; participants were requested to test for body fluids that they typically encounter in casework. A scenario was provided for the remaining items and participants were asked to treat these items as they would normal casework.

In the following paragraphs, reported results are the overall conclusions for the three main body fluids and are presented in detail within Table 1. Summary comments only reflect those participants who provided an overall conclusion for the questioned item.

Item 1 consisted of four swabs containing semen. For blood, the majority (80.6%) reported negative, 7.8% reported positive, and 11.5% reported inconclusive. Of the participants who reported unexpected overall results (blood positive or inconclusive), it was noticed that a significant number of participants who performed the HemaTrace® test reported a positive result (47 participants). For semen, the majority (97.1%) reported positive, 0.4% reported negative, and 2.6% reported inconclusive. For saliva the majority (96.0%) reported negative, 1.7% reported positive, and 2.3% reported inconclusive.

Item 2 consisted of four swabs containing saliva. For blood, the majority (98.4%) reported negative and 1.5% reported inconclusive. For semen the majority (96.4%) reported negative, 0.7% reported positive, and 2.9% reported inconclusive. For saliva the majority (91.8%) reported positive, 6.0% reported negative, and 2.2% reported inconclusive. There were no significant trends noticed among participants who reported unexpected results.

Item 3 consisted of four swabs containing a mixture of blood and semen. For blood, the majority (99.6%) reported positive with just 0.4% reporting inconclusive. For semen, the majority (93.1%) reported positive, 3.2% reported negative while the remaining 3.6% reported inconclusive. For saliva, the majority (95.7%) reported negative, 1.2% reported positive, and 3.1% reported inconclusive. There were no significant trends noticed among participants who reported unexpected results.

Item 4 consisted of four swabs containing blood. For blood, the majority (96.9%) reported positive, 2.7% reported negative, and 0.3% reported inconclusive. For semen, the majority (96.6%) reported negative while the remaining 3.4% reported inconclusive. For saliva, (94.8%) reported negative, 1.2% reported positive, and 4.0% reported inconclusive. There were no significant trends noticed among participants who reported unexpected results.

Item 5 consisted of a red headband containing a mixture of blood and saliva. For blood, the majority (99.7%) reported positive while the remaining 0.3% reported inconclusive. For semen, the majority (96.9%) reported negative while the remaining 3.1% reported inconclusive. For saliva the majority (90.6%) reported positive, 6.5% reported negative, and 2.9% reported inconclusive. There were no significant trends noticed among participants who reported unexpected results.

Item 6 consisted of a white shoelace containing a mixture of semen and saliva. For blood, the majority (93.8%) reported negative, 5.3% reported positive, and 0.95% reported inconclusive. For semen, the majority (92.4%) reported positive, 4.3% reported negative, and 3.3% reported inconclusive. For saliva, the majority (91.4%) reported positive, 6.1% reported negative, and 2.5% reported inconclusive. There were no significant trends noticed among participants who reported unexpected results.

The results for individual tests performed for each body fluid are presented in table 2. In addition, a number of participants conducted additional testing beyond blood, semen, and saliva. The additional test results are also presented within table 2.

Key for Screening Tests Used

Participants were asked to use, where possible, the following chart of abbreviated screening test names. This was not an all inclusive list and was not designed to determine what tests should be performed. Participants were advised that tests not on this list may be used for screening.

Test	Abbreviation
Acid Phosphatase	AP
Kastle Meyer	KM
Leucomalachite Green	LMG
Microscopic	Micro
Ortho-tolidine	O-tol
Phenolphthalein-Tetramethyl	PTMB
Prostate Specific Antigen	PSA
Tetramethyl benzidine	TMB

Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
29HY6H	Negative Luminol Hemastix	Positive/Indicative Brentamine	Not Tested Not tested - Tests for possible saliva not conducted at [Laboratory]
2AHUWZ	Negative KM ABA Hematrace	Positive/Indicative AP PSA	Negative Phadebas
2BNZTE	Negative HEMASTIX HEXAGON OBTI BLUESTAR	Positive/Indicative RSID	Not Tested
2DYJV4	Negative Phenolphthalein Hematrace Hemastix	Positive/Indicative AP Micro PSA	Negative RSID
2EA44D	Negative KM HemaStix HemaTrace Luminol LCV	Positive/Indicative AP Micro PSA	Negative RSID
2EPLHJ	Negative Luminol Hemastix	Positive/Indicative Brentamine	Not Tested No test available
2GBQFA	Negative HEMATRACE RSID HEXAGON OBTI BLUE STAR <u>Other Tests Performed</u> BLOOD- - HEMATRACE SEMEN - RSID SALIVA - RSID	No Response RSID HEMATRACE HEXAGON OBTI BLUE STAR	No Response HEMATRACE RSID HEXAGON OBTI
2HTFKV	Negative Visual	Positive/Indicative AP ABA p30 Micro	Negative RSID

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
2KHJD2	Negative KM <u>Other Tests Performed</u> Urine - Creatinine	Positive/Indicative AP Micro	Negative Phadebas Amylase Tablet
2MHWRE	Negative Hstix Luminol	Positive/Indicative Brentamine	Not Tested No preliminary saliva, this test is not performed at our laboratory
2NHVBM	Negative LMG	Positive/Indicative AP PSA micro	Negative Amylase diffusion
2QLQT6	Negative HS HT <u>Other Tests Performed</u> ALS	Positive/Indicative AP PSA micro	Negative RSID
2REJNN	Inconclusive Luminol Kastle Meyer Hemastix HemaTrace	Positive/Indicative Acid Phosphatase Microscopic PSA	Negative RSID
2T7MB4	Positive/Indicative ABACard - HemaTrace Thevenon Roland Piramidon	Positive/Indicative Microscopic RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
2T96LL	Negative KM Micro	Positive/Indicative AP micro	Negative Amylase
2ZU2MP	Positive/Indicative Hemastix Hematrace	Positive/Indicative Microscopy (smear) AP p30	Negative RSID
32HUYJ	Negative KM	Positive/Indicative AP Micro	Negative Amylase

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
36HAYU	Negative KM	Positive/Indicative AP p30 KPIC	Negative Phadebas
36LPHM	Negative LMG	Positive/Indicative AP Micro p30	Negative Amylase diffusion
379DR2	Positive/Indicative HemaTrace	Positive/Indicative Micro	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
37B3UD	No Response KM	No Response ALS RSID Micro	Not Tested
3AFL6T	Negative Visual Examination LMG	Positive/Indicative AP P30 Micro	Negative RSID-Saliva
3FJPVQ	Negative TMB Haemochromogen HemaTrace	Positive/Indicative Acid Phosphatase Semenogelin Microscopy	Negative Phadebas
3FZKXL	Negative LMG	Positive/Indicative ACP Micro PSA	Negative Amylase Diffusion
3LZP8A	Negative HEMA TRACE RSID OBTI BLUE STAR TMB <u>Other Tests Performed</u> BLOOD - HEMA TRACE SEMEN - RSID SALIVA - RSID	Positive/Indicative HEMA TRACE RSID OBTI BLUE STAR TMB	Negative HEMA TRACE RSID OBTI BLUE STAR TMB
434GN6	[Participant did not return results for Item 1]		

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
44JEZP	Negative KM	Positive/Indicative AP Micro ABAcad P30	Negative Phadebas
48YHKR	Negative HEXAGON OBTI HEMASTIX <u>Other Tests Performed</u> POLILIGHT SOURCE USED NO COLOUR CHANGE 450,UV, AND415 LIGHTS USED	No Response RSID	Inconclusive
4FVTWV	Negative KM	Positive/Indicative AP MICRO	Negative PHADEBAS TUBE TEST
4GMPH6	Negative LMG	Positive/Indicative ALS AP Micro	Negative Amylase Radial Diffusion
4GTYJH	Inconclusive Luminol KM Hemastix HemaTrace	Positive/Indicative AP Micro ABAcad p30 Seratec PSA	Negative RSID Saliva
4H3YJH	Negative Micro KM	Positive/Indicative AP Micro	Negative Amylase diffusion
4K8U2Z	Negative KM <u>Other Tests Performed</u> Urine-Creatinine Urine-DMAC	Positive/Indicative AP Micro	Negative Phadebas Amylase
4KQD9T	Negative KM	Positive/Indicative AP PSA Micro	Negative RSID
4MTXQD	Negative RSID:BLOOD HEMASTIX	Positive/Indicative RSID: SEMEN	Not Tested

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4RMHPB	Negative KM	Positive/Indicative ALS RSID Micro	Not Tested
4YNCQA	Negative UV+ 450 LIGHT SOURCES HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive UV LIGHT SOURCE	Not Tested
62RP7V	Negative O-TOL HEMDIRECT	Positive/Indicative AP PSA	Negative AMYLASE DIFFUSION
62TB7H	No Response KM <u>Other Tests Performed</u> Amylase- Amylase Diffusion	No Response BCIP Micro	Not Tested our laboratory doesn't conduct saliva testing, we conduct amylase testing.
63PVUG	Negative Luminol KM Hemastix HemaTrace	Positive/Indicative AP PSA Micro	Negative RSID
66CRZM	Negative KM	Positive/Indicative AP ABAcad - P30 Micro	Negative Phadebas
66M3QR	Negative VISUAL OBSERVATION ALTERNATIVE LIGHT SOURCE (UV & 450) HEMASTIX BLUESTAR	Not Tested	Not Tested
6AKLRP	No Response HEMASTIX HEXAGON OBTI RSID BLUESTAR	No Response HEMASTIX HEXAGON OBTI RSID BLUESTAR	No Response HEMASTIX HEXAGON OBTI RSID BLUESTAR

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
6BFEAB	Positive/Indicative KM Hemastix HemaTrace	Positive/Indicative AP PSA Micro	Negative RSID
6CR9RW	Negative KM Hematrace	Positive/Indicative AP PSA	Negative Phadebas
6HFZTX	Negative KM	Positive/Indicative RSID-Semen PSA	Not Tested Laboratory only routinely performs saliva test if blood and/or semen is tested negative.
6MR2Y3	Negative Hemastix KM HemaTrace	Positive/Indicative AP PSA Micro	Negative RSID-Saliva
6TGGRF	Negative O-Tol	Positive/Indicative AP	Not Tested
6V2EWX	Negative KM	Positive/Indicative SPERM HY-LITER PI	Not Tested Testing for saliva is generally not done when item is positive for blood or semen.
6Y7VE2	Negative Hemastix KM Hematrace	Positive/Indicative AP PSA Micro	Negative RSID
6ZWY89	Inconclusive KM Hemastix HemaTrace	Positive/Indicative AP Micro PSA	Negative RSID
76MTGE	Negative KM Hemastix HemaTrace Luminol	Positive/Indicative AP ABA PSA Seratec PSA Micro	Negative RSID Saliva
7CQXBJ	Not Tested No visible red/brown staining	Positive/Indicative Microscopy	Negative Phadebas

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
7M3L4A	Negative ALS - UV; NM415; NM450 HEXAGON OBTI BLUESTAR	Positive/Indicative ALS - UV ALS - NM415 YELLOW FILTER ALS - NM450 YELLOW FILTER	Inconclusive ALS - UV ALS - NM415 ALS - NM450
7Q762P	Not Tested Swabs had no stains for testing <u>Other Tests Performed</u> Urine - Urease	Positive/Indicative AP PSA Micro	Negative RSID
7RYXW9	Negative KM	Positive/Indicative ALS RSID HE microscopy	No Response
7TDDEF	Not Tested No reddish/brown stain observed	Positive/Indicative AP Micro	Negative RSID
83D7GF	Negative KM Hemastix Hematrace Luminol	Positive/Indicative AP Micro PSA	Negative RSID Saliva
84QXAW	Negative KM <u>Other Tests Performed</u> Urine - Creatinine	Positive/Indicative AP Micro	Negative Phadebas Amylase Test
8EB7W6	Not Tested No observed blood; No scenario; Lab Policy	Positive/Indicative AP PSA	No Response No Scenario; Lab Policy
8EQR8	Negative LIGHT SOURCE; UV; 450 ORANGE GOGGLES HEMASTIX HEXAGON OBTI BLUE STAR	Inconclusive UV LIGHT SOURCE	Not Tested

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
8GYKKE	Negative KM Hemastix Hematrace Luminol	Positive/Indicative AP PSA (Abacus) Microscopic	Negative RSID saliva
8JJED9	Negative KM	Positive/Indicative ALS RSID Micro	Not Tested
8LQQF4	No Response KM TMB HemaTrace Luminol	No Response AP PSA Micro	Negative RSID
8QFTYM	Negative HEMASTIX OBTI	Not Tested	Not Tested
8VULV8	Negative HEMASTIX BLUESTAR RSID BLOOD	Positive/Indicative RSID SEMEN	Not Tested
8XMTKX	Negative HS KM HT	Positive/Indicative AP MICRO P30	Negative RSID
8Z9MCR	Negative TMB Seratec Hem Direct	Positive/Indicative AP Seratec PSA Semiquant ME (micro)	Negative Seratec Amylase
99WCD7	Negative HEMASTIX RSID BLOOD RSID SEMEN BLUESTAR <u>Other Tests Performed</u> ALS	Positive/Indicative HEMASTIX RSID BLOOD RSID SEMEN BLUESTAR	Not Tested
9CJEFR	Negative BLUESTAR	Positive/Indicative AP SERATEC PSA	Negative PHADEBAS

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
9MH4F2	Negative TMB Hematrace Hemastix LCV Luminol <u>Other Tests Performed</u> Alternate Light Source	Positive/Indicative AP Micro Seratec PSA	Negative RSID
9MYHMC	Not Tested No visible staining observed	Positive/Indicative AP 1 step & 2 step Micro	Negative Amylase Diffusion
9NCZJ3	Negative Hemastix Luminol	Positive/Indicative Brentamine	Not Tested Not tested; we don't have a test for saliva in a lab
9P4W9W	Negative KM	Positive/Indicative AP P-30 KPIC	Negative Phadebas
9PNN43	Negative TMB HemaStix LCV Luminol Hematrace <u>Other Tests Performed</u> Biological material -Alternate Light Source Urine -Creatinine Fecal matter - Uribilinogen	Positive/Indicative AP Microscopic Exam for sperm Seratec PSA	Negative RSID saliva
9RAGWW	Negative KM	Positive/Indicative AP PSA Micro	Negative Phadebas
9RU9UM	Negative KM	Positive/Indicative AP PSA PELLET SLIDE/ MICROANALYSIS	Negative RSID
9TL6HG	Inconclusive Hemastix Hematrace	Positive/Indicative AP p30 Microscopy	Negative RSID

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
A2FJWM	Negative KM SERATEC Hemoglobin	Positive/Indicative AP Micro PSA	Negative Phadebas Amylase RSID
A4KAYW	Positive/Indicative ABAcad HemaTrace Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Coloring RSID - Human Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
A8GXF4	Negative PHTH	Positive/Indicative P30 Micro	Negative Phadebas
AA9WU2	Negative Luminol Hemastix	Positive/Indicative Brentamine	Not Tested
ACAFY2	Negative HEMASTIX RSID HEXAGON OBTI BLUE STAR TMB <u>Other Tests Performed</u> BLOOD- HEMASTIX BLOOD-HEXAGON OBTI SALIVA-RSID SEMEN-RSID	Positive/Indicative RSID HEMASTIX HEXAGON OBTI BLUE STAR TMB	Negative HEMASTIX RSID HEXAGON OBTI
ACDKAR	Negative Visual Exam O-tol HemaTrace	Positive/Indicative ALS AP PSA	Not Tested
AD84J6	Inconclusive KM Hemastix HemaTrace	Positive/Indicative AP Micro PSA	Negative RSID
AJNFWP	[Participant did not return results for Item 1]		
AL37GB	Negative Hemastix Luminol	Positive/Indicative Brentamine	Not Tested Not tested. Saliva tests are not performed at our [Laboratory].

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
AL6TZA	Negative KM Hematrace	Positive/Indicative AP PSA/p30 microscopic exam	Negative SALIgAE
AXDLLU	Positive/Indicative Thevenon Roland (Piramidon) ABAcad HemaTrace	Positive/Indicative Christmas Tree Stain Slide (Micro) RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
AZNJZC	Inconclusive KM, Hemastix HemaTrace	Positive/Indicative AP, PSA, Micro	Negative RSID - Saliva
BC7UHY	Negative Luminol Hemastix <u>Other Tests Performed</u> Poss epithelia - (no test)	Positive/Indicative Brentamine	Not Tested Poss saliva swab (not tested). The laboratory doesn't have a test for saliva
BHV8L9	Negative Hemastix Test Luminol Test <u>Other Tests Performed</u> Presumable epithelial cells	Positive/Indicative Brentamine Test	No Response
BNRRWJ	Negative KM	Positive/Indicative AP P30	Negative Phadebas
BXMMNZ	Negative HEMA TRACE RSID OBTI BLUE STAR TEST TMB <u>Other Tests Performed</u> BLOOD - HEMASTIX SEMEN - RSID SALIVA - RSID	Positive/Indicative RSID OBTI HEMATRACE BLUE STAR TEST TMB	No Response OBTI RSID HEMATRACE TMB BLUE STAR
BXR7C3	No Response HEMASTIX BLUESTAR RSID BLOOD	No Response RSID SEMEN	No Response

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
BYLCPV	Not Tested No visible bloodstain	Positive/Indicative AP PSA MICRO	Negative AMYLASE RADIAL DIFFUSION
CA2GHD	Inconclusive HemaTrace Hemastix KM Luminol	Positive/Indicative AP PSA Micro	Negative RSID
CAXERZ	[Participant did not return results for Item 1]		
CERYQW	Negative Hemastix Luminol	Positive/Indicative Brentamine	Not Tested The laboratory does not perform preliminary saliva tests
CGMDL3	Inconclusive Phenolphthalein Hemastix Hematrace	Positive/Indicative AP Micro ABACard PSA Seratec PSA	Negative RSID
CRHT3Q	Negative KM	Positive/Indicative RSID-Semen PSA	Not Tested Laboratory routinely test for saliva only when blood and/or semen is tested negative.
CX379X	[Participant did not return results for Item 1]		
D23C7M	Negative O-tol	Positive/Indicative AP micro	Negative RSID
D48P24	Not Tested	Positive/Indicative AP Spot Micro	Negative Radial Diffusion
DB47DL	Negative ALTERNATIVE LIGHT SOURCE BLUESTAR (CHEMILUMINESCENCE) HEXAGON OBTI	Positive/Indicative ALTERNATIVE LIGHT SOURCE RSID	Not Tested

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
DJ7PZX	Inconclusive KM TMB (Hemastix) Luminol Leuco Crystal Violet HemaTrace	Positive/Indicative AP PSA Micro	Negative RSID
DJYM4X	Negative Hemastix Luminol	Positive/Indicative Brentamine	Not Tested The laboratory does not have a specific test for saliva.
DR9XUG	Negative HEXAGON OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Positive/Indicative RSID	Not Tested
DTRWDT	Not Tested Lacked visible characteristics of blood.	Positive/Indicative AP MICRO	Negative Amylase Radial Diffusion
DU7H9P	Positive/Indicative KM Hematrace	Positive/Indicative AP PSA	Negative Phadebas
DWQB2J	Inconclusive TMB HemaTrace	Positive/Indicative AP PSA Micro	Negative Radial Diffusion
DXJ4W3	Negative KM	Positive/Indicative ALS RSID Micro	Not Tested
DZAGJE	Negative	Positive/Indicative Hemochromogen	Not Tested Not required as per lab SOPs.
E4LATW	Negative HEMATRACE RSID OBTI BLUE STAR TMB <u>Other Tests Performed</u> BLOOD - HEMATRACE SEMEN - RSID SALIVA - RSID	Positive/Indicative RSID HEMATRACE OBTI BLUE STAR TMB	Negative HEMATRACE RSID OBTI

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
E6FLX	Negative Lmg	Positive/Indicative Ap	Not Tested
E7CUZA	Inconclusive Luminol KM Hemastix HemaTrace	Positive/Indicative AP Micro PSA	Negative RSID
E88KZW	Negative Hemastix Luminol	Positive/Indicative Brentamine	Not Tested The laboratory does not have a test for saliva
EAWQKT	Negative KM	Positive/Indicative AP PSA Micro	Negative Amylase Radial Diffusion Micro
EGXWKP	Negative Visual	Positive/Indicative AP Micro	Negative RSID
EH74NH	Negative Visual LMG	Positive/Indicative AP ABAcad P30 Micro	Negative RSID-Saliva
ELNDQN	Not Tested no staining present on the swab to indicate potential blood	Positive/Indicative AP	Not Tested
EQYNK4	Negative Hemastix Luminol <u>Other Tests Performed</u> Presumable skin cells	Positive/Indicative Brentamine	Not Tested
ERVWXU	Inconclusive KM Hemastix Hematrace Luminol	Positive/Indicative AP Micro PSA (Seratec) PSA (Abacus)	Negative RSID

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
EW8P6M	Negative KM <u>Other Tests Performed</u> Urine - Urea neg / Creatinine neg Faecal - Not tested - no obvious visible faecal staining or faecal odour	Positive/Indicative AP Microscope Slide (Xmas tree)	Negative Phadebas
EXKCQ8	Negative Micro KM	Positive/Indicative AP Micro	Negative Amylase
EYTTCJ	Not Tested No visible red/brown staining	Positive/Indicative ALS AP	Not Tested Our lab does not test for saliva
F3R8XN	Negative KM	Positive/Indicative RSID-Semen PSA	Not Tested Laboratory only examines for saliva if blood and/or semen is not detected.
F6EW78	Negative O-tol	Positive/Indicative AP Micro	Negative RSID Saliva
FGN89G	Negative HEXAGON OBTI BLUESTAR	Positive/Indicative RSID CRIME LIGHT	Not Tested
FNPZGX	Negative KM	Positive/Indicative ALS RSID Micro	Not Tested
FQD862	Negative Luminol Hemastix	Positive/Indicative Brentamine	Not Tested see additional comments
FRQ2K2	Negative H-Stix Luminol	Positive/Indicative Brentamine positive, semen present	Not Tested No presumptive test
FUUP94	Negative LMG	Positive/Indicative AP Micro PSA	Negative Amylase Diffusion

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
FYLFBL	Negative HEXAGON OBTI	Not Tested	Not Tested
G2R2YL	Negative HEXAGON OBTI	Not Tested	Not Tested
G3QMUL	Negative KM	Positive/Indicative AP Micro PSA	Not Tested Lab does not test for saliva
G78A76	Negative LMG	Positive/Indicative AP Micro PSA	Negative Amylase Diffusion
GCN8TK	Negative UV; 450 ORANGE GOOGLES HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive UV LIGHT	Not Tested
GFRLFV	Inconclusive KM Hemastix HemaTrace LCV Luminol	Positive/Indicative AP Micro PSA	Negative RSID
GG2DLT	Negative Hemastix Luminol	Positive/Indicative Brentamin	Not Tested No test to do saliva test
GHGRZU	Inconclusive TMB Hemastix Hematrace Luminol LCV <u>Other Tests Performed</u> Urine-Creatinine Feces-Urobilinogen	Positive/Indicative AP PSA Micro	Negative RSID saliva

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GJ8JMC	Negative HEXAGON OBTI HEMASTIX <u>Other Tests Performed</u> ALS	No Response RSID	Not Tested
GJCHYG	Not Tested	Positive/Indicative AP PSA Micro	Negative Amylase radial diffusion
GK9QDR	Negative KM Hemastix Hematrace Luminol	Positive/Indicative AP PSA Micro	Negative RSID
GKKKUT	Negative KM Luminol Leucocrystal Violet HemaTrace	Positive/Indicative AP PSA Micro	Negative RSID
GM8BVW	Negative Lmg	Positive/Indicative Ap	Not Tested
GM924Z	Negative Luminol Hemastix	Positive/Indicative Brentamine	Not Tested Presumable Epithelial (not tested because no presumptive testing method for saliva)
GQPLUM	Negative Visual Exam	Positive/Indicative AP Micro	Negative RSID
GY4826	Negative KM Hemastix HemaTrace	Positive/Indicative AP Micro PSA	Negative RSID - Saliva
GZYQ8D	Negative KM	Positive/Indicative AP Micro (sperm)	Negative Phadebas
H8DUT7	Negative LMG	Positive/Indicative AP Micro P30	Negative Amylase Diffusion

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
H93UJG	Positive/Indicative HEMASTIX BLUESTAR	Positive/Indicative ALS	Positive/Indicative ALS
H9486W	Negative KM	Positive/Indicative ALS RSID Micro	Not Tested
H9J6WF	Negative OBTI HEMASTIX	Not Tested	Not Tested
HAXTYM	Positive/Indicative ABAcad HemaTrace Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Stain	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
HBW9W7	Not Tested No red staining observed	Positive/Indicative AP Micro	Negative amylase diffusion
HM8LCL	Negative KM <u>Other Tests Performed</u> Urine- Creatinine	Positive/Indicative AP Micro	Negative Phadebas
HTQ94X	Negative UV; 450NM ORANGE GOGGLES HEMASTIX HEXAGON OBTI BLUE STAR	Inconclusive UV LIGHT	Not Tested
HYKJGP	Negative Hemastix KM HemaTrace	Positive/Indicative AP PSA micro	Negative RSID
HZCRGR	Negative Luminol H/Stix	Positive/Indicative AP	Not Tested Not validated saliva test at lab
J7E9BY	Negative LMG	Positive/Indicative AP PSA Micro	Not Tested

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
J8QU3K	Positive/Indicative Thevenon Roland Piramidon ABAcad HemaTrace	Positive/Indicative Christmas Tree RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
JC2YXU	Positive/Indicative Phenolphthalein (PTMB) Hemastix Hematrace	Positive/Indicative Acid Phosphatase Microscopic PSA/P30	Negative RSID-saliva
JER6CY	Negative H-stix Luminol	Positive/Indicative Brentamine	Not Tested
JKW22Q	Negative KM Hematrace Luminol Leucocrystal Violet	Positive/Indicative AP PSA Micro	Negative RSID-Saliva
JML8LM	Inconclusive KM Hemastix HemaTrace	Positive/Indicative AP PSA microscopic	Negative RSID
JNW8K3	Negative Micro KM	Positive/Indicative AP X-mas	Negative Amylase
JQZZE2	Not Tested No visible discoloration	Positive/Indicative AP Micro PSA	Negative Amylase diffusion
JT88TM	Positive/Indicative ABAcad HemaTrace Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
JUX9EH	[Participant did not return results for Item 1]		
JVCCBU	Negative RSID: BLOOD HEMASTIX	Positive/Indicative RSID: SEMEN	Not Tested

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
JVY6M6	Negative KM hemastix hematrace	Positive/Indicative AP PSA Micro	Negative RSID
KCJ8LN	Negative KM HemaTrace	Positive/Indicative AP PSA micro	Negative RSID
KNDKLL	Inconclusive KM Hemastix HemaTrace	Positive/Indicative ALS AP Micro PSA	Negative ALS RSID
KP6N9Z	Negative Luminol Hemastick	Positive/Indicative Brentamine	Not Tested Not tested in our [Laboratory]; we do not perform any presumptive testing for saliva
KTZ2QB	Negative HEXAGON OBTI HEMASTIX <u>Other Tests Performed</u> 450 BLUE LIGHT	Positive/Indicative RSID	No Response
L4DLMC	Negative HEMASTIX BLUESTAR BLUESTAR OBTI <u>Other Tests Performed</u> ASL	Not Tested	Not Tested
L9TMUP	Inconclusive TMB Hemastix Leucocrystal Violet Luminol HemaTrace <u>Other Tests Performed</u> Semen/Saliva - ALS	Positive/Indicative AP Micro PSA	Negative RSID
LCG2HY	Negative KM Luminol Hemastix Hematrace	Positive/Indicative AP Seratec PSA Abacus PSA Micro	Negative RSID saliva

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LE2VBT	No Response KM	No Response ALS RSID Micro	Not Tested
LFP7RQ	Negative HEMATRACE RSID OBTI TMB <u>Other Tests Performed</u> BLOOD - HEMATRACE SEMEN - RSID SALIVA- RSID	Positive/Indicative RSID HEMATRACE OBTI TMB	Negative HEMATRACE RSID OBTI
LM9AYT	Negative HEMASTIX HEXAGON OBTI UV, 450 AND ORANGE GOGGLES BLUESTAR	Inconclusive UV LIGHT	Not Tested
LPZTZE	Negative KM Visual <u>Other Tests Performed</u> Urine-Creatine Urine-Urea Urine- odour Faeces - visual Faeces-odour	No Response AP Microscopic slide examination	Negative Phadebas
LQF3XL	Inconclusive Hemastix KM Luminol Hematrace	Positive/Indicative AP Micro PSA	Negative RSID-Saliva
LQRPMM	Negative Visual Exam	Positive/Indicative Micro	Not Tested Not required as per lab SOP
LR428Q	No Response HEMASTIX BLUE STAR	No Response RSID	Not Tested
LYLCLQ	[Participant did not return results for Item 1]		

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
M2UMR2	Negative Hemastix KM Hematrace Luminol	Positive/Indicative AP ABAcad P30 Micro	Negative RSID saliva
M4G2KH	Inconclusive KM HemaStix Hematrace	Positive/Indicative AP PSA Micro	Negative RSID
M8JW77	Negative O-tol Hemastix	Positive/Indicative AP Micro RSID semen	Negative RSID saliva
MK2U2A	Negative Visual and KM	Positive/Indicative AP and Slide	Not Tested Phadebas tube test not available
MTWPA7	Negative KM	Positive/Indicative AP Micro ABAcad P30	Negative Phadebas
MXQTUW	Negative Hemastix Luminol <u>Other Tests Performed</u> Presumable skin cells	Positive/Indicative Brentamine	No Response
MZFZEU	Negative Hemastix Luminol <u>Other Tests Performed</u> Epithelial Cells	Positive/Indicative Brentamine	No Response
NCNKDT	Negative HEMASTIX HEXAGON OBTI BLUESTAR <u>Other Tests Performed</u> BLOOD - POLIFLARE 450nm LIGHT SEMEN - POLIFLARE 450nm LIGHT	Positive/Indicative HEMASTIX RSID	Not Tested

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
NENXT7	No Response HEXAGON OBTI HEMASTIX <u>Other Tests Performed</u> ALS	No Response RSID	Not Tested
NJPDQG	Negative Visual	Positive/Indicative AP Micro	Negative RSID
NT9FLA	Negative CRIME LIGHT SOURCE BLUESTAR HEXAGON OBTI	Positive/Indicative CRIME LIGHT SOURCE RSID	Not Tested
NTDB9A	Negative KM	Positive/Indicative AP PSA MICRO	Negative Phadebas
NU744T	Negative KM	Positive/Indicative ALS RSID Micro	No Response
NX3PWG	Negative KM	Positive/Indicative PSA MICRO	Negative PHADEBAS
PBPEAR	Negative Luminol Hemastix	Positive/Indicative Brentamine	Not Tested Not tested, tests for presumable saliva are not performed at [Laboratory]
PC4NKD	Positive/Indicative ABAcad HemaTrace Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
PJ46VJ	No Response KM	No Response ALS RSID Micro	Not Tested
PRG82K	Negative Phenolphthalein HemaTrace	Positive/Indicative ALS AP Micro PSA	Negative ALS RSID Saliva

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
PRWDHV	Negative Hemastix Luminol <u>Other Tests Performed</u> Pres skin cells	Positive/Indicative Brentamine pos	No Response
PUYG4Q	Negative KM	Positive/Indicative ALS RSID Micro	Not Tested
PWNMNM	Negative KM RSID	Positive/Indicative ALS AP RSID MICRO	Negative ALS RSID
PX332N	Negative Hemastix HemaTrace <u>Other Tests Performed</u> Alternate Light Source	Positive/Indicative Acid Phosphatase Abacus PSA Microscopic sperm	Negative RSID - Saliva
PXMNRT	Negative H-stix Luminol	Positive/Indicative Brentamine	Not Tested
PYFL3K	Negative H-Stix Luminol	Positive/Indicative Brentamine	Not Tested Saliva test not performed at our laboratory
PZT9FT	Negative H-Stix Luminol	Positive/Indicative Brentamine	No Response
Q2VN7W	Negative Luminol Hemastix KM Hematrace	Positive/Indicative PSA AP Micro	Negative RSID Saliva
Q4KECM	Negative RSID: BLOOD HEMASTIX	Positive/Indicative RSID: SEMEN	Not Tested

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
Q4P8C4	Negative Visual examination only - no staining	Positive/Indicative Acid phosphatase Microscopic examination for sperm	Negative Phadebas Press test
Q9Z8PU	Negative Luminol Hemastix	Positive/Indicative Brentamine	Not Tested Not tested; Tests for saliva are not performed at [Laboratory]
QCVK76	Negative HEXAGON OBTI HEMASTIC <u>Other Tests Performed</u> POLILIGHT SOURCE USED NO COLOUR CHANGE	No Response RSID SEMEN	Inconclusive
QHGTCG	[Participant did not return results for Item 1]		
QLRUYW	Negative KM Hemastix Hematrace Luminol	Positive/Indicative AP Micro PSA	Negative RSID
QPXCN4	Negative HEMASTIX BLUESTAR	Not Tested	Not Tested
QQWXGH	Negative KM	Positive/Indicative AP ALS	Not Tested
QUJ6CC	Negative KM <u>Other Tests Performed</u> Urine - creatinine	Positive/Indicative AP Micro	Negative Phadebas
QXGPDB	Positive/Indicative KM HemaTrace	Positive/Indicative AP PSA	Negative Phadebas
R38JQ3	Negative Visual examination: no red-brown staining; therefore not chemically tested for blood	Positive/Indicative AP Micro	Negative Phadebas paper used to screen for alpha amylase

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
R8ZRNH	No Response Hstix Luminol	No Response Acid Phosphatase	Not Tested
RB2X3M	Negative KM	Positive/Indicative ALS RSID Micro	No Response
RFCNUA	Negative KASTLE MEYER <u>Other Tests Performed</u> MICROSCOPY	Positive/Indicative AP	Negative PHADEBAS
RGPHAA	Negative KM HemaTrace	Positive/Indicative AP Micro	Not Tested
RJGGN9	Negative O-tol	Positive/Indicative PSA Micro (Sperm)	Negative Amylase Gel Micro (NECs = 0)
RKAHEW	Negative LMG	Positive/Indicative AP Micro PSA	Negative Amylase Diffusion
RMYPYT	Not Tested No apparent blood observed	Positive/Indicative AP Micro PSA	Negative Amylase Diffusion
RRTQXM	Inconclusive KM HemaTrace Hemastix Luminol Leucocrystal Violet	Positive/Indicative AP Micro PSA	Negative RSID
RUCMH7	Negative KM	Positive/Indicative AP P30 KPIC	Negative Phadebas
RVR3V8	Negative TMB	Positive/Indicative AP PSA Microscopic	Negative alpha-Amylase Test card

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
RWZ27G	Negative HEMOPHAN SERATEC HEM	Positive/Indicative PHOSPHADESMO SERATEC PSA	Negative SERATEC AMY
RXUXGV	Negative LMG	Positive/Indicative AP Micro PSA	Negative Amylase diffusion
RYQH4V	Inconclusive Hemastix KM Luminol HemaTrace	Positive/Indicative AP Abacus Card - PSA micro	Negative RSID - Saliva
TEKZXZ	Negative KM	Positive/Indicative AP ABAcad p30 Micro	Negative Phadebas
TGM3LF	Inconclusive KM HemaTrace	Positive/Indicative AP Micro PSA	Negative RSID
TJPM6M	Negative UV LIGHT SOURCE; UV AND 450 ORANGE GOGGLES HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive UV LIGHT SOURCE	Not Tested
TLEG2A	Negative KM	Positive/Indicative Sperm HyLiter PI	Not Tested Saliva not routinely tested if blood or semen positive.
TRX263	Negative HEXAGON OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Positive/Indicative RSID	No Response LIGHT SOURCE (ALS)
TWVYXM	Negative Hemastix Luminol <u>Other Tests Performed</u> Presumable skin cells	Positive/Indicative Brentamine	No Response

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
TXBD9H	Negative KM <u>Other Tests Performed</u> Urine - Creatinine Feces - Urobilinogen	Positive/Indicative AP MICRO PSA	Negative Radial Diffusion
TY3YXF	[Participant did not return results for Item 1]		
TZW8ZC	Positive/Indicative Human Blood Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Semenogelina	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
U32AAE	Inconclusive KM Hemastix Hematrace	Positive/Indicative AP PSA Micro	Negative RSID
U8UALN	Negative KM	Positive/Indicative AP PSA Micro	Negative Saligae
U9LC94	No Response KM	No Response AP Micro	No Response Phadebas
UAE9VC	Negative Hemastix Luminol	Positive/Indicative AP (Brentamine)	Not Tested Laboratory does not perform this test
UGJWWT	Positive/Indicative KM Hematrace	Positive/Indicative AP PSA	Negative Phadebas
UKVC24	Positive/Indicative HEMASTIX BLUESTAR	Positive/Indicative ALS	Positive/Indicative ALS
ULWJTJ	Negative Visual	Positive/Indicative ALS p30	Not Tested

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
UNYNYC	Negative LMG	Positive/Indicative AP PSA Micro	Negative Amylase Micro
UPTAR3	Negative KM	Positive/Indicative PSA Micro	Negative Phadebas
V3FUUC	Negative Hemastix KM Hematrace	Positive/Indicative AP PSA Micro	Negative RSID
V67XMJ	Negative Hemastix HemaTrace KM	Positive/Indicative Acid Phosphatase PSA Microscopic	Negative RSID saliva
V7HR8P	Negative LMG	Positive/Indicative AP Micro ALS	Negative Amylase diffusion
VDWF4C	Inconclusive km hemastix luminol hematrace	Positive/Indicative AP PSA Micro	Negative RSID saliva
VHRDQH	Inconclusive Hemastix Phenolphthalein Hematrace	Positive/Indicative Acid Phosphatase Abacard PSA Seratec PSA Microscopic	Negative RSID
VL83R8	Negative KM <u>Other Tests Performed</u> Urine - Creatinine	Positive/Indicative AP Micro (Xmas Tree Stain)	Negative Phadebas Amylase
VLBAB3	Negative PT	Positive/Indicative AP	Not Tested
VLUDNU	Inconclusive KM, Hemastix, Luminol Hematrace	Positive/Indicative AP, Abacus p30, Seratec PSA, Micro	Negative RSID Saliva

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
VQ3WMM	Negative KM HemaTrace	Positive/Indicative AP PSA (Seratec) Micro	Negative SALIgAE
VREV3H	Negative HEMASTIX RSID FOR BLOOD BLUESTAR <u>Other Tests Performed</u> ALTERNATE LIGHT SOURCE	Positive/Indicative RSID	Not Tested
VRXC26	Negative O-tol	Positive/Indicative AP Micro	Negative RSID
VWM2D3	Not Tested	Positive/Indicative AP PSA Micro	Negative Amylase
VYT2EF	Negative HEMATRACE RSID OBTI BLUE STAR TMB <u>Other Tests Performed</u> SEMEN - RSID SALIVA - RSID BLOOD - HEMASTIC	Positive/Indicative HEMATRACE RSID OBTI BLUE STAR	Negative HEMATRACE RSID OBTI BLUE STAR
W77RFK	Negative Hemastix Luminol	Positive/Indicative Brentamine; Pos 2 sec	No Response
W842RB	Inconclusive Hemastix Phenolphthalein HemaTrace	Positive/Indicative AP PSA Micro	Negative RSID
WD7N44	Negative UV; 450 ORANGE HEMASTIX, HEXAGON OBTI AND BLUESTAR	Inconclusive UV	Not Tested
WDD4U7	Negative KM	Positive/Indicative AP Micro	Negative Radial Diffusion

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
WJN4W	Negative KM	Positive/Indicative AP ABAcad P30 Micro	Negative Phadebas
WL87X3	Negative Hemastix	Positive/Indicative Micro	Inconclusive Not required as per lab SOP
WU36UH	Inconclusive KM Hemastix HemaTrace Luminol Leucocrystal violet	Positive/Indicative AP Micro PSA	Negative RSID
WZ82F4	Negative O-tol	Positive/Indicative AP Micro	Negative RSID
X8YXFB	Inconclusive Hemastix Hematrace <u>Other Tests Performed</u> ALS	Positive/Indicative AP PSA Microscopy	Negative RSID
XFT7Z3	Negative O-tol	Positive/Indicative AP Micro	Negative RSID
XNNVX7	Negative KM	Positive/Indicative SPERM HY-LITER PI	Not Tested Laboratory test for saliva only if results for blood and semen are negative
XPW6MH	Negative KM	Positive/Indicative AP Micro	Negative Amylase
XTLCL	Negative Hstix Luminol	Positive/Indicative Brent	Not Tested
XTZWZP	Positive/Indicative KM Hemastix HemaTrace Luminol	Positive/Indicative AP Micro PSA P30	Negative RSID Saliva

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
XUT7UJ	No Response CRIME LIGHT SOURCE HEMASTIX HEXAGON OBTI BLUESTAR	Positive/Indicative CRIME LIGHT 450 AND 415	Positive/Indicative CRIME LIGHT 450 AND 415
XW2VFN	Negative KM	Positive/Indicative AP Micro P30-ABA card	Negative Phadebas
XYQ8C9	Inconclusive KM Hematrace (see comments section)	Positive/Indicative ALS AP Micro PSA	Negative ALS RSID - saliva
XZK2Q4	Positive/Indicative HemaTrace - Human Blood	Positive/Indicative Microscopic - Christmas Tree	Negative RSID - Saliva
YA4QAA	Inconclusive HemaTrace Hemastix KM Luminol	Positive/Indicative AP PSA Micro	Negative RSID-Saliva
YA8BYX	Negative km	Positive/Indicative ap psa micro	Negative rsid
YG3KWA	Negative Hemastix Luminol	Positive/Indicative Brentamine	Not Tested Testing for saliva is not done in our laboratory as there is no specific test available
YHGYCW	Negative KM	Positive/Indicative AP PSA Micro	Negative RSID Saliva
YLZW39	Negative Hemastix KM HemaTrace	Positive/Indicative AP PSA micro	Negative RSID
Z7X7H9	No Response	No Response	Not Tested

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ZAXZA6	Positive/Indicative Thevenon Roland Piramidon ABAcad HemaTrace	Positive/Indicative Microscopic - Christmas Tree RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
ZBQVWD	Negative Benzidine Heme Direct Kit	Positive/Indicative AP (Acid Phosphatase) PSA Micro	Not Tested
ZC38GG	Negative RSID: BLOOD HEMASTIX	Positive/Indicative RSID: SEMEN	Not Tested
ZGHDFC	Negative HEMATRACE RSID HEXAGON OBTI BLUE STAR TMB <u>Other Tests Performed</u> SEMEN - RSID SALIVA - RSID BLOOD - HEMATRACE	Positive/Indicative RSID HEXAGON OBTI HEMATRACE BLUE STAR TMB	Negative RSID HEMATRACE HEXAGON OBTI
ZKGED8	Positive/Indicative ABA card HemeTrace	Positive/Indicative ABA card P30	Negative SALlgAE
ZKYJTK	Negative KM Hemastix HemaTrace Luminol	Positive/Indicative AP PSA Micro	Negative RSID
ZPBBZD	Negative LMG RSID-Blood <u>Other Tests Performed</u> Urine - RSID-Urine	Positive/Indicative AP RSID-Semen	Negative RSID-Saliva
ZUHJ2U	Negative HEXAGONOBTI HEMASTIX <u>Other Tests Performed</u> ALS	Positive/Indicative RSID	No Response ALS
ZVHV94	Negative KM	Positive/Indicative AP PSA	Negative Phadebas amylase

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ZWQRCZ	Negative UV; 450 AND ORANGE GOGGLES HEMASTICS HEXAGON BLUESTAR	Negative UV LIGHT	Not Tested
ZX7E4A	Negative Hemastix Luminol	Positive/Indicative Brentamine	Not Tested
ZXLN33	Negative KM <u>Other Tests Performed</u> Urine - Creatinine	Positive/Indicative AP PSA Micro	Negative Phadebas Amylase

Response Summary for Table 1 - Item 1

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	21	264	3
Negative	216	1	169
Inconclusive	31	7	4
Not Tested (NT)	15	7	101
No Response	21	25	27
Total	304	304	304

Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
29HY6H	Negative Luminol Hemastix	Negative Brentamine	Not Tested Not tested - Tests for possible saliva not conducted at [Laboratory]
2AHUWZ	Negative KM ABA Hematrace	Negative AP PSA	Positive/Indicative Phadebas
2BNZTE	Negative HEMASTIX HEXAGON OBTI BLUESTAR	Negative RSID	Not Tested
2DYJV4	Negative Phenolphthalein Hematrace Hemastix	Negative AP Micro PSA	Positive/Indicative RSID
2EA44D	Negative KM HemaStix HemaTrace Luminol LCV	Negative AP Micro PSA	Positive/Indicative RSID
2EPLHJ	Negative Luminol Hemastix	Negative Brentamine	Not Tested No test available
2GBQFA	Negative HEMATRACE HEXAGON OBTI RSID BLUE STAR <u>Other Tests Performed</u> BLOOD - HEMATRACE SALIVA - RSID SEMEN - RSID	Negative RSID HEMATRACE BLUE STAR HEXAGON OBTI	Negative RSID HEMATRACE BLUE STAR HEXAGON OBTI
2HTFKV	Negative Visual	Negative AP	Positive/Indicative RSID

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
2KHJD2	Negative KM <u>Other Tests Performed</u> Urine - Creatinine	Negative AP	Positive/Indicative Phadebas Amylase Tablet
2MHWRE	Negative Hstix Luminol	Negative Brentamine	Not Tested No preliminary; not done at the laboratory
2NHVBM	Negative LMG	Negative AP PSA micro	Positive/Indicative Amylase diffusion
2QLQT6	Negative HS HT <u>Other Tests Performed</u> ALS	Negative AP PSA micro	Positive/Indicative RSID
2REJNN	Negative Luminol Kastle Meyer Hemastix HemaTrace	Negative Acid Phosphatase Microscopic PSA	Positive/Indicative RSID
2T7MB4	Negative ABAcad - HemaTrace Thevenon Roland Piramidon	Negative Microscopic RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
2T96LL	Negative KM Micro	Negative AP Micro	Positive/Indicative Amylase
2ZU2MP	Negative Hemastix Hematrace	Negative Microscopy (smear) AP	Positive/Indicative RSID
32HUYJ	Negative KM	Negative AP Micro	Positive/Indicative Amylase
36HAYU	Negative KM	Negative AP p30 KPIC	Positive/Indicative Phadebas

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
36LPHM	Negative LMG	Negative AP Micro	Positive/Indicative Amylase diffusion
379DR2	Negative HemaTrace Thevenon Roland Piramidon	Negative Micro Semenogelina RSID	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
37B3UD	No Response KM	No Response ALS RSID	Not Tested
3AFL6T	Negative Visual Examination	Negative AP	Positive/Indicative RSID-Saliva
3FJPVQ	Negative TMB	Negative Acid Phosphatase Microscopy	Positive/Indicative Phadebas Microscopy
3FZKXL	Negative LMG	Negative ACP Micro	Positive/Indicative Amylase Diffusion
3LZP8A	Negative HEMA- TRACE RSID OBTI BLUE STAR TMB <u>Other Tests Performed</u> BLOOD - HEMA TRACE SALIVA - RSID SEMEN - RSID	Negative HEMA- TRACE RSID OBTI BLUE STAR TMB	Negative HEMA- TRACE RSID OBTI BLUE STAR TMB
434GN6	[Participant did not return results for Item 2]		
44JEZP	Negative KM	Negative AP Micro ABAcad P30	Positive/Indicative Phadebas
48YHKR	No Response BLUESTAR OBTI HEMASTIC <u>Other Tests Performed</u> POLILIGHT SOURCE USED 450; UV; 415	No Response RSID	No Response

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4FVTWV	Negative KM	Negative AP MICRO	Positive/Indicative PHADEBAS TUBE TEST
4GMPH6	Not Tested No red/brown stains observed; therefore, not tested for blood	Negative ALS AP Micro p30 Immunoassay	Positive/Indicative Amylase Radial Diffusion Micro
4GTYJH	Negative Luminol KM Hemastix HemaTrace	Negative AP Micro ABACard p30	Positive/Indicative RSID Saliva
4H3YJH	Negative Micro KM	Negative AP Micro	Positive/Indicative Amylase Diffusion
4K8U2Z	Negative KM <u>Other Tests Performed</u> Urine-Creatinine Urine-DMAC	Negative AP PSA	Positive/Indicative Phadebas Amylase
4KQD9T	Negative KM	Negative AP	Positive/Indicative RSID
4MTXQD	Negative RSID: BLOOD	Negative RSID: SEMEN	Not Tested
4RMHPB	Negative KM	Negative ALS RSID	Not Tested
4YNCQA	Negative UV+ 450 LIGHT SOURCES HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive UV + 450 LIGHTSOURCES	Not Tested
62RP7V	Negative O-TOL HEMDIRECT	Negative AP PSA	Positive/Indicative AMYLASE DIFFUSION

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
62TB7H	No Response KM <u>Other Tests Performed</u> Amylase- Amylase Diffusion	No Response BCIP	Not Tested our laboratory does not conduct saliva testing, we conduct amylase testing
63PVUG	Negative Luminol KM Hemastix HemaTrace	Negative AP PSA Micro	Positive/Indicative RSID
66CRZM	Negative KM	Negative AP ABAcad - P30 Micro	Positive/Indicative Phadebas
66M3QR	Negative VISUAL OBSERVATION ALTERNATIVE LIGHT SOURCE (UV & 450) HEMASTIX BLUESTAR OBTI	Not Tested	Not Tested
6AKLRP	No Response HEMASTIX HEXAGON OBTI RSID BLUESTAR	No Response HEMASTIX HEXAGON OBTI RSID BLUESTAR	No Response HEMASTIX HEXAGON OBTI RSID BLUESTAR
6BFEAB	Negative KM Hemastix HemaTrace	Negative AP PSA Micro	Positive/Indicative RSID
6CR9RW	Negative KM Hematrace	Negative AP PSA	Positive/Indicative Phadebas
6HFZTX	Negative KM	Negative RSID-Semen PSA	Positive/Indicative Amylase
6MR2Y3	Negative Hemastix KM HemaTrace	Positive/Indicative AP PSA Micro	Positive/Indicative RSID-Saliva

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
6TGGRF	Negative O-Tol	Negative AP	Not Tested
6V2EWX	Negative KM	Negative SPERM HY-LITER PI RSID-Semen PSA	Positive/Indicative Amylase
6Y7VE2	Negative Hemastix KM Hematrace	Negative AP PSA Micro	Positive/Indicative RSID
6ZWY89	Negative KM Hemastix HemaTrace	Negative AP Micro PSA	Positive/Indicative RSID
76MTGE	Negative KM Hemastix HemaTrace Luminol	Negative AP ABA PSA Seratec PSA Micro	Positive/Indicative RSID Saliva
7CQXBJ	Not Tested No visible red/brown staining	Negative Microscopy Acid Phosphatase	Positive/Indicative Phadebas
7M3L4A	Negative ALS - UV; NM415; NM450 HEXAGON OBTI BLUESTAR	Negative ALS - UV; NM415 NM450	Inconclusive ALS - UV; NM415; NM450
7Q762P	Not Tested Swabs had no stains for testing <u>Other Tests Performed</u> Urine - Urease	Negative AP PSA Micro	Positive/Indicative RSID
7RYXW9	Negative KM	Negative ALS RSID	No Response
7TDDEF	Not Tested No reddish/brown stain observed	Negative AP Micro	Positive/Indicative RSID

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
83D7GF	Negative KM Hemastix Hematrace Luminol	Negative AP Micro PSA	Positive/Indicative RSID Saliva
84QXAW	Negative KM <u>Other Tests Performed</u> Urine - Creatinine	Negative AP	Positive/Indicative Phadebas Amylase Test
8EB7W6	Negative KM	Negative AP	Positive/Indicative Phadebas
8EQRP8	Negative LIGHT SOURCE UV; 450 ORANGE GOGGLES HEMASTIX HEXAGON OBTI BLUE STAR	Inconclusive UV LIGHT SOURCE	Not Tested
8GYKKE	Negative KM Hemastix Hematrace Luminol	Negative AP PSA (Abacus) Microscopic	Positive/Indicative RSID saliva
8JJED9	Negative KM	Negative ALS RSID	Not Tested
8LQQF4	No Response KM TMB HemaTrace Luminol	No Response AP PSA Micro	No Response RSID
8QFTYM	Negative OBTI HEMASTIX	Not Tested	Not Tested
8VULV8	Negative HEMASTIX BLUESTAR RSID BLOOD	Negative RSID SEMEN	Not Tested

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
8XMTKX	Negative HS KM HT	Negative AP MICRO P30	Positive/Indicative RSID
8Z9MCR	Negative TMB Seratec Hem Direct	Negative AP Seratec PSA Semiquant ME (micro)	Positive/Indicative Seratec Amylase
99WCD7	Negative HEMASTIX RSID BLOOD RSID SEMEN BLUESTAR	Negative HEMASTIX RSID BLOOD RSID SEMEN BLUESTAR	Not Tested
9CJEFR	Negative BLUESTAR	Negative AP	Positive/Indicative PHADEBAS
9MH4F2	Negative TMB Hemastix Hematrace LCV Luminol <u>Other Tests Performed</u> Alternate Light source	Negative AP Micro Seratec PSA	Positive/Indicative RSID
9MYHMC	Not Tested No visible staining observed	Negative AP 1 step & 2 step	Positive/Indicative Amylase Diffusion
9NCZJ3	Negative Hemastix Luminol	Negative Brentamine	No Response Not tested; There is no test for saliva in a lab
9P4W9W	Negative KM	Negative AP P-30 KPIC	Positive/Indicative Phadebas

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
9PNN43	Negative TMB Hemastix LCV Luminol Hematrace Other Tests Performed Biological material - ALS Urine - Creatinine Fecal mater - Uribilinogen	Negative AP Seratec PSA Microscopic exam for sperm	Positive/Indicative RSID saliva
9RAGWW	Negative KM	Negative AP PSA Micro	Positive/Indicative Phadebas
9RU9UM	Negative KM	Negative AP	Positive/Indicative RSID
9TL6HG	Negative Hemastix Hematrace	Inconclusive AP p30 Microscopy	Positive/Indicative RSID
A2FJWM	Negative KM SERATEC Hemoglobin	Negative AP MICRO PSA	Positive/Indicative Phadebas Amylase RSID
A4KAYW	Negative ABAcad HemaTrace Thevenon Roland Piramidon	Negative Christmas Tree Coloring RSID - Human Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
A8GXF4	Negative PHTH	Negative P30 Micro	Positive/Indicative Phadebas
AA9WU2	Negative Hemastix Luminol	Negative Brentamine	Not Tested

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ACAFY2	Negative RSID HEMASTIX HEXAGON OBTI BLUE STAR TMB <u>Other Tests Performed</u> BLOOD- HEMASTIX SEMEN-RSID SALIVA-RSID	Negative RSID HEMASTIX HEXAGON OBTI BLUE STAR TMB	Negative RSID HEMASTIX HEXAGON OBTI
ACDKAR	Negative Visual Exam O-tol HemaTrace	Negative ALS AP PSA	Not Tested
AD84J6	Negative KM Hemastix HemaTrace	Negative AP Micro PSA	Positive/Indicative RSID
AJNFWP	[Participant did not return results for Item 2]		
AL37GB	Negative Hemastix Luminol	Negative Brentamine	Not Tested Not tested. Saliva tests are not performed at [Laboratory]
AL6TZA	Negative KM Hematrace	Negative AP PSA/p30 microscopic exam	Positive/Indicative SALIgAE
AXDLLU	Negative Thevenon Roland (Piramidon) ABAcad HemaTrace	Negative Christmas Tree Stain Slide (Micro) RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
AZNJZC	Negative KM, Hemastix, HemaTrace	Negative AP, PSA, Micro	Positive/Indicative RSID - Saliva
BC7UHY	Negative Hemastix Luminol <u>Other Tests Performed</u> Poss epithelia - No test	Negative Brentamine	Not Tested Poss saliva; The laboratory doesn't have a test for saliva

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
BHV8L9	Negative Hemastix Test Luminol Test <u>Other Tests Performed</u> Presumable epithelial cells	Negative Brentamine Test	No Response
BNRRWJ	Negative KM	Negative AP Mirco	Positive/Indicative Phadebas
BXMMNZ	Negative BLUE STAR TMB RSID HEMASTIC BLUE STAR (OBTI) <u>Other Tests Performed</u> BLOOD- HEMASTIX SALIVA - RSID SEMEN - RSID	Negative OBTI RSID HEMASTIC BLUE STAR	Negative HEMASTIC RSID OBTI BLUE STAR
BXR7C3	Negative BLUESTAR HEMASTIC RSID BLOOD	Negative RSID SEMEN	Not Tested
BYLCPV	Not Tested No visible bloodstain	Negative AP PSA MICRO	Positive/Indicative AMYLASE RADIAL DIFFUSION
CA2GHD	Negative HemaTrace Hemastix KM Luminol	Negative AP PSA Micro	Positive/Indicative RSID
CAXERZ	[Participant did not return results for Item 2]		
CERYQW	Negative Hemastix Luminol	Negative Brentamine	Not Tested The laboratory doesn't perform any preliminary saliva tests
CGMDL3	Negative Phenolphthalein Hemastix Hematrace	Negative AP Micro ABACard PSA Seratec PSA	Positive/Indicative RSID

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
CRHT3Q	Negative KM	Negative RSID-Semen PSA	Positive/Indicative Amylase
CX379X	[Participant did not return results for Item 2]		
D23C7M	Negative O-tol	Negative AP	Positive/Indicative RSID
D48P24	Not Tested	Negative AP Spot	Positive/Indicative Radial Diffusion
DB47DL	Negative ALTERNATIVE LIGHT SOURCE BLUESTAR HEXAGON OBTI	Negative ALTERNATIVE LIGHT SOURCE RSID	Not Tested
DJ7PZX	Negative KM TMB (Hemastix) Luminol Leuco Crystal Violet HemaTrace	Negative AP PSA Micro	Positive/Indicative RSID
DJYM4X	Negative Hemastix Luminol	Negative Brentamine	Not Tested The laboratory does not have a test for saliva
DR9XUG	Negative HEXAGON OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Negative RSID	Not Tested
DTRWDT	Not Tested Lacked visible characteristics of blood.	Negative AP MICRO PSA	Positive/Indicative Amylase Radial Diffusion
DU7H9P	Negative KM Hematrace	Negative AP PSA	Positive/Indicative Phadebas
DWQB2J	Negative TMB HemaTrace	Negative AP	Positive/Indicative Radial Diffusion

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
DXJ4W3	Negative KM	Negative ALS RSID	Not Tested
DZAGJE	Negative Visual Exam	Negative Micro PSA	Not Tested Not required as per lab SOPs.
E4LATW	Negative RSID HEMATRACE OBTI BLUE STAR <u>Other Tests Performed</u> BLOOD - OBTI SEMEN - RSID SALIVA - RSID BLOOD - BLUE STAR	Negative RSID HEMATRACE OBTI BLUE STAR	Negative RSID HEMATRACE OBTI BLUE STAR
E6FLX	Negative Lmg	Negative Ap	Not Tested
E7CUZA	Negative Luminol KM Hemastix HemaTrace	Negative AP Micro PSA	Positive/Indicative RSID
E88KZW	Negative Hemastix Luminol	Negative Brentamine	Not Tested The laboratory does not have a test for saliva
EAWQKT	Negative KM	Negative AP PSA Micro	Inconclusive Amylase Radial Diffusion Micro
EGXWKP	Negative Visual	Negative AP	Positive/Indicative RSID
EH74NH	Negative Visual	Negative AP	Positive/Indicative RSID-Saliva
ELNDQN	Not Tested no staining present on the swab to indicate potential blood	Negative AP	Not Tested

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
EQYNK4	Negative Hemastix Luminol <u>Other Tests Performed</u> Presumable skin cells	Negative Brentamine	Not Tested
ERVWXU	Negative KM Hemastix Hematrace Luminol	Negative AP Micro PSA (Seratec) PSA (Abacus)	Positive/Indicative RSID
EW8P6M	Negative KM <u>Other Tests Performed</u> Urine - Urea neg / Creatinine neg Faecal - Not tested - no obvious visible faecal staining or faecal odour	Negative AP Microscope Slide (Xmas Tree)	Positive/Indicative Phadebas
EXKCQ8	Negative Micro KM	Negative AP Micro	Positive/Indicative Amylase
EYTCJ	Not Tested No visible red/brown staining	Negative ALS AP	Not Tested Our lab does not test for saliva
F3R8XN	Negative KM	Negative RSID-Semen PSA	Positive/Indicative Amylase
F6EW78	Not Tested Item does not display the characteristic reddish-brown stain associated with the presence of possible blood.	Negative AP Micro	Positive/Indicative RSID Saliva
FGN89G	Negative BLUESTAR CRIME LIGHT HEXAGON OBTI	Negative BLUE STAR CRIME LIGHT RSID	Not Tested
FNPZGX	Negative KM	Negative ALS RSID	Not Tested

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
FQD862	Negative Luminol Hemastix	Negative Brentamine	Not Tested see additional comments
FRQ2K2	Negative H-stix Luminol	Negative Brentamine	Not Tested No presumptive testing
FUUP94	Not Tested visibly unstained	Negative AP micro	Positive/Indicative Amylase Diffusion
FYLFBL	Negative HEXAGON OBTI	Not Tested	Not Tested
G2R2YL	Negative HEXAGON OBTI	Not Tested	Not Tested
G3QMUL	Negative KM	Negative AP Micro PSA	Not Tested Lab does not test for saliva
G78A76	Negative LMG	Negative AP PSA	Positive/Indicative Amylase Diffusion
GCN8TK	Negative LIGHT SOURCE ; UV 450; HEXAGON OBTI HEMASTIX BLUESTAR	Not Tested LIGHT SOURCE UV	Not Tested
GFRLFV	Negative KM Hemastix HemaTrace LCV Luminol	Negative AP Micro PSA	Positive/Indicative RSID
GG2DLT	Negative Hemastix Luminol	Negative Brentamin	Not Tested No test to do saliva test

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GHGRZU	Negative TMB Hemastix Hematrace Luminol LCV <u>Other Tests Performed</u> Urine-Creatinine Feces-Urobilinogen	Negative AP PSA Micro	Positive/Indicative RSID saliva
GJ8JMC	Negative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Negative RSID	Not Tested
GJCHYG	Not Tested	Negative AP PSA Micro	Positive/Indicative Amylase radial diffusion
GK9QDR	Negative KM Hemastix Hematrace Luminol	Negative AP PSA Micro	Positive/Indicative RSID
GKKKUT	Negative KM Luminol Leucocrystal Violet HemaTrace	Positive/Indicative AP PSA** Micro**	Positive/Indicative RSID
GM8BVW	Negative Lmg	Negative Ap	Not Tested
GM924Z	Negative Luminol Hemastix	Negative Brentamine	Not Tested Presumable Epithelial (not tested because no presumptive testing method for saliva)
GQPLUM	Negative Visual Exam	Negative AP	Positive/Indicative RSID
GY4826	Negative KM Hemastix HemaTrace	Negative AP Micro PSA	Positive/Indicative RSID - Saliva

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GZYQ8D	Negative KM	Negative AP	Positive/Indicative Phadebas
H8DUT7	Negative LMG	Negative AP Micro	Positive/Indicative Amylase Diffusion
H93UJG	Negative HEMASTIX BLUE	Negative ALS	Negative ALS
H9486W	Negative KM	Negative ALS RSID	Not Tested
H9J6WF	Negative OBTI HEMASTIX	Not Tested	Not Tested
HAXTYM	Negative ABAcad HemaTrace Thevenon Roland Piramidon	Negative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
HBW9W7	Not Tested No red staining observed	Negative AP	Positive/Indicative Amylase diffusion
HM8LCL	Negative KM <u>Other Tests Performed</u> Urine- Creatinine	Negative AP	Positive/Indicative Phadebas
HTQ94X	No Response UV; 450nm ORANGE GOGGLES HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive UV LIGHT	Not Tested
HYKJGP	Negative Hemastix KM HemaTrace	Negative AP PSA micro	Positive/Indicative RSID
HZCRGR	Negative Luminol H/Stix	Negative AP	Not Tested No validated saliva test at lab

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
J7E9BY	Negative LMG	Negative AP PSA Micro	Not Tested
J8QU3K	Negative Thevenon Roland Piramidon ABAcad HemaTrace	Negative Christmas Tree RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
JC2YXU	Negative Phenolphthalein (PTMB) Hemastix Hematrace	Negative Acid Phosphatase Microscopic PSA/P30	Positive/Indicative RSID-Saliva
JER6CY	Negative H-stix Luminol	Negative Brentamine	Not Tested
JKW22Q	Negative KM Hematrace Luminol Leucocrystal Violet	Negative AP PSA Micro	Positive/Indicative RSID-Saliva
JML8LM	Negative Hemastix KM HemaTrace	Negative AP PSA microscopic	Positive/Indicative RSID
JNW8K3	Negative Micro KM	Negative AP X-mas	Positive/Indicative Amylase
JQZZE2	Not Tested No visible discoloration	Negative AP Micro PSA	Positive/Indicative Amylase diffusion
JT88TM	Negative ABAcad HemaTrace Thevenon Roland Piramidon	Negative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
JUX9EH	[Participant did not return results for Item 2]		

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
JVCCBU	Negative RSID:BLOOD	Negative RSID:SEMEN	Not Tested
JVYM6	Negative KM hemastix hematrace	Negative AP PSA micro	Positive/Indicative RSID
KCJ8LN	Negative KM HemaTrace	Negative AP PSA micro	Positive/Indicative RSID
KNDKLK	Inconclusive KM Hemastix HemaTrace	Negative ALS AP Micro PSA	Positive/Indicative ALS RSID
KP6N9Z	Negative Luminol Hemasticks	Negative Brentamine	Not Tested Not tested, we don't perform presumptive testing for saliva
KTZ2QB	Negative OBTI HEXAGON/ BLUESTAR HEMASTIX <u>Other Tests Performed</u> SALIVA - 450 AND ORANGE GOGGLES	Negative RSID	No Response
L4DLMC	Negative BLUESTAR HEMASTIX BLUESTAR OBTI	Not Tested	Not Tested
L9TMUP	Negative TMB Hemastix Leucocrystal Violet Luminol HemaTrace <u>Other Tests Performed</u> Semen/Saliva - ALS	Negative AP Micro PSA	Positive/Indicative RSID
LCG2HY	Negative KM Luminol Hemastix Hematrace	Negative AP Seratec PSA Abacus PSA Micro	Positive/Indicative RSID saliva

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LE2VBT	No Response KM	No Response ALS RSID	Not Tested
LFP7RQ	Negative RSID HEMATRACE OBTI TMB <u>Other Tests Performed</u> BLOOD - HEMATRACE SEMEN - RSID SALIVA - RSID	Negative RSID HEMATRACE OBTI TMB	Negative RSID HEMATRACE OBTI TMB
LM9AYT	Negative LIGHT SOURCE UV; 450nm HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive LIGHT SOURCE UV	Not Tested
LPZTZE	Negative KM Visual <u>Other Tests Performed</u> Urine- Creatine Urine-Urea Urine-odour Faeces-visual Faeces-Odour	Negative AP Microscopic slides	Positive/Indicative Phadebas
LQF3XL	Negative Hemastix KM Luminol Hematrace	Negative AP Micro PSA	Positive/Indicative RSID-Saliva
LQRPM	Negative Visual exam <u>Other Tests Performed</u> Possible Biological Material - Recovery.	Negative Micro P30	Not Tested Not required as per lab SOP
LR428Q	No Response HEMASTIX BLUESTAR	No Response RSID	Not Tested
LYLCLQ	[Participant did not return results for Item 2]		

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
M2UMR2	Negative Hemastix KM Hematrace Luminol	Negative AP ABACard P30 Micro	Positive/Indicative RSID saliva
M4G2KH	Inconclusive KM HemaStix HemaTrace	Negative AP PSA Micro	Positive/Indicative RSID
M8JW77	Negative O-tol Hemastix	Negative AP	Positive/Indicative RSID saliva
MK2U2A	Negative Visual and KM	Negative AP and Slide	Not Tested Phadebas tube test not available
MTWPA7	Negative KM	Negative AP Micro ABACard P30	Positive/Indicative Phadebas
MXQTUW	Negative Hemastix Luminol <u>Other Tests Performed</u> Presumable skin cells	Negative Brentamine	No Response
MZFZEU	Negative Hemastix Luminol <u>Other Tests Performed</u> Epithelial Cells	Negative Brentamine	No Response
NCNKDT	Negative HEMASTIX HEXAGON OBTI BLUE STAR <u>Other Tests Performed</u> BLOOD - POLIFLARE 450nm LIGHT SEMEN - POLIFLARE 450nm LIGHT	Negative HEMASTIX RSID	Not Tested
NENXT7	No Response HEXAGON OBTI HEMASTIX <u>Other Tests Performed</u> ALS	No Response RSID	Not Tested

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
NJPDQG	Negative Visual	Negative AP	Positive/Indicative RSID
NT9FLA	Negative CRIME LIGHTS BLUE STAR HEXAGON OBTI	Negative CRIME LIGHT SOURCE RSID	Not Tested
NTDB9A	Negative KM	Negative AP PSA MICRO	Positive/Indicative Phadebas
NU744T	Negative KM	Negative ALS RSID	No Response
NX3PWG	Negative KM	Negative PSA MICRO	Positive/Indicative PHADEBAS
PBPEAR	Negative Luminol Hemastix	Negative Brentamine	Not Tested Not tested; Tests for presumable saliva are not performed at [Laboratory]
PC4NKD	Negative ABAcad HemaTrace Thevenon Roland Piramidon	Negative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
PJ46VJ	No Response KM	No Response ALS RSID	Not Tested
PRG82K	Negative Phenolphthalein HemaTrace	Negative ALS AP Micro PSA	Positive/Indicative ALS RSID Saliva
PRWDHV	Negative Hemastix Luminol <u>Other Tests Performed</u> Prs skin cells	Negative Brentamine	No Response

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
PUYG4Q	Negative KM	Negative ALS RSID	Not Tested
PWNMNM	Negative KM RSID	Negative ALS AP RSID	Positive/Indicative ALS RSID
PX332N	Negative Hemastix HemaTrace <u>Other Tests Performed</u> Alternate Light Source	Negative Acid Phosphatase Abacus PSA Microscopic sperm	Positive/Indicative RSID - Saliva
PXMNRT	Negative H-stix Luminol	Negative Brentamine	Not Tested
PYFL3K	Negative H-Stix Luminol	Negative Brentamine	Not Tested Saliva test not performed at our laboratory
PZT9FT	Negative H-stix Luminol	Negative Brentamine	No Response
Q2VN7W	Negative Luminol Hemastix KM Hematrace	Negative AP PSA Micro	Positive/Indicative RSID Saliva
Q4KECM	Negative RSID: BLOOD	Negative RSID:SEMEN	Not Tested
Q4P8C4	Negative Visual examination only - no staining	Negative Acid Phosphatase	Positive/Indicative Phadebas Press test
Q9Z8PU	Negative Luminol Hemastix	Negative Brentamine	Not Tested Not tested; Tests for saliva are not performed at [Laboratory]

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
QCVK76	No Response BLUESTAR OBTI HEMASTIC <u>Other Tests Performed</u> ITEM 2 - POLILIGHTS SOURCE USED NO COLOUR CHANGE	No Response RSID	Inconclusive
QHGTCG	[Participant did not return results for Item 2]		
QLRUYW	Negative KM Hemastix Hematrace Luminol	Negative AP Micro PSA	Positive/Indicative RSID
QPXCN4	Inconclusive HEMASTIX BLUESTAR	Not Tested	Not Tested
QQWXGH	Negative KM	Negative AP ALS	Not Tested
QUJ6CC	Negative KM <u>Other Tests Performed</u> Urine - creatinine	Negative AP	Positive/Indicative Phadebas
QXGPDB	Negative KM HemaTrace	Negative AP PSA	Positive/Indicative Phadebas
R38JQ3	Negative Visual examination: No red-brown staining; therefore not tested for blood	Negative AP	Positive/Indicative Phadebas paper
R8ZRNH	No Response Hstix Lum	No Response AP	Not Tested
RB2X3M	Negative KM	Negative ALS RSID	No Response
RFCNUA	Negative KM	Negative AP	Positive/Indicative PHADEBAS

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
RGPHAA	Not Tested	Negative AP Micro	Not Tested
RJGGN9	Not Tested <u>Other Tests Performed</u> *O-tol Blood test - no visible staining	Negative PSA Micro (sperm)	Positive/Indicative Amylase Gel Micro (NECs = 1)
RKAHEW	Negative LMG	Negative AP Micro	Positive/Indicative Amylase Diffusion
RMYPYT	Not Tested No apparent blood observed	Negative AP Micro	Positive/Indicative Amylase Diffusion
RRTQXM	Negative KM HemaTrace Hemastix Luminol Leucocrystal Violet	Negative AP Micro PSA	Positive/Indicative RSID
RUCMH7	Negative KM	Negative AP P30 KPIC	Positive/Indicative Phadebas
RVR3V8	Negative TMB	Negative AP PSA Microscopic	Positive/Indicative alpha-Amylase Test card
RWZ27G	Negative HEMOPHAN SERATEC HEM	Negative PHOSPHADESMO SERATEC SEMEN	Positive/Indicative SERATEC AMY
RXUXGV	Negative LMG	Negative AP Micro PSA	Positive/Indicative Amylase diffusion
RYQH4V	Negative Hemastix KM Luminol HemaTrace	Negative AP Abacus Card - PSA micro	Positive/Indicative RSID - Saliva

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
TEKZXZ	Negative KM	Negative AP ABAcad p30 Micro	Positive/Indicative Phadebas
TGM3LF	Negative KM HemaTrace	Negative AP Micro PSA	Positive/Indicative RSID
TJPM6M	Negative LIGHT SOURCES HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive LIGHT SOURCES	Not Tested
TLEG2A	Negative KM	Negative Sperm HyLiter PI RSID-Semen PSA	Positive/Indicative Amylase
TRX263	Negative HEXAGON OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Negative RSID SEMEN	No Response
TWVYXM	Negative Hemastix Luminol <u>Other Tests Performed</u> Presumable skin cells	Negative Brentamine	No Response
TXBD9H	Negative KM <u>Other Tests Performed</u> Urine - Creatinine Feces - Urobilinogen	Negative AP MICRO PSA	Positive/Indicative Radial Diffusion
TY3YXF	[Participant did not return results for Item 2]		
TZW8ZC	Negative Human Blood Thevenon Roland Piramidon	Negative Christmas Tree Semenogelina	Not Tested The Laboratory's portfolio of services does not include Saliva Identification

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
U32AAE	Negative KM Hemastix Hematrace	Negative AP PSA Micro	Positive/Indicative RSID
U8UALN	Negative KM	Negative AP PSA Micro	Positive/Indicative Saligae
U9LC94	No Response KM	No Response AP Micro	No Response Phadebas
UAE9VC	Negative Hemastix Luminol	Negative AP (Brentamine)	Not Tested Laboratory does not perform this test
UGJWWT	Negative KM Hematrace	Negative AP PSA	Positive/Indicative Phadebas
UKVC24	Negative HEMASTIX BLUESTAR	Negative ALS	Negative ALS
ULWJTJ	Negative Visual	Negative ALS p30	Not Tested
UNYNYC	Negative LMG	Negative AP PSA Micro	Inconclusive Amylase Micro
UPTAR3	Negative KM	Negative PSA Micro	Positive/Indicative Phadebas
V3FUUC	Negative Hemastix KM Hematrace	Negative AP PSA Micro	Positive/Indicative RSID
V67XMJ	Negative Hemastix HemaTrace KM	Negative Acid Phosphatase PSA Microscopic	Positive/Indicative RSID saliva

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
V7HR8P	Negative LMG	Negative AP Micro ALS PSA	Positive/Indicative Amylase diffusion
VDWF4C	Negative KM Hemastix Luminol Hematrace	Negative AP PSA Micro	Positive/Indicative RSID saliva
VHRDQH	Negative Hemastix Phenolphthalein Hematrace	Negative Acid Phosphatase Abacard PSA Seratec PSA Microscopic	Positive/Indicative RSID
VL83R8	Negative KM <u>Other Tests Performed</u> Urine - Creatinine	Negative AP	Positive/Indicative Phadebas Amylase
VLBAB3	Negative PT	Negative AP	Not Tested
VLUDNU	Negative KM, Hemastix, Luminol, Hematrace	Negative AP, Abacus p30, Seratec PSA, Micro	Positive/Indicative RSID Saliva
VQ3WMM	Negative KM HemaTrace	Negative AP PSA (Seratec) Micro	Positive/Indicative SALlgAE
VREV3H	No Response RSID (BLOOD) HEMASTIX BLUESTAR	No Response RSID SEMEN	Not Tested
VRXC26	Negative O-tol	Negative AP	Positive/Indicative RSID
VWM2D3	Not Tested	Negative AP	Positive/Indicative Amylase

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
VYT2EF	Negative RSID HEMASTIC OBTI BLUE STAR <u>Other Tests Performed</u> SALIVA - RSID BLOOD - HEMASTIC SEMEN - RSID	Negative RSID OBTI BLUE HEMASTIC	Negative RSID
W77RFK	Negative Hemastix Luminol	Negative Brentamine	No Response
W842RB	Negative Hemastix Phenolphthalein HemaTrace	Negative AP PSA Micro	Positive/Indicative RSID
WD7N44	Negative LIGHT SOURCE HEMASTIX HEXAGON OBTI	Inconclusive LIGHT SOURCE	Not Tested
WDD4U7	Negative KM	Negative AP Micro	Positive/Indicative Radial Diffusion
WJN4W	Negative KM	Negative AP ABACard P30 Micro	Positive/Indicative Phadebas
WL87X3	Negative Hemastix	Negative Micro PSA	Not Tested Not required as per lab SOP
WU36UH	Negative KM Hemastix HemaTrace Luminol Leucocrystal violet	Negative AP Micro PSA	Positive/Indicative RSID
WZ82F4	Negative O-tol	Negative AP	Positive/Indicative RSID

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
X8YXFB	Negative Hemastix Hematrace <u>Other Tests Performed</u> ALS	Negative AP PSA Microscopy	Positive/Indicative RSID
XFT7Z3	Negative O-tol	Negative AP	Positive/Indicative RSID
XNNVX7	Negative KM	Negative SPERM HY-LITER PI RSID-Semen PSA	Positive/Indicative Amylase
XPW6MH	Negative KM	Negative AP Micro	Positive/Indicative Amylase
XTLCCL	Negative Hstix Luminol	Negative Brentamine	Not Tested
XTZWZP	Inconclusive KM Hemastix HemaTrace Luminol	Negative AP Micro PSA P30	Positive/Indicative RSID Saliva
XUT7UJ	No Response CRIME LIGHT SOURCE HEMASTIX HEXAGON OBTI BLUE STAR	Negative CRIME LIGHT 415 AND 450	Negative CRIME LIGHT 415 AND 450
XW2VFN	Negative KM	Negative AP Micro P30-ABAcad	Positive/Indicative Phadebas
XYQ8C9	Negative KM Hematrace	Negative ALS AP Micro PSA	Positive/Indicative ALS RSID - saliva

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
XZK2Q4	Negative HemaTrace - Human Blood Thevenon Roland Piramidon	Negative Microscopic - Christmas Tree RSID - Semen	Positive/Indicative RSID - Saliva
YA4QAA	Negative HemaTrace Hemastix KM Luminol	Negative AP PSA Micro	Positive/Indicative RSID-Saliva
YA8BYX	Negative km	Negative ap	Positive/Indicative rsid
YG3KWA	Negative Hemastix Luminol	Negative Brentamine	Not Tested Testing for saliva is not done in our laboratory as there is no specific test available
YHGYCW	Negative KM	Negative AP PSA Micro	Positive/Indicative RSID Saliva
YLZW39	Negative Hemastix KM HemaTrace	Negative AP PSA micro	Positive/Indicative RSID
Z7X7H9	[Participant did not return results for Item 2]		
ZAXZA6	Negative Thevenon Roland Piramidon ABAcad HemaTrace	Negative Microscopic - Christmas Tree RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
ZBQVWD	Negative Benzidine Heme Direct Kit	Negative AP (Acid Phosphatase) PSA	Not Tested
ZC38GG	Negative RSID: BLOOD	Negative RSID: SEMEN	Not Tested

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ZGHDFC	Negative RSID HEMATRACE HEXAGON OBTI BLUE STAR TMB <u>Other Tests Performed</u> BLOOD - HEMATRACE SEMEN - RSID SALIVA-RSID	Negative RSID HEMATRACE BLUE STAR TMB HEXAGON OBTI	Negative RSID HEMATRACE BLUE STAR TMB HEXAGON OBTI
ZKGED8	Negative ABA card HemeTrace	Negative ABA card P30	Positive/Indicative SALlgAE
ZKYJTK	Negative KM Hemastix HemaTrace Luminol	Negative AP PSA Micro	Positive/Indicative RSID
ZPBBZD	Negative LMG RSID-Blood <u>Other Tests Performed</u> Urine - RSID-Urine	Negative AP RSID-Semen	Positive/Indicative RSID-Saliva
ZUHJ2U	Negative HEXAGON OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Negative RSID SEMEN	No Response
ZVHV94	Not Tested no staining indicative of blood	Negative AP	Positive/Indicative Phadebas amylase
ZWQRCZ	Negative UV; LIGHTSOURCE 450 HEMASTICS HEXAGON BLUESTAR	Inconclusive LIGHT SOURCE	No Response
ZX7E4A	Negative Hemastix Luminol	Negative Brentamine	Not Tested

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ZXLN33	Negative KM <u>Other Tests Performed</u> Urine - Creatinine	Negative AP PSA	Positive/Indicative Phadebas Amylase

Response Summary for Table 1 - Item 2

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	0	2	167
Negative	256	264	11
Inconclusive	4	8	4
Not Tested (NT)	20	8	94
No Response	24	22	28
Total	304	304	304

Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
29HY6H	Positive/Indicative Hemastix (H/stix)	Not Tested Not tested as per Evidence Recovery SOP	Not Tested Not tested - Tests for possible saliva not conducted at [Laboratory]
2AHUWZ	Positive/Indicative KM ABA Hematrace	Positive/Indicative AP PSA	Negative Phadebas
2BNZTE	Positive/Indicative HEMASTIX HEXAGON OBTI BLUESTAR	Positive/Indicative RSID	Not Tested
2DYJV4	Positive/Indicative Phenolphthalein	Positive/Indicative AP Micro	Negative RSID
2EA44D	Positive/Indicative KM HemaTrace	Positive/Indicative AP Micro	Negative RSID
2EPLHJ	Not Tested	Not Tested Blood swab - not tested with Brentamine (refer to comments)	Not Tested No test available - (submit for epithelia, refer to comments)
2GBQFA	Positive/Indicative HEMATRACE HEXAGON OBTI RSID BLUE STAR <u>Other Tests Performed</u> SEMEN - RSID BLOOD - HEXAGON OBTI BLOOD - HEMATRACE	Positive/Indicative RSID HEMATRACE HEXAGON OBTI BLUE STAR	Not Tested
2HTFKV	Positive/Indicative Visual LMG HemaTrace	Positive/Indicative AP ABA p30 Micro	Negative RSID

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
2KHJD2	Positive/Indicative KM Modified Takayama	Positive/Indicative AP Micro	Not Tested Not tested because vaginal fluid can give a false positive result for saliva and our lab does not routinely test for saliva in the vaginal area.
2MHWRE	Not Tested Visual screening of swabs <u>Other Tests Performed</u> Visual screening of the swabs were done. They were bloody according to our SOP a visual screening of blood from genital areas is seen as semen pos.	Not Tested Visual screening of swabs	Not Tested No preliminary saliva; (This test) is not done at our lab.
2NHVBM	Positive/Indicative LMG HemaTrace	Positive/Indicative AP PSA Micro	Negative amylase diffusion
2QLQT6	Positive/Indicative HS HT <u>Other Tests Performed</u> ALS	Positive/Indicative AP PSA micro	Negative RSID
2REJNN	Positive/Indicative Kastle Meyer HemaTrace	Positive/Indicative Acid Phosphatase Microscopic	Negative RSID
2T7MB4	Positive/Indicative ABAcad - HemaTrace Thevenon Roland Piramidon	Positive/Indicative Microscopic RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
2T96LL	Positive/Indicative KM Micro	Positive/Indicative AP Micro	Negative Amylase
2ZU2MP	Positive/Indicative Hemastix	Positive/Indicative Microscopy (smear)	Negative RSID
32HUYJ	Positive/Indicative KM	Positive/Indicative AP Micro	Inconclusive Amylase

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
36HAYU	Positive/Indicative KM	Positive/Indicative AP p30 KPIC	Negative Phadebas
36LPHM	Positive/Indicative LMG HemaTrace	Positive/Indicative AP Micro p30	Negative Amylase diffusion
379DR2	Positive/Indicative HemaTrace	Positive/Indicative Micro	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
37B3UD	No Response KM	No Response ALS RSID Micro	Not Tested
3AFL6T	Positive/Indicative Visual Examination LMG HemaTrace	Positive/Indicative AP P30 Micro	Negative RSID-Saliva
3FJPVQ	Positive/Indicative TMB Haemochromogen HemaTrace	Positive/Indicative Acid Phosphatase Semenogelin Microscopy	Negative Phadebas
3FZKXL	Positive/Indicative LMG Hematrace	Positive/Indicative ACP Micro PSA	Negative Amylase Diffusion
3LZP8A	Positive/Indicative HEMA TRACE RSID OBTI BLUE STAR TMB Other Tests Performed BLOOD - OBTI+ HEMA TRACE SEMEN - RSID	Positive/Indicative RSID HEMA TRACE OBTI BLUE STAR TMB	Not Tested RSID HEMA-TRACE OBTI BLUE STAR TMB
434GN6	Positive/Indicative HEMASTIC BLUE STAR	Positive/Indicative RSID	Not Tested

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
44JEZP	Positive/Indicative KM HemaTrace	Positive/Indicative AP Micro ABACard P30	Negative Phadebas
48YHKR	No Response BLUESTAR OBTI HEMASTIC <u>Other Tests Performed</u> ITEM3 - POLIGHT SOURCE USED NO COLOUR CHANGE 450; UV; 415 LIGHT TESTED	Not Tested	No Response
4FVTWV	Positive/Indicative KM	Positive/Indicative AP MICRO	Negative PHADEBAS TUBE TEST
4GMPH6	Positive/Indicative LMG HemaTrace	Positive/Indicative ALS AP Micro	Negative Amylase Radial Diffusion
4GTYJH	Positive/Indicative KM	Positive/Indicative AP Micro	Negative RSID saliva
4H3YJH	Positive/Indicative Micro KM	Positive/Indicative AP Micro	Inconclusive Amylase Diffusion
4K8U2Z	Positive/Indicative KM Takayama	Positive/Indicative AP Micro	Negative Phadebas Amylase
4KQD9T	Not Tested Not indicated by scenario	Positive/Indicative AP PSA Micro	Not Tested Not indicated by scenario
4MTXQD	Positive/Indicative RSID: BLOOD HEMASTIX	Negative RSID: SEMEN	Not Tested
4RMHPB	Positive/Indicative KM	Positive/Indicative ALS RSID Micro	Not Tested

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4YNCQA	Positive/Indicative UV + 450 LIGHT SOURCES HEMASTIX HEXAGON OBTI BLUE STAR	Inconclusive UV + 450 LIGHT SOURCES	Not Tested
62RP7V	Positive/Indicative O-TOL HEMDIRECT	Positive/Indicative AP PSA	Negative AMYLASE DIFFUSION
62TB7H	No Response KM <u>Other Tests Performed</u> Amylase-Amylase Diffusion	No Response BCIP Micro	Not Tested our laboratory doesn't conduct saliva testing, we conduct amylase testing
63PVUG	Positive/Indicative KM	Positive/Indicative AP PSA Micro	Negative RSID
66CRZM	Positive/Indicative KM ABAcad - Hema Trace	Positive/Indicative AP ABAcad - P30 Micro	Negative Phadebas
66M3QR	Positive/Indicative VISUAL OBSERVATION ALTERNATIVE LIGHT SOURCE HEMASTIX BLUESTAR OBTI	No Response	Not Tested
6AKLRP	No Response HEMASTIX HEXAGON OBTI RSID BLUESTAR	No Response HEMASTIX HEXAGON OBTI RSID BLUESTAR	No Response HEMASTIX HEXAGON OBTI RSID BLUESTAR
6BFEAB	Positive/Indicative KM	Positive/Indicative AP Micro	Negative RSID
6CR9RW	Positive/Indicative KM Hematrace	Positive/Indicative AP PSA	Negative Phadebas

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
6HFZTX	Positive/Indicative KM OBTI	Positive/Indicative RSID-Semen PSA	Not Tested Laboratory only routinely performs blood and/or semen tests for sexual assault cases.
6MR2Y3	Positive/Indicative Hemastix KM HemaTrace	Positive/Indicative AP PSA Micro	Negative RSID-Saliva
6TGGRF	Positive/Indicative O-Tol	Positive/Indicative AP	Not Tested
6V2EWX	Positive/Indicative KM OBTI	Positive/Indicative SPERM HY-LITER PI	Not Tested Swab of genital area generally tested for semen. It is also tested for blood when there is blood-like stain observed. NT for saliva unless specified.
6Y7VE2	Positive/Indicative Hemastix KM Hematrace	Positive/Indicative AP PSA Micro	Negative RSID
6ZWY89	Positive/Indicative KM	Positive/Indicative AP Micro	Negative RSID
76MTGE	Positive/Indicative KM	Positive/Indicative AP Micro	Negative RSID Saliva
7CQXBJ	Positive/Indicative Tetramethylbenzidine	Positive/Indicative Microscopy	Negative Phadebas
7M3L4A	Positive/Indicative ALS - UV; NM415; NM450 HEXAGON OBTI BLUE STAR	Positive/Indicative ALS - NM450	Inconclusive ALS - NM450, UV, NM415
7Q762P	Positive/Indicative KM	Positive/Indicative AP PSA Micro	Negative RSID

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
7RYXW9	Positive/Indicative KM	Positive/Indicative ALS RSID HE microscopy	No Response
7TDDEF	Positive/Indicative O-tol	Positive/Indicative AP Micro	Negative RSID
83D7GF	Positive/Indicative KM Hemastix Hematrace Luminol	Positive/Indicative AP Micro PSA	Negative RSID Saliva
84QXAW	Positive/Indicative KM Modified Takayama	Positive/Indicative AP Micro	Negative Phadebas Amylase Test
8EB7W6	Positive/Indicative KM Hexgon OBTI	Positive/Indicative AP	Not Tested Case Scenario; Lab Policy
8EQRP8	Positive/Indicative LIGHT SOURCE; UV + 450 ORANGE GOGGLES HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive UV LIGHT SOURCE	Not Tested
8GYKKE	Positive/Indicative KM	Positive/Indicative AP PSA (Abacus) Microscopic	Negative RSID saliva
8JJED9	Positive/Indicative KM	Positive/Indicative ALS RSID Micro	Not Tested
8LQQF4	No Response KM TMB HemaTrace	No Response AP PSA Micro	No Response RSID
8QFTYM	Positive/Indicative HEMASTIX OBTI	Not Tested	Not Tested

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
8VULV8	Positive/Indicative HEMASTIX BLUESTAR RSID BLOOD	Positive/Indicative RSID SEMEN	Not Tested
8XMTKX	Positive/Indicative HS KM HT	Positive/Indicative AP MICRO P30	Negative RSID
8Z9MCR	Positive/Indicative TMB Seratec Hem Direct	Positive/Indicative AP Seratec PSA Semiquant ME (micro)	Negative Seratec Amylase
99WCD7	Positive/Indicative HEMASTIX RSID BLOOD RSID SEMEN BLUESTAR	Negative HEMASTIX RSID BLOOD RSID SEMEN BLUESTAR	Not Tested
9CJEFR	Positive/Indicative BLUESTAR OBTI	Positive/Indicative AP SERATEC PSA	Negative PHADEBAS
9MH4F2	Positive/Indicative TMB Hematrace <u>Other Tests Performed</u> Alternate Light Source	Positive/Indicative AP Micro	Negative RSID
9MYHMC	Positive/Indicative LMG Hematrace	Positive/Indicative AP 1 step & 2 step Micro P30	Negative Amylase Diffusion
9NCZJ3	Not Tested Not tested; Bloody swabs	Not Tested Not tested; Bloody swabs	Not Tested Not tested; There is no test for saliva in a lab
9P4W9W	Positive/Indicative KM	Positive/Indicative AP P-30 KPIC	Negative Phadebas
9PNN43	Positive/Indicative TMB Hematrace	Positive/Indicative AP Microscopic exam for sperm	Negative RSID saliva

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
9RAGWW	Positive/Indicative KM	Positive/Indicative AP PSA Micro	Negative Phadebas
9RU9UM	Positive/Indicative KM HT	Positive/Indicative AP PSA PELLET SLIDE/ MICRANALYSIS	Negative RSID
9TL6HG	Positive/Indicative Hemastix Hematrace	Positive/Indicative AP p30 Microscopy	Negative RSID
A2FJWM	Positive/Indicative KM SERATEC Hemoglobin	Positive/Indicative AP Micro PSA	Negative RSID
A4KAYW	Positive/Indicative ABAcad HemaTrace Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Coloring RSID - Human Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
A8GXF4	Positive/Indicative PHTH	Positive/Indicative P30 Micro	Negative Phadebas
AA9WU2	Not Tested Swabs collected from the victim's genital area, therefore testing for blood is of no evidential value	Not Tested Bloody post-coital swabs treated as being brentamine positive	Not Tested
ACAFY2	Positive/Indicative HEMASTIX HEXAGON OBTI RSID BLUE STAR TMB Other Tests Performed BLOOD - HEMASTIX SEMEN - RSID BLOOD - HEXAGON OBTI BLOOD - BLUE STAR	Positive/Indicative RSID HEXAGON OBTI HEMASTIX	Not Tested

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ACDKAR	Positive/Indicative Visual Exam O-tol HemaTrace	Positive/Indicative ALS AP PSA	Not Tested
AD84J6	Positive/Indicative KM	Positive/Indicative AP Micro	Negative RSID
AJNFWP	Positive/Indicative BLUESTAR HEXAGON OBTI HEMASTIX	No Response	Positive/Indicative HEMASTIX
AL37GB	No Response	Not Tested bloody - not tested. Bloody post - coital swabs treated as positive (refer to SOP).	No Response
AL6TZA	Positive/Indicative KM Hematrace	Positive/Indicative AP PSA/p30 microscopic exam	Negative SALIgAE
AXDLLU	Positive/Indicative Thevenon Roland (Piramidon) ABAcad HemaTrace	Positive/Indicative Christmas Tree Stain Slide (Micro) RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
AZNJZC	Positive/Indicative KM, Hemastix, HemaTrace	Positive/Indicative AP, PSA, Micro	Negative RSID - Saliva
BC7UHY	Not Tested Not tested; Bloody swabs	Not Tested Not tested; Bloody swabs	Not Tested Not tested; the laboratory doesn't have a test for saliva
BHV8L9	Not Tested Testing for blood does not have evidential value, due to the fact that the blood belongs to the victim	Not Tested Bloody (not tested)	No Response
BNRRWJ	Positive/Indicative KM ABAcad Hematrace	Positive/Indicative AP P30	Negative Phadebas

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
BXMMNZ	Positive/Indicative HEMASTIX BLUE STAR OBTI RSID BLUE STAR TMB <u>Other Tests Performed</u> BLOOD - RSID SEMEN - RSID	Positive/Indicative BLUE STAR OBTI RSID HEMASTIX BLUE STAR TMB	Negative OBTI RSID HEMASTIX BLUE STAR TMB
BXR7C3	Positive/Indicative HEMASTICS RSID BLOOD RSID SEMEN BLUESTAR	No Response RSID SEMEN	Not Tested
BYLCPV	Positive/Indicative KM	Positive/Indicative AP MICRO	Negative AMYLASE RADIAL DIFFUSION
CA2GHD	Positive/Indicative HemaTrace Hemastix KM	Positive/Indicative AP PSA Micro	Negative RSID
CAXERZ	Positive/Indicative HEMASTIX BLUE STAR	Positive/Indicative RSID	No Response
CERYQW	Not Tested The laboratory does not perform any preliminary tests for bloody swabs	Not Tested The laboratory doesn't perform any preliminary tests for bloody swabs	Not Tested The laboratory does not perform any preliminary tests for saliva
CGMDL3	Positive/Indicative Phenolphthalein Hematrace	Positive/Indicative AP Micro	Negative RSID
CRHT3Q	Positive/Indicative KM OBTI	Positive/Indicative RSID-Semen PSA	Not Tested Laboratory only routinely test for blood and/or semen in sexual assault cases.
CX379X	Positive/Indicative HEMASTIX BLUE STAR	Positive/Indicative RSID	Not Tested
D23C7M	Positive/Indicative O-tol HemaTrace	Positive/Indicative AP micro	Negative RSID

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
D48P24	Positive/Indicative KM	Positive/Indicative AP Spot Micro	Negative Radial Diffusion
DB47DL	Positive/Indicative ALTERNATE LIGHT SOURCE BLUESTAR HEXAGON OBTI	Positive/Indicative ALTERNATE LIGHT SOURCE RSID	Not Tested
DJ7PZX	Positive/Indicative KM TMB (Hemastix) HemaTrace	Positive/Indicative AP Micro	Negative RSID
DJYM4X	Not Tested Victims blood has no Evidential value here	Not Tested Bloody swabs are not tested	No Response The laboratory has no test for saliva
DR9XUG	Positive/Indicative BLUESTAR OBTI HEMASTIX	No Response	No Response
DTRWDT	Positive/Indicative Visual TMB HemaTrace	Positive/Indicative AP MICRO	Negative Amylase Radial Diffusion
DU7H9P	Positive/Indicative KM Hematrace	Positive/Indicative AP PSA	Negative Phadebas
DWQB2J	Positive/Indicative TMB HemaTrace	Positive/Indicative AP PSA Micro	Negative Radial Diffusion
DXJ4W3	Positive/Indicative KM	Positive/Indicative ALS RSID Micro	Not Tested
DZAGJE	Not Tested Not required as per the lab SOP.	Positive/Indicative Micro	Not Tested Not required as per lab SOP.

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
E4LATW	Positive/Indicative HEMASTIC OBTI RSID BLUE STAR <u>Other Tests Performed</u> BLOOD - OBTI SEMEN - RSID BLOOD - BLUE STAR SALIVA - RSID	Positive/Indicative RSID OBTI HEMATRACE BLUE STAR	Negative RSID OBTI HEMASTIC BLUE STAR
E6FLX	Positive/Indicative Lmg	Positive/Indicative Ap	Not Tested
E7CUZA	Positive/Indicative KM HemaTrace	Positive/Indicative AP Micro PSA	Negative RSID
E88KZW	Not Tested Hemastix; Bloody swabs are not tested according to the S.O.P.	Not Tested Brentamine; Bloody swabs are not test according to the S.O.P. They are treated as Brentamine positive	Not Tested The laboratory does not have a test for saliva
EAWQKT	Positive/Indicative KM HemaTrace	Positive/Indicative AP PSA Micro	Inconclusive Amylase Radial Diffusion Micro
EGXWKP	Positive/Indicative Visual KM HemaTrace	Positive/Indicative AP Micro	Negative RSID
EH74NH	Positive/Indicative Visual LMG Hematrace	Positive/Indicative AP ABACard P30 Micro	Negative RSID-Saliva
ELNDQN	Positive/Indicative Hemastix	Positive/Indicative AP	Not Tested
EQYNK4	Not Tested	Not Tested Bloody not tested with Brentamine (see additional comments)	Not Tested

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ERVWXU	Positive/Indicative KM	Positive/Indicative AP Micro	Negative RSID
EW8P6M	Positive/Indicative KM <u>Other Tests Performed</u> Urine - not tested - no smell Faecal - not tested - no obvious visible faecal staining or faecal odour	Positive/Indicative AP Microscope Slide (Xmas tree)	Negative Phadebas
EXKCQ8	Positive/Indicative Micro KM	Positive/Indicative AP Micro	Inconclusive Amylase
EYTTCJ	Positive/Indicative ALS O-tol OBTI	Positive/Indicative ALS AP	Not Tested Our lab does not test for saliva
F3R8XN	Positive/Indicative KM OBTI	Positive/Indicative RSID-Semen PSA	Not Tested Laboratory only routinely examines for blood and/or semen in sexual assault cases.
F6EW78	Positive/Indicative O-tol	Positive/Indicative AP Micro	Negative RSID Saliva
FGN89G	Positive/Indicative HEXAGON OBTI BLUESTAR CRIME LIGHT	Positive/Indicative RSID CRIME LIGHT	Not Tested
FNPZGX	Positive/Indicative KM	Positive/Indicative ALS RSID Micro	Not Tested
FQD862	Not Tested	Not Tested Bloody (not tested); see additional comments	Not Tested See additional comments
FRQ2K2	Not Tested No presumptive tests performed.	Not Tested No presumptive tests performed; Bloody not tested as per S.O.P.	Not Tested No presumptive testing

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
FUUP94	Positive/Indicative LMG Hematrace	Positive/Indicative AP micro	Negative amylase diffusion
FYLFBL	Positive/Indicative HEXAGON OBTI	Not Tested	Not Tested
G2R2YL	Positive/Indicative HEXAGON OBTI	Not Tested	Not Tested
G3QMUL	Positive/Indicative KM	Positive/Indicative AP Micro PSA	Not Tested Lab does not test for saliva
G78A76	Positive/Indicative LMG	Positive/Indicative AP Micro	Negative Amylase Diffusion
GCN8TK	Positive/Indicative LIGHT SOURCE; UV AND 450 HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive LIGHT SOURCE, UV	Not Tested
GFRLFV	Positive/Indicative KM HemaTrace	Positive/Indicative AP Micro	Negative RSID
GG2DLT	Not Tested We don't test blood on genital swabs	Not Tested We don't test bloody swabs	Not Tested Test would not be applicable on genital swabs
GHGRZU	Positive/Indicative TMB Hematrace	Positive/Indicative AP Micro	Negative RSID saliva
GJ8JMC	Positive/Indicative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Not Tested	Not Tested

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GJCHYG	Positive/Indicative TMB HemaTrace	Positive/Indicative AP PSA Micro	Negative Amylase radial diffusion
GK9QDR	Positive/Indicative KM	Positive/Indicative AP PSA Micro	Negative RSID
GKKKUT	Positive/Indicative KM HemaTrace	Positive/Indicative AP Micro	Negative RSID
GM8BVW	Positive/Indicative Lmg	Positive/Indicative Ap	Not Tested
GM924Z	Not Tested	Not Tested	Not Tested
	<u>Other Tests Performed</u> Bloody Post-Coital Swabs - treated as brentamine positive and not tested with reagents according to SOP		
GQPLUM	Positive/Indicative Visual Exam KM HemaTrace	Positive/Indicative AP Micro	Negative RSID
GY4826	Positive/Indicative Hemastix	Positive/Indicative AP Micro PSA	Negative RSID - Saliva
GZYQ8D	Positive/Indicative KM	Positive/Indicative AP Micro (sperm)	Not Tested NT - Sample directly from genital area - expectation of possible vaginal amylase
H8DUT7	Positive/Indicative LMG HemaTrace	Positive/Indicative AP Micro P30	Negative Amylase Diffusion
H93UJG	Positive/Indicative HEMASTIX BLUESTAR	No Response ALS	No Response ALS

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
H9486W	Positive/Indicative KM	Positive/Indicative ALS RSID Micro	Not Tested
H9J6WF	Positive/Indicative OBTI HEMASTIX	Not Tested	Not Tested
HAXTYM	Positive/Indicative ABACard HemaTrace	Positive/Indicative Christmas Tree Stain	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
HBW9W7	Positive/Indicative LMG Hematrace	Positive/Indicative AP Micro PSA	Negative amylase diffusion
HM8LCL	Positive/Indicative KM Takayama Hematrace	Positive/Indicative AP Micro	Negative Phadebas
HTQ94X	Positive/Indicative UV; 450nm LIGHT ; ORANGE GOGGLE HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive UV; 450nm ;ORANGE GOGGLES	Not Tested
HYKJGP	Positive/Indicative Hemastix KM HemaTrace	Positive/Indicative AP PSA micro	Negative RSID
HZCRGR	Not Tested Bloody swabs, not tested	Not Tested Bloody swabs, not tested; Presumed pos for semen	Not Tested No validated saliva test at lab
J7E9BY	Positive/Indicative LMG HemaTrace	Positive/Indicative AP PSA Micro	Not Tested
J8QU3K	Positive/Indicative Thevenon Roland Piramidon ABACard HemaTrace	Positive/Indicative Christmas Tree RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
JC2YXU	Positive/Indicative Phenolphthalein (PTMB)	Positive/Indicative Acid Phosphatase Microscopic	Negative RSID-Saliva
JER6CY	Not Tested	Not Tested	Not Tested
JKW22Q	Positive/Indicative KM	Positive/Indicative AP Micro	Not Tested Case scenario didn't warrant it
JML8LM	Positive/Indicative KM	Positive/Indicative AP microscopic	Negative RSID
JNW8K3	Positive/Indicative Micro KM	Positive/Indicative AP X-mas	Negative Amylase
JQZZE2	Positive/Indicative LMG Hematrace	Positive/Indicative AP Micro	Negative Amylase diffusion
JT88TM	Positive/Indicative ABAcad HemaTrace Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
JUX9EH	Positive/Indicative MULTISTIX HEXAGON OBTI BLUESTAR	Positive/Indicative RSID PRESUMPTIVE TEST UV LIGHT	Positive/Indicative MULTISTIX
JVCCBU	Positive/Indicative RSID: BLOOD HEMASTIX	Negative RSID: SEMEN	Not Tested
JVY6M6	Positive/Indicative KM	Positive/Indicative AP PSA micro	Negative RSID
KCJ8LN	Positive/Indicative KM	Positive/Indicative AP micro	Negative RSID

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
KNDKLK	Positive/Indicative KM HemaTrace	Positive/Indicative AP Micro	Negative RSID
KP6N9Z	Not Tested Not tested	Not Tested Not tested, we don't test any bloody genital swabs	Not Tested Not tested, no saliva presumptive tests are performed at the lab
KTZ2QB	Positive/Indicative BLUESTAR OBTI HEMASTIC <u>Other Tests Performed</u> 415 TOUCH	No Response	No Response
L4DLMC	Positive/Indicative BLUESTAR HEMASTIX BLUESTAR OBTI	Not Tested	Not Tested
L9TMUP	Positive/Indicative TMB HemaTrace	Positive/Indicative AP Micro	Negative RSID
LCG2HY	Positive/Indicative Hemastix	Positive/Indicative AP PSA Micro	Negative RSID saliva
LE2VBT	No Response KM	No Response ALS RSID Micro	Not Tested
LFP7RQ	Positive/Indicative HEMASTIC OBTI RSID TMB <u>Other Tests Performed</u> BLOOD - HEMASTIC SEMEN - RSID	Positive/Indicative RSID OBTI HEMASTIC TMB	Not Tested RSID OBTI HEMASTIC TMB
LM9AYT	Positive/Indicative LIGHT SOURCE UV AND 450nm HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive LIGHT SOURCE UV	Not Tested

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LPZTZE	Positive/Indicative KM Visual	Positive/Indicative AP Microscopic slides	Negative Phadebas
LQF3XL	Positive/Indicative Hemastix	Positive/Indicative AP Micro	Negative RSID-Saliva
LQRPM2	Not Tested as per lab SOP (not required)	Positive/Indicative Micro	Not Tested as per lab SOP (not required)
LR428Q	Positive/Indicative HEMASTIX BLUESTAR	Positive/Indicative RSID	Not Tested
LYLCLQ	Positive/Indicative HEMASTIX BLUE STAR	Positive/Indicative RSID	Not Tested
M2UMR2	Positive/Indicative Hemastix KM	Positive/Indicative AP Micro	Negative RSID saliva
M4G2KH	Positive/Indicative KM	Positive/Indicative AP Micro	Negative RSID
M8JW77	Positive/Indicative O-tol Hemastix RSID blood	Positive/Indicative AP Micro RSID semen	Negative RSID saliva
MK2U2A	Positive/Indicative visual and KM	Positive/Indicative AP and Slide	Not Tested Phadebas tube test not available
MTWPA7	Positive/Indicative KM HemaTrace	Positive/Indicative AP Micro ABAcad P30	Negative Phadebas
MXQTUW	Not Tested No evidential value	Not Tested Bloody (not tested)	No Response
MZFZEU	Not Tested Blood on the swab does not have evidential value because it's a genital swab	Not Tested Brentamine; bloody (not tested)	No Response

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
NCNKDT	Positive/Indicative HEMASTIX HEXAGON OBTI BLUESTAR <u>Other Tests Performed</u> BLOOD - POLIFLARE 450nm LIGHT	Positive/Indicative HEMASTIX RSID	Not Tested
NENXT7	No Response BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Not Tested	Not Tested
NJPDQG	Positive/Indicative Visual KM Hematrace	Positive/Indicative AP Micro	Negative RSID
NT9FLA	Positive/Indicative CRIME LIGHT SOURCES BLUESTAR HEXAGON OBTI	Positive/Indicative CRIME LIGHT SOURCES RSID	Not Tested
NTDB9A	Positive/Indicative KM	Positive/Indicative AP PSA MICRO	Negative Phadebas
NU744T	Positive/Indicative KM	Positive/Indicative ALS RSID Micro	No Response
NX3PWG	Positive/Indicative KM	Positive/Indicative PSA MICRO	Negative PHADEBAS
PBPEAR	Positive/Indicative Hemastix (see additional comments)	Not Tested Not tested, as per Evidence Recovery SOP	Not Tested Not tested; Tests for presumable saliva are not performed at [Laboratory] (see comments)
PC4NKD	Positive/Indicative ABAcad HemaTrace Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
PJ46VJ	No Response KM	No Response ALS RSID Micro	Not Tested
PRG82K	Positive/Indicative Phenolphthalein HemaTrace	Positive/Indicative ALS AP Micro	Negative ALS RSID Saliva
PRWDHV	Not Tested No evidential value, swabs from the victim's genital area & it will be her own blood; therefore no evidential value	Not Tested Brentamine: Bloody swab; Not tested	No Response
PUYG4Q	Positive/Indicative KM	Positive/Indicative ALS RSID Micro	Not Tested
PWNMNM	Positive/Indicative KM RSID	Positive/Indicative ALS AP RSID MICRO	Negative ALS RSID
PX332N	Positive/Indicative Hemastix HemaTrace <u>Other Tests Performed</u> Alternate Light Source	Positive/Indicative Acid Phosphatase Abacus PSA Microscopic Sperm	Negative RSID - Saliva
PXMNRT	Positive/Indicative H-Stix	Positive/Indicative Brentamine	Not Tested
PYFL3K	Not Tested Bloody not tested	Not Tested Bloody not tested	Not Tested Saliva test not performed at our laboratory
PZT9FT	Not Tested Bloody not tested according [SOP Number]	Not Tested	Not Tested
Q2VN7W	Positive/Indicative KM	Positive/Indicative AP Micro	Negative RSID saliva

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
Q4KECM	Positive/Indicative RSID: BLOOD	Negative RSID SEMEN	Not Tested
Q4P8C4	Positive/Indicative Visual examination for staining Kastle Meyer	Positive/Indicative Acid Phosphatase Microscopic examination for sperm	Negative Phadebas Press Test
Q9Z8PU	Positive/Indicative Hemastix	Not Tested As per SOP (SOP Evidence Recovery); (Semen not tested)	Not Tested Not tested, saliva tests not performed at [Laboratory]
QCVK76	Positive/Indicative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ITEM 3 - POLILIGHT SOURCE USED NO COLOUR CHANGE 450, 415, AND UV LIGHTS	Not Tested	Not Tested
QHGTCCG	Positive/Indicative HEMASTIX BLUE STAR	Positive/Indicative RSID	Not Tested
QLRUYW	Positive/Indicative KM	Positive/Indicative AP Micro	Negative RSID
QPXCN4	Inconclusive HEMASTIX BLUESTAR	Not Tested	Not Tested
QQWXGH	Positive/Indicative KM	Positive/Indicative AP	Not Tested
QUJ6CC	Positive/Indicative KM Modified Takayama	Positive/Indicative AP Micro	Negative Phadebas
QXGPDB	Positive/Indicative KM HemaTrace	Positive/Indicative AP PSA	Negative Phadebas
R38JQ3	Positive/Indicative Visual examination: red-brown staining with the appearance of blood KM HemaTrace	Positive/Indicative AP Micro	Negative Phadebas paper

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
R8ZRNH	Not Tested	Not Tested	Not Tested
RB2X3M	Positive/Indicative KM	Positive/Indicative ALS RSID Micro	No Response
RFCNUA	Positive/Indicative KM <u>Other Tests Performed</u> MICROSCOPY FOR SPERMHEAD	Positive/Indicative AP	Not Tested
RGPHAA	Positive/Indicative KM HemaTrace	Positive/Indicative AP Micro PSA ALS	Not Tested
RJGGN9	Positive/Indicative O-tol HemaTrace	Positive/Indicative PSA Micro (sperm)	Negative Amylase Gel Micro (NECs = 1)
RKAHEW	Positive/Indicative LMG	Positive/Indicative AP Micro	Negative Amylase Diffusion
RMYPYT	Positive/Indicative LMG HemaTrace	Positive/Indicative AP Micro	Negative Amylase Diffusion
RRTQXM	Positive/Indicative KM HemaTrace	Positive/Indicative AP Micro	Negative RSID
RUCMH7	Positive/Indicative KM	Positive/Indicative AP P30 KPIC	Negative Phadebas
RVR3V8	Positive/Indicative TMB	Positive/Indicative AP PSA Microscopic	Negative alpha-Amylase Test card
RWZ27G	Positive/Indicative HEMOPHAN SERATEC HEM	Positive/Indicative PHOSPHADESMO SERATEC PSA	Negative SERATEC AMY

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
RXUXGV	Positive/Indicative LMG	Positive/Indicative AP Micro PSA	Negative Amylase diffusion
RYQH4V	Positive/Indicative KM	Positive/Indicative AP Abacus Card - PSA micro	Negative RSID - Saliva
TEKZZZ	Positive/Indicative KM Hema Trace	Positive/Indicative AP ABAcad p30 Micro	Negative Phadebas
TGM3LF	Positive/Indicative KM HemaTrace	Positive/Indicative AP Micro PSA	Negative RSID
TJPM6M	Positive/Indicative LIGHT SOURCES UV AND 450nm HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive LIGHT SOURCE UV	Not Tested
TLEG2A	Positive/Indicative KM OBTI	Positive/Indicative Sperm HyLiter PI	Not Tested Intimate swabs not tested for saliva
TRX263	Positive/Indicative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ASL 450, ORANGE FILTER	Not Tested	Not Tested
TWVYXM	No Response	Not Tested Bloody, not tested Bloody, not tested Bloody, not tested Bloody, not tested	No Response
TXBD9H	Positive/Indicative KM	Positive/Indicative AP MICRO PSA	Negative Radial Diffusion

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
TY3YXF	Positive/Indicative HEMASTIX BLUE STAR OBTI	Positive/Indicative RSID	Not Tested
TZW8ZC	Positive/Indicative Human Blood Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Semenogelina	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
U32AAE	Positive/Indicative KM	Positive/Indicative AP Micro	Not Tested Not tested due to potential for false positive and oral contact not alleged in case details
U8UALN	Positive/Indicative KM Hematrace	Positive/Indicative AP PSA Micro	Negative Saligae
U9LC94	No Response KM	No Response AP Micro	Not Tested Ambiguity with amylase activity within the vagina. Absence/presence of amylase would not help address presence of saliva.
UAE9VC	Not Tested No evidential value since swab was taken from victim's genital area.	Not Tested According to our SOP bloody post coital swabs are submitted as brentamine positive and should not be tested.	Not Tested Laboratory does not perform this test
UGJWWT	Positive/Indicative KM Hematrace	Positive/Indicative AP PSA	Negative Phadebas
UKVC24	Positive/Indicative HEMASTIX BLUESTAR	Negative ALS	Negative ALS
ULWJTJ	Positive/Indicative Visual HemaTrace	Positive/Indicative ALS p30	Not Tested
UNYNYC	Positive/Indicative LMG Hematrace	Positive/Indicative AP PSA Micro	Negative Amylase Micro

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
UPTAR3	Positive/Indicative KM	Positive/Indicative PSA Micro	Negative Phadebas
V3FUUC	Positive/Indicative Hemastix KM Hematrace	Positive/Indicative AP PSA Micro	Negative RSID
V67XMJ	Positive/Indicative Hemastix HemaTrace KM	Positive/Indicative Acid Phosphatase PSA Microscopic	Negative RSID saliva
V7HR8P	Positive/Indicative LMG	Positive/Indicative AP Micro ALS	Negative Amylase diffusion
VDWF4C	Positive/Indicative KM	Positive/Indicative AP PSA Micro	Negative RSID saliva
VHRDQH	Positive/Indicative Phenolphthalein	Positive/Indicative Acid Phosphatase Microscopic	Negative RSID
VL83R8	Positive/Indicative KM Micro (Modified Takayama)	Positive/Indicative AP Micro (Xmas Tree Stain)	Not Tested Since amylase (a component of saliva) can also be detected in vaginal secretions, our laboratory does not routinely test these samples for amylase.
VLBAB3	Positive/Indicative PT	Inconclusive AP (Test 1) AP (Test 2) AP (Test 3) AP (Test 4)	Not Tested
VLUDNU	Positive/Indicative KM, Hemastix	Positive/Indicative AP, Micro	Negative RSID Saliva
VQ3WMM	Positive/Indicative KM HemaTrace	Positive/Indicative AP PSA (Seratec) Micro	Negative SALIgAE

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
VREV3H	Positive/Indicative HEMASTIX RSID BLOOD BLUESTAR	Negative RSID SEMEN	Not Tested
VRXC26	Positive/Indicative O-tol HemaTrace	Positive/Indicative AP Micro	Negative RSID
VWM2D3	Positive/Indicative Hemastix HemaTrace	Positive/Indicative AP PSA Micro	Negative Amylase
VYT2EF	Positive/Indicative HEMASTIC OBTI RSID BLUE STAR <u>Other Tests Performed</u> BLOOD - HEMASTIC SEMEN - RSID	Positive/Indicative RSID HEMASTIC BLUE STAR OBTI	Negative RSID
W77RFK	Not Tested genital area swabs are not tested for blood; as it doesn't normally have evidential value	Not Tested Swabs were bloody. No brentamine test performed, as colour change would not have been visible due to the presence of blood	No Response
W842RB	Positive/Indicative Hemastix Phenolphthalein HemaTrace	Positive/Indicative AP PSA Micro	Negative RSID
WD7N44	Positive/Indicative LIGHT SOURCE (UV AND 450 ORANGE) HEMASTIX AND HEXAGON OBTI AND BLUESTAR	Inconclusive LIGHT SOURCE	Not Tested
WDD4U7	Positive/Indicative KM	Positive/Indicative AP Micro	Negative Radial Diffusion

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
WJN4W	Positive/Indicative KM HemaTrace	Positive/Indicative AP ABAcad P30 Micro	Negative Phadebas
WL87X3	Not Tested Not required as per lab SOP	Positive/Indicative Micro	Not Tested Not required as per lab SOP
WU36UH	Positive/Indicative KM HemaTrace	Positive/Indicative AP Micro	Negative RSID
WZ82F4	Positive/Indicative O-tol HemaTrace	Positive/Indicative AP Micro	Negative RSID
X8YXFB	Positive/Indicative Hemastix Hematrace <u>Other Tests Performed</u> ALS	Positive/Indicative AP PSA Microscopy	Negative RSID
XFT7Z3	Positive/Indicative O-tol HemaTrace	Positive/Indicative AP Micro	Negative RSID
XNNVX7	Positive/Indicative KM OBTI	Positive/Indicative SPERM HY-LITER PI	Not Tested Laboratory will conduct test for saliva only if the results for blood and semen are negative
XPW6MH	Positive/Indicative KM	Positive/Indicative AP Micro	Negative Amylase
XTLCCL	Not Tested	Positive/Indicative Brentamine	Not Tested
XTZWZP	Positive/Indicative KM Hemastix HemaTrace	Positive/Indicative AP Micro PSA	Negative RSID Saliva

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
XUT7UJ	No Response CRIME LIGHT SOURCE HEMASTIX HEXAGON OBTI BLUE STAR	Negative CRIME LIGHT 450 AND 415	Negative CRIME LIGHT 450 AND 415
XW2VFN	Positive/Indicative KM HemaTrace	Positive/Indicative AP Micro P30-ABAcad	Negative Phadebas
XYQ8C9	Positive/Indicative KM Hematrace	Positive/Indicative ALS AP Micro	Negative ALS RSID - saliva
XZK2Q4	Positive/Indicative HemaTrace - Human Blood	Positive/Indicative Microscopic - Christmas Tree	Negative RSID - Saliva
YA4QAA	Positive/Indicative Hemastix KM	Positive/Indicative AP PSA Micro	Negative RSID-Saliva
YA8BYX	Positive/Indicative km hematrace	Positive/Indicative ap psa micro	Negative rsid
YG3KWA	Not Tested A genital swab that has blood is regarded as bloody in our laboratory and no presumptive testing is done	Not Tested A genital swab that has blood is regarded as bloody in our laboratory and no presumptive testing is done	No Response
YHGYCW	Positive/Indicative KM HemaTrace	Positive/Indicative AP PSA Micro	Negative RSID Saliva
YLZW39	Positive/Indicative Hemastix KM HemaTrace	Positive/Indicative AP PSA micro	Negative RSID

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
Z7X7H9	Positive/Indicative HEMASTIX BLUE STAR OBTI	Positive/Indicative RSID	Not Tested
ZAXZA6	Positive/Indicative Thevenon Roland Piramidon ABAcad HemaTrace	Positive/Indicative Microscopic - Christmas Tree RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
ZBQVWD	Positive/Indicative Benzidine Heme Direct Kit	Positive/Indicative AP (Acid Phosphatase) PSA Micro	Not Tested
ZC38GG	Positive/Indicative RSID: BLOOD HEMASTIX	Negative RSID: SEMEN	Not Tested
ZGHDFC	Positive/Indicative HEMATRACE HEXAGON OBTI RSID BLUE STAR TMB <u>Other Tests Performed</u> BLOOD - HEXAGON OBTI SEMEN - RSID BLOOD - HEMATRACE	Positive/Indicative RSID HEMATRACE HEXAGON OBTI BLUE STAR TMB	Not Tested
ZKGED8	Positive/Indicative ABA card HemeTrace	Positive/Indicative ABA card P30	Not Tested We don't test for saliva in genital area
ZKYJTK	Positive/Indicative KM	Positive/Indicative AP Micro	Negative RSID
ZPBBZD	Positive/Indicative LMG RSID-Blood <u>Other Tests Performed</u> Urine - RSID-Urine	Positive/Indicative AP RSID-Semen	Negative RSID-Saliva
ZUHJ2U	Positive/Indicative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS; 450, ORANGE FILTER	Not Tested	No Response

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ZVHV94	Positive/Indicative KM	Positive/Indicative AP PSA	Negative Phadebas amylase
ZWQRCZ	Positive/Indicative LIGHT SOURCE UV AND 450 HEMASTICS HEXAGON BLUESTAR	Inconclusive LIGHT SOURCE UV; 450	No Response
ZX7E4A	Not Tested bloody swabs from the genital area are regarded as brentamine positive and are not tested	Not Tested bloody swabs from the genital area are regarded as brentamine positive and are not tested	Not Tested
ZXLN33	Positive/Indicative KM Modified Takayama	Positive/Indicative AP PSA Micro	Not Tested Female Victim - genital area contains vaginal secretions which contain amylase and react + with phadebas test. Swabs not tested with phadebas test.

Response Summary for Table 1 - Item 3

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	259	230	2
Negative	0	8	154
Inconclusive	1	9	5
Not Tested (NT)	32	44	122
No Response	12	13	21
Total	304	304	304

Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
29HY6H	Positive/Indicative Hemastix (H/Stix)	Not Tested Not tested - swab covered with blood	Not Tested Not tested - Tests for possible saliva not conducted at [Laboratory]
2AHUWZ	Positive/Indicative KM ABA Hematrace	Negative AP PSA	Negative Phadebas
2BNZTE	Positive/Indicative HEMASTIX HEXAGON OBTI BLUESTAR	Negative RSID	Not Tested
2DYJV4	Positive/Indicative Phenolphthalein	Negative AP Micro	Negative RSID
2EA44D	Positive/Indicative KM HemaTrace	Negative AP	Negative RSID
2EPLHJ	Positive/Indicative Hemastix	Negative Brentamine	Not Tested No test available (submit for epithelia) refer to comments
2GBQFA	Negative HEMA TRACE RSID HEXAGON OBTI BLUE STAR <u>Other Tests Performed</u> BLOOD - HEMATRACE BLOOD - HEXAGON OBTI SEMEN - RSID	Negative RSID HEXAGON OBTI HEMA TRACE	Negative RSID HEMATRACE HEXAGON OBTI BLUE STAR
2HTFKV	Positive/Indicative Visual LMG HemaTrace	Negative AP ABA p30 Micro	Negative RSID
2KHJD2	Positive/Indicative KM Modified Takayama	Negative AP	Negative Phadebas Amylase Tablet

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
2MHWRE	Positive/Indicative Hstix	Negative Brentamine	Not Tested No preliminary (saliva); This test is not performed at our lab
2NHVBM	Positive/Indicative LMG HemaTrace	Negative AP PSA micro	Negative amylase diffusion
2QLQT6	Positive/Indicative HS HT <u>Other Tests Performed</u> ALS	Negative AP PSA micro	Negative RSID
2REJNN	Positive/Indicative Kastle Meyer HemaTrace	Negative Acid Phosphatase	Negative RSID
2T7MB4	Positive/Indicative ABAcad - HemaTrace Thevenon Roland Piramidon	Negative Microscopic RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
2T96LL	Positive/Indicative KM Micro	Negative AP Micro	Negative Amylase
2ZU2MP	Positive/Indicative Hemastix	Negative Microscopy (smear) AP	Negative RSID
32HUYJ	Positive/Indicative KM	Negative AP Micro	Inconclusive Amylase
36HAYU	Positive/Indicative KM	Negative AP p30 KPIC	Negative Phadebas
36LPHM	Positive/Indicative LMG HemaTrace	Negative AP Micro	Negative Amylase diffusion

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
379DR2	Positive/Indicative HemaTrace	Negative Micro Semenogelina RSID	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
37B3UD	No Response KM	No Response ALS RSID	Not Tested
3AFL6T	Positive/Indicative Visual Examination LMG HemaTrace	Negative AP P30 Micro	Negative RSID-Saliva
3FJPVQ	Positive/Indicative TMB Haemochromogen HemaTrace	Negative Acid Phosphatase Microscopy	Negative Phadebas
3FZKXL	Positive/Indicative LMG Hematrace	Negative ACP Micro	Negative Amylase Diffusion
3LZP8A	Negative HEMA TRACE OBTI RSID BLUE STAR <u>Other Tests Performed</u> BLOOD - HEMA TRACE SEMEN - RSID BLOOD - OBTI	Negative RSID OBTI HEMA TRACE BLUE STAR	Negative RSID OBTI HEMA TRACE BLUE STAR
434GN6	Positive/Indicative HEMASTIC BLUE STAR	Negative RSID	Not Tested
44JEZP	Positive/Indicative KM HemaTrace	Negative AP Micro ABACard P30	Negative Phadebas
48YHKR	No Response BLUESTAR OBTI HEMASTIC <u>Other Tests Performed</u> POLYLIGHTS USED AND NO COLOUR CHANGE 450; UV; 415 LIGHT USED	Inconclusive	No Response

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4FVTWV	Positive/Indicative KM	Negative AP MICRO	Negative PHADEBAS TUBE TEST
4GMPH6	Positive/Indicative LMG HemaTrace	Negative ALS AP Micro p30 Immunoassay	Negative Amylase Radial Diffusion
4GTYJH	Positive/Indicative KM	Negative AP	Negative RSID saliva
4H3YJH	Positive/Indicative Micro KM	Negative AP Micro	Inconclusive Amylase Diffusion
4K8U2Z	Positive/Indicative KM Takayama	Negative AP Micro PSA	Negative Phadebas Amylase
4KQD9T	Positive/Indicative KM HemaTrace	Negative AP	Not Tested Not indicated by scenario
4MTXQD	Positive/Indicative RSID: BLOOD	Negative RSID: SEMEN	Not Tested
4RMHPB	Positive/Indicative KM	Negative ALS RSID	Not Tested
4YNCQA	Positive/Indicative UV + 415 LIGHT SOURCES HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive UV LIGHT SOURCE	Not Tested
62RP7V	Positive/Indicative O-TOL HEMDIRECT	Negative AP PSA	Negative AMYLASE DIFFUSION

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
62TB7H	No Response KM <u>Other Tests Performed</u> Amylase - Amylase Diffusion	No Response BCIP	Not Tested our laboratory doesn't conduct saliva testing, we conduct amylase testing
63PVUG	Positive/Indicative KM	Negative AP	Negative RSID
66CRZM	Positive/Indicative KM ABAcad - Hema Trace	Negative AP ABAcad - P30 Micro	Negative Phadebas
66M3QR	Positive/Indicative VISUAL OBSERVATION ALTERNATIVE LIGHT SOURCE (UV & 450) HEMASTIX BLUESTAR OBTI	Not Tested	Not Tested
6AKLRP	No Response HEMASTIX HEXAGON OBTI RSID BLUESTAR	No Response HEMASTIX HEXAGON OBTI RSID BLUESTAR	No Response HEMASTIX HEXAGON OBTI RSID BLUESTAR
6BFEAB	Positive/Indicative KM	Negative AP	Negative RSID
6CR9RW	Positive/Indicative KM Hematrace	Negative AP PSA	Negative Phadebas
6HFZTX	Positive/Indicative KM OBTI	Not Tested Brown stain observed and tested positive for blood. Hence, test for other body fluids were not performed.	Not Tested Laboratory only routinely performs blood and/or semen tests for sexual assault cases.
6MR2Y3	Positive/Indicative Hemastix KM HemaTrace	Negative AP PSA Micro	Negative RSID-Saliva

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
6TGGRF	Positive/Indicative O-Tol	Negative AP	Not Tested
6V2EWX	Positive/Indicative KM OBTI	Not Tested Swab of floor with blood-like stain. As it tested positive for blood, tests for other body fluids were not conducted.	Not Tested Swab of floor with blood-like stain. As it tested positive for blood, tests for other body fluids were not conducted.
6Y7VE2	Positive/Indicative Hemastix KM Hematrace	Negative AP PSA Micro	Negative RSID
6ZWY89	Positive/Indicative KM HemaTrace	Negative AP	Negative RSID
76MTGE	Positive/Indicative KM	Negative AP	Negative RSID Saliva
7CQXBJ	Positive/Indicative Tetramethylbenzidine	Negative Microscopy Acid Phosphatase	Negative Phadebas
7M3L4A	Positive/Indicative ALS - UV; NM415; NM450 HEXAGON OBTI BLUE STAR	Negative ALS - UV; NM415; NM450	Inconclusive ALS-UV; NM415; NM450
7Q762P	Positive/Indicative KM	Negative AP PSA Micro	Negative RSID
7RYXW9	Positive/Indicative KM	Negative ALS RSID	No Response
7TDDEF	Positive/Indicative O-tol	Negative AP Micro	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
83D7GF	Positive/Indicative KM Hemastix Hematrace Luminol	Negative AP	Negative RSID Saliva
84QXAW	Positive/Indicative KM Modified Takayama	Negative AP	Negative Phadebas Amylase Test
8EB7W6	Positive/Indicative KM Hexagon OBTI	Not Tested Case scenario; Lab policy	Not Tested Case scenario; Lab policy
8EQRP8	Positive/Indicative LIGHT SOURCE; UV; 415 ORANGE GOGGLES HEMASTIX HEXAGON OBTI BLUE STAR	Inconclusive UV LIGHTSOURCES	Not Tested
8GYKKE	Positive/Indicative KM	Negative AP	Negative RSID saliva
8JJED9	Positive/Indicative KM	Negative ALS RSID	Not Tested
8LQQF4	No Response KM HemaTrace	No Response AP	No Response RSID
8QFTYM	Positive/Indicative HEMASTIX OBTI	Not Tested	Not Tested
8VULV8	Positive/Indicative HEMASTIX BLUESTAR RSID BLOOD	Negative RSID SEMEN	Not Tested
8XMTKX	Positive/Indicative HS KM HT	Negative AP MICRO P30	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
8Z9MCR	Positive/Indicative TMB Seratec Hem Direct	Negative AP Seratec PSA Semiquant ME (micro)	Negative Seratec Amylase
99WCD7	Positive/Indicative HEMASTIX RSID BLOOD RSID SEMEN BLUESTAR	No Response HEMASTIX RSID BLOOD RSID SEMEN BLUESTAR	No Response
9CJEFR	Positive/Indicative BLUESTAR OBTI	Negative AP	Negative PHADEBAS
9MH4F2	Positive/Indicative TMB Hematrace <u>Other Tests Performed</u> Alternate Light source	Negative AP	Negative RSID
9MYHMC	Positive/Indicative LMG Hematrace	Negative AP 1 step & 2 step	Negative Amylase Diffusion
9NCZJ3	Positive/Indicative Hemastix	Negative Brentamine	Not Tested Not tested; There is no test for saliva in a lab
9P4W9W	Positive/Indicative KM	Negative AP P-30 KPIC	Negative Phadebas
9PNN43	Positive/Indicative TMB Hematrace	Negative AP Microscopic exam for sperm	Negative RSID saliva
9RAGWW	Positive/Indicative KM	Negative AP PSA Micro	Negative Phadebas
9RU9UM	Positive/Indicative KM HT	Negative AP	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
9TL6HG	Positive/Indicative Hemastix Hematrace	Inconclusive AP p30 Microscopy	Negative RSID
A2FJWM	Positive/Indicative KM SERATEC Hemoglobin	Negative AP Micro PSA	Negative RSID
A4KAYW	Positive/Indicative ABACard HemaTrace Thevenon Roland Piramidon	Negative Christmas Tree Coloring RSID - Human Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
A8GXF4	Positive/Indicative PHTH	Negative P30 Micro	Negative Phadebas
AA9WU2	Positive/Indicative Hemastix	Negative Brentamine	Not Tested
ACAFY2	Negative HEMASTIX HEXAGON OBTI RSID BLUE STAR TMB <u>Other Tests Performed</u> BLOOD - HEMASTIX BLOOD - HEXAGON OBTI SEMEN - RSID	Negative RSID HEXAGON OBTI HEMASTIX BLUE STAR	Not Tested
ACDKAR	Positive/Indicative Visual Exam O-tol HemaTrace	Negative ALS AP PSA	Not Tested
AD84J6	Positive/Indicative KM HemaTrace	Negative AP	Negative RSID
AJNFWP	Positive/Indicative BLUESTAR HEMASTIX HEXAGON OBTI	No Response	Positive/Indicative HEMASTIX
AL37GB	Positive/Indicative Hemastix	Negative Brentamine	No Response

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
AL6TZA	Positive/Indicative KM Hematrace	Negative AP PSA/p30 microscopic exam	Negative SALIgAE
AXDLLU	Positive/Indicative Thevenon Roland (Piramidon) ABAcad HemaTrace	Negative Christmas Tree Stain Slide (Micro) RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
AZNJZC	Positive/Indicative KM, Hemastix, HemaTrace	Negative AP, PSA, Micro	Negative RSID - Saliva
BC7UHY	Positive/Indicative Hemastix	Negative Brentamine	Not Tested Poss saliva; The laboratory doesn't have a test for saliva
BHV8L9	Positive/Indicative Hemastix Test <u>Other Tests Performed</u> Presumable epithelial cells	Negative Brentamine Test	No Response
BNRRWJ	Positive/Indicative KM ABAcad Hematrace	Negative AP Micro	Negative Phadebas
BXMMNZ	Negative OBTI RSID HEMASTIC BLUE STAR TMB <u>Other Tests Performed</u> BLOOD - HEMASTIC BLOOD - OBTI	Negative RSID OBTI HEMASTIC BLUE STAR TMB	No Response HEMASTIC OBTI RSID BLUE STAR TMB
BXR7C3	Positive/Indicative HEMASTICKS RSID BLOOD RSID SEMEN BLUESTAR	Negative RSID SEMEN	Not Tested
BYLCPV	Positive/Indicative KM HEMATRACE	Negative AP PSA MICRO	Negative AMYLASE RADIAL DIFFUSION

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
CA2GHD	Positive/Indicative HemaTrace Hemastix KM	Negative AP	Negative RSID
CAXERZ	Positive/Indicative HEMASTIX BLUE STAR	Negative RSID	No Response
CERYQW	Positive/Indicative Hemastix	Negative Brentamine	Not Tested No preliminary saliva tests performed in the laboratory
CGMDL3	Positive/Indicative Phenolphthalein Hematrace	Negative AP	Negative RSID
CRHT3Q	Positive/Indicative KM OBTI	Not Tested Brown stain observed, as it was tested positive for blood, test for other body fluids was not performed.	Not Tested Laboratory only routinely test for blood and/or semen in sexual assault cases.
CX379X	Positive/Indicative HEMASTIX BLUE STAR	Negative RSID	Not Tested
D23C7M	Positive/Indicative O-tol HemaTrace	Negative AP	Negative RSID
D48P24	Positive/Indicative KM	Negative AP Spot	Negative Radial Diffusion
DB47DL	Positive/Indicative ALTERNATE LIGHT SOURCE BLUESTAR HEXAGON OBTI	Negative ALTERNATE LIGHT SOURCE RSID	Not Tested
DJ7PZX	Positive/Indicative KM TMB (Hemastix) HemaTrace	Negative AP	Negative RSID
DJYM4X	Positive/Indicative Hemastix Luminol	Negative Brentamine	Not Tested The laboratory has no test for saliva.

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
DR9XUG	Positive/Indicative BLUESTAR HEMASTIX <u>Other Tests Performed</u> ALS 450 ORANGE 415 YELLOW UV NO FILTER RED RED/ORANGE YELLOW	Not Tested	Not Tested
DTRWDT	Positive/Indicative Visual TMB HemaTrace	Negative AP MICRO PSA	Negative Amylase Radial Diffusion
DU7H9P	Positive/Indicative KM Hematrace	Negative AP PSA	Negative Phadebas
DWQB2J	Positive/Indicative TMB HemaTrace	Negative AP	Negative Radial Diffusion
DXJ4W3	Positive/Indicative KM	Negative ALS RSID	Not Tested
DZAGJE	Positive/Indicative Hemochromogen	Negative Micro PSA	Not Tested Not req as per lab SOP
E4LATW	Negative HEMASTIC OBTI RSID BLUE STAR <u>Other Tests Performed</u> BLOOD - BLUE STAR BLOOD - OBTI SEMEN - RSID BLOOD - HEMASTIC	Negative HEMASTIC OBTI RSID BLUE STAR	Negative HEMASTIC OBTI RSID BLUE STAR
E6FLLX	Positive/Indicative Lmg	Negative Ap	Not Tested
E7CUZA	Positive/Indicative KM HemaTrace	Negative AP	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
E88KZW	Positive/Indicative Hemastix	Negative Brentamine	Not Tested The laboratory does not have a test for saliva
EAWQKT	Positive/Indicative KM HemaTrace	Negative AP PSA Micro	Inconclusive Amylase Radial Diffusion Micro
EGXWKP	Positive/Indicative Visual KM HemaTrace	Negative AP	Negative RSID
EH74NH	Positive/Indicative Visual LMG Hematrace	Negative AP ABACard P30 Micro	Negative RSID-Saliva
ELNDQN	Positive/Indicative Hemastix	Negative AP	Not Tested
EQYNK4	Positive/Indicative Hemastix	Negative Brentamine	Not Tested
ERVWXU	Positive/Indicative KM	Negative AP	Negative RSID
EW8P6M	Positive/Indicative KM <u>Other Tests Performed</u> Urine - Urea neg / Creatinine Inc. Faecal - no obvious visible faecal staining or faecal odour	Negative AP Microscope Slide (Xmas tree)	Negative Phadebas
EXKCQ8	Positive/Indicative Micro KM	Negative AP Micro	Inconclusive Amylase
EYTTCJ	Positive/Indicative ALS O-tol OBTI	Negative ALS AP	Not Tested Our lab does not test for saliva

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
F3R8XN	Positive/Indicative KM OBTI	Not Tested Brown stain observed, as it was tested positive for blood, test for other body fluids were not conducted.	Not Tested Laboratory only routinely examines for blood and/or semen in sexual assault cases.
F6EW78	Positive/Indicative O-tol	Negative AP Micro	Negative RSID Saliva
FGN89G	Positive/Indicative HEXAGON OBTI BLUE STAR CRIME LIGHT	Negative RSID CRIME LIGHT	Not Tested
FNPZGX	Positive/Indicative KM	Negative ALS RSID	Not Tested
FQD862	Positive/Indicative Hemastix	Negative Brentamine	Not Tested See additional comments
FRQ2K2	Positive/Indicative H-stix	No Response Tested brentamine (unable to phone to confirm)	Not Tested No presumptive testing
FUUP94	Positive/Indicative LMG Hematrace	Negative AP micro	Negative Amylase Diffusion
FYLFBL	Positive/Indicative HEXAGON OBTI	Not Tested	Not Tested
G2R2YL	Positive/Indicative HEXAGON OBTI	Not Tested	Not Tested
G3QMUL	Positive/Indicative KM	Negative AP Micro PSA	Not Tested Lab does not test for saliva
G78A76	Positive/Indicative LMG	Negative AP	Negative Amylase Diffusion

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GCN8TK	Positive/Indicative LIGHT SOURCE UV AND 415 HEMASTIX HEXAGON OBTI BLUE STAR	Inconclusive LIGHT SOURCE	Not Tested
GFRLFW	Positive/Indicative KM HemaTrace	Negative AP	Negative RSID
GG2DLT	Positive/Indicative Hemastix Luminol	Negative Brentamin	Not Tested No test to do saliva test
GHGRZU	Positive/Indicative TMB Hematrace	Negative AP PSA Micro	Negative RSID saliva
GJ8JMC	Positive/Indicative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Not Tested	Not Tested
GJCHYG	Positive/Indicative TMB HemaTrace	Negative AP PSA	Negative Amylase radial diffusion
GK9QDR	Positive/Indicative KM	Negative AP	Negative RSID
GKKKUT	Positive/Indicative KM HemaTrace	Negative AP	Negative RSID
GM8BVW	Positive/Indicative Lmg	Negative Ap	Not Tested
GM924Z	Positive/Indicative Hemastix	Negative Brentamine	Not Tested Presumptive Epithelial (no presumptive testing method for saliva)
GQPLUM	Positive/Indicative Visual Exam KM HemaTrace	Negative AP	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GY4826	Positive/Indicative Hemastix	Negative AP	Negative RSID - Saliva
GZYQ8D	Positive/Indicative KM Hematrace	Negative AP	Negative Phadebas
H8DUT7	Positive/Indicative LMG HemaTrace	Negative AP Micro	Negative Amylase Diffusion
H93UJG	No Response HEMASTIX BLUESTAR	Negative ALS	Negative ALS
H9486W	Positive/Indicative KM	Negative ALS RSID	Not Tested
H9J6WF	Positive/Indicative OBTI HEMASTIX	Not Tested	Not Tested
HAXTYM	Positive/Indicative ABAcad HemaTrace	Negative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
HBW9W7	Positive/Indicative LMG Hematrace	Negative AP PSA	Negative amylase diffusion
HM8LCL	Positive/Indicative KM Takayama Hematrace	Negative AP	Negative Phadebas
HTQ94X	Positive/Indicative UV ; 450nm LIGHT ; ORANGE GOGGLES HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive UV; 450nm LIGHT ; ORANGE GOGGLES	Not Tested
HYKJGP	Positive/Indicative Hemastix KM HemaTrace	Negative AP PSA micro	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
HZCRGR	Positive/Indicative H/Stix	Negative AP	Not Tested No validated saliva test at lab
J7E9BY	Positive/Indicative LMG HemaTrace	Negative AP PSA Micro	Not Tested
J8QU3K	Positive/Indicative Thevenon Roland Piramidon ABAcad HemaTrace	Negative Christmas Tree RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
JC2YXU	Positive/Indicative Phenolphthalein (PTMB)	Negative Acid Phosphatase Microscopic	Negative RSID-Saliva
JER6CY	Positive/Indicative H-stix H-stix H-stix H-stix	No Response	No Response
JKW22Q	Positive/Indicative KM	Negative AP	Negative RSID-Saliva
JML8LM	Positive/Indicative KM	Negative AP PSA	Negative RSID
JNW8K3	Positive/Indicative Micro KM	Negative AP X-mas	Negative Amylase
JQZZE2	Positive/Indicative LMG Hematrace	Negative AP Micro	Negative Amylase diffusion
JT88TM	Positive/Indicative ABAcad HemaTrace Thevenon Roland Piramidon	Negative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
JUX9EH	Positive/Indicative MULTISTIX HEXAGON OBTI BLUESTAR	Negative PRESUMPTIVE TEST (POLIFLARE LIGHT	Positive/Indicative MULTISTIX

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
JVCCBU	Positive/Indicative RSID: BLOOD	Negative RSID : SEMEN	Not Tested
JVYM6	Positive/Indicative KM	Negative AP	Negative RSID
KCJ8LN	Positive/Indicative KM	Negative AP micro	Negative RSID
KNDKLK	Positive/Indicative KM HemaTrace	Negative AP Micro	Negative RSID
KP6N9Z	Positive/Indicative Hemastix	Not Tested Not tested; we do not for possible semen on bloody swabs	Not Tested Not tested; we don't do presumptive testing for saliva
KTZ2QB	Positive/Indicative BLUESTAR OBTI HEMASTIC	No Response	No Response
L4DLMC	Positive/Indicative BLUESTAR HEMASTIX BLUESTAR OBTI	Not Tested	Not Tested
L9TMUP	Positive/Indicative TMB HemaTrace	Negative AP	Negative RSID
LCG2HY	Positive/Indicative Hemastix Hematrace	Negative AP	Negative RSID saliva
LE2VBT	No Response KM	No Response ALS RSID	Not Tested

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LFP7RQ	Negative HEMASTIC RSID OBTI TMB <u>Other Tests Performed</u> BLOOD - HEMATRACE BLOOD - OBTI SEMEN - RSID	Negative RSID OBTI HEMASTIC TMB	Negative RSID OBTI HEMASTIC TMB
LM9AYT	Positive/Indicative LIGHT SOURCE UV AND 415nm HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive LIGHT SOURCE UV	Not Tested
LPZTZE	Positive/Indicative KM Visual <u>Other Tests Performed</u> Urine- Creatine Urine-Urea Urine -odour Faeces-odour Faeces-visual	Negative AP Microscopic slides	Negative Phadebas
LQF3XL	Positive/Indicative Hemastix	Negative AP	Negative RSID-Saliva
LQRPMM	Positive/Indicative Hemochromogen	Negative Fast Black (AP)	Negative Phadebas Test
LR428Q	Positive/Indicative HEMASTIC BLUESTAR	Negative RSID	Not Tested
LYLCLQ	Positive/Indicative HEMASTIX BLUE STAR	Negative RSID	Not Tested
M2UMR2	Positive/Indicative Hemastix KM	Negative AP	Negative RSID saliva
M4G2KH	Positive/Indicative KM	Negative AP Micro	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
M8JW77	Positive/Indicative O-tol Hemastix RSID blood	Negative AP	Negative RSID saliva
MK2U2A	Positive/Indicative Visual and KM	Negative AP and Slide	Not Tested Phadebas tube test not available
MTWPA7	Positive/Indicative KM HemaTrace	Negative AP Micro ABAcad P30	Negative Phadebas
MXQTUW	Positive/Indicative Hemastix	Negative Brentamine	No Response
MZFZEU	Positive/Indicative Hemastix	Negative Brentamine	No Response
NCNKDT	Positive/Indicative HEMASTIX HEXAGON OBTI BLUESTAR <u>Other Tests Performed</u> BLOOD - POLIFLARE 450nm LIGHT	Negative HEMASTIX RSID	Not Tested
NENXT7	Positive/Indicative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Not Tested	Not Tested
NJPDQG	Positive/Indicative Visual KM Hematrace	Negative AP	Negative RSID
NT9FLA	Positive/Indicative CRIME LIGHT BLUESTAR HEXAGON OBTI	Negative CRIME LIGHT RSID	Not Tested
NTDB9A	Positive/Indicative KM	Negative AP PSA MICRO	Negative Phadebas

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
NU744T	Positive/Indicative KM	Negative ALS RSID	No Response
NX3PWG	Positive/Indicative KM	Negative PSA MICRO	Negative PHADEBAS
PBPEAR	Positive/Indicative Hemastix	Not Tested Swab not tested for possible semen as it is covered with blood	Not Tested Not tested; Tests for presumable saliva are not conducted at [Laboratory]
PC4NKD	Positive/Indicative ABAcad HemaTrace Thevenon Roland Piramidon	Negative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
PJ46VJ	No Response KM	No Response ALS RSID	Not Tested
PRG82K	Positive/Indicative Phenolphthalein HemaTrace	Negative ALS AP Micro	Negative ALS RSID Saliva
PRWDHV	Positive/Indicative Hemastix <u>Other Tests Performed</u> Prs skin cells	Negative Brentamine	No Response
PUYG4Q	Positive/Indicative KM	Negative ALS RSID	Not Tested
PWNMNM	Positive/Indicative KM RSID	Negative ALS AP RSID	Negative ALS RSID
PX332N	Positive/Indicative Hemastix HemaTrace <u>Other Tests Performed</u> Alternate Light Source	Negative Acid Phosphatase	Negative RISD - Saliva

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
PXMNRT	Positive/Indicative H-Stix	Negative Brentamine	Not Tested
PYFL3K	Positive/Indicative H-stix	Negative Brentamine	Not Tested
PZT9FT	Positive/Indicative H-stix	Negative Brentamine	No Response
Q2VN7W	Positive/Indicative KM	Negative AP	Negative RSID Saliva
Q4KECM	Positive/Indicative RSID: BLOOD	Negative RSID: SEMEN	Not Tested
Q4P8C4	Positive/Indicative Visual examination for staining Kastle Meyer test	Negative Acid Phosphatase	Negative Phadebas press test
Q9Z8PU	Positive/Indicative Hemastix	Not Tested Not tested with brentamine, swab covered with blood	Not Tested Not tested, saliva tests not performed at [Laboratory]
QCVK76	Positive/Indicative BLUESTAR OBTI HEMASTIC Other Tests Performed ITEM 4 POLYLIGHT USED 450; UV AND 415 LIGHT TESTED NO COLOUR CHANGE	Not Tested	Not Tested
QHGTCCG	Positive/Indicative HEMASTIC BLUE STAR	Negative RSID	Not Tested NO KNOWN TEST
QLRUYW	Positive/Indicative KM	Negative AP	Negative RSID
QPXCN4	Inconclusive HEMASTIX BLUESTAR	Not Tested	Not Tested
QQWXGH	Positive/Indicative KM	Negative AP	Not Tested

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
QUJ6CC	Positive/Indicative KM Modified Takayama	Negative AP	Negative Phadebas
QXGPDB	Positive/Indicative KM HemaTrace	Negative AP PSA	Negative Phadebas
R38JQ3	Positive/Indicative Visual exam: red-brown staining with the appearance of blood KM HemaTrace	Negative AP	Negative Phadebas paper
R8ZRNH	No Response Hstix	No Response AP	Not Tested
RB2X3M	Positive/Indicative KM	Negative ALS RSID	No Response
RFCNUA	Positive/Indicative KM	Negative AP	Negative PHADEBAS
RGPHAA	Positive/Indicative KM HemaTrace	Negative AP Micro	Not Tested
RJGGN9	Positive/Indicative O-tol HemaTrace	Negative PSA Micro (sperm)	Negative Amylase Gel Micro (MED NECs)
RKAHEW	Positive/Indicative LMG	Negative AP Micro	Negative Amylase Diffusion
RMYPYT	Positive/Indicative LMG HemaTrace	Negative AP Micro	Negative Amylase Diffusion
RRTQXM	Positive/Indicative KM HemaTrace	Negative AP	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
RUCMH7	Positive/Indicative KM	Negative AP P30 KPIC	Negative Phadebas
RVR3V8	Positive/Indicative TMB	Negative AP PSA Microscopic	Negative alpha-Amylase Test card
RWZ27G	Positive/Indicative HEMOPHAN SERATEC HEM	Negative PHOSPHADESMO SERATEC PSA	Negative SERATEC AMY
RXUXGV	Positive/Indicative LMG	Negative AP Micro PSA	Negative Amylase diffusion
RYQH4V	Positive/Indicative KM	Negative AP	Negative RSID - Saliva
TEKZXZ	Positive/Indicative KM Hema Trace	Negative AP ABAcad p30 Micro	Negative Phadebas
TGM3LF	Positive/Indicative KM HemaTrace	Negative AP Micro	Negative RSID
TJPM6M	Positive/Indicative LIGHT SOURCE UV AND 415nm WITH ORANGE GOGGLES HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive LIGHT SOURCE UV	Not Tested
TLEG2A	Positive/Indicative KM OBTI	Not Tested Scene swabs not routinely tested for semen; blood-like stain observed.	Not Tested Scene swabs not routinely tested for saliva; blood-like stain observed

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
TRX263	Positive/Indicative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS 450 ORANGE 415 YELLOW	Not Tested	Not Tested
TWVYXM	Positive/Indicative Hemastix <u>Other Tests Performed</u> Presumable Skin Cells	Negative Brentamine	No Response
TXBD9H	Positive/Indicative KM Hematrace	Negative AP	Not Tested Testing for saliva not completed
TY3YXF	Positive/Indicative HEMASTIX BLUE STAR OBTI	Negative RSID	Not Tested
TZW8ZC	Positive/Indicative Human Blood Thevenon Roland Piramidon	Negative Christmas Tree Semenogelina	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
U32AAE	Positive/Indicative KM	Negative AP Micro	Negative RSID
U8UALN	Positive/Indicative KM Hematrace	Negative AP PSA Micro	Negative Saligae
U9LC94	No Response KM	No Response AP Micro	No Response Phadebas Inc as blood in extract/supernatant obscuring visual colour change.
UAE9VC	Positive/Indicative Hemastix	Negative AP (Brentamine)	Not Tested Laboratory does not perform this test
UGJWWT	Positive/Indicative KM Hematrace	Negative AP PSA	Negative Phadebas

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
UKVC24	Positive/Indicative HEMASTIX BLUESTAR	Negative ALS	Negative ALS
ULWJTJ	Positive/Indicative Visual HemaTrace	Negative ALS p30	Not Tested
UNYNYC	Positive/Indicative LMG Hematrace	Negative AP PSA Micro	Negative Amylase Micro
UPTAR3	Positive/Indicative KM	Negative PSA Micro	Negative Phadebas
V3FUUC	Positive/Indicative Hemastix KM Hematrace	Negative AP PSA Micro	Negative RSID
V67XMJ	Positive/Indicative Hemastix HemaTrace KM	Negative Acid Phosphatase PSA Microscopic	Negative RSID saliva
V7HR8P	Positive/Indicative LMG	Negative AP Micro ALS PSA	Negative Amylase diffusion
VDWF4C	Positive/Indicative KM	Negative AP	Negative RSID saliva
VHRDQH	Positive/Indicative Phenolphthalein	Negative Acid Phosphatase	Negative RSID
VL83R8	Positive/Indicative KM Micro (Modified Takayama)	Negative AP	Negative Phadebas Amylase
VLBAB3	Positive/Indicative PT	Negative AP	Not Tested

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
VLUDNU	Positive/Indicative KM, Hemastix	Negative AP	Negative RSID Saliva
VQ3WMM	Positive/Indicative KM HemaTrace	Negative AP PSA (Seratec) Micro	Negative SALlgAE
VREV3H	Positive/Indicative HEMASTIX RSID BLOOD BLUESTAR	Negative RSID SEMEN	Not Tested
VRXC26	Positive/Indicative O-tol HemaTrace	Negative AP	Negative RSID
VWM2D3	Positive/Indicative Hemastix HemaTrace	Negative AP	Negative Amylase
VYT2EF	Negative HEMASTIX RSID OBTI BLUE STAR Other Tests Performed BLOOD - HEMASTIX SALIVA - RSID	Negative RSID OBTI BLUE STAR HEMASTIX	Negative RSID
W77RFK	Positive/Indicative Hemastix	Negative Brent	No Response
W842RB	Positive/Indicative Hemastix Phenolphthalein HemaTrace	Negative AP PSA Micro	Negative RSID
WD7N44	Positive/Indicative LIGHT SOURCE (UV AND 450) HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive UV AND 450 LIGHT SOURCE	Not Tested

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
WDD4U7	Positive/Indicative KM	Negative AP	Not Tested NT since the KM positive sample would be taken on to DNA
WJN4W	Positive/Indicative KM HemaTrace	Negative AP ABAcad P30 Micro	Negative Phadebas
WL87X3	Positive/Indicative Hemochromogen	Negative Micro PSA	Inconclusive Not required as per lab SOP
WU36UH	Positive/Indicative KM HemaTrace	Negative AP	Negative RSID
WZ82F4	Positive/Indicative O-tol HemaTrace	Negative AP	Negative RSID
X8YXFB	Positive/Indicative Hemastix Hematrace <u>Other Tests Performed</u> ALS	Negative AP PSA	Negative RSID
XFT7Z3	Positive/Indicative O-tol HemaTrace	Negative AP	Negative RSID
XNNVX7	Positive/Indicative KM OBTI	Not Tested The stain on the item was reddish brown and tested positive for blood. Therefore tests are not conducted for other biological fluids	Not Tested The stain on the item was reddish brown and tested positive for blood. Therefore tests are not conducted for other biological fluids
XPW6MH	Positive/Indicative KM	Negative AP Micro	Negative Amylase
XTLCCL	Positive/Indicative Hstix	No Response Brentamine	No Response

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
XTZWZP	Positive/Indicative KM Hemastix Luminol	Negative AP	Negative RSID Saliva
XUT7UJ	No Response CRIME LIGHT SOURCE HEMASTIX HEXAGON OBTI BLUE STAR	Negative CRIME LIGHT 415 AND 450	Negative CRIME LIGHT 450 AND 415
XW2VFN	Positive/Indicative KM HemaTrace	Negative AP Micro P30-ABAcad	Negative Phadebas
XYQ8C9	Positive/Indicative KM Hematrace	Negative ALS AP Micro PSA	Negative ALS RSID - saliva
XZK2Q4	Positive/Indicative HemaTrace - Human Blood	Negative Microscopic - Christmas Tree RSID - Semen	Negative RSID - Saliva
YA4QAA	Positive/Indicative Hemastix KM	Negative AP	Negative RSID-Saliva
YA8BYX	Positive/Indicative km hematrace	Negative ap	Negative rsid
YG3KWA	Positive/Indicative Hemastix	Negative Brentamine	No Response
YHGYCW	Positive/Indicative KM HemaTrace	Negative AP PSA Micro	Negative RSID Saliva
YLZW39	Positive/Indicative Hemastix KM HemaTrace	Negative AP PSA micro	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
Z7X7H9	Positive/Indicative HEMASTIX BLUE STAR	Negative RSID	Not Tested
ZAXZA6	Positive/Indicative Thevenon Roland Piramidon ABAcad HemaTrace	Negative Microscopic - Christmas Tree RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
ZBQVWD	Positive/Indicative Benzidine Heme Direct Kit	Negative AP (Acid Phosphatase) PSA	Not Tested
ZC38GG	Positive/Indicative RSID: BLOOD	Negative RSID: SEMEN	Not Tested
ZGHDFC	Negative HEMATRACE HEXAGON OBTI RSID BLUE STAR TMB <u>Other Tests Performed</u> BLOOD - HEMATRACE BLOOD - HEXAGON OBTI SEMEN - RSID	Negative RSID HEXAGON OBTI HEMATRACE BLUE STAR TMB	Negative RSID HEXAGON OBTI HEMATRACE BLUE STAR TMB
ZKGED8	Positive/Indicative ABA card HemeTrace	Negative ABA card P30	Inconclusive SALlgAE
ZKYJTK	Positive/Indicative KM	Negative AP	Negative RSID
ZPBBZD	Positive/Indicative LMG RSID-Blood <u>Other Tests Performed</u> Urine - RSID-Urine	Negative AP RSID-Semen	Negative RSID-Saliva
ZUHJ2U	Positive/Indicative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS 450 ORANGE 415 YELLOW UV	Not Tested	No Response

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ZVHV94	Positive/Indicative KM	Negative AP	Negative Phadebas amylase
ZWQRCZ	Positive/Indicative LIGHT SOURCE UV AND 415 HEMASTIX HEXAGON BLUESTAR	No Response LIGHT SOURCE	No Response
ZX7E4A	Positive/Indicative Hemastix	Negative Brentamine	Not Tested
ZXLN33	Positive/Indicative KM Modified Takayama	Negative AP PSA	Negative Phadebas Amylase

Response Summary for Table 1 - Item 4

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	284	0	2
Negative	8	256	164
Inconclusive	1	9	7
Not Tested (NT)	0	24	107
No Response	11	15	24
Total	304	304	304

Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
29HY6H	Positive/Indicative Hemastix (H/stix)	Negative Brentamine	Not Tested Not tested but presumable saliva removed
2AHUWZ	Positive/Indicative KM ABA Hematrace	Negative AP PSA	Positive/Indicative Phadebas
2BNZTE	No Response HEMASTIX HEXAGON OBTI BLUESTAR	No Response RSID	Not Tested
2DYJV4	Positive/Indicative Phenolphthalein <u>Other Tests Performed</u> ALS	Negative AP	Positive/Indicative RSID
2EA44D	Positive/Indicative KM HemaTrace <u>Other Tests Performed</u> ALS	Negative AP	Positive/Indicative RSID
2EPLHJ	Positive/Indicative Hemastix <u>Other Tests Performed</u> Pres sweat - No test available, refer to comments	Negative Brentamine	Not Tested No test available (submit for epithelia) refer to comments
2GBQFA	Positive/Indicative HEMATRACE RSID HEXAGON OBTI BLUE STAR <u>Other Tests Performed</u> BLOOD - HEMATRACE BLOOD - HEXAGON OBTI SEMEN - RSID	Negative RSID HEXAGON OBTI BLUE STAR HEMATRACE	Negative RSID HEMATRACE HEXAGON OBTI BLUE STAR
2HTFKV	Positive/Indicative Visual LMG HemaTrace	Negative ALS AP ABA p30 Micro	Positive/Indicative ALS RSID

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
2KHJD2	Positive/Indicative KM Modified Takayama	Negative AP	Positive/Indicative Phadebas Amylase Tablet
2MHWRE	Positive/Indicative Hstix	Negative Brentamine	No Response Swab taken; No presumptive test at [Laboratory]
2NHVBM	Positive/Indicative LMG HemaTrace	Negative AP PSA micro	Positive/Indicative amylase diffusion
2QLQT6	Positive/Indicative HS HT <u>Other Tests Performed</u> ALS	Negative AP PSA micro	Positive/Indicative RSID
2REJNN	Positive/Indicative Kastle Meyer HemaTrace	Negative Acid Phosphatase	Positive/Indicative RSID
2T7MB4	Positive/Indicative ABAcad - HemaTrace Thevenon Roland Piramidon	Negative Microscopic RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
2T96LL	Positive/Indicative KM Micro	Negative AP Micro ALS	Positive/Indicative Amylase
2ZU2MP	Positive/Indicative Hemastix	Negative Polilight AP	Positive/Indicative Phadebas
32HUYJ	Positive/Indicative KM Stereoscope	Negative ALS AP	Positive/Indicative Amylase ALS
36HAYU	Positive/Indicative KM	Negative AP p30 KPIC	Positive/Indicative Phadebas

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
36LPHM	Positive/Indicative LMG HemaTrace	Negative ALS AP Micro	Positive/Indicative Amylase diffusion
379DR2	Positive/Indicative HemaTrace	Negative Micro Semenogelina RSID	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
37B3UD	No Response KM	No Response ALS RSID	Not Tested
3AFL6T	Positive/Indicative Visual Examination LMG HemaTrace	Negative ALS AP	Positive/Indicative ALS RSID-Saliva
3FJPVQ	Positive/Indicative TMB Luminol HemaTrace	Negative Acid Phosphatase	Positive/Indicative Phadebas paper
3FZKXL	Positive/Indicative LMG Hematrace	Negative ACP Micro ALS	Positive/Indicative Amylase Diffusion
3LZP8A	Positive/Indicative HEMA TRACE RSID OBTI BLUE STAR Other Tests Performed BLOOD - HEMA TRACE BLOOD - OBTI SEMEN - RSID	Negative RSID HEMA TRACE OBTI BLUE STAR	Negative RSID HEMA TRACE OBTI BLUE STAR
434GN6	Positive/Indicative BLUE STAR MAMASTIC	Negative RSID	Not Tested
44JEZP	Positive/Indicative KM HemaTrace	Negative AP	Positive/Indicative Phadebas

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
48YHKR	Positive/Indicative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> A 450 ORANGE FILTER. VISIBLE SUBSTANCE .ORANGE GOGGLES USED . UV LIGHT	Not Tested	Not Tested
4FVTWV	Positive/Indicative KM	Negative AP	Positive/Indicative PHADEBAS PAPER TEST
4GMPH6	Positive/Indicative LMG HemaTrace	Negative ALS AP Micro p30 Immunoassay	Positive/Indicative Amylase Radial Diffusion Micro
4GTYJH	Positive/Indicative KM	Negative AP	Positive/Indicative RSID saliva
4H3YJH	Positive/Indicative Micro KM	Negative ALS AP Micro	Positive/Indicative Amylase diffusion
4K8U2Z	Positive/Indicative KM Takayama	Negative AP Micro PSA	Positive/Indicative Phadebas Amylase
4KQD9T	Positive/Indicative KM HemaTrace <u>Other Tests Performed</u> Nonspecific - ALS (no fluorescence)	Negative AP	Positive/Indicative RSID
4MTXQD	Positive/Indicative RSID: BLOOD	No Response RSID: SEMEN	Not Tested
4RMHPB	Positive/Indicative KM	Negative ALS RSID	Not Tested
4YNCQA	Positive/Indicative UV + 450 LIGHT SOURCES HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive UV LIGHT SOURCE	Not Tested

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
62RP7V	Positive/Indicative O-TOL HEMDIRECT	Negative AP PSA	Positive/Indicative AMYLASE DIFFUSION
62TB7H	No Response KM	No Response BCIP	Not Tested our laboratory doesn't conduct saliva testing, we conduct amylase testing.
	<u>Other Tests Performed</u> Item not tested for amylase due to lack of Fluorescence with Forensic Light Source, other probative amylase items moving forward for DNA analysis.		
63PVUG	Positive/Indicative KM	Negative AP	Positive/Indicative RSID
66CRZM	Positive/Indicative KM ABAcad - HemaTrace	Negative AP	Positive/Indicative Phadebas
66M3QR	Positive/Indicative VISUAL OBSERVATION ALTERNATIVE LIGHT SOURCE (UV & 450) HEMASTIX BLUESTAR	Not Tested	Not Tested
6AKLRP	[Participant did not return results for Item 5]		
6BFEAB	Positive/Indicative KM Luminol <u>Other Tests Performed</u> ALS	Negative AP	Positive/Indicative RSID
6CR9RW	Positive/Indicative KM Hematrace	Negative AP PSA	Positive/Indicative Phadebas
6HFZTX	Positive/Indicative KM OBTI	Not Tested Brown stain observed and tested positive for blood. Hence, test for other body fluids were not performed.	Not Tested Laboratory only routinely performs blood and/or semen tests for sexual assault cases.

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
6MR2Y3	Positive/Indicative Hemastix KM HemaTrace <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Positive/Indicative RSID-Saliva
6TGGRF	Positive/Indicative O-Tol	Negative AP	Not Tested
6V2EWX	Positive/Indicative KM OBTI	Not Tested Blood-like stain observed. As it tested positive for blood & corresponds to perpetrator bleeding, tests for other body fluids were not conducted.	Not Tested Blood-like stain observed. As it tested positive for blood & corresponds to perpetrator bleeding, tests for other body fluids were not conducted.
6Y7VE2	Positive/Indicative Hemastix KM Hematrace <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Positive/Indicative RSID
6ZWY89	Positive/Indicative KM Luminol <u>Other Tests Performed</u> ALS	Negative AP Micro	Positive/Indicative RSID
76MTGE	Positive/Indicative KM	Negative AP	Positive/Indicative RSID Saliva
7CQXBJ	Positive/Indicative Tetramethylbenzidine	Negative Acid Phosphatase	Positive/Indicative Phadebas
7M3L4A	Positive/Indicative ALS; UV; NM450 BLUESTAR	Negative ALS - UV; NM415; NM450	Negative ALS - UV ; NM415; NM450
7Q762P	Positive/Indicative KM	Negative AP PSA Micro ALS	Positive/Indicative RSID ALS

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
7RYXW9	Positive/Indicative KM	Negative ALS RSID	No Response
7TDDEF	Positive/Indicative O-tol	Negative AP Micro	Positive/Indicative RSID
83D7GF	Positive/Indicative KM Hemastix Hematrace Luminol	Negative AP	Positive/Indicative RSID Saliva
84QXAW	Positive/Indicative KM Modified Takayama	Negative AP	Positive/Indicative Phadebas Amylase Test
8EB7W6	Positive/Indicative KM	Negative AP	Not Tested Case scenario; Lab policy
8EQRP8	Positive/Indicative LIGHT SOURCE; UV; 415 HEMASTIX HEXAGON OBTI BLUE STAR	Inconclusive UV LIGHT SOURCE	Not Tested
8GYKKE	Positive/Indicative KM	Negative AP	Positive/Indicative RSID saliva
8JJED9	Positive/Indicative KM	Negative ALS RSID	Not Tested
8LQQF4	No Response KM Hematrace Luminol Other Tests Performed ALS for other body fluid stains	No Response AP	No Response RSID
8QFTYM	Positive/Indicative HEMASTIX OBTI	Not Tested	Not Tested

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
8VULV8	Positive/Indicative HEMASTIX BLUESTAR RSID BLOOD	Negative RSID SEMEN	Not Tested
8XMTKX	Positive/Indicative HS HT <u>Other Tests Performed</u> ALS	Negative AP MICRO P30	Positive/Indicative RSID
8Z9MCR	Positive/Indicative TMB Seratec Hem Direct	Negative AP Seratec PSA Semiquant ME (micro)	Positive/Indicative Seratec Amylase
99WCD7	Positive/Indicative HEMASTIX RSID BLOOD RSID SEMEN BLUESTAR	Negative HEMASTIX RSID BLOOD RSID SEMEN BLUESTAR	Not Tested
9CJEFR	Positive/Indicative BLUESTAR OBTI	Negative AP	Positive/Indicative PHADEBAS
9MH4F2	Positive/Indicative TMB Hematrace <u>Other Tests Performed</u> Alternate Light source	Negative AP	Positive/Indicative RSID
9MYHMC	Positive/Indicative LMG Hematrace	Negative ALS AP 1 step & 2 step	Positive/Indicative Amylase Diffusion
9NCZJ3	Positive/Indicative Hemastix	Negative Brentamine	Not Tested Not tested; there is no test for saliva in a lab
9P4W9W	Positive/Indicative KM	Negative AP P-30 KPIC	Positive/Indicative Phadebas

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
9PNN43	Positive/Indicative TMB Hematrace <u>Other Tests Performed</u> Biological material - ALS	Negative AP	Positive/Indicative RSID saliva
9RAGWW	Positive/Indicative KM <u>Other Tests Performed</u> saliva - ALS (no fluorescence observed) semen - ALS (no fluorescence observed)	Negative AP PSA Micro	Positive/Indicative Phadebas
9RU9UM	Positive/Indicative KM HT <u>Other Tests Performed</u> ALS	Negative AP ALS	Positive/Indicative RSID
9TL6HG	Positive/Indicative Hemastix Hematrace	Not Tested Not indicated in scenario	Positive/Indicative Phadebas RSID
A2FJWM	Positive/Indicative KM SERATEC Hemoglobin	Negative AP Micro PSA	Positive/Indicative Phadebas Amylase RSID
A4KAYW	Positive/Indicative ABAcad HemaTrace Thevenon Roland Piramidon	Negative Christmas Tree Coloring RSID - Human Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
A8GXF4	Positive/Indicative PHTH	Negative BCIP P30 Micro	Positive/Indicative Phadebas
AA9WU2	Positive/Indicative Hemastix	Negative Brentamine	Not Tested

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ACAFY2	Positive/Indicative HEMASTIX RSID HEXAGON OBTI BLUE STAR TMB <u>Other Tests Performed</u> BLOOD - HEMASTIX BLOOD - HEXAGON OBTI SEMEN - RSID	Negative RSID HEMASTIX HEXAGON OBTI BLUE STAR TMB	Not Tested
ACDKAR	Positive/Indicative Visual Exam O-tol HemaTrace	Negative ALS AP PSA	Not Tested
AD84J6	Positive/Indicative KM Luminol <u>Other Tests Performed</u> ALS	Negative AP	Positive/Indicative RSID
AJNFWP	[Participant did not return results for Item 5]		
AL37GB	Positive/Indicative Hemastix <u>Other Tests Performed</u> 1x pres. Epithelia - removed from exhibit	Negative Brentamine	Not Tested
AL6TZA	Positive/Indicative KM Hematrace	Negative ALS AP	Positive/Indicative SALlgAE
AXDLLU	Positive/Indicative Thevenon Roland (Piramidon) ABAcad HemaTrace	Negative Christmas Tree Stain Slide (Micro) RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
AZNJZC	Positive/Indicative KM	Negative ALS - no fluorescence observed AP	Positive/Indicative ALS - no fluorescence observed RSID - Saliva
BC7UHY	Positive/Indicative Hemastix	Negative Brentamine	No Response

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
BHV8L9	Positive/Indicative Hemastix Test <u>Other Tests Performed</u> Presumable epithelial cells (removed)	Negative Brentamine Test	No Response
BNRRWJ	Positive/Indicative KM ABACard Hematrace	Negative AP	Positive/Indicative Phabebas
BXMMNZ	Positive/Indicative OBTI RSID HEMASTIC BLUE STAR TMB	Negative RSID HEMASTIC OBTI BLUE STAR TMB	Negative RSID HEMASTIC OBTI BLUE STAR
BXR7C3	Positive/Indicative HEMASTICKS BLUESTAR RSID BLOOD	Negative RSID SEMEN	Not Tested
BYLCPV	Positive/Indicative KM HEMATRACE	Negative AP	Positive/Indicative AMYLASE RADIAL DIFFUSION
CA2GHD	Positive/Indicative HemaTrace Hemastix KM Luminol	Negative AP	Positive/Indicative RSID
CAXERZ	Positive/Indicative HEMASTIX BLUE STAR	Negative RSID	No Response
CERYQW	Positive/Indicative Hemastix	Negative Brentamine	Not Tested The laboratory does not perform any preliminary saliva tests
CGMDL3	Positive/Indicative Phenolphthalein Hematrace <u>Other Tests Performed</u> ALS	Negative AP	Positive/Indicative RSID

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
CRHT3Q	Positive/Indicative KM OBTI	Not Tested Brown stain observed, as it was tested positive for blood, test for other body fluids was not performed.	Not Tested Laboratory only routinely test for blood and/or semen in sexual assault cases.
CX379X	Positive/Indicative HEMASTIX BLUE STAR	Negative RSID	No Response
D23C7M	Positive/Indicative O-tol HemaTrace	Negative ALS AP	Positive/Indicative RSID
D48P24	Positive/Indicative KM	Negative ALS AP Overlay	Not Tested
DB47DL	Positive/Indicative ALTERNATE LIGHT SOURCE BLUESTAR HEXAGON OBTI	Negative ALTERNATE LIGHT SOURCE RSID	Not Tested
DJ7PZX	Positive/Indicative KM HemaTrace	Negative AP	Positive/Indicative RSID
DJYM4X	Positive/Indicative Hemastix	Not Tested The headband remained attached to the victims head. Hence there was no chance for semen presence.	Not Tested The Laboratory has no test for saliva.
DR9XUG	Positive/Indicative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS 450/ORANGE STAIN WAS VISIBLE WITHOUT ANY LIGHT SOURCE	Not Tested	Not Tested
DTRWDT	Positive/Indicative Visual TMB HemaTrace	Negative ALS AP MICRO PSA	Positive/Indicative Amylase Radial Diffusion
DU7H9P	Positive/Indicative KM Hematrace	Negative AP PSA	Positive/Indicative Phadebas

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
DWQB2J	Positive/Indicative TMB HemaTrace	Negative AP	Positive/Indicative Radial Diffusion
DXJ4W3	Positive/Indicative KM	Negative ALS RSID	Not Tested
DZAGJE	Positive/Indicative Hemochromogen <u>Other Tests Performed</u> Hair - Search/recovery	Negative Fast Blue	Not Tested Not required as per lab SOP
E4LATW	Positive/Indicative OBTI RSID HEMASTIC BLUE STAR <u>Other Tests Performed</u> BLOOD - HEMASTIC SEMEN - RSID SALIVA - RSID BLOOD - BLUE STAR	Negative RSID	Negative RSID
E6FLLX	Positive/Indicative Lmg	Negative Ap	Not Tested
E7CUZA	Positive/Indicative KM HemaTrace	Negative AP	Positive/Indicative RSID
E88KZW	Positive/Indicative Hemastix	Negative Brentamine	Not Tested The laboratory does not have a test for saliva
EAWQKT	Positive/Indicative KM HemaTrace	Negative AP PSA Micro ALS	Inconclusive Amylase Radial Diffusion Micro ALS
EGXWKP	Positive/Indicative Visual KM HemaTrace	Negative ALS AP	Positive/Indicative ALS RSID

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
EH74NH	Positive/Indicative Visual LMG Hematrace	Negative ALS AP ABA Card P30 Micro	Positive/Indicative RSID-Saliva ALS
ELNDQN	Positive/Indicative Hemastix	Negative Alternate Light Source	Not Tested
EQYNK4	Positive/Indicative Hemastix	No Response	No Response
ERVWXU	Positive/Indicative KM	Negative AP	Positive/Indicative RSID
EW8P6M	Positive/Indicative KM o/s front KM i/s front (soaked from o/s) KM o/s + i/s back (no visible staining); Not tested <u>Other Tests Performed</u> Urine - Not tested - no smell Faecal - Not tested - no obvious visible faecal staining or faecal odour	Negative AP (o/s + i/s front, o/s + i/s back)	Inconclusive Phadebas o/s front; reaction observed likely due to blood *o/s back i/s front; reaction observed likely due to blood *i/s back
EXKCQ8	Positive/Indicative Micro KM	Negative ALS AP Micro	Positive/Indicative ALS Amylase
EYTTCJ	Positive/Indicative ALS O-tol OBTI	Negative ALS AP	Not Tested Our lab does not test for saliva
F3R8XN	Positive/Indicative KM OBTI	Not Tested Brown stain observed, as it was tested positive for blood, test for other body fluids were not conducted.	Not Tested Laboratory only routinely examines for blood and/or semen in sexual assault cases.
F6EW78	Positive/Indicative O-tol	Negative AP Micro	Positive/Indicative RSID Saliva

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
FGN89G	Positive/Indicative HEXAGON OBTI CRIME LIGHT BLUE STAR	Negative RSID CRIME LIGHT	Not Tested
FNPZGX	Positive/Indicative KM	Negative ALS RSID	Not Tested
FQD862	Positive/Indicative Hemastix <u>Other Tests Performed</u> Pres. Epithelia removed - (see additional comments); not tested	Negative Brentamine	No Response
FRQ2K2	Positive/Indicative H-stix <u>Other Tests Performed</u> Epithelial Friction - High friction swab	Negative Brentamine	Not Tested No presumptive testing
FUUP94	Positive/Indicative LMG Hematrace	Negative AP micro ALS	Positive/Indicative Amylase Diffusion
FYLFBL	Positive/Indicative HEXAGON OBTI	Not Tested	Not Tested
G2R2YL	Positive/Indicative HEXAGON OBTI	Not Tested	Not Tested
G3QMUL	Positive/Indicative KM	Negative AP Micro PSA	Not Tested Lab does not test for saliva
G78A76	Positive/Indicative LMG	Negative ALS AP	Positive/Indicative Amylase Diffusion
GCN8TK	Positive/Indicative LIGHT SOURCES UV AND 415 HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive LIGHT SOURCE UV	Not Tested

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GFRLFW	Positive/Indicative KM HemaTrace <u>Other Tests Performed</u> Semen/Saliva ALS	Negative AP	Positive/Indicative RSID
GG2DLT	Positive/Indicative Hemastix	Not Tested Head band remained on the victim's head, minimizing every chance of contact with semen	Not Tested No test to do saliva test
GHGRZU	Positive/Indicative TMB Hematrace <u>Other Tests Performed</u> Screening-ALS	Negative AP PSA	Positive/Indicative RSID saliva
GJ8JMC	Positive/Indicative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Not Tested	Not Tested
GJCHYG	Positive/Indicative TMB HemaTrace	Negative AP PSA	Positive/Indicative Amylase radial diffusion
GK9QDR	Positive/Indicative KM	Negative AP	Positive/Indicative RSID
GKKKUT	Positive/Indicative KM HemaTrace	Negative ALS (fluorescence) AP	Positive/Indicative RSID* ALS (fluorescence)
GM8BVW	Positive/Indicative Lmg	Negative Ap	Not Tested
GM924Z	Positive/Indicative Hemastix Luminol (Tested rest of exhibit for nonvisible blood)	Negative Brentamine	Not Tested Presumable Epithelial (no presumptive test method for saliva), swab taken from Item
GQPLUM	Positive/Indicative Visual Exam KM HemaTrace	Negative ALS UV AP	Positive/Indicative ALS UV RSID

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GY4826	Positive/Indicative Hemastix	Negative AP	Positive/Indicative RSID - Saliva
GZYQ8D	Positive/Indicative KM Hematrace	Negative AP	Positive/Indicative Phadebas
H8DUT7	Positive/Indicative LMG HemaTrace	Negative ALS AP Micro	Positive/Indicative Amylase Diffusion
H93UJG	Positive/Indicative BLUESTAR HEMASTIX	Negative ALS	Negative ALS
H9486W	Positive/Indicative KM	Negative ALS RSID	Not Tested
H9J6WF	Positive/Indicative OBTI HEMASTIX	Not Tested	Not Tested
HAXTYM	Positive/Indicative ABAcad HemaTrace	Negative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
HBW9W7	Positive/Indicative LMG Hematrace	Negative AP ALS	Positive/Indicative amylase diffusion
HM8LCL	Positive/Indicative KM Takayama Hematrace	Negative AP	Positive/Indicative Phadebas
HTQ94X	Positive/Indicative UV; 450nm LIGHT ORANGE GOGGLES HEMASTIX HEXAGON OBTI BLUE STAR	Inconclusive UV; 450nm LIGHT ORANGE GOGGLE	No Response
HYKJGP	Positive/Indicative Hemastix KM HemaTrace	Negative AP PSA micro	Positive/Indicative RSID

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
HZCRGR	Positive/Indicative H/Stix <u>Other Tests Performed</u> Epithelial - Tissue Collection	Negative AP	Not Tested No validated saliva test at lab
J7E9BY	Positive/Indicative LMG HemaTrace	Negative ALS AP PSA Micro	Not Tested
J8QU3K	Positive/Indicative Thevenon Roland Piramidon ABAcad HemaTrace	Negative Christmas Tree RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
JC2YXU	Positive/Indicative Phenolphthalein Luminol <u>Other Tests Performed</u> ALS	Not Tested NT-due to case details; remained with victim and she headbutted mouth and noses of suspect	Positive/Indicative RSID-Saliva
JER6CY	Positive/Indicative H-stix <u>Other Tests Performed</u> Possible Hair - Visual inspection (not found)	Negative Brentamine	Not Tested
JKW22Q	Positive/Indicative KM	Negative ALS	Positive/Indicative ALS RSID
JML8LM	Positive/Indicative KM	Negative ALS AP PSA	Positive/Indicative ALS RSID
JNW8K3	Positive/Indicative Micro KM	Negative ALS AP X-mas	Positive/Indicative Amylase
JQZZE2	Positive/Indicative LMG Hematrace	Negative ALS AP Micro	Positive/Indicative Amylase diffusion

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
JT88TM	Positive/Indicative ABAcad HemaTrace Thevenon Roland Piramidon	Negative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
JUX9EH	[Participant did not return results for Item 5]		
JVCCBU	Positive/Indicative RSID: BLOOD	Negative RSID : SEMEN	Not Tested
JVYM6	Positive/Indicative KM	Negative AP	Positive/Indicative RSID
KCJ8LN	Positive/Indicative KM	Negative AP micro	Positive/Indicative RSID
KNDKLK	Positive/Indicative KM HemaTrace	Negative ALS AP Micro	Positive/Indicative ALS RSID
KP6N9Z	Positive/Indicative Hmstx (Hemastix) <u>Other Tests Performed</u> Presumable epithelial cells removed from item 5	Negative Brentamine	Not Tested Not tested, no presumptive testing done for saliva
KTZ2QB	Positive/Indicative BLUESTAR OBTI <u>Other Tests Performed</u> 450 WITH ORANGE GOGGLE AND STAIN VISIBLE WITHOUT LIGHT SOURCE	No Response	No Response
L4DLMC	Positive/Indicative HEMASTIX BLUESTAR BLUESTAR OBTI	Not Tested	Not Tested
L9TMUP	Positive/Indicative TMB HemaTrace <u>Other Tests Performed</u> Semen/Saliva - ALS	Negative AP	Positive/Indicative RSID
LCG2HY	Positive/Indicative Hemastix	Negative AP	Positive/Indicative RSID saliva

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LE2VBT	No Response KM	No Response ALS RSID	Not Tested
LFP7RQ	Positive/Indicative HEMA OBTI RSID TMB	Negative RSID OBTI HEMATRACE	Not Tested HEMA OBTI RSID TMB
LM9AYT	Positive/Indicative LIGHT SOURCE UV AND 415nm HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive LIGHT SOURCE UV	Not Tested
LPZTZE	No Response KM Visual	Negative AP	Positive/Indicative Phadebas
LQF3XL	Positive/Indicative Hemastix	Negative AP	Positive/Indicative RSID-Saliva
LQRPMM	Positive/Indicative Hemochromogen <u>Other Tests Performed</u> Hair - Search/Recovery	Negative Fast Black (AP)	Positive/Indicative Phadebas Test (presumptive test only).
LR428Q	Positive/Indicative HEMASTIX BLUE STAR	Negative RSID	No Response
LYLCLQ	Positive/Indicative HEMASTIX BLUE STAR	Negative RSID	Not Tested
M2UMR2	Positive/Indicative Hemastix KM	Negative AP	Positive/Indicative RSID saliva
M4G2KH	Positive/Indicative KM	Negative ALS AP Micro	Positive/Indicative ALS RSID

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
M8JW77	Positive/Indicative O-tol Hemastix RSID blood	Negative ALS AP screen	Positive/Indicative ALS RSID saliva
MK2U2A	Positive/Indicative Visual and KM	Negative AP	Positive/Indicative Phadebas
MTWPA7	Positive/Indicative KM HemaTrace	Negative AP	Positive/Indicative Phadebas
MXQTUW	Positive/Indicative Hemastix <u>Other Tests Performed</u> Presumable hair	Not Tested	No Response
MZFZEU	Positive/Indicative Hemastix	Not Tested Semen on the headband does not have evidential value because it was	No Response
NCKNDT	Positive/Indicative HEMASTIX HEXAGON OBTI BLUESTAR <u>Other Tests Performed</u> BLOOD - POLIFLARE 450nm LIGHT	Negative HEMASTIX RSID	Not Tested
NENXT7	No Response BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Not Tested	Not Tested
NJPDQG	Positive/Indicative Visual KM Hematrace	Negative ALS AP	Positive/Indicative ALS RSID
NT9FLA	Positive/Indicative CRIME LIGHT BLUESTAR HEXAGON OBTI	Negative CRIME LIGHTS RSID	Not Tested

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
NTDB9A	Positive/Indicative KM <u>Other Tests Performed</u> ALS	Negative AP PSA MICRO	Positive/Indicative Phadebas
NU744T	Positive/Indicative KM	Negative ALS RSID	No Response
NX3PWG	Positive/Indicative KM <u>Other Tests Performed</u> ALS	Negative PSA MICRO	Inconclusive PHADEBAS
PBPEAR	Positive/Indicative Hemastix	Negative Brentamine	Not Tested Presumable epithelial removed (please see comments); Saliva tests not conducted at [Laboratory]
PC4NKD	Positive/Indicative ABAcad HemaTrace Thevenon Roland Piramidon	Negative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
PJ46VJ	No Response KM	No Response ALS RSID	Not Tested
PRG82K	Positive/Indicative Phenolphthalein HemaTrace	Negative ALS AP Micro	Positive/Indicative ALS RSID Saliva
PRWDHV	Positive/Indicative Hemastix <u>Other Tests Performed</u> Pres. Skin cells (removed)	Negative Brentamine	No Response
PUYG4Q	Positive/Indicative KM	Negative ALS RSID	Not Tested

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
PWNMNM	Positive/Indicative KM RSID	Negative ALS AP RSID	Positive/Indicative ALS RSID
PX332N	Positive/Indicative Hemastix HemaTrace <u>Other Tests Performed</u> Alternate Light Source	Negative Acid Phosphatase	Positive/Indicative RSID - Saliva
PXMNRT	Positive/Indicative H-Stix <u>Other Tests Performed</u> Hair - visual inspection for hair	Negative Brentamine	Positive/Indicative Epithelial Cells
PYFL3K	Positive/Indicative H-stix <u>Other Tests Performed</u> Hair - visual inspection for hair	Negative Brentamine	Positive/Indicative Epithelial Cells
PZT9FT	Positive/Indicative H-Stix <u>Other Tests Performed</u> Saliva - Possible High friction No hair has been removed	Negative Brentamine	Not Tested Possible High Friction; No chemical test provided for possible High Friction.
Q2VN7W	Positive/Indicative KM	Negative Acid phosphatase	Positive/Indicative RSID saliva
Q4KECM	Positive/Indicative RSID: BLOOD	Negative RSID: SEMEN	Not Tested
Q4P8C4	Positive/Indicative Visual examination for staining Kastle Meyer test	Negative Acid Phosphatase	Inconclusive Phadebas Press Test (weak reaction at 40 mins in area of bloodstaining)
Q9Z8PU	Positive/Indicative Hemastix	Negative Brentamine	Not Tested Not tested but, presumable epithelial removed

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
QCVK76	Positive/Indicative BLUESTAR OBTI HEMASTIC <u>Other Tests Performed</u> ITEM 5 - POLILIGHTS USED AND ONLY A PORTION WITH SUSTANCE REFLECTS USED ORANGE GOGGLES; UV LIGHT	Not Tested	Not Tested
QHGTCTG	Positive/Indicative HEMASTIC BLUE STAR	Negative RSID	Not Tested NO KNOWN TEST
QLRUYW	Positive/Indicative KM	Negative AP	Positive/Indicative RSID
QPXCN4	Inconclusive HEMASTIX BLUESTAR	No Response	No Response
QQWXGH	Positive/Indicative KM	Negative AP ALS	Not Tested
QUJ6CC	Positive/Indicative KM Modified Takayama	Negative AP	Positive/Indicative Phadebas
QXGPDB	Positive/Indicative KM HemaTrace	Negative AP PSA	Positive/Indicative Phadebas
R38JQ3	Positive/Indicative Visual exam: Red-brown stain with the appearance of blood, some of which also had a diluted appearance KM	Not Tested Due to circumstances of scenario, the headband was not tested for the presence of semen	Positive/Indicative Phadebas paper
R8ZRNH	No Response Hstix <u>Other Tests Performed</u> Hair - visual inspection	No Response AP	Not Tested
RB2X3M	Positive/Indicative KM	Negative ALS RSID	No Response
RFCNUA	Positive/Indicative KM	Negative AP	Positive/Indicative PHADEBAS

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
RGPHAA	Positive/Indicative KM HemaTace	Negative AP Micro ALS	Not Tested
RJGGN9	Positive/Indicative O-tol HemaTrace	Negative ALS AP PSA Micro (sperm)	Inconclusive ALS Amylase Gel Micro (1 NEC)
RKAHEW	Positive/Indicative LMG	Negative ALS AP Micro	Positive/Indicative Amylase Diffusion
RMYPYT	Positive/Indicative LMG HemaTrace	Negative ALS AP Micro AP Mapping	Positive/Indicative Amylase Diffusion Amylase Mapping
RRTQXM	Positive/Indicative KM HemaTrace <u>Other Tests Performed</u> ALS - Semen, Saliva	Negative AP	Positive/Indicative RSID
RUCMH7	Positive/Indicative KM	Negative AP P30 KPIC	Positive/Indicative Phadebas
RVR3V8	Positive/Indicative TMB	Negative ALS AP	Not Tested *Amylase mapping is not in our laboratory TPM.
RWZ27G	Positive/Indicative HEMOPHAN SERATEC HEM	Negative PHOSPHADESMO SERATEC PSA	Positive/Indicative SERATEC AMY
RXUXGV	Positive/Indicative LMG	Negative AP ALS AP mapping	Positive/Indicative Amylase diffusion Amylase mapping
RYQH4V	Positive/Indicative KM	Negative AP	Positive/Indicative RSID - Saliva

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
TEKZXZ	Positive/Indicative KM Hema Trace	Negative AP	Positive/Indicative Phadebas
TGM3LF	Positive/Indicative KM HemaTrace	Negative ALS AP Micro	Positive/Indicative ALS RSID
TJPM6M	Positive/Indicative UV AND 415nm LIGHT SOURCE HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive LIGHT SOURCE UV	Not Tested
TLEG2A	Positive/Indicative KM OBTI	Not Tested Case scenario suggests blood testing from head butting; blood-like stain observed	Not Tested Case scenario suggests blood testing from head butting; blood-like stain observed.
TRX263	Positive/Indicative HEXAGON OBTI HEMASTIX <u>Other Tests Performed</u> ALS 450 ORANGE FILTER	Not Tested	Not Tested
TWVYXM	Positive/Indicative Hemastix <u>Other Tests Performed</u> Presumptive skin cells removed	Negative Brentamine	No Response
TXBD9H	Positive/Indicative KM Hematrace	Negative ALS - no stains fluoresced	Not Tested ALS - no stains fluoresced
TY3YXF	Positive/Indicative HEMASTIX BLUE STAR OBTI	Negative RSID	Not Tested
TZW8ZC	Positive/Indicative Human Blood Thevenon Roland Piramidon	Negative Christmas Tree Semenogelina	Not Tested The Laboratory's portfolio of services does not include Saliva Identification

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
U32AAE	Positive/Indicative KM	Negative ALS AP Micro	Positive/Indicative RSID
U8UALN	Positive/Indicative ALS (IR) KM Hematrace	Negative ALS (blue) AP PSA Micro	Positive/Indicative ALS (blue) Saligae
U9LC94	No Response KM	No Response AP	No Response Phadebas Inc as known blood can give amylase positive. Phadebas reaction coincided with blood.
	<u>Other Tests Performed</u> Crime-lite (searching for vis fluorescence poss from bodyfluid)		
UAE9VC	Positive/Indicative Hemastix	Negative AP (Brentamine)	Not Tested Laboratory does not perform this test
UGJWWT	Positive/Indicative KM Hematrace	Negative AP PSA	Positive/Indicative Phadebas
UKVC24	Positive/Indicative HEMASTIX BLUESTAR	Negative ALS	Negative ALS
ULWJTJ	Positive/Indicative Visual HemaTrace	Negative ALS p30	Not Tested
UNYNYC	Positive/Indicative LMG Hematrace	Negative AP PSA Micro	Negative Amylase Micro
UPTAR3	Positive/Indicative KM	Negative PSA Micro ALS	Positive/Indicative Phadebas

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
V3FUUC	Positive/Indicative Hemastix KM Hematrace <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Positive/Indicative RSID
V67XMJ	Positive/Indicative Hemastix HemaTrace KM <u>Other Tests Performed</u> ALS	Negative Acid Phosphatase	Positive/Indicative RSID saliva
V7HR8P	Positive/Indicative LMG	Negative AP Micro ALS PSA	Positive/Indicative Amylase diffusion
VDWF4C	Positive/Indicative KM	Negative AP	Positive/Indicative RSID saliva
VHRDQH	Positive/Indicative Phenolphthalein Luminol <u>Other Tests Performed</u> ALS	Not Tested	Positive/Indicative RSID
VL83R8	Positive/Indicative KM Micro (Modified Takayama)	Negative AP	Positive/Indicative Phadebas Amylase
VLBAB3	Positive/Indicative PT FLS-White FLS-Blue	Negative AP FLS-White FLS-Blue	Not Tested
VLUDNU	Positive/Indicative KM, Hemastix	Negative AP	Positive/Indicative RSID Saliva
VQ3WMM	Positive/Indicative KM Hematrace	Negative ALS	Negative ALS

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
VREV3H	Positive/Indicative HEMASTIX RSID BLOOD BLUESTAR <u>Other Tests Performed</u> ALTERNATE LIGHT SOURCE	Negative RSID SEMEN	Not Tested
VRXC26	Positive/Indicative O-tol HemaTrace	Negative ALS AP	Positive/Indicative RSID
VWM2D3	Positive/Indicative Hemastix HemaTrace	Negative AP	Positive/Indicative Amylase
VYT2EF	Positive/Indicative HEMASTIC RSID BLUE STAR OBTI <u>Other Tests Performed</u> BLOOD - HEMASTIC SALIVA - RSID SEMEN - RSID	Negative RSID	Negative RSID
W77RFK	Positive/Indicative Hemastix <u>Other Tests Performed</u> Epithelial Cells - Exhibit swabbed to remove possible epithelial cells	Negative Brentamine	No Response
W842RB	Positive/Indicative Hemastix Phenolphthalein HemaTrace <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Positive/Indicative RSID
WD7N44	Positive/Indicative LIGHT SOURCE (UV AND 450) HEMASTIX HEXAGON OBTI BLUESTAR	Inconclusive LIGHT SOURCE	Not Tested
WDD4U7	Positive/Indicative KM	Not Tested NT based on scenario and how we approach casework	Not Tested NT since the KM positive sample would be taken on to DNA

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
WJN4W	Positive/Indicative KM HemaTrace	Negative AP	Positive/Indicative Phadebas
WL87X3	Positive/Indicative Hemochromogen <u>Other Tests Performed</u> Hair - Search/Recovery	Not Tested Not required as per lab SOP	Not Tested Not required as per lab SOP
WU36UH	Positive/Indicative KM HemaTrace <u>Other Tests Performed</u> ALS - Semen/Saliva	Negative AP	Positive/Indicative RSID
WZ82F4	Positive/Indicative O-tol HemaTrace	Negative AP ALS	Positive/Indicative RSID
X8YXFB	Positive/Indicative Hemastix Hematrace <u>Other Tests Performed</u> ALS	Negative AP PSA	Positive/Indicative RSID
XFT7Z3	Positive/Indicative O-tol HemaTrace	Negative ALS AP	Positive/Indicative RSID
XNNVX7	Positive/Indicative KM OBTI	Not Tested Blood-like stain observed. As it tested positive for blood & corresponds to perpetration bleed, tests for other body fluids were not conducted.	Not Tested The stain on the item was reddish brown and tested positive for blood. Therefore tests are not conducted for other biological fluids
XPW6MH	Positive/Indicative KM <u>Other Tests Performed</u> ALS	Negative AP Micro	Positive/Indicative Amylase
XTLCCL	Positive/Indicative Hstix <u>Other Tests Performed</u> Body Fluid (Epithelial cells removed)	Negative Brentamine	No Response

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
XTZWZP	Positive/Indicative KM Hemastix	Negative AP	Positive/Indicative RSID Saliva
XUT7UJ	No Response CRIME LIGHT SOURCE HEMASTIX HEXAGON OBTI BLUE STAR	Negative CRIME LIGHT 450 AND 415	Negative CRIME LIGHT 450 AND 415
XW2VFN	Positive/Indicative KM HemaTrace	Negative AP	Positive/Indicative Phadebas
XYQ8C9	Positive/Indicative KM Hematrace	Negative ALS AP Micro PSA	Positive/Indicative ALS RSID - saliva
XZK2Q4	Positive/Indicative HemaTrace - Human Blood	Negative Microscopic - Christmas Tree RSID - Semen	Positive/Indicative RSID - Saliva
YA4QAA	Positive/Indicative Hemastix KM	Negative AP	Positive/Indicative RSID-Saliva
YA8BYX	Positive/Indicative km hematrace	Negative ap als	Positive/Indicative rsid
YG3KWA	Positive/Indicative Hemastix	Negative Brentamine	Not Tested Testing for saliva is not done in our laboratory as there is no specific test available.
YHGYCW	Positive/Indicative KM HemaTrace	Negative ALS AP PSA Micro	Positive/Indicative ALS Phadebas
YLZW39	Positive/Indicative Hemastix KM HemaTrace	Negative AP PSA micro	Positive/Indicative RSID

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
Z7X7H9	Positive/Indicative HEMASTIC BLUE STAR	Negative RSID	Not Tested
ZAXZA6	Positive/Indicative Thevenon Roland Piramidon ABAcad HemaTrace	Negative Microscopic - Christmas Tree RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
ZBQVWD	Positive/Indicative Benzidine Heme Direct Kit	Negative AP (Acid Phosphatase) PSA	Not Tested
ZC38GG	Positive/Indicative RSID: BLOOD	Negative RSID: SEMEN	Not Tested
ZGHDFC	Positive/Indicative HEMATRACE RSID HEXAGON OBTI BLUESTAR TMB <u>Other Tests Performed</u> BLOOD - HEMATRACE BLOOD - HEXAGON OBTI SEMEN - RSID	Negative RSID HEMATRACE HEXAGON OBTI BLUE STAR TMB	Not Tested
ZKGED8	Positive/Indicative ABA card HemeTrace	Not Tested We test for semen in genital related areas of its relations	Positive/Indicative SALlgAE RSH Saliva
ZKYJTK	Positive/Indicative KM	Negative AP	Positive/Indicative RSID
ZPBBZD	Positive/Indicative LMG RSID-Blood <u>Other Tests Performed</u> Urine - RSID-Urine	Negative AP RSID-Semen	Positive/Indicative RSID-Saliva
ZUHJ2U	Positive/Indicative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS 450 ORANGE FILTER	Not Tested	Not Tested

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ZVHV94	Positive/Indicative KM	Not Tested No staining indicative of semen	Not Tested No staining indicative of saliva
ZWQRCZ	Positive/Indicative LIGHT SOURCE; UV AND 415 HEMASTICS HEXAGON BLUESTAR	Inconclusive	No Response
ZX7E4A	Positive/Indicative Hemastix	Negative Brentamine	Not Tested
ZXLN33	Positive/Indicative KM Modified Takayama	Negative AP PSA	Positive/Indicative Phadebas Amylase

Response Summary for Table 1 - Item 5

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	289	0	154
Negative	0	250	11
Inconclusive	1	8	5
Not Tested (NT)	0	31	108
No Response	14	15	26
Total	304	304	304

Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
29HY6H	Negative Luminol <u>Other Tests Performed</u> Possible sweat (removed) - Not tested; Tests for possible sweat not conducted at [Laboratory]	Positive/Indicative Brentamine	No Response
2AHUWZ	Negative KM ABA Hematrace	Positive/Indicative AP PSA	Positive/Indicative Phadebas
2BNZTE	Negative HEMASTIX HEXAGON OBTI BLUESTAR	Positive/Indicative RSID	Not Tested
2DYJV4	Negative Phenolphthalein	Positive/Indicative AP Micro	Positive/Indicative RSID
2EA44D	Not Tested No apparent red/brown/blood staining observed <u>Other Tests Performed</u> ALS	Positive/Indicative AP Micro	Positive/Indicative RSID
2EPLHJ	Negative Luminol <u>Other Tests Performed</u> Pres sweat - no test available; refer to comments	Positive/Indicative Brentamine	Not Tested No test available (submit for epithelia refer to comments)
2GBQFA	Negative HEMATRACE RSID HEXAGON OBTI BLUE STAR <u>Other Tests Performed</u> BLOOD - HEMATRACE BLOOD - BLUE STAR SEMEN - RSID	Positive/Indicative HEMATRACE HEXAGON OBTI RSID BLUE STAR	Inconclusive

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
2HTFKV	Negative Visual	Positive/Indicative ALS AP ABA p30 Micro	Positive/Indicative ALS RSID
2KHJD2	Negative KM	Positive/Indicative AP Micro	Positive/Indicative Phadebas Amylase Tablet
2MHWRE	Negative Luminol <u>Other Tests Performed</u> Possible removed - high friction	Positive/Indicative Brentamine	Not Tested No preliminary saliva test done at the lab
2NHVBM	Negative LMG	Positive/Indicative AP PSA micro ALS	Positive/Indicative amylase diffusion
2QLQT6	Negative HS HT <u>Other Tests Performed</u> ALS	Positive/Indicative AP PSA micro	Positive/Indicative RSID
2REJNN	Negative Kastle Meyer	Positive/Indicative Acid Phosphatase Microscopic	Positive/Indicative RSID
2T7MB4	Negative ABACard - HemaTrace Thevenon Roland Piramidon	Positive/Indicative Microscopic RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
2T96LL	Negative KM Micro	Positive/Indicative AP Micro ALS	Positive/Indicative Amylase
2ZU2MP	Positive/Indicative Hemastix	Positive/Indicative Polilight AP Microscopy (smear)	Not Tested Not necessary at this stage. Can be tested at a later stage.

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
32HUYJ	Negative KM	Positive/Indicative ALS AP Micro	Positive/Indicative ALS Amylase
36HAYU	Negative KM <u>Other Tests Performed</u> ALS	Positive/Indicative AP p30 KPIC	Positive/Indicative Phadebas
36LPHM	Negative LMG	Positive/Indicative ALS AP Micro p30 AP mapping	Positive/Indicative Amylase diffusion Amylase mapping
379DR2	Negative HemaTrace Thevenon Roland Piramidon	Positive/Indicative Micro	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
37B3UD	No Response KM	No Response ALS RSID Micro	Not Tested
3AFL6T	Negative Visual Examination	Positive/Indicative ALS AP P30 Micro	Positive/Indicative ALS RSID-Saliva
3FJPVQ	Negative TMB Luminol	Positive/Indicative Acid Phosphatase Polilight Microscopy	Positive/Indicative Phadebas paper
3FZKXL	Not Tested Visually inconsistent with blood	Positive/Indicative ALS ACP Micro PSA	Positive/Indicative Amylase Diffusion

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
3LZP8A	Negative HEMA TRACE OBTI RSID BLUE STAR <u>Other Tests Performed</u> BLOOD - HEMA TRACE SEMEN - RSID BLOOD - BLUE STAR	Positive/Indicative HEMA TRACE OBTI RSID BLUE STAR	Not Tested HEMA TRACE OBTI RSID BLUE STAR
434GN6	Positive/Indicative MAMASTIC BLUE STAR	No Response RSID	Not Tested
44JEZP	Negative KM	Positive/Indicative AP Micro ABAcad P30	Positive/Indicative Phadebas
48YHKR	No Response BLUESTAR OBTI HEMASTIC <u>Other Tests Performed</u> POLY LIGHT USED 415 LIGHT AND ORANGE GOGGLES IT GLOWS	Not Tested	No Response
4FVTWV	Negative KM	Positive/Indicative AP MICRO	Positive/Indicative PHADEBAS PAPER TEST
4GMPH6	Not Tested No red/brown stains observed; therefore, not tested for blood	Positive/Indicative ALS AP Micro	Positive/Indicative Amylase Radial Diffusion Micro
4GTYJH	Not Tested Redish-brown staining not observed.	Positive/Indicative AP Micro	Positive/Indicative RSID saliva
4H3YJH	Negative Micro KM	Positive/Indicative ALS AP Micro	Positive/Indicative Amylase Diffusion
4K8U2Z	Negative KM	Positive/Indicative AP Micro	Positive/Indicative Phadebas Amylase

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4KQD9T	Negative PHTH <u>Other Tests Performed</u> Nonspecific - ALS	Positive/Indicative AP PSA Micro	Positive/Indicative RSID
4MTXQD	Negative RSID: BLOOD	Positive/Indicative RSID: SEMEN	Not Tested
4RMHPB	Negative KM	Positive/Indicative ALS RSID Micro	Not Tested
4YNCQA	Negative UV LIGHT SOURCE HEMASTIX	Inconclusive UV LIGHT SOURCE	Not Tested
62RP7V	Inconclusive O-TOL HEMDIRECT	Positive/Indicative AP PSA	Positive/Indicative AMYLASE DIFFUSION
62TB7H	Not Tested Visually, no r/b staining noted, would not test in casework. <u>Other Tests Performed</u> Amylase-Amylase Diffusion	No Response BCIP Micro	Not Tested our laboratory doesn't conduct saliva testing, we conduct amylase testing
63PVUG	Not Tested Item showed no staining consistent with possible blood.	Positive/Indicative AP PSA Micro	Positive/Indicative RSID
66CRZM	Negative KM	Positive/Indicative AP ABAcad - P30 Micro	Positive/Indicative Phadebas
66M3QR	Not Tested VISUAL OBSERVATION ALTERNATIVE LIGHT SOURCE HEMASTIX BLUESTAR OBTI	Positive/Indicative RSID	Not Tested
6AKLRP	[Participant did not return results for Item 6]		

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
6BFEAB	Not Tested <u>Other Tests Performed</u> ALS	Positive/Indicative AP Micro	Positive/Indicative RSID
6CR9RW	Negative KM Hematrace	Positive/Indicative AP PSA	Positive/Indicative Phadebas
6HFZTX	Not Tested No visible brown stain observed	Positive/Indicative AP RSID-Semen PSA	Not Tested Laboratory only routinely performs blood and/or semen tests for sexual assault cases.
6MR2Y3	Negative Hemastix KM HemaTrace <u>Other Tests Performed</u> ALS	Positive/Indicative AP PSA Micro	Positive/Indicative RSID-Saliva
6TGGRF	Not Tested	Positive/Indicative AP	Not Tested
6V2EWX	Not Tested No stain observed.	Positive/Indicative AP RSID-Semen PSA	Not Tested Sexual assault case exhibit generally tested for blood (if stain observed) and semen. NT for saliva unless specified.
6Y7VE2	Negative Hemastix KM Hematrace <u>Other Tests Performed</u> ALS	Positive/Indicative AP PSA Micro	Positive/Indicative RSID
6ZWY89	Not Tested Visual examination did not detect reddish brown stains <u>Other Tests Performed</u> ALS	Positive/Indicative AP Micro	Positive/Indicative RSID
76MTGE	Not Tested visual examination did not indicate the presence of blood	Positive/Indicative AP Micro	Positive/Indicative RSID Saliva

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
7CQXBJ	Negative Tetramethylbenzidine	Positive/Indicative Acid Phosphatase Microscopy	Positive/Indicative Phadebas
7M3L4A	Negative ALS - UV; NM415; NM450 BLUESTAR	Positive/Indicative ALS - UV; NM450	Inconclusive ALS - UV; NM415 ; NM450
7Q762P	Not Tested Shoelace had no stain for testing	Positive/Indicative ALS AP PSA Micro	Positive/Indicative ALS RSID
7RYXW9	Negative KM	Positive/Indicative ALS RSID HE microscopy	No Response
7TDDEF	Not Tested No reddish/brown stain observed	Positive/Indicative AP Micro	Positive/Indicative RSID
83D7GF	Not Tested no red/brown staining obs.	Positive/Indicative AP Micro PSA	Positive/Indicative RSID Saliva
84QXAW	Negative KM	Positive/Indicative AP Micro	Positive/Indicative Phadebas Amylase Test
8EB7W6	Not Tested No observed blood stain	Negative AP	Positive/Indicative Phadebas
8EQRP8	Negative UV AND 450 LIGHTSOURCE HEMASTIX HEXAGON OBTI	Inconclusive UV LIGHT SOURCE	Not Tested
8GYKKE	Not Tested no staining consistent with possible blood	Positive/Indicative AP PSA (Abacus) Microscopic	Positive/Indicative RSID saliva
8JJED9	Negative KM	Positive/Indicative ALS RSID Micro	Not Tested

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
8LQQF4	No Response Luminol <u>Other Tests Performed</u> ALS for body fluids	No Response AP PSA Micro	No Response RSID
8QFTYM	Negative HEMASTIX	Not Tested	Not Tested
8VULV8	Negative HEMASTIX BLUESTAR BLOOD RSID	Positive/Indicative RSID SEMEN	Not Tested
8XMTKX	Negative HS HT <u>Other Tests Performed</u> ALS	Positive/Indicative AP MICRO P30	Negative RSID
8Z9MCR	Negative TMB Seratec Hem Direct	Positive/Indicative AP Seratec PSA Semiquant ME (micro)	Positive/Indicative Seratec Amylase
99WCD7	Negative HEMASTIX RSID BLOOD RSID SEMEN BLUESTAR	No Response HEMASTIX RSID BLOOD RSID SEMEN BLUESTAR	Not Tested
9CJEFR	Negative BLUESTAR	Positive/Indicative AP SERATEC PSA	Positive/Indicative PHADEBAS
9MH4F2	Not Tested <u>Other Tests Performed</u> Alternate Light Source	Positive/Indicative AP Micro Seratec PSA	Positive/Indicative RSID
9MYHMC	Not Tested No visible staining observed	Positive/Indicative ALS AP 1 step & 2 step Micro Mapping using 1 step AP	Positive/Indicative Amylase Difussion Phaedebas Paper (Amylase Mapping)

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
9NCZJ3	Negative Luminol	Positive/Indicative Brentamine	Not Tested Not tested; There is no test for saliva in the lab
9P4W9W	Negative KM	Positive/Indicative AP P-30 KPIC	Positive/Indicative Phadebas
9PNN43	Not Tested Visual exam no red/brown stain noted <u>Other Tests Performed</u> Biological material - ALS	Positive/Indicative AP Microscopic exam for sperm	Positive/Indicative RSID saliva
9RAGWW	Negative KM <u>Other Tests Performed</u> saliva - ALS (fluorescence observed) semen - ALS (fluorescence observed)	Positive/Indicative AP PSA Micro	Positive/Indicative Phadebas
9RU9UM	Not Tested There was no visible sign of blood	Positive/Indicative AP PSA PELLET SLIDE/ MICROANALYSIS	Positive/Indicative RSID
9TL6HG	Negative Hemastix	Positive/Indicative Polilight AP Microscopy	Not Tested Not included in scenario
A2FJWM	Inconclusive KM SERATEC Hemoglobin	Positive/Indicative AP Micro PSA	Positive/Indicative Phadebas Amylase RSID
A4KAYW	Negative ABAcad HemaTrace Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Coloring RSID - Human Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
A8GXF4	Negative Visual Exam	Positive/Indicative BCIP P30 Micro	Positive/Indicative Phadebas

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
AA9WU2	Negative Hemastix Luminol	Positive/Indicative Brentamine	Not Tested
ACAFY2	Negative HEMASTIX HEXAGON OBTI RSID BLUE STAR TMB <u>Other Tests Performed</u> BLOOD - HEMASTIX BLOOD - HEXAGON OBTI SEMEN - RSID	Positive/Indicative RSID HEMASTIX HEXAGON OBTI BLUE STAR TMB	Not Tested
ACDKAR	Negative Visual Exam O-tol HemaTrace	Positive/Indicative ALS AP PSA	Not Tested
AD84J6	Not Tested No staining consistent with blood noted on item <u>Other Tests Performed</u> ALS	Positive/Indicative AP Micro	Positive/Indicative RSID
AJNFWP	[Participant did not return results for Item 6]		
AL37GB	Negative Luminol <u>Other Tests Performed</u> 1x pres sweat - Removed from exhibit	Positive/Indicative Brentamine	Not Tested
AL6TZA	Negative KM	Positive/Indicative ALS AP PSA/p30 microscopic exam	Positive/Indicative SALlgAE
AXDLLU	Negative Thevenon Roland (Piramidon) ABAcad HemaTrace	Positive/Indicative Christmas Tree Stain Slide (Micro) RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
AZNJZC	Not Tested Visual examination for red-brown staining	Positive/Indicative ALS, AP, PSA, Micro	Positive/Indicative ALS, RSID - Saliva

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
BC7UHY	Negative Hemastix Luminol <u>Other Tests Performed</u> Poss epithelia - No test (swabbed from the shoelace)	Positive/Indicative Brentamine	No Response
BHV8L9	Negative Luminol Test <u>Other Tests Performed</u> Presumable epithelial cells (removed)	Positive/Indicative Brentamine Test	No Response
BNRRWJ	Negative KM	Positive/Indicative AP P30 Micro	Positive/Indicative Phadebas
BXMMNZ	Negative RSID OBTI HEMASTIC BLUE STAR TMB	Negative OBTI RSID HEMASTIX BLUE STAR TMB	Negative OBTI HEMASTIC RSID BLUE STAR TMB
BXR7C3	Negative HEMASTICK BLUESTAR RSID BLOOD LIGHTSOURCE <u>Other Tests Performed</u> ALTERNATIVE LIGHT SOURCE	Positive/Indicative RSID SEMEN	No Response
BYLCPV	Not Tested No visible bloodstain	Positive/Indicative AP MICRO	Positive/Indicative AMYLASE RADIAL DIFFUSION
CA2GHD	Not Tested No reddish brown staining was observed on item therefore, no blood testing was performed.	Positive/Indicative AP PSA Micro	Positive/Indicative RSID
CAXERZ	Negative HEMASTIX BLUE STAR	Negative RSID	No Response
CERYQW	Negative Luminol	Positive/Indicative Brentamine	Not Tested The laboratory does not perform any preliminary saliva tests

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
CGMDL3	Negative Luminol <u>Other Tests Performed</u> ALS	Positive/Indicative AP Micro	Positive/Indicative RSID
CRHT3Q	Not Tested No visible brown stain observed	Positive/Indicative AP RSID-Semen PSA	Not Tested Laboratory only routinely test for blood and/or semen in sexual assault cases.
CX379X	Positive/Indicative HEMASTIX BLUE STAR OBTI	Positive/Indicative RSID	No Response
D23C7M	Not Tested not tested due to absence of red brown staining	Positive/Indicative ALS AP micro	Not Tested not tested due to case scenario
D48P24	Not Tested	Positive/Indicative ALS AP Spot Micro	Positive/Indicative Radial Diffusion
DB47DL	Negative ALTERNATE LIGHT SOURCE BLUESTAR HEXAGON OBTI	Inconclusive ALTERNATE LIGHT SOURCE RSID	Not Tested
DJ7PZX	Not Tested No apparent bloodstaining noted on item <u>Other Tests Performed</u> ALS	Positive/Indicative AP Micro	Positive/Indicative RSID
DJYM4X	Negative Hemastix Luminol	Positive/Indicative Brentamine	Not Tested The laboratory has no test for saliva.
DR9XUG	Negative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS 450/ ORANGE 415/ORANGE	Not Tested	Not Tested

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
DTRWDT	Not Tested Lacked visible characteristics of blood.	Positive/Indicative ALS AP MICRO	Positive/Indicative Amylase Radial Diffusion
DU7H9P	Positive/Indicative KM Hematrace	Positive/Indicative AP PSA	Positive/Indicative Phadebas
DWQB2J	Negative TMB	Positive/Indicative AP PSA Micro	Positive/Indicative Radial Diffusion
DXJ4W3	Negative KM	Positive/Indicative ALS RSID Micro	Not Tested
DZAGJE	Negative Visual Exam <u>Other Tests Performed</u> Hair - search/recovery Possible biological material - recovery by tap	Positive/Indicative Fast Blue Micro	Not Tested Not required as per lab SOP.
E4LATW	Negative HEMASTIC RSID OBTI BLUE STAR <u>Other Tests Performed</u> BLOOD - -OBTI SEMEN - RSID SALIVA -RSID BLOOD - BLUE STAR	Negative RSID HEMASTIC OBTI BLUE STAR	Negative RSID HEMASTIC OBTI BLUE STAR
E6FLX	Negative Lmg	Positive/Indicative Ap	Not Tested
E7CUZA	Not Tested no apparent bloodstains noted	Positive/Indicative AP Micro PSA	Positive/Indicative RSID
E88KZW	Negative Luminol	Positive/Indicative Brentamine	Not Tested The laboratory does not have a test for saliva

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
EAWQKT	Negative KM	Positive/Indicative AP PSA Micro ALS	Inconclusive Amylase Radial Diffusion Micro ALS
EGXWKP	Negative Visual	Positive/Indicative ALS AP Micro	Positive/Indicative ALS RSID
EH74NH	Negative Visual	Positive/Indicative ALS AP ABAcad P30 Micro	Positive/Indicative RSID-Saliva ALS
ELNDQN	Negative Hemastix	Positive/Indicative AP Alternate Light Source	Not Tested
EQYNK4	Negative Luminol <u>Other Tests Performed</u> Presumable skin cells	Positive/Indicative Brentamine	No Response
ERVWXU	Not Tested No staining consistent with blood was observed; therefore no testing was performed for blood.	Positive/Indicative AP Micro	Positive/Indicative RSID
EW8P6M	Not Tested No obvious blood staining therefore no test carried out <u>Other Tests Performed</u> Urine - Not tested - no smell Faecal - Not tested - no obvious visible faecal staining or faecal odour	Positive/Indicative AP toggle end Microscope slide (Xmas tree) toggle end AP rest of item	Positive/Indicative Phadebas toggle end Phadebas rest of item
EXKCQ8	Negative Micro KM	Positive/Indicative ALS AP Micro	Positive/Indicative ALS Amylase
EYTTCJ	Not Tested No visible red/brown staining	Positive/Indicative ALS AP	Not Tested Our lab does not test for saliva

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
F3R8XN	Not Tested No visible brown stain	Positive/Indicative AP RSID-Semen PSA	Not Tested Laboratory only routinely examines for blood and/or semen in sexual assault cases.
F6EW78	Not Tested Item does not display the characteristic reddish-brown stain associated with the presence of possible blood.	Positive/Indicative AP Micro	Positive/Indicative RSID Saliva
FGN89G	Negative HEXAGON OBTI BLUESTAR CRIME LIGHT	Negative RSID CRIME LIGHT	Not Tested
FNPZGX	Negative KM	Positive/Indicative ALS RSID Micro	Not Tested
FQD862	Negative Luminol <u>Other Tests Performed</u> Pres. Epithelia removed - Not tested (see additional comments)	Positive/Indicative Brentamine	No Response
FRQ2K2	Negative Luminol <u>Other Tests Performed</u> Skin Cells - High friction swab	Positive/Indicative Brentamine	Not Tested No presumptive testing
FUUP94	Not Tested not stained red-brown	Positive/Indicative AP micro ALS	Positive/Indicative Amylase Diffusion
FYLFBL	Negative HEXAGON OBTI	Not Tested	Not Tested
G2R2YL	Negative HEXAGON OBTI	Not Tested	Not Tested
G3QMUL	Not Tested No "Blood-like" stains detected	Positive/Indicative AP Micro PSA	Not Tested Lab does not test for saliva

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
G78A76	Negative LMG	Positive/Indicative ALS AP Micro	Positive/Indicative Amylase Diffusion
GCN8TK	Negative UV LIGHT SOURCE HEMASTIX HEXAGON OBTI	Inconclusive LIGHT SOURCE UV	Not Tested
GFRLFW	Negative KM <u>Other Tests Performed</u> Semen/Saliva ALS	Positive/Indicative AP Micro	Positive/Indicative RSID
GG2DLT	Negative Hemastix Luminol	Positive/Indicative Brentamin	Not Tested No test to do saliva test
GHGRZU	Negative TMB <u>Other Tests Performed</u> Screening-ALS	Positive/Indicative AP Micro	Positive/Indicative RSID saliva
GJ8JMC	Negative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Not Tested	Not Tested
GJCHYG	Not Tested	Positive/Indicative AP PSA Micro	Positive/Indicative Amylase radial diffusion
GK9QDR	Negative KM	Positive/Indicative AP PSA Micro	Negative RSID
GKKKUT	Negative KM	Positive/Indicative ALS (fluorescence) AP Micro	Positive/Indicative RSID* ALS (fluorescence)
GM8BVV	Negative Lmg	Positive/Indicative Ap	Not Tested

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GM924Z	Negative Luminol	Positive/Indicative Brentamine	Not Tested Presumable Epithelial (no presumptive testing method for saliva)
	Other Tests Performed Presumable epithelial (skin cells) - presumable epithelial swab taken from item for skin cells of suspect, submitted for DNA (no presumptive test method for epithelial cells)		
GQPLUM	Negative Visual Exam	Positive/Indicative Visual Exam ALS UV AP Micro	Positive/Indicative ALS UV RSID
GY4826	Not Tested no visible RBS	Positive/Indicative AP Micro PSA	Positive/Indicative RSID - Saliva
GZYQ8D	Negative KM	Negative AP	Positive/Indicative Phadebas
H8DUT7	Negative LMG	Positive/Indicative ALS AP Micro P30	Positive/Indicative Amylase Diffusion
H93UJG	Negative BLUESTAR HEMASTIX	Negative ALS	Negative ALS
H9486W	Negative KM	Positive/Indicative ALS RSID Micro	Not Tested
H9J6WF	Negative OBTI HEMASTIX	Not Tested	Not Tested
HAXTYM	Negative ABAcad HemaTrace Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Stain	Not Tested The Laboratory's portfolio of services does not include Saliva Identification

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
HBW9W7	Not Tested No red staining observed	Positive/Indicative AP Micro AP Mapping	Positive/Indicative amylase diffusion amylase mapping
HM8LCL	Negative KM	Positive/Indicative AP Micro	Positive/Indicative Phadebas
HTQ94X	No Response UV; 450nm ORANGE GOGGLES HEMASTIC HEXAGON OBTI	Inconclusive UV; 450nm ORANGE GOGGLES	No Response
HYKJGP	Negative Hemastix KM HemaTrace	Positive/Indicative AP PSA micro	Positive/Indicative RSID
HZCRGR	Negative Luminol <u>Other Tests Performed</u> Epithelial - Tissue Collection	Positive/Indicative AP	Not Tested No validated saliva test at lab
J7E9BY	Negative LMG	Positive/Indicative ALS AP PSA Micro	Not Tested
J8QU3K	Negative Thevenon Roland Piramidon ABAcad HemaTrace	Positive/Indicative Christmas Tree RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
JC2YXU	Not Tested NT due to no red/brown staining noted <u>Other Tests Performed</u> ALS	Positive/Indicative Acid Phosphatase Microscopic	Positive/Indicative RSID-Saliva
JER6CY	Negative Luminol <u>Other Tests Performed</u> Possible Epithelial Cells - Removed (not tested) Possible Hair - Visual inspection (not found)	Positive/Indicative Brentamine	Not Tested

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
JKW22Q	Not Tested no red/brown discoloration observed	Positive/Indicative ALS AP Micro	Positive/Indicative ALS-no dilute staining RSID
JML8LM	Not Tested Visual examination did not support testing for blood.	Positive/Indicative ALS AP microscopic	Positive/Indicative ALS RSID
JNW8K3	Negative Micro KM	Positive/Indicative ALS AP X-mas	Positive/Indicative Amylase
JQZZE2	Not Tested No visible discoloration	Positive/Indicative ALS AP Micro	Positive/Indicative Amylase diffusion
JT88TM	Negative ABAcad HemaTrace Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
JUX9EH	[Participant did not return results for Item 6]		
JVCCBU	Negative RSID: BLOOD	Positive/Indicative RSID: SEMEN	Not Tested
JVYM6	Not Tested No staining was observed consistent with blood	Positive/Indicative AP PSA micro	Positive/Indicative RSID
KCJ8LN	Not Tested no visible red staining	Positive/Indicative AP micro	Positive/Indicative RSID
KNDKLK	Negative KM	Positive/Indicative ALS AP Micro	Positive/Indicative ALS RSID

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
KP6N9Z	Negative Luminol <u>Other Tests Performed</u> Presumable epithelial cells removed from item 6	Positive/Indicative Brentamine	Not Tested Not tested, no presumptive testing done for saliva
KTZ2QB	Negative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> 415 WITH ORANGE GOGGLE REFLECT	No Response	No Response
L4DLMC	Negative BLUESTAR HEMASTIX BLUESTAR OBTI	Not Tested	Not Tested
L9TMUP	Negative TMB	Positive/Indicative AP Micro	Positive/Indicative RSID
LCG2HY	Not Tested Not tested - no RBS per visual examination	Positive/Indicative AP PSA Micro	Positive/Indicative RSID saliva
LE2VBT	No Response KM	No Response ALS RSID Micro	Not Tested
LFP7RQ	Negative HEMA TRACE RSID OBTI MBT	Positive/Indicative RSID OBTI HEMA TRACE MBT	Not Tested
LM9AYT	Negative LIGHT SOURCE UV HEMASTIX HEXAGON OBTI	Inconclusive LIGHT SOURCE UV	Not Tested
LPZTZE	Negative Visual	No Response AP Microscopic slides	Not Tested
LQF3XL	Not Tested Absence of staining consistent with blood	Positive/Indicative AP Micro	Positive/Indicative RSID-Saliva

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LQRPM	Negative Hemastix <u>Other Tests Performed</u> Possible Biological Material - Recovered	Positive/Indicative Fast Black (AP) Micro	Not Tested Not required as per lab SOP
LR428Q	Positive/Indicative HEMASTIX BLUE STAR	Positive/Indicative RSID	No Response
LYLCLQ	Positive/Indicative HEMASTIX BLUE STAR	Positive/Indicative RSID	Not Tested
M2UMR2	Not Tested No red brown staining observed	Positive/Indicative AP Micro	Positive/Indicative RSID saliva
M4G2KH	Not Tested no red/brown staining present	Positive/Indicative ALS AP Micro	Positive/Indicative ALS RSID
M8JW77	Negative O-tol screen	Positive/Indicative ALS AP Micro RSID semen	Positive/Indicative ALS RSID saliva
MK2U2A	Negative Visual and KM	Positive/Indicative AP and slide	Positive/Indicative Phadebas
MTWPA7	Negative KM	Positive/Indicative AP Micro ABACard P30	Positive/Indicative Phadebas
MXQTUW	Negative Luminol <u>Other Tests Performed</u> Pres. hair Pres. Skin cells (removed)	Positive/Indicative Brentamine	No Response
MZFZEU	Negative Luminol <u>Other Tests Performed</u> Epithelial Cells - removed	Positive/Indicative Brentamine	No Response

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
NCNKDT	Negative HEMASTIX HEXAGON OBTI BLUESTAR <u>Other Tests Performed</u> BLOOD - POLIFLARE 450nm LIGHT SEMEN POLIFLARE 450nm LIGHT	Positive/Indicative HEMASTIX RSID	Not Tested
NENXT7	Negative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS	Not Tested	Not Tested
NJPDQG	Negative Visual	Positive/Indicative Visual ALS Micro AP	Positive/Indicative ALS RSID
NT9FLA	Negative CRIME LIGHTS BLUESTAR HEXAGON OBTI	Negative CRIME LIGHT RSID	No Response
NTDB9A	Negative KM <u>Other Tests Performed</u> ALS	Positive/Indicative AP PSA MICRO	Positive/Indicative Phadebas
NU744T	Negative KM	Positive/Indicative ALS RSID Micro	No Response
NX3PWG	Negative KM <u>Other Tests Performed</u> ALS	Positive/Indicative PSA MICRO	Positive/Indicative PHADEBAS
PBPEAR	Negative Luminol <u>Other Tests Performed</u> Possible sweat removed - Not tested; tests for presumable sweat are not conducted at [Laboratory] (see comments)	Positive/Indicative Brentamine	No Response

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
PC4NKD	Negative ABAcad HemaTrace Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Stain RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
PJ46VJ	No Response KM	No Response ALS RSID Micro	Not Tested
PRG82K	Not Tested No reddish-brown staining was observed	Positive/Indicative ALS AP Micro	Positive/Indicative ALS RSID Saliva
PRWDHV	Negative Luminol <u>Other Tests Performed</u> Pres skin cells (removed)	Positive/Indicative Brentamine	No Response
PUYG4Q	Negative KM	Positive/Indicative ALS RSID Micro	Not Tested
PWNMNM	Negative KM RSID	Positive/Indicative ALS AP RSID MICRO	Positive/Indicative ALS RSID
PX332N	Not Tested No RBS observed on Item 6 <u>Other Tests Performed</u> Alternate Light Source	Positive/Indicative Acid Phosphatase Abacus PSA Microscopic Sperm	Positive/Indicative RSID - Saliva
PXMNRT	Negative Luminol <u>Other Tests Performed</u> Hair - visual inspection for hair High Friction - Pos epithelial cells were taken off from the exhibit.	Positive/Indicative Brentamine	Not Tested

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
PYFL3K	Negative Luminol <u>Other Tests Performed</u> Hair - visual inspection of hair High Friction - possible epithelial cells were taken from the exhibit	Positive/Indicative Brentamine	Not Tested Saliva test not performed at our laboratory
PZT9FT	Negative H-Stix Luminol <u>Other Tests Performed</u> No hair has been removed	Positive/Indicative Brentamine	Not Tested Possible High Friction
Q2VN7W	Not Tested not tested: no red staining observed	Positive/Indicative AP Micro	Positive/Indicative RSID saliva
Q4KECM	Negative RSID: BLOOD	Positive/Indicative RSID	Not Tested
Q4P8C4	Negative Visual examination for staining	Positive/Indicative Acid Phospatase Microscopic examination for sperm	Positive/Indicative Phadebas Press test
Q9Z8PU	Negative Luminol <u>Other Tests Performed</u> Possible sweat removed - (Not tested); possible sweat not performed at [Laboratory]	Positive/Indicative Brentamine	No Response
QCVK76	Not Tested BLUESTAR OBTI HEMASTIC <u>Other Tests Performed</u> ITEM POLYLIGHT USED 415 LIGHT AND ORANGE GOGGLES IT GLOWS REFLECTIONS	Not Tested	Not Tested
QHGTCCG	Positive/Indicative HEMASTIC	Negative BLUE STAR	Not Tested NO KNOWN TEST
QLRUYW	Not Tested NT: no staining consistent with blood obs	Positive/Indicative AP Micro	Positive/Indicative RSID
QPXCN4	Negative HEMASTIX BLUESTAR	No Response	No Response

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
QQWXGH	Negative KM	Positive/Indicative AP ALS	Not Tested
QUJ6CC	Negative KM	Positive/Indicative AP Micro	Positive/Indicative Phadebas
QXGPDB	Positive/Indicative KM HemaTrace	Positive/Indicative AP PSA	Positive/Indicative Phadebas
R38JQ3	Negative Visual exam: no staining with the appearance of blood, therefore not chemically tested	Positive/Indicative AP Micro	Positive/Indicative Phadebas paper
R8ZRNH	No Response Lum <u>Other Tests Performed</u> Hair - visual inspection	No Response AP	Not Tested
RB2X3M	Negative KM	Positive/Indicative ALS RSID Micro	No Response
RFCNUA	Negative KM <u>Other Tests Performed</u> MICROSCOPY	Positive/Indicative AP	Positive/Indicative PHADEBAS
RGPHAA	Not Tested	Positive/Indicative AP Micro ALS	Not Tested
RJGGN9	Not Tested <u>Other Tests Performed</u> *Blood - no visible staining	Positive/Indicative ALS AP PSA Micro (sperm)	Positive/Indicative ALS Amylase Gel Micro (0 NECs)
RKAHEW	Negative LMG	Positive/Indicative ALS AP Micro	Positive/Indicative Amylase Diffusion

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
RMYPYT	Not Tested No apparent blood observed	Positive/Indicative ALS AP Micro	Positive/Indicative Amylase Diffusion
RRTQXM	Negative KM <u>Other Tests Performed</u> ALS - Semen, Saliva	Positive/Indicative AP Micro	Positive/Indicative RSID
RUCMH7	Negative KM	Positive/Indicative AP P30 KPIC	Positive/Indicative Phadebas
RVR3V8	Not Tested *No stains having the appearance of blood observed.	Positive/Indicative ALS AP PSA Microscopic	Not Tested *Amylase mapping is not in our laboratory TPM.
RWZ27G	Negative HEMOPHAN SERATEC HEM	Positive/Indicative PHOSPHADESMO SERATEC PSA	Positive/Indicative SERATEC AMY
RXUXGV	Not Tested No stains indicative of blood observed on item.	Positive/Indicative AP Micro ALS	Positive/Indicative Amylase diffusion
RYQH4V	Not Tested no reddish/brown staining observed	Positive/Indicative AP Abacus Card- PSA micro	Positive/Indicative RSID - Saliva
TEKZXZ	Negative KM	Positive/Indicative AP ABAcad p30 Micro	Positive/Indicative Phadebas
TGM3LF	Not Tested no red/brown staining observed	Positive/Indicative ALS AP Micro PSA	Positive/Indicative ALS RSID

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
TJPM6M	Negative LIGHT SOURCE UV HEMASTIX HEXAGON OBTI	Inconclusive LIGHT SOURCE UV	Not Tested
TLEG2A	Not Tested Case scenario suggests blood or semen testing; no visible stain	Positive/Indicative AP RSID-Semen PSA	Not Tested Saliva not routinely tested if blood or semen positive
TRX263	Negative BLUESTAR OBTI HEMASTIX <u>Other Tests Performed</u> ALS 450 ORANGE FILTER	Not Tested	Not Tested
TWVYXM	Negative Luminol <u>Other Tests Performed</u> Presumable skin cells removed	Positive/Indicative Brentamine	No Response
TXBD9H	Not Tested No reddish-brown stains detected	Positive/Indicative ALS AP MICRO PSA	Positive/Indicative Radial Diffusion
TY3YXF	Positive/Indicative HEMASTIX BLUE STAR OBTI	Positive/Indicative RSID	Not Tested
TZW8ZC	Negative Human Blood Thevenon Roland Piramidon	Positive/Indicative Christmas Tree Semenogelina	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
U32AAE	Not Tested Not tested due to lack of apparent staining characteristic of blood	Positive/Indicative ALS AP Micro	Positive/Indicative RSID
U8UALN	Negative ALS (IR) KM	Positive/Indicative ALS (blue) AP PSA Micro	Positive/Indicative ALS (blue) Saligae

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
U9LC94	Not Tested Vis search - No vis bloodlike staining found <u>Other Tests Performed</u> Crime-lite - Fluoresence seen to undamaged end of lace - coinciding with amylase/AP reaction	No Response AP Micro	No Response Phadebas +ve reaction; though given coincidental AP+ve, findings would be interpreted with caution and considering the overall case circs.
UAE9VC	Negative Luminol	Positive/Indicative AP (Brentamine)	Not Tested Laboratory does not perform this test
UGJWWT	Positive/Indicative KM Hematrace	Positive/Indicative AP PSA	Positive/Indicative Phadebas
UKVC24	Negative HEMASTIX BLUESTAR	Negative ALS	Negative ALS
ULWJTJ	Negative Visual	Positive/Indicative ALS p30	Not Tested
UNYNYC	Not Tested No stains visually consistent with blood observed	Positive/Indicative AP PSA Micro	Inconclusive Amylase Micro
UPTAR3	Negative KM	Positive/Indicative PSA Micro ALS	Positive/Indicative Phadebas
V3FUUC	Negative Hemastix KM Hematrace <u>Other Tests Performed</u> ALS	Positive/Indicative AP PSA Micro	Positive/Indicative RSID
V67XMJ	Not Tested No red/brown staining noted. <u>Other Tests Performed</u> ALS	Positive/Indicative Acid Phosphatase PSA Microscopic	Positive/Indicative RSID saliva

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
V7HR8P	Negative LMG	Positive/Indicative AP Micro ALS PSA	Positive/Indicative Amylase diffusion
VDWF4C	Negative KM	Positive/Indicative AP PSA Micro	Positive/Indicative RSID saliva
VHRDQH	Not Tested <u>Other Tests Performed</u> ALS	Positive/Indicative Acid Phosphatase Microscopic	Positive/Indicative RSID
VL83R8	Negative KM	Positive/Indicative AP Micro (Xmas Tree Stain)	Positive/Indicative Phadebas Amylase
VLBAB3	Negative PT FLS-White FLS-Blue	Positive/Indicative AP FLS-White FLS-Blue	Not Tested
VLUDNU	Negative KM, Hemastix	Positive/Indicative AP, Micro	Positive/Indicative RSID Saliva
VQ3WMM	Negative KM Hematrace	Positive/Indicative ALS AP PSA (Seratec) Micro	Positive/Indicative ALS SALlgAE
VREV3H	Negative HEMASTIX RSID BLOOD BLUESTAR <u>Other Tests Performed</u> ALTERNATE LIGHT SOURCE	Positive/Indicative RSID (SEMEN)	Not Tested
VRXC26	Not Tested No apparent red brown stains.	Positive/Indicative ALS AP Micro	Not Tested Scenario, and the presence of semen, does not warrant saliva testing.

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
VWM2D3	Not Tested	Positive/Indicative AP PSA Micro	Positive/Indicative Amylase
VYT2EF	No Response HEMASTIC RSID OBTI BLUE STAR <u>Other Tests Performed</u> BLOOD SEMEN SALIVA	Negative RSID	Negative RSID
W77RFK	Negative Luminol <u>Other Tests Performed</u> Epithelial Cells - Exhibit swabbed to remove possible epithelial cells	Positive/Indicative Brentamine	No Response
W842RB	Negative Hemastix Phenolphthalein HemaTrace <u>Other Tests Performed</u> ALS	Positive/Indicative AP PSA Micro	Negative RSID
WD7N44	Negative LIGHT SOURCE HEMASTIX HEXAGON OBTI	Inconclusive LIGHT SOURCE	Not Tested
WDD4U7	Not Tested No staining indicating a need for KM. Sample would be taken on to DNA.	Positive/Indicative AP Micro	Not Tested NT since the semen positive sample would be taken on to DNA
WJN4W	Negative KM	Positive/Indicative AP ABAcad P30 Micro	Positive/Indicative Phadebas
WL87X3	Negative Visual exam Hemastix <u>Other Tests Performed</u> Possible Biological Material - Recovered	Not Tested Not required as per lab SOP	Not Tested Not required as per lab SOP

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
WU36UH	Negative KM <u>Other Tests Performed</u> ALS - Semen/Saliva	Positive/Indicative AP Micro	Positive/Indicative RSID
WZ82F4	Not Tested No RBS present	Positive/Indicative AP ALS Micro	Not Tested Positive AP result and case scenario
X8YXFB	Negative Hemastix <u>Other Tests Performed</u> ALS	Positive/Indicative AP PSA Microscopy	Positive/Indicative RSID
XFT7Z3	Not Tested No Red Brown Stains	Positive/Indicative ALS AP Micro	Not Tested Strong AP+ reaction, so did not test for saliva - sperm is better evidence of the sexual assault
XNNVX7	Not Tested No stain observed.	Positive/Indicative AP RSID-Semen PSA	Not Tested Laboratory test for saliva only if results for blood and semen are negative
XPW6MH	Not Tested <u>Other Tests Performed</u> ALS	Positive/Indicative AP Micro	Positive/Indicative Amylase
XTLCCL	Negative Hstix Luminol <u>Other Tests Performed</u> Epithelial Cells Removed	Positive/Indicative Brentamine	No Response
XTZWZP	Negative KM Hemastix	Positive/Indicative AP Micro PSA	Positive/Indicative RSID Saliva

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
XUT7UJ	No Response CRIME LIGHT SOURCE HEMASTIX HEXAGON OBTI BLUE STAR	Negative CRIME LIGHT 415 AND 450	Negative CRIME LIGHT 415 AND 450
XW2VFN	Negative KM	Positive/Indicative AP Micro P30-ABAcard	Positive/Indicative Phadebas
XYQ8C9	Not Tested No tests were performed for the possible presence of blood due to the fact that no reddish brown staining was observed on this item.	Positive/Indicative ALS AP Micro	Positive/Indicative ALS RSID - saliva
XZK2Q4	Negative HemaTrace - Human Blood Thevenon Roland Piramidon	Positive/Indicative Microscopic - Christmas Tree	Positive/Indicative RSID - Saliva
YA4QAA	Negative Hemastix KM	Positive/Indicative AP PSA Micro	Positive/Indicative RSID-Saliva
YA8BYX	Negative km	Positive/Indicative ap psa micro als	Positive/Indicative rsid
YG3KWA	Negative Luminol	Positive/Indicative Brentamine	No Response
YHGYCW	Not Tested <u>Other Tests Performed</u> Blood- Not tested because there was no brown or red staining	Positive/Indicative ALS AP PSA Micro	Positive/Indicative ALS RSID Saliva
YLZW39	Negative Hemastix KM HemaTrace	Positive/Indicative AP PSA micro	Negative RSID

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
Z7X7H9	Positive/Indicative HEMASTIX BLUE STAR	Positive/Indicative RSID	Not Tested
ZAXZA6	Negative Thevenon Roland Piramidon ABAcad HemaTrace	Positive/Indicative Microscopic - Christmas Tree RSID - Semen	Not Tested The Laboratory's portfolio of services does not include Saliva Identification
ZBQVWD	Negative Benzidine Heme Direct Kit	Positive/Indicative AP (Acid Phosphatase) PSA Micro	Not Tested
ZC38GG	Negative RSID: BLOOD	Positive/Indicative RSID: SEMEN	Not Tested
ZGHDFC	Negative HEMATRACE HEXAGON OBTI RSID BLUE STAR TMB <u>Other Tests Performed</u> BLOOD - HEMATRACE BLOOD - BLUE STAR TMB SEMEN - RSID	Positive/Indicative RSID HEXAGON OBTI HEMATRACE BLUE STAR TMB	Not Tested
ZKGED8	Not Tested the item had no stain that was visibly referred to blood color	Positive/Indicative ABA card P30	Positive/Indicative SALlgAE
ZKYJTK	Not Tested Visible staining not consistent with possible blood	Positive/Indicative AP Micro	Positive/Indicative RSID
ZPBBZD	Negative LMG RSID-Blood <u>Other Tests Performed</u> Urine - RSID-Urine	Positive/Indicative AP RSID-Semen	Positive/Indicative RSID-Saliva
ZUHJ2U	Negative HEXAGON OBTI HEMASTIX <u>Other Tests Performed</u> ALS 450 ORANGE FILTER	Not Tested	Not Tested

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ZVHV94	Not Tested No staining indicative of blood	Positive/Indicative AP PSA	Positive/Indicative Phadebas amylase
ZWQRCZ	Negative LIGHT SOURCE; UV HEMASTICS HEXAGON BLUE	Inconclusive LIGHT SOURCE	No Response
ZX7E4A	Negative Hemastix Luminol	Positive/Indicative Brentamine	Not Tested
ZXLN33	Negative KM	Positive/Indicative AP PSA Micro	Positive/Indicative Phadebas Amylase

Response Summary for Table 1 - Item 6

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	11	255	149
Negative	196	12	10
Inconclusive	2	9	4
Not Tested (NT)	83	13	109
No Response	12	15	32
Total	304	304	304

Serology Screening Results

Indicate the results of any screening tests performed on each Item.

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Luminol	Negative	2REJNN	Luminol	Negative
	Hemastix	Negative		Kastle Meyer	Negative
2AHUWZ	KM	Negative		Hemastix	Negative
	ABA Hematrace	Negative		HemaTrace	Pos./Ind.
2BNZTE	HEMASTIX	Negative	2T7MB4	ABACard - HemaTrace	Pos./Ind.
	HEXAGON OBTI	Negative		Thevenon Roland Piramidon	Negative
	BLUESTAR	Negative	2T96LL	KM	Negative
2DYJV4	Phenolphthalein	Negative		Micro	Negative
	Hematrace	Negative	2ZU2MP	Hemastix	Pos./Ind.
	Hemastix	Negative		Hematrace	Pos./Ind.
2EA44D	KM	Negative	32HUYJ	KM	Negative
	HemaStix	Negative	36HAYU	KM	Negative
	HemaTrace	Negative	36LPHM	LMG	Negative
	Luminol	Negative	379DR2	HemaTrace	Pos./Ind.
	LCV	Negative	37B3UD	KM	Negative
2EPLHJ	Luminol	Negative	3AFL6T	Visual Examination	Pos./Ind.
	Hemastix	Negative		LMG	Negative
2GBQFA	HEMATRACE	Pos./Ind.	3FJPVQ	TMB	Inconclusive
	RSID	Pos./Ind.		Haemochromogen	Negative
	HEXAGON OBTI	Negative		HemaTrace	Negative
	BLUE STAR	Negative	3FZKXL	LMG	Negative
2HTFKV	Visual	Negative	3LZP8A	HEMA TRACE	Pos./Ind.
2KHJD2	KM	Negative		RSID	Pos./Ind.
2MHWRE	Hstix			OBTI	Negative
	Luminol			BLUE STAR TMB	Negative
2NHVBM	LMG	Negative	44JEZP	KM	Negative
2QLQT6	HS	Negative			
	HT	Negative			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
48YHKR	HEXAGON OBTI	Negative		HEMASTIX	Pos./Ind.
	HEMASTIX	Negative		BLUESTAR	Negative
4FVTVW	KM	Negative	6AKLRP	HEMASTIX	Inconclusive
4GMPH6	LMG	Negative		HEXAGON OBTI	Negative
4GTYJH	Luminol	Negative		RSID	Negative
	KM	Negative		BLUESTAR	Negative
	Hemastix	Pos./Ind.	6BFEAB	KM	Negative
	HemaTrace	Inconclusive		Hemastix	Pos./Ind.
4H3YJH	Micro	Negative		HemaTrace	Pos./Ind.
	KM	Negative	6CR9RW	KM	Negative
4K8U2Z	KM	Negative		Hematrace	Negative
4KQD9T	KM	Negative	6HFZTX	KM	Negative
4MTXQD	RSID:BLOOD	Negative	6MR2Y3	Hemastix	Negative
	HEMASTIX	Negative		KM	Negative
4RMHPB	KM	Negative		HemaTrace	Negative
4YNCQA	UV+ 450 LIGHT SOURCES	Negative	6TGGRF	O-Tol	Negative
	HEMASTIX	Negative	6V2EWX	KM	Negative
	HEXAGON OBTI	Negative	6Y7VE2	Hemastix	Negative
	BLUESTAR	Negative		KM	Negative
62RP7V	O-TOL	Negative		Hematrace	Negative
	HEMDIRECT	Negative	6ZWY89	KM	Negative
62TB7H	KM	Negative		Hemastix	Negative
63PVUG	Luminol	Negative		HemaTrace	Pos./Ind.
	KM	Negative	76MTGE	KM	Negative
	Hemastix	Negative		Hemastix	Negative
	HemaTrace	Negative		HemaTrace	Negative
66CRZM	KM	Negative		Luminol	Negative
66M3QR	VISUAL OBSERVATION	Pos./Ind.	7CQXBJ	No visible red/brown staining	
	ALTERNATIVE LIGHT SOURCE (UV & 450)	Pos./Ind.			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
7M3L4A	ALS - UV; NM415; NM450	Negative	8VULV8	HEMASTIX	Negative
	HEXAGON OBTI	Negative		BLUESTAR	Negative
	BLUESTAR	Negative		RSID BLOOD	Negative
7Q762P	Swabs had no stains for testing		8XMTKX	HS	Negative
7RYXW9	KM	Negative		KM	Negative
7TDDEF	No reddish/brown stain observed			HT	Negative
83D7GF	KM	Negative	8Z9MCR	TMB	Negative
	Hemastix	Negative		Seratec Hem Direct	Negative
	Hematrace	Negative	99WCD7	HEMASTIX	Negative
	Luminol	Negative		RSID BLOOD	Negative
84QXAW	KM	Negative		RSID SEMEN	Negative
8EB7W6	No observed blood; No scenario; Lab Policy			BLUESTAR	Negative
8EQRP8	LIGHT SOURCE; UV; 450 ORANGE GOGGLES	Negative	9CJEFR	BLUESTAR	Negative
	HEMASTIX	Negative	9MH4F2	TMB	Negative
	HEXAGON OBTI	Negative		Hematrace	Negative
	BLUE STAR	Negative		Hemastix	Negative
8GYKKE	KM	Negative		LCV	Negative
	Hemastix	Negative	9MYHMC	No visible staining observed	
	Hematrace	Negative		Luminol	Negative
	Luminol	Negative	9P4W9W	KM	Negative
8JJED9	KM	Negative	9PNN43	TMB	Negative
8LQQF4	KM	Negative		HemaStix	Negative
	TMB	Negative		LCV	Negative
	HemaTrace	Negative		Luminol	Negative
	Luminol	Negative		Hematrace	Negative
8QFTYM	HEMASTIX	Inconclusive	9RAGWW	KM	Negative
	OBTI	Negative	9RU9UM	KM	Negative

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
9TL6HG	Hemastix	Negative	BHV8L9	Hemastix Test	Negative
	Hematrace	Pos./Ind.		Luminol Test	Negative
A2FJWM	KM	Negative	BNRRWJ	KM	Negative
	SERATEC Hemoglobin	Negative	BXMMNZ	HEMA TRACE	Pos./Ind.
A4KAYW	ABACard HemaTrace	Pos./Ind.		RSID	Pos./Ind.
	Thevenon Roland Piramidon	Negative		OBTI	Negative
A8GXF4	PHTH	Negative		BLUE STAR TEST TMB	Negative
AA9WU2	Luminol	Negative	BXR7C3	HEMASTIX	Negative
	Hemastix	Negative		BLUESTAR	Negative
ACAFY2	HEMASTIX	Pos./Ind.		RSID BLOOD	Negative
	RSID	Pos./Ind.	BYLCPV	No visible bloodstain	
	HEXAGON OBTI	Negative	CA2GHD	HemaTrace	Pos./Ind.
	BLUE STAR TMB	Negative		Hemastix	Negative
ACDKAR	Visual Exam	Negative		KM	Negative
	O-tol	Negative		Luminol	Negative
	HemaTrace	Negative	CERYQW	Hemastix	Negative
AD84J6	KM	Negative		Luminol	Negative
	Hemastix	Negative	CGMDL3	Phenolphthalein	Negative
	HemaTrace	Pos./Ind.		Hemastix	Negative
AL37GB	Hemastix	Negative		Hematrace	Pos./Ind.
	Luminol	Negative	CRHT3Q	KM	Negative
AL6TZA	KM	Negative	D23C7M	O-tol	Negative
	Hematrace	Pos./Ind.	DB47DL	ALTERNATIVE LIGHT SOURCE	Negative
AXDLLU	Thevenon Roland (Piramidon)	Negative		BLUESTAR (CHEMI- LUMINESCENCE)	Negative
	ABACard HemaTrace	Pos./Ind.		HEXAGON OBTI	Negative
AZNJZC	KM, Hemastix	Negative			
	HemaTrace	Pos./Ind.			
BC7UHY	Luminol	Negative			
	Hemastix	Negative			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
DJ7PZX	KM	Negative		LMG	Negative
	TMB (Hemastix)	Negative	ELNDQN	no staining present on the swab to indicate potential blood	
	Luminol	Negative			
	Leuco Crystal Violet	Negative	EQYNK4	Hemastix	Negative
	HemaTrace	Pos./Ind.		Luminol	Negative
DJYM4X	Hemastix	Negative	ERVWXU	KM	Negative
	Luminol	Negative		Hemastix	Negative
DR9XUG	HEXAGON OBTI	Negative		Hematrace	Pos./Ind.
	HEMASTIX	Negative		Luminol	Negative
DTRWDT	Lacked visible characteristics of blood.		EW8P6M	KM	Negative
			EXKQC8	Micro	Negative
DU7H9P	KM	Negative		KM	Negative
	Hematrace	Pos./Ind.	EYTTCJ	No visible red/brown staining	
DWQB2J	TMB	Negative	F3R8XN	KM	Negative
	HemaTrace	Pos./Ind.	F6EW78	O-tol	Negative
DXJ4W3	KM	Negative	FGN89G	HEXAGON OBTI	Negative
E4LATW	HEMATRACE	Pos./Ind.		BLUESTAR	Negative
	RSID	Pos./Ind.	FNZGZ	KM	Negative
	OBTI	Negative	FQD862	Luminol	Negative
	BLUE STAR TMB	Negative		Hemastix	Negative
E6FLLX	Lmg	Negative	FRQ2K2	H-Stix	Negative
E7CUZA	Luminol	Negative		Luminol	Negative
	KM	Negative	FUUP94	LMG	Negative
	Hemastix	Negative	FYLFBL	HEXAGON	Negative
	HemaTrace	Pos./Ind.		OBTI	Negative
E88KZW	Hemastix	Negative	G2R2YL	HEXAGON	Negative
	Luminol	Negative		OBTI	Negative
EAWQKT	KM	Negative	G3QMUL	KM	Negative
EGXWKP	Visual	Negative	G78A76	LMG	Negative
EH74NH	Visual	Pos./Ind.			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GCN8TK	UV; 450 ORANGE GOOGLES	Negative	GY4826	KM	Negative
	HEMASTIX	Negative		Hemastix	Negative
	HEXAGON OBTI	Negative		HemaTrace	Negative
	BLUESTAR	Negative	GZYQ8D	KM	Negative
GFRLFV	KM	Negative	H8DUT7	LMG	Negative
	Hemastix	Negative	H93UJG	HEMASTIX	Pos./Ind.
	HemaTrace	Pos./Ind.		BLUESTAR	Negative
	LCV	Negative	H9486W	KM	Negative
	Luminol	Negative	H9J6WF	OBTI	Negative
GG2DLT	Hemastix	Negative		HEMASTIX	Negative
	Luminol	Negative	HAXTYM	ABAcad HemaTrace	Pos./Ind.
GHGRZU	TMB	Negative		Thevenon Roland Piramidon	Negative
	Hemastix	Negative	HBW9W7	No red staining observed	
	Hematrace	Inconclusive	HM8LCL	KM	Negative
	Luminol	Negative	HTQ94X	UV; 450NM ORANGE GOGGLES	Negative
	LCV	Negative		HEMASTIX	Negative
GJ8JMC	HEXAGON OBTI	Negative		HEXAGON OBTI	Negative
	HEMASTIX	Negative		BLUE STAR	Negative
GK9QDR	KM	Negative	HYKJGP	Hemastix	Negative
	Hemastix	Negative		KM	Negative
	Hematrace	Negative		HemaTrace	Negative
	Luminol	Negative	HZCRGR	Luminol	Negative
GKKKUT	KM	Negative		H/Stix	Negative
	Luminol	Negative	J7E9BY	LMG	Negative
	Leucocrystal Violet	Negative	J8QU3K	Thevenon Roland Piramidon	Negative
	HemaTrace	Negative		ABAcad HemaTrace	Pos./Ind.
GM8BVV	Lmg	Negative			
GM924Z	Luminol	Negative			
	Hemastix	Negative			
GQPLUM	Visual Exam	Negative			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
JC2YXU	Phenolphthalein (PTMB)	Pos./Ind.	KTZ2QB	HEXAGON OBTI	Negative
	Hemastix	Negative		HEMASTIX	Negative
	Hematrace	Pos./Ind.	L4DLMC	HEMASTIX	Negative
JER6CY	H-stix	Negative		BLUESTAR	Negative
	Luminol	Negative		BLUESTAR OBTI	Negative
JKW22Q	KM	Negative	L9TMUP	TMB	Negative
	Hematrace	Negative		Hemastix	Negative
	Luminol	Negative		Leucocrystal Violet	Negative
	Leucocrystal Violet	Negative		Luminol	Negative
JML8LM	KM	Negative		HemaTrace	Pos./Ind.
	Hemastix	Negative	LCG2HY	KM	Negative
	HemaTrace	Pos./Ind.		Luminol	Negative
JNW8K3	Micro	Negative		Hemastix	Negative
	KM	Negative		Hematrace	Negative
JQZZE2	No visible discoloration		LE2VBT	KM	Negative
JT88TM	ABACard HemaTrace	Pos./Ind.	LFP7RQ	HEMATRACE	Pos./Ind.
	Thevenon Roland Piramidon	Negative		RSID	Pos./Ind.
JVCCBU	RSID: BLOOD	Negative		OBTI	Negative
	HEMASTIX	Negative		TMB	Negative
JWYM6	KM	Negative	LM9AYT	HEMASTIX	Negative
	hemastix	Negative		HEXAGON OBTI	Negative
	hematrace	Negative		UV, 450 AND ORANGE GOGGLES	Negative
KCJ8LN	KM	Negative		BLUESTAR	Negative
	HemaTrace	Negative	LPZTZE	KM	Negative
KNDKLK	KM	Negative		Visual	Negative
	Hemastix	Negative	LQF3XL	Hemastix	Negative
	HemaTrace	Pos./Ind.		KM	Negative
KP6N9Z	Luminol	Negative		Luminol	Negative
	Hemastick	Negative		Hematrace	Pos./Ind.
			LQRPMM	Visual Exam	Negative

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LR428Q	HEMASTIX	Pos./Ind.		Hemastix	Negative
	BLUE STAR	Pos./Ind.	PC4NKD	ABAcad HemaTrace	Pos./Ind.
M2UMR2	Hemastix	Negative		Thevenon Roland Piramidon	Negative
	KM	Negative	PJ46VJ	KM	Negative
	Hematrace	Negative	PRG82K	Phenolphthalein	Negative
	Luminol	Negative		HemaTrace	Negative
M4G2KH	KM	Negative	PRWDHV	Hemastix	Negative
	HemaStix	Negative		Luminol	Negative
	Hematrace	Pos./Ind.	PUYG4Q	KM	Negative
M8JW77	O-tol	Negative	PWNMNM	KM	Negative
	Hemastix	Negative		RSID	Negative
MK2U2A	Visual and KM	Negative	PX332N	Hemastix	Negative
MTWPA7	KM	Negative		HemaTrace	Negative
MXQTUW	Hemastix	Negative	PXMNRT	H-stix	Negative
	Luminol	Negative		Luminol	Negative
MZFZEU	Hemastix	Negative	PYFL3K	H-Stix	Negative
	Luminol	Negative		Luminol	Negative
NCNKDT	HEMASTIX	Pos./Ind.	PZT9FT	H-Stix	Negative
	HEXAGON OBTI	Negative		Luminol	
	BLUESTAR	Negative	Q2VN7W	Luminol	Negative
NENXT7	HEXAGON OBTI	Negative		Hemastix	Negative
	HEMASTIX	Negative		KM	Negative
NJPDQG	Visual	Negative		Hematrace	Negative
NT9FLA	CRIME LIGHT SOURCE	Negative	Q4KECM	RSID: BLOOD	Negative
	BLUESTAR	Negative		HEMASTIX	Negative
	HEXAGON OBTI		Q4P8C4	Visual examination only - no staining	Negative
NTDB9A	KM	Negative	Q9Z8PU	Luminol	Negative
NU744T	KM	Negative		Hemastix	Negative
NX3PWG	KM	Negative			
PBPEAR	Luminol	Negative			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
QCVK76	HEXAGON OBTI	Negative	RVR3V8	TMB	Negative
	HEMASTIC	Negative	RWZ27G	HEMOPHAN	Inconclusive
QLRUYW	KM	Negative		SERATEC HEM	Negative
	Hemastix	Negative	RXUXGV	LMG	Negative
	Hematrace	Negative	RYQH4V	Hemastix	Negative
	Luminol	Negative		KM	Negative
QPXCN4	HEMASTIX	Negative		Luminol	Negative
	BLUESTAR	Negative		HemaTrace	Pos./Ind.
QQWXGH	KM	Negative	TEKZXZ	KM	Negative
QUJ6CC	KM	Negative	TGM3LF	KM	Negative
QXGPDB	KM	Negative		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	TJPM6M	UV LIGHT SOURCE; UV AND 450 ORANGE GOGGLES	Negative
R38JQ3	Visual examination: no red-brown staining; therefore not chemically tested for blood	Negative		HEMASTIX	Negative
				HEXAGON OBTI	Negative
R8ZRNH	Hstix	Negative		BLUESTAR	Negative
	Luminol	Negative	TLEG2A	KM	Negative
RB2X3M	KM	Negative	TRX263	HEXAGON OBTI	Negative
RFCNUA	KASTLE MEYER	Negative		HEMASTIX	Negative
RGPHAA	KM	Negative	TWVYXM	Hemastix	Negative
	HemaTrace	Negative		Luminol	
RJGGN9	O-tol	Negative	TXBD9H	KM	Negative
RKAHEW	LMG	Negative	TZW8ZC	Human Blood	Pos./Ind.
RMYPYT	No apparent blood observed			Thevenon Roland Piramidon	Negative
RRTQXM	KM	Negative	U32AAE	KM	Negative
	HemaTrace	Pos./Ind.		Hemastix	Negative
	Hemastix	Negative		Hematrace	Pos./Ind.
	Luminol	Negative	U8UALN	KM	Negative
	Leucocrystal Violet	Negative	U9LC94	KM	Negative
RUCMH7	KM	Negative			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
UAE9VC	Hemastix	Negative		RSID FOR BLOOD	Negative
	Luminol	Negative		BLUESTAR	Negative
UGJWWT	KM	Negative	VRXC26	O-tol	Negative
	Hematrace	Pos./Ind.	VYT2EF	HEMATRACE	Pos./Ind.
UKVC24	HEMASTIX	Pos./Ind.		RSID	Pos./Ind.
	BLUESTAR	Negative		OBTI	Negative
ULWJTJ	Visual	Negative		BLUE STAR TMB	Negative
UNYNYC	LMG	Negative	W77RFK	Hemastix	Negative
UPTAR3	KM	Negative		Luminol	Negative
V3FUUC	Hemastix	Negative	W842RB	Hemastix	Negative
	KM	Negative		Phenolphthalein	Negative
	Hematrace	Inconclusive		HemaTrace	Pos./Ind.
V67XMJ	Hemastix	Negative	WD7N44	UV; 450 ORANGE	Negative
	HemaTrace	Negative		HEMASTIX, HEXAGON	Negative
	KM	Negative		OBTI AND BLUESTAR	Negative
V7HR8P	LMG	Negative	WDD4U7	KM	Negative
VDWF4C	km	Negative	WJN4W	KM	Negative
	hemastix	Negative	WL87X3	Hemastix	Negative
	luminol	Negative	WU36UH	KM	Negative
	hematrace	Pos./Ind.		Hemastix	Negative
VHRDQH	Hemastix	Negative		HemaTrace	Pos./Ind.
	Phenolphthalein	Negative		Luminol	Negative
	Hematrace	Pos./Ind.		Leucocrystal violet	Negative
VL83R8	KM	Negative	WZ82F4	O-tol	Negative
VLBAB3	PT	Negative	X8YXFB	Hemastix	Negative
VLUDNU	KM, Hemastix, Luminol	Negative		Hematrace	Pos./Ind.
	Hematrace	Pos./Ind.	XFT7Z3	O-tol	Negative
VQ3WMM	KM	Negative	XNNVX7	KM	Negative
	HemaTrace	Pos./Ind.	XPW6MH	KM	Negative
VREV3H	HEMASTIX	Negative			

TABLE 2 - Item 1

Blood						
Webcode	Test Performed	Results	Webcode	Test Performed	Results	
XTLCCL	Hstix	Negative	ZC38GG	RSID: BLOOD	Negative	
	Luminol	Negative		HEMASTIX	Negative	
XTZWZP	KM	Negative	ZGHDFC	HEMATRACE	Pos./Ind.	
	Hemastix	Pos./Ind.		RSID	Pos./Ind.	
	HemaTrace	Pos./Ind.		HEXAGON OBTI	Negative	
	Luminol	Negative		BLUE STAR TMB	Negative	
XUT7UJ	CRIME LIGHT SOURCE	Negative	ZKGED8	ABA card HemeTrace	Pos./Ind.	
	HEMASTIX	Negative	ZKYJTK	KM	Negative	
	HEXAGON OBTI	Negative		Hemastix	Negative	
	BLUESTAR	Negative		HemaTrace	Negative	
		Luminol		Negative		
XW2VFN	KM	Negative	ZPBBZD	LMG	Negative	
XYQ8C9	KM	Negative		RSID-Blood	Negative	
XZK2Q4	Hemastix	Pos./Ind.	ZUHJ2U	HEXAGONOBTI	Negative	
	HemaTrace - Human Blood	Pos./Ind.		HEMASTIX	Negative	
YA4QAA	HemaTrace	Pos./Ind.	ZVHV94	KM	Negative	
	Hemastix	Negative		ZWQRCZ	UV; 450 AND ORANGE GOGGLES	Negative
	KM	Negative			HEMASTICS	Negative
	Luminol	Negative			HEXAGON	Negative
YA8BYX	km	Negative			BLUESTAR	Negative
YG3KWA	Hemastix	Negative	ZX7E4A	Hemastix	Negative	
	Luminol	Negative		Luminol	Negative	
YHGYCW	KM	Negative	ZXLN33	KM	Negative	
YLZW39	Hemastix	Negative				
	KM	Negative				
	HemaTrace	Negative				
ZAXZA6	Thevenon Roland Pyramidon	Negative				
	ABACard HemaTrace	Pos./Ind.				
ZBQVWD	Benzidine	Negative				
	Heme Direct Kit	Negative				

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Brentamine	Pos./Ind.	2T7MB4	Microscopic	Pos./Ind.
2AHUWZ	AP	Pos./Ind.		RSID - Semen	Pos./Ind.
	PSA	Pos./Ind.	2T96LL	AP	Pos./Ind.
2BNZTE	RSID	Pos./Ind.		micro	Pos./Ind.
2DYJV4	AP	Pos./Ind.	2ZU2MP	Microscopy (smear)	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
	PSA	Pos./Ind.		p30	Pos./Ind.
2EA44D	AP	Pos./Ind.	32HUYJ	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	36HAYU	AP	Pos./Ind.
2EPLHJ	Brentamine	Pos./Ind.		p30	Pos./Ind.
2GBQFA	RSID	Pos./Ind.		KPIC	Pos./Ind.
	HEMATRACE	Pos./Ind.	36LPHM	AP	Pos./Ind.
	HEXAGON OBTI	Negative		Micro	Pos./Ind.
	BLUE STAR	Negative		p30	Pos./Ind.
2HTFKV	AP	Pos./Ind.	379DR2	Micro	Pos./Ind.
	ABA p30	Pos./Ind.	37B3UD	ALS	Pos./Ind.
	Micro	Pos./Ind.		RSID	Pos./Ind.
2KHJD2	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	3AFL6T	AP	Pos./Ind.
2MHWRE	Brentamine			P30	Pos./Ind.
2NHVBM	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	3FJPVQ	Acid Phosphatase	Pos./Ind.
	micro	Pos./Ind.		Semenogelin	Pos./Ind.
2QLQT6	AP	Pos./Ind.		Microscopy	Pos./Ind.
	PSA	Pos./Ind.	3FZKXL	ACP	Pos./Ind.
	micro	Pos./Ind.		Micro	Pos./Ind.
2REJNN	Acid Phosphatase	Pos./Ind.		PSA	Pos./Ind.
	Microscopic	Pos./Ind.			
	PSA	Pos./Ind.			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
3LZP8A	HEMA TRACE	Pos./Ind.		PSA	Pos./Ind.
	RSID	Pos./Ind.	62TB7H	BCIP	Pos./Ind.
	OBTI	Negative		Micro	Pos./Ind.
	BLUE STAR TMB	Negative	63PVUG	AP	Pos./Ind.
44JEZP	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
	ABAcad P30	Pos./Ind.	66CRZM	AP	Pos./Ind.
48YHKR	RSID	Pos./Ind.		ABAcad - P30	Pos./Ind.
4FVTWV	AP	Pos./Ind.		Micro	Pos./Ind.
	MICRO	Pos./Ind.	6AKLRP	HEMASTIX	Negative
4GMPH6	ALS	Pos./Ind.		HEXAGON OBTI	Negative
	AP	Pos./Ind.		RSID	Negative
	Micro	Pos./Ind.		BLUESTAR	Negative
4GTYJH	AP	Pos./Ind.	6BFEAB	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
	ABAcad p30	Pos./Ind.		Micro	Pos./Ind.
	Seratec PSA	Pos./Ind.	6CR9RW	AP	Pos./Ind.
4H3YJH	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	6HFZTX	RSID-Semen	Pos./Ind.
4K8U2Z	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	6MR2Y3	AP	Pos./Ind.
4KQD9T	AP	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	6TGGRF	AP	Pos./Ind.
4MTXQD	RSID: SEMEN	Pos./Ind.	6V2EWX	SPERM HY-LITER PI	Pos./Ind.
4RMHPB	ALS	Pos./Ind.	6Y7VE2	AP	Pos./Ind.
	RSID	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
4YNCQA	UV LIGHT SOURCE	Negative			
62RP7V	AP	Pos./Ind.			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
6ZWY89	AP	Pos./Ind.		Microscopic	Pos./Ind.
	Micro	Pos./Ind.	8JJED9	ALS	Pos./Ind.
	PSA	Pos./Ind.		RSID	Pos./Ind.
76MTGE	AP	Pos./Ind.		Micro	Pos./Ind.
	ABA PSA	Pos./Ind.	8LQQF4	AP	Pos./Ind.
	Seratec PSA	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
7CQXBJ	Microscopy	Pos./Ind.	8VULV8	RSID SEMEN	Pos./Ind.
7M3L4A	ALS - UV	Pos./Ind.	8XMTKX	AP	Pos./Ind.
	ALS - NM415 YELLOW FILTER	Pos./Ind.		MICRO	Pos./Ind.
	ALS - NM450 YELLOW FILTER	Pos./Ind.		P30	Pos./Ind.
7Q762P	AP	Pos./Ind.	8Z9MCR	AP	Pos./Ind.
	PSA	Pos./Ind.		Seratec PSA Semiquant	Pos./Ind.
	Micro	Pos./Ind.		ME (micro)	Pos./Ind.
7RYXW9	ALS	Pos./Ind.	99WCD7	HEMASTIX	Negative
	RSID	Pos./Ind.		RSID BLOOD	Negative
	HE microscopy	Pos./Ind.		RSID SEMEN	Pos./Ind.
7TDDEF	AP	Pos./Ind.	9CJEFR	BLUESTAR	Negative
	Micro	Pos./Ind.		AP	Pos./Ind.
83D7GF	AP	Pos./Ind.		SERATEC PSA	Pos./Ind.
	Micro	Pos./Ind.	9MH4F2	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
84QXAW	AP	Pos./Ind.		Seratec PSA	Pos./Ind.
	Micro	Pos./Ind.	9MYHMC	AP 1 step & 2 step	Pos./Ind.
8EB7W6	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	9NCZJ3	Brentamine	Pos./Ind.
8EQRP8	UV LIGHT SOURCE	Negative	9P4W9W	AP	Pos./Ind.
8GYKKE	AP	Pos./Ind.		P-30	Pos./Ind.
	PSA (Abacus)	Pos./Ind.		KPIC	Pos./Ind.

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
9PNN43	AP	Pos./Ind.		PSA	Pos./Ind.
	Microscopic Exam for sperm	Pos./Ind.	AL37GB	Brentamine	Pos./Ind.
	Seratec PSA	Pos./Ind.	AL6TZA	AP	Pos./Ind.
9RAGWW	AP	Pos./Ind.		PSA/p30	Pos./Ind.
	PSA	Pos./Ind.		microscopic exam	Pos./Ind.
	Micro	Pos./Ind.	AXDLLU	Christmas Tree Stain Slide (Micro)	Pos./Ind.
9RU9UM	AP	Pos./Ind.		RSID - Semen	Pos./Ind.
	PSA	Pos./Ind.	AZNJZC	AP, PSA, Micro	Pos./Ind.
	PELLET SLIDE/ MICROANALYSIS	Pos./Ind.	BC7UHY	Brentamine	Pos./Ind.
9TL6HG	AP	Pos./Ind.	BHV8L9	Brentamine Test	Pos./Ind.
	p30	Pos./Ind.	BNRRWJ	AP	Pos./Ind.
	Microscopy	Pos./Ind.		P30	Pos./Ind.
A2FJWM	AP	Pos./Ind.	BXMMNZ	RSID	Pos./Ind.
	Micro	Pos./Ind.		OBTI	Negative
	PSA	Pos./Ind.		HEMATRACE	Pos./Ind.
A4KAYW	Christmas Tree Coloring	Pos./Ind.		BLUE STAR TEST TMB	Negative
	RSID - Human Semen	Pos./Ind.	BXR7C3	RSID SEMEN	Pos./Ind.
A8GXF4	P30	Pos./Ind.	BYLCPV	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
AA9WU2	Brentamine	Pos./Ind.		MICRO	Pos./Ind.
ACAFY2	RSID	Pos./Ind.	CA2GHD	AP	Pos./Ind.
	HEMASTIX	Pos./Ind.		PSA	Pos./Ind.
	HEXAGON OBTI	Negative		Micro	Pos./Ind.
	BLUE STAR TMB	Negative	CERYQW	Brentamine	Pos./Ind.
ACDKAR	ALS	Pos./Ind.	CGMDL3	AP	Pos./Ind.
	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.		ABAcad PSA	Pos./Ind.
AD84J6	AP	Pos./Ind.		Seratec PSA	Pos./Ind.
	Micro	Pos./Ind.	CRHT3Q	RSID-Semen	Pos./Ind.
				PSA	Pos./Ind.

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
D23C7M	AP	Pos./Ind.	E88KZW	Brentamine	Pos./Ind.
	micro	Pos./Ind.	EAWQKT	AP	Pos./Ind.
D48P24	AP Spot	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
DB47DL	ALTERNATIVE LIGHT SOURCE	Pos./Ind.	EGXWKP	AP	Pos./Ind.
	RSID	Pos./Ind.		Micro	Pos./Ind.
DJ7PZX	AP	Pos./Ind.	EH74NH	AP	Pos./Ind.
	PSA	Pos./Ind.		ABAcad P30	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
DJYM4X	Brentamine	Pos./Ind.	ELNDQN	AP	Pos./Ind.
DR9XUG	RSID	Pos./Ind.	EQYNK4	Brentamine	Pos./Ind.
DTRWDT	AP	Pos./Ind.	ERVWXU	AP	Pos./Ind.
	MICRO	Pos./Ind.		Micro	Pos./Ind.
DU7H9P	AP	Pos./Ind.		PSA (Seratec)	Pos./Ind.
	PSA	Pos./Ind.		PSA (Abacus)	Pos./Ind.
DWQB2J	AP	Pos./Ind.	EW8P6M	AP	Pos./Ind.
	PSA	Pos./Ind.		Microscope Slide (Xmas tree)	Pos./Ind.
	Micro	Pos./Ind.	EXKCQ8	AP	Pos./Ind.
DXJ4W3	ALS	Pos./Ind.		Micro	Pos./Ind.
	RSID	Pos./Ind.	EYTTCJ	ALS	Inconclusive
	Micro	Pos./Ind.		AP	Pos./Ind.
DZAGJE	Hemochromogen	Pos./Ind.	F3R8XN	RSID-Semen	Pos./Ind.
E4LATW	RSID	Pos./Ind.		PSA	Pos./Ind.
	HEMATRACE	Pos./Ind.	F6EW78	AP	Pos./Ind.
	OBTI	Negative		Micro	Pos./Ind.
	BLUE STAR TMB	Negative	FGN89G	RSID	Pos./Ind.
E6FLX	Ap	Pos./Ind.		CRIME LIGHT	Pos./Ind.
E7CUZA	AP	Pos./Ind.	FNPZGX	ALS	Pos./Ind.
	Micro	Pos./Ind.		RSID	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
FQD862	Brentamine	Pos./Ind.	GM924Z	Brentamine	Pos./Ind.
FRQ2K2	Brentamine positive, semen present	Pos./Ind.	GQPLUM	AP	Pos./Ind.
FUUP94	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	GY4826	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
G3QMUL	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	GZYQ8D	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro (sperm)	Pos./Ind.
G78A76	AP	Pos./Ind.	H8DUT7	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.		P30	Pos./Ind.
GCN8TK	UV LIGHT	Negative	H93UJG	ALS	Pos./Ind.
GFRLFV	AP	Pos./Ind.	H9486W	ALS	Pos./Ind.
	Micro	Pos./Ind.		RSID	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
GG2DLT	Brentamin	Pos./Ind.	HAXTYM	Christmas Tree Stain	Pos./Ind.
GHGRZU	AP	Pos./Ind.	HBW9W7	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	HM8LCL	AP	Pos./Ind.
GJ8JMC	RSID	Pos./Ind.		Micro	Pos./Ind.
GJCHYG	AP	Pos./Ind.	HTQ94X	UV LIGHT	Negative
	PSA	Pos./Ind.	HYKJGP	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
GK9QDR	AP	Pos./Ind.		micro	Pos./Ind.
	PSA	Pos./Ind.	HZCRGR	AP	Pos./Ind.
	Micro	Pos./Ind.	J7E9BY	AP	Pos./Ind.
GKKKUT	AP	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	J8QU3K	Christmas Tree	Pos./Ind.
GM8BVV	Ap	Pos./Ind.		RSID - Semen	Pos./Ind.

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
JC2YXU	Acid Phosphatase	Pos./Ind.	L9TMUP	AP	Pos./Ind.
	Microscopic	Pos./Ind.		Micro	Pos./Ind.
	PSA/P30	Pos./Ind.		PSA	Pos./Ind.
JER6CY	Brentamine	Pos./Ind.	LCG2HY	AP	Pos./Ind.
JKW22Q	AP	Pos./Ind.		Seratec PSA	Pos./Ind.
	PSA	Pos./Ind.		Abacus PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
JML8LM	AP	Pos./Ind.	LE2VBT	ALS	Pos./Ind.
	PSA	Pos./Ind.		RSID	Pos./Ind.
	microscopic	Pos./Ind.		Micro	Pos./Ind.
JNW8K3	AP	Pos./Ind.	LFP7RQ	RSID	Pos./Ind.
	X-mas	Pos./Ind.		HEMATRACE	Pos./Ind.
JQZZE2	AP	Pos./Ind.		OBTI	Negative
	Micro	Pos./Ind.		TMB	Negative
	PSA	Pos./Ind.	LM9AYT	UV LIGHT	Negative
JT88TM	Christmas Tree Stain	Pos./Ind.	LPZTZE	AP	Pos./Ind.
	RSID - Semen	Pos./Ind.		Microscopic slide examination	Pos./Ind.
JVCCBU	RSID: SEMEN	Pos./Ind.	LQF3XL	AP	Pos./Ind.
JVYIM6	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	LQRPMM	Micro	Pos./Ind.
KCJ8LN	AP	Pos./Ind.	LR428Q	RSID	Pos./Ind.
	PSA	Pos./Ind.	M2UMR2	AP	Pos./Ind.
	micro	Pos./Ind.		ABAcad P30	Pos./Ind.
KNDKLK	ALS	Pos./Ind.		Micro	Pos./Ind.
	AP	Pos./Ind.	M4G2KH	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
KP6N9Z	Brentamine	Pos./Ind.			
KTZ2QB	RSID	Pos./Ind.			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
M8JW77	AP	Pos./Ind.	PRG82K	ALS	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
	RSID semen	Pos./Ind.		Micro	Pos./Ind.
MK2U2A	AP and Slide	Pos./Ind.		PSA	Pos./Ind.
MTWPA7	AP	Pos./Ind.	PRWDHV	Brentamine pos	Pos./Ind.
	Micro	Pos./Ind.	PUYG4Q	ALS	Pos./Ind.
	ABAcad P30	Pos./Ind.		RSID	Pos./Ind.
MXQTUW	Brentamine	Pos./Ind.		Micro	Pos./Ind.
MZFZEU	Brentamine	Pos./Ind.	PWNMNM	ALS	Pos./Ind.
NCNKDT	HEMASTIX	Pos./Ind.		AP	Pos./Ind.
	RSID	Pos./Ind.		RSID	Pos./Ind.
NENXT7	RSID	Pos./Ind.		MICRO	Pos./Ind.
NJPDQG	AP	Pos./Ind.	PX332N	Acid Phosphatase	Pos./Ind.
	Micro	Pos./Ind.		Abacus PSA	Pos./Ind.
NT9FLA	CRIME LIGHT SOURCE	Pos./Ind.		Microscopic sperm	Pos./Ind.
	RSID	Pos./Ind.	PXMNRT	Brentamine	Pos./Ind.
NTDB9A	AP	Pos./Ind.	PYFL3K	Brentamine	Pos./Ind.
	PSA	Pos./Ind.	PZT9FT	Brentamine	Pos./Ind.
	MICRO	Pos./Ind.	Q2VN7W	PSA	Pos./Ind.
NU744T	ALS	Pos./Ind.		AP	Pos./Ind.
	RSID	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	Q4KECM	RSID: SEMEN	Pos./Ind.
NX3PWG	PSA	Pos./Ind.	Q4P8C4	Acid phosphatase	Pos./Ind.
	MICRO	Pos./Ind.		Microscopic examination for sperm	Pos./Ind.
PBPEAR	Brentamine	Pos./Ind.	Q9Z8PU	Brentamine	Pos./Ind.
PC4NKD	Christmas Tree Stain	Pos./Ind.	QCVK76	RSID SEMEN	Pos./Ind.
	RSID - Semen	Pos./Ind.	QLRUYW	AP	Pos./Ind.
PJ46VJ	ALS	Pos./Ind.		Micro	Pos./Ind.
	RSID	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
QQWXGH	AP	Pos./Ind.		PSA	Pos./Ind.
	ALS	Pos./Ind.		Microscopic	Pos./Ind.
QUJ6CC	AP	Pos./Ind.	RWZ27G	PHOSPHADESMO	Pos./Ind.
	Micro	Pos./Ind.		SERATEC PSA	Pos./Ind.
QXGPDB	AP	Pos./Ind.	RXUXGV	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
R38JQ3	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	RYQH4V	AP	Pos./Ind.
R8ZRNH	Acid Phosphatase	Pos./Ind.		Abacus Card - PSA	Pos./Ind.
RB2X3M	ALS	Pos./Ind.		micro	Pos./Ind.
	RSID	Pos./Ind.	TEKZXZ	AP	Pos./Ind.
	Micro	Pos./Ind.		ABAcad p30	Pos./Ind.
RFCNUA	AP	Pos./Ind.		Micro	Pos./Ind.
RGPHAA	AP	Pos./Ind.	TGM3LF	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
RJGGN9	PSA	Pos./Ind.		PSA	Pos./Ind.
	Micro (Sperm)	Pos./Ind.	TJPM6M	UV LIGHT SOURCE	Negative
RKAHEW	AP	Pos./Ind.	TLEG2A	Sperm HyLiter PI	Pos./Ind.
	Micro	Pos./Ind.	TRX263	RSID	Pos./Ind.
	PSA	Pos./Ind.	TWVYXM	Brentamine	Pos./Ind.
RMYPYT	AP	Pos./Ind.	TXBD9H	AP	Pos./Ind.
	Micro	Pos./Ind.		MICRO	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
RRTQXM	AP	Pos./Ind.	TZW8ZC	Christmas Tree	Pos./Ind.
	Micro	Pos./Ind.		Semenogelina	Pos./Ind.
	PSA	Pos./Ind.	U32AAE	AP	Pos./Ind.
RUCMH7	AP	Pos./Ind.		PSA	Pos./Ind.
	P30	Pos./Ind.		Micro	Pos./Ind.
	KPIC	Pos./Ind.			
RVR3V8	AP	Pos./Ind.			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
U8UALN	AP	Pos./Ind.	VL83R8	Seratec PSA	Pos./Ind.
	PSA	Pos./Ind.		Microscopic	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
U9LC94	AP	Pos./Ind.	VLBAB3	Micro (Xmas Tree Stain)	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
UAE9VC	AP (Brentamine)	Pos./Ind.	VLUDNU	AP, Abacus p30, Seratec PSA, Micro	Pos./Ind.
UGJVWT	AP	Pos./Ind.	VQ3WMM	AP	Pos./Ind.
	PSA	Pos./Ind.		PSA (Seratec)	Pos./Ind.
UKVC24	ALS	Pos./Ind.	VREV3H	Micro	Pos./Ind.
ULWJTJ	ALS	Pos./Ind.		RSID	Pos./Ind.
		p30	Pos./Ind.	VRXC26	AP
UNYNYC	AP	Pos./Ind.	VWM2D3	Micro	Pos./Ind.
	PSA	Pos./Ind.		AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
UPTAR3	PSA	Pos./Ind.	VYT2EF	Micro	Pos./Ind.
	Micro	Pos./Ind.		HEMATRACE	Pos./Ind.
V3FUUC	AP	Pos./Ind.	W77RFK	RSID	Pos./Ind.
	PSA	Pos./Ind.		OBTI	Negative
	Micro	Pos./Ind.		BLUE STAR	Negative
V67XMJ	Acid Phosphatase	Pos./Ind.	W842RB	Brentamine; Pos 2 sec	Pos./Ind.
	PSA	Pos./Ind.		AP	Pos./Ind.
	Microscopic	Pos./Ind.		PSA	Pos./Ind.
V7HR8P	AP	Pos./Ind.	WD7N44	Micro	Pos./Ind.
	Micro	Pos./Ind.		UV	Negative
	ALS	Pos./Ind.		WDD4U7	AP
VDWF4C	AP	Pos./Ind.	WJJN4W	Micro	Pos./Ind.
	PSA	Pos./Ind.		AP	Pos./Ind.
	Micro	Pos./Ind.		ABAcad P30	Pos./Ind.
VHRDQH	Acid Phosphatase	Pos./Ind.		Micro	Pos./Ind.
	Abacard PSA	Pos./Ind.			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
WL87X3	Micro	Pos./Ind.		PSA	Pos./Ind.
WU36UH	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	YA8BYX	ap	Pos./Ind.
	PSA	Pos./Ind.		psa	Pos./Ind.
WZ82F4	AP	Pos./Ind.		micro	Pos./Ind.
	Micro	Pos./Ind.	YG3KWA	Brentamine	Pos./Ind.
X8YXFB	AP	Pos./Ind.	YHGYCW	AP	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
	Microscopy	Pos./Ind.		Micro	Pos./Ind.
XFT7Z3	AP	Pos./Ind.	YLZW39	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
XNNVX7	SPERM HY-LITER PI	Pos./Ind.		micro	Pos./Ind.
XPW6MH	AP	Pos./Ind.	ZAXZA6	Microscopic - Christmas Tree	Pos./Ind.
	Micro	Pos./Ind.		RSID - Semen	Pos./Ind.
XTLCCL	Brent	Pos./Ind.	ZBQVWD	AP (Acid Phosphatase)	Pos./Ind.
XTZWZP	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	ZC38GG	RSID: SEMEN	Pos./Ind.
	P30	Pos./Ind.	ZGHDFC	RSID	Pos./Ind.
XUT7UJ	CRIME LIGHT 450 AND 415			HEXAGON OBTI	Negative
XW2VFN	AP	Pos./Ind.		HEMATRACE	Pos./Ind.
	Micro	Pos./Ind.		BLUE STAR TMB	Negative
	P30-ABA card	Pos./Ind.	ZKGED8	ABA card P30	Pos./Ind.
XYQ8C9	ALS	Pos./Ind.	ZKYJTK	AP	Pos./Ind.
	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	ZPBBZD	AP	Pos./Ind.
XZK2Q4	Microscopic - Christmas Tree	Pos./Ind.		RSID-Semen	Pos./Ind.
YA4QAA	AP	Pos./Ind.	ZUHJ2U	RSID	Pos./Ind.

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
ZVHV94	AP	Pos./Ind.			
	PSA	Pos./Ind.			
ZWQRCZ	UV LIGHT	Negative			
ZX7E4A	Brentamine	Pos./Ind.			
ZXLN33	AP	Pos./Ind.			
	PSA	Pos./Ind.			
	Micro	Pos./Ind.			

TABLE 2 - Item 1

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Not tested - Tests for possible saliva not conducted at [Laboratory]		3LZP8A	HEMA TRACE	Negative
2AHUWZ	Phadebas	Negative		RSID	Negative
2DYJV4	RSID	Negative		OBTI	Negative
2EA44D	RSID	Negative		BLUE STAR TMB	
2EPLHJ	No test available		44JEZP	Phadebas	Negative
2GBQFA	HEMATRACE	Negative	4FVTWV	PHADEBAS TUBE TEST	Negative
	RSID	Negative	4GMPH6	Amylase Radial Diffusion	Negative
	HEXAGON OBTI	Negative	4GTYJH	RSID Saliva	Negative
2HTFKV	RSID	Negative	4H3YJH	Amylase diffusion	Negative
2KHJD2	Phadebas Amylase Tablet	Negative	4K8U2Z	Phadebas Amylase	Negative
2MHWRE	No preliminary saliva, this test is not performed at our laboratory		4KQD9T	RSID	Negative
2NHVBM	Amylase diffusion	Negative	62RP7V	AMYLASE DIFFUSION	Negative
2QLQT6	RSID	Negative	62TB7H	our laboratory doesn't conduct saliva testing, we conduct amylase testing.	
2REJNN	RSID	Negative	63PVUG	RSID	Negative
2T7MB4	The Laboratory's portfolio of services does not include Saliva Identification		66CRZM	Phadebas	Negative
2T96LL	Amylase	Negative	6AKLRP	HEMASTIX	Inconclusive
2ZU2MP	RSID	Negative		HEXAGON OBTI	Negative
32HUYJ	Amylase	Negative		RSID	Negative
36HAYU	Phadebas	Negative		BLUESTAR	Negative
36LPHM	Amylase diffusion	Negative	6BFEAB	RSID	Negative
379DR2	The Laboratory's portfolio of services does not include Saliva Identification		6CR9RW	Phadebas	Negative
3AFL6T	RSID-Saliva	Negative	6HFZTX	Laboratory only routinely performs saliva test if blood and/or semen is tested negative.	
3FJPVQ	Phadebas	Negative	6MR2Y3	RSID-Saliva	Negative
3FZKXL	Amylase Diffusion	Negative	6V2EWX	Testing for saliva is generally not done when item is positive for blood or semen.	
			6Y7VE2	RSID	Negative

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
6ZWY89	RSID	Negative	A8GXF4	Phadebas	Negative
76MTGE	RSID Saliva	Negative	ACAFY2	HEMASTIX	Negative
7CQXBJ	Phadebas	Negative		RSID	Negative
7M3L4A	ALS - UV	Inconclusive		HEXAGON OBTI	Negative
	ALS - NM415	Inconclusive	AD84J6	RSID	Negative
	ALS - NM450	Inconclusive	AL37GB	Not tested. Saliva tests are not performed at our [Laboratory].	
7Q762P	RSID	Negative	AL6TZA	SALlgAE	Negative
7TDDEF	RSID	Negative	AXDLLU	The Laboratory's portfolio of services does not include Saliva Identification	
83D7GF	RSID Saliva	Negative	AZNJZC	RSID - Saliva	Negative
84QXAW	Phadebas Amylase Test	Negative	BC7UHY	Poss saliva swab (not tested). The laboratory doesn't have a test for saliva	
8EB7W6	No Scenario; Lab Policy		BNRRWJ	Phadebas	Negative
8GYKKE	RSID saliva	Negative	BXMMNZ	OBTI	Negative
8LQQF4	RSID			RSID	Negative
8XMTKX	RSID	Negative		HEMATRACE	Negative
8Z9MCR	Seratec Amylase	Negative		TMB BLUE STAR	
9CJEFR	PHADEBAS	Negative	BYLCPV	AMYLASE RADIAL DIFFUSION	Negative
9MH4F2	RSID	Negative	CA2GHD	RSID	Negative
9MYHMC	Amylase Diffusion	Negative	CERYQW	The laboratory does not perform preliminary saliva tests	
9NCZJ3	Not tested; we don't have a test for saliva in a lab		CGMDL3	RSID	Negative
9P4W9W	Phadebas	Negative	CRHT3Q	Laboratory routinely test for saliva only when blood and/or semen is tested negative.	
9PNN43	RSID saliva	Negative	D23C7M	RSID	Negative
9RAGWW	Phadebas	Negative	D48P24	Radial Diffusion	Negative
9RU9UM	RSID	Negative	DJ7PZX	RSID	Negative
9TL6HG	RSID	Negative			
A2FJWM	Phadebas Amylase	Negative			
	RSID	Negative			
A4KAYW	The Laboratory's portfolio of services does not include Saliva Identification				

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
DJYM4X	The laboratory does not have a specific test for saliva.		GFRLFW	RSID	Negative
DTRWDT	Amylase Radial Diffusion	Negative	GG2DLT	No test to do saliva test	
DU7H9P	Phadebas	Negative	GHGRZU	RSID saliva	Negative
DWQB2J	Radial Diffusion	Negative	GJCHYG	Amylase radial diffusion	Negative
DZAGJE	Not required as per lab SOPs.		GK9QDR	RSID	Negative
E4LATW	HEMATRACE	Negative	GKKKUT	RSID	Negative
	RSID	Negative	GM924Z	Presumable Epithelial (not tested because no presumptive testing method for saliva)	
	OBTI	Negative	GQPLUM	RSID	Negative
E7CUZA	RSID	Negative	GY4826	RSID - Saliva	Negative
E88KZW	The laboratory does not have a test for saliva		GZYQ8D	Phadebas	Negative
EAWQKT	Amylase Radial Diffusion	Negative	H8DUT7	Amylase Diffusion	Negative
	Micro	Negative	H93UJG	ALS	Pos./Ind.
EGXWKP	RSID	Negative	HAXTYM	The Laboratory's portfolio of services does not include Saliva Identification	
EH74NH	RSID-Saliva	Negative	HBW9W7	amylase diffusion	Negative
ERVWXU	RSID	Negative	HM8LCL	Phadebas	Negative
EW8P6M	Phadebas	Negative	HYKJGP	RSID	Negative
EXKCQ8	Amylase	Negative	HZCRGR	Not validated saliva test at lab	
EYTTCJ	Our lab does not test for saliva		J8QU3K	The Laboratory's portfolio of services does not include Saliva Identification	
F3R8XN	Laboratory only examines for saliva if blood and/or semen is not detected.		JC2YXU	RSID-saliva	Negative
F6EW78	RSID Saliva	Negative	JKW22Q	RSID-Saliva	Negative
FQD862	see additional comments		JML8LM	RSID	Negative
FRQ2K2	No presumptive test		JNW8K3	Amylase	Negative
FUUP94	Amylase Diffusion	Negative	JQZZE2	Amylase diffusion	Negative
G3QMUL	Lab does not test for saliva				
G78A76	Amylase Diffusion	Negative			

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
JT88TM	The Laboratory's portfolio of services does not include Saliva Identification		PC4NKD	The Laboratory's portfolio of services does not include Saliva Identification	
JVYM6	RSID	Negative	PRG82K	ALS	Pos./Ind.
KCJ8LN	RSID	Negative		RSID Saliva	Negative
KNDKLK	ALS	Pos./Ind.	PWNMNM	ALS	Pos./Ind.
	RSID	Negative		RSID	Negative
KP6N9Z	Not tested in our [Laboratory]; we do not perform any presumptive testing for saliva		PX332N	RSID - Saliva	Negative
			PYFL3K	Saliva test not performed at our laboratory	
L9TMUP	RSID	Negative	Q2VN7W	RSID Saliva	Negative
LCG2HY	RSID saliva	Negative	Q4P8C4	Phadebas Press test	Negative
LFP7RQ	HEMATRACE	Negative	Q9Z8PU	Not tested; Tests for saliva are not performed at [Laboratory]	
	RSID	Negative			
	OBTI	Negative			
LPZTZE	Phadebas	Negative	QLRUYW	RSID	Negative
LQF3XL	RSID-Saliva	Negative	QUJ6CC	Phadebas	Negative
LQRPMM	Not required as per lab SOP		QXGPDB	Phadebas	Negative
			R38JQ3	Phadebas paper used to screen for alpha amylase	Negative
M2UMR2	RSID saliva	Negative	RFCNUA	PHADEBAS	Negative
M4G2KH	RSID	Negative	RJGGN9	Amylase Gel	Negative
M8JW77	RSID saliva	Negative		Micro (NECs = 0)	Negative
MK2U2A	Phadebas tube test not available		RKAHEW	Amylase Diffusion	Negative
MTWPA7	Phadebas	Negative	RMYPYT	Amylase Diffusion	Negative
NJPDQG	RSID	Negative	RRTQXM	RSID	Negative
NTDB9A	Phadebas	Negative	RUCMH7	Phadebas	Negative
NX3PWG	PHADEBAS	Negative	RVR3V8	alpha-Amylase Test card	Negative
PBPEAR	Not tested, tests for presumable saliva are not performed at [Laboratory]		RWZ27G	SERATEC AMY	Negative
			RXUXGV	Amylase diffusion	Negative
			RYQH4V	RSID - Saliva	Negative

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
TEKZXZ	Phadebas	Negative		OBTI	Negative
TGM3LF	RSID	Negative		BLUE STAR	Negative
TLEG2A	Saliva not routinely tested if blood or semen positive.		W842RB	RSID	Negative
TRX263	LIGHT SOURCE (ALS)	Inconclusive	WDD4U7	Radial Diffusion	Negative
TXBD9H	Radial Diffusion	Negative	WJN4W	Phadebas	Negative
TZW8ZC	The Laboratory's portfolio of services does not include Saliva Identification		WL87X3	Not required as per lab SOP	
U32AAE	RSID	Negative	WU36UH	RSID	Negative
U8UALN	Saligae	Negative	WZ82F4	RSID	Negative
U9LC94	Phadebas	Negative	X8YXFB	RSID	Negative
UAE9VC	Laboratory does not perform this test		XFT7Z3	RSID	Negative
UGJWVT	Phadebas	Negative	XNNVX7	Laboratory test for saliva only if results for blood and semen are negative	
UKVC24	ALS	Pos./Ind.	XPW6MH	Amylase	Negative
UNYNYC	Amylase	Negative	XTZWZP	RSID Saliva	Negative
	Micro	Negative	XUT7UJ	CRIME LIGHT 450 AND 415	
UPTAR3	Phadebas	Negative	XW2VFN	Phadebas	Negative
V3FUUC	RSID	Negative	XYQ8C9	ALS	Pos./Ind.
V67XMJ	RSID saliva	Negative		RSID - saliva	Negative
V7HR8P	Amylase diffusion	Negative	XZK2Q4	RSID - Saliva	Negative
VDWF4C	RSID saliva	Negative	YA4QAA	RSID-Saliva	Negative
VHRDQH	RSID	Negative	YA8BYX	rsid	Negative
VL83R8	Phadebas Amylase	Negative	YG3KWA	Testing for saliva is not done in our laboratory as there is no specific test available	
VLUDNU	RSID Saliva	Negative	YHGYCW	RSID Saliva	Negative
VQ3WMM	SALlgAE	Negative	YLZW39	RSID	Negative
VRXC26	RSID	Negative	ZAXZA6	The Laboratory's portfolio of services does not include Saliva Identification	
VWM2D3	Amylase	Negative			
VYT2EF	HEMATRACE	Negative			
	RSID	Negative			

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
ZGHDFC	RSID	Negative			
	HEMATRACE	Negative			
	HEXAGON OBTI	Negative			
ZKGED8	SALlgAE	Negative			
ZKYJTK	RSID	Negative			
ZPBBZD	RSID-Saliva	Negative			
ZUHJ2U	ALS	Inconclusive			
ZVHV94	Phadebas amylase	Negative			
ZXLN33	Phadebas Amylase	Negative			

TABLE 2 - Item 1

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
2GBQFA	BLOOD- - HEMATRACE	Negative	BXMMNZ	BLOOD - HEMASTIX	Negative
	SEMEN - RSID	Negative		SEMEN - RSID	Negative
	SALIVA - RSID	Negative		SALIVA - RSID	Negative
2KHJD2	Urine - Creatinine	Negative	DR9XUG	ALS	Inconclusive
2QLQT6	ALS	Pos./Ind.	E4LATW	BLOOD - HEMATRACE	Negative
3LZP8A	BLOOD - HEMA TRACE	Negative		SEMEN - RSID	Negative
	SEMEN - RSID	Negative		SALIVA - RSID	Negative
	SALIVA - RSID	Negative	EQYNK4	Presumable skin cells	
48YHKR	POLILIGHT SOURCE USED NO COLOUR CHANGE 450,UV, AND415 LIGHTS USED	Negative	EW8P6M	Urine - Urea neg / Creatinine neg	Negative
				Faecal - Not tested - no obvious visible faecal staining or faecal odour	
4K8U2Z	Urine-Creatinine	Negative	GHGRZU	Urine-Creatinine	Negative
	Urine-DMAC	Negative		Feces-Urobilinogen	Negative
62TB7H	Amylase- Amylase Diffusion	Negative	GJ8JMC	ALS	Inconclusive
7Q762P	Urine - Urease	Negative	HM8LCL	Urine- Creatinine	Negative
84QXAW	Urine - Creatinine	Negative	KTZ2QB	450 BLUE LIGHT	Negative
99WCD7	ALS	Pos./Ind.	L4DLMC	ASL	Pos./Ind.
9MH4F2	Alternate Light Source	Pos./Ind.	L9TMUP	Semen/Saliva - ALS	Pos./Ind.
9PNN43	Biological material -Alternate Light Source	Pos./Ind.	LFP7RQ	BLOOD - HEMATRACE	Negative
	Urine -Creatinine	Negative		SEMEN - RSID	Negative
	Fecal matter - Uribilinogen	Negative		SALIVA- RSID	Negative
ACAFY2	BLOOD- HEMASTIX	Pos./Ind.	LPZTZE	Urine-Creatine	Inconclusive
	BLOOD-HEXAGON OBTI	Negative		Urine-Urea	Pos./Ind.
	SALIVA-RSID	Negative		Urine- odour	Negative
	SEMEN-RSID	Pos./Ind.		Faeces - visual	Negative
				Faeces-odour	Negative
BC7UHY	Poss epithelia - (no test)		MXQTUW	Presumable skin cells	
BHV8L9	Presumable epithelial cells		MZFZEU	Epithelial Cells	

TABLE 2 - Item 1

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
NCNKDT	BLOOD - POLIFLARE 450nm LIGHT	Negative			
	SEMEN - POLIFLARE 450nm LIGHT	Pos./Ind.			
NENXT7	ALS	Inconclusive			
PRWDHV	Pres skin cells				
PX332N	Alternate Light Source	Pos./Ind.			
QCVK76	POLILIGHT SOURCE USED NO COLOUR CHANGE	Inconclusive			
QUJ6CC	Urine - creatinine	Negative			
RFCNUA	MICROSCOPY	Pos./Ind.			
TRX263	ALS	Inconclusive			
TWVYXM	Presumable skin cells				
TXBD9H	Urine - Creatinine	Negative			
	Feces - Urobilinogen	Negative			
VL83R8	Urine - Creatinine	Negative			
VREV3H	ALTERNATE LIGHT SOURCE	Pos./Ind.			
VYT2EF	SEMEN - RSID	Pos./Ind.			
	SALIVA - RSID	Negative			
	BLOOD - HEMASTIC	Pos./Ind.			
X8YXFB	ALS	Pos./Ind.			
ZGHDFC	SEMEN - RSID	Pos./Ind.			
	SALIVA - RSID	Negative			
	BLOOD - HEMATRACE	Negative			
ZPBBZD	Urine - RSID-Urine	Negative			
ZUHJ2U	ALS	Inconclusive			
ZXLN33	Urine - Creatinine	Negative			

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Luminol	Negative		Hemastix	Negative
	Hemastix	Negative		HemaTrace	Negative
2AHUWZ	KM	Negative	2T7MB4	ABACard - HemaTrace	Negative
	ABA Hematrace	Negative		Thevenon Roland Piramidon	Negative
2BNZTE	HEMASTIX	Negative	2T96LL	KM	Negative
	HEXAGON OBTI	Negative		Micro	Negative
	BLUESTAR	Negative	2ZU2MP	Hemastix	Pos./Ind.
2DYJV4	Phenolphthalein	Negative		Hematrace	Negative
	Hematrace	Negative	32HUYJ	KM	Negative
	Hemastix	Negative	36HAYU	KM	Negative
2EA44D	KM	Negative	36LPHM	LMG	Negative
	HemaStix	Negative	379DR2	HemaTrace	Negative
	HemaTrace	Negative		Thevenon Roland Piramidon	Negative
	Luminol	Negative	37B3UD	KM	Negative
	LCV	Pos./Ind.	3AFL6T	Visual Examination	Negative
2EPLHJ	Luminol	Negative	3FJPVQ	TMB	Negative
	Hemastix	Negative	3FZKXL	LMG	Negative
2GBQFA	HEMATRACE	Negative	3LZP8A	HEMA- TRACE	Negative
	HEXAGON OBTI	Negative		RSID	Negative
	RSID	Negative		OBTI	Negative
	BLUE STAR	Negative		BLUE STAR TMB	Negative
2HTFKV	Visual	Negative	44JEZP	KM	Negative
2KHJD2	KM	Negative	48YHKR	BLUESTAR OBTI	Negative
2MHWRE	Hstix			HEMASTIC	Negative
	Luminol		4FVTWV	KM	Negative
2NHVBM	LMG	Negative	4GMPH6	No red/brown stains observed; therefore, not tested for blood	
2QLQT6	HS	Negative			
	HT	Negative			
2REJNN	Luminol	Negative			
	Kastle Meyer	Negative			

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
4GTYJH	Luminol	Negative		BLUESTAR	Negative
	KM	Negative	6BFEAB	KM	Negative
	Hemastix	Negative		Hemastix	Negative
	HemaTrace	Negative		HemaTrace	Negative
4H3YJH	Micro	Negative	6CR9RW	KM	Negative
	KM	Negative		Hematrace	Negative
4K8U2Z	KM	Negative	6HFZTX	KM	Negative
4KQD9T	KM	Negative	6MR2Y3	Hemastix	Negative
4MTXQD	RSID: BLOOD	Negative		KM	Negative
4RMHPB	KM	Negative		HemaTrace	Negative
4YNCQA	UV+ 450 LIGHT SOURCES	Negative	6TGGRF	O-Tol	Negative
	HEMASTIX	Negative	6V2EWX	KM	Negative
	HEXAGON OBTI	Negative	6Y7VE2	Hemastix	Negative
	BLUESTAR	Negative		KM	Negative
62RP7V	O-TOL	Negative		Hematrace	Negative
	HEMDIRECT	Negative	6ZWY89	KM	Negative
62TB7H	KM	Negative		Hemastix	Negative
63PVUG	Luminol	Negative		HemaTrace	Negative
	KM	Negative	76MTGE	KM	Negative
	Hemastix	Negative		Hemastix	Negative
	HemaTrace	Negative		HemaTrace	Negative
66CRZM	KM	Negative		Luminol	Negative
66M3QR	VISUAL OBSERVATION	Negative	7CQXBJ	No visible red/brown staining	
	ALTERNATIVE LIGHT SOURCE (UV & 450)	Negative	7M3L4A	ALS - UV; NM415; NM450	Negative
	HEMASTIX	Negative		HEXAGON OBTI	Negative
	BLUESTAR OBTI	Negative		BLUESTAR	Negative
6AKLRP	HEMASTIX	Negative	7Q762P	Swabs had no stains for testing	
	HEXAGON OBTI	Negative	7RYXW9	KM	Negative
	RSID	Negative	7TDDEF	No reddish/brown stain observed	

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
83D7GF	KM	Negative	99WCD7	HEMASTIX	Inconclusive
	Hemastix	Negative		RSID BLOOD	Negative
	Hematrace	Negative		RSID SEMEN	Negative
	Luminol	Negative		BLUESTAR	Negative
84QXAW	KM	Negative	9CJEFR	BLUESTAR	Negative
8EB7W6	KM	Negative	9MH4F2	TMB	Negative
8EQRP8	LIGHT SOURCE UV; 450 ORANGE GOGGLES	Negative		Hemastix	Negative
	HEMASTIX	Negative		Hematrace	Negative
	HEXAGON OBTI	Negative		LCV	Inconclusive
	BLUE STAR	Negative		Luminol	Negative
8GYKKE	KM	Negative	9MYHMC	No visible staining observed	
	Hemastix	Negative	9NCZJ3	Hemastix	Negative
	Hematrace	Negative		Luminol	Negative
	Luminol	Negative	9P4W9W	KM	Negative
8JJED9	KM	Negative	9PNN43	TMB	Negative
8LQQF4	KM	Negative		Hemastix	Negative
	TMB	Negative		LCV	Negative
	HemaTrace	Negative		Luminol	Negative
	Luminol	Negative		Hematrace	Negative
8QFTYM	OBTI	Negative	9RAGWW	KM	Negative
8VULV8	HEMASTIX	Negative	9RU9UM	KM	Negative
	BLUESTAR	Negative	9TL6HG	Hemastix	Negative
	RSID BLOOD	Negative		Hematrace	Negative
8XMTKX	HS	Negative	A2FJWM	KM	Negative
	KM	Negative		SERATEC Hemoglobin	Negative
	HT	Negative	A4KAYW	ABAcad HemaTrace	Negative
8Z9MCR	TMB	Negative		Thevenon Roland Piramidon	Negative
	Seratec Hem Direct	Negative	A8GXF4	PHTH	Negative

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
AA9WU2	Hemastix	Negative		HEMASTIC	Negative
	Luminol	Negative		RSID BLOOD	Negative
ACAFY2	RSID	Negative	BYLCPV	No visible bloodstain	
	HEMASTIX	Negative	CA2GHD	HemaTrace	Negative
	HEXAGON OBTI	Negative		Hemastix	Negative
	BLUE STAR TMB	Negative		KM	Negative
ACDKAR	Visual Exam	Negative		Luminol	Negative
	O-tol	Negative	CERYQW	Hemastix	Negative
	HemaTrace	Negative		Luminol	Negative
AD84J6	KM	Negative	CGMDL3	Phenolphthalein	Negative
	Hemastix	Negative		Hemastix	Negative
	HemaTrace	Negative		Hematrace	Negative
AL37GB	Hemastix	Negative	CRHT3Q	KM	Negative
	Luminol	Negative	D23C7M	O-tol	Negative
AL6TZA	KM	Negative	DB47DL	ALTERNATIVE LIGHT SOURCE	Negative
	Hematrace	Negative		BLUESTAR	Negative
AXDLLU	Thevenon Roland (Piramidon)	Negative		HEXAGON OBTI	Negative
	ABACard HemaTrace	Negative	DJ7PZX	KM	Negative
AZNJZC	KM, Hemastix, HemaTrace	Negative		TMB (Hemastix)	Negative
BC7UHY	Hemastix	Negative		Luminol	Negative
	Luminol	Negative		Leuco Crystal Violet	Negative
BHV8L9	Hemastix Test	Negative		HemaTrace	Negative
	Luminol Test	Negative	DJYM4X	Hemastix	Negative
BNRRWJ	KM	Negative		Luminol	Negative
BXMMNZ	BLUE STAR TMB	Negative	DR9XUG	HEXAGON OBTI	Negative
	RSID	Negative		HEMASTIX	Negative
	HEMASTIC	Negative	DTRWDT	Lacked visible characteristics of blood.	
	BLUE STAR (OBTI)	Negative	DU7H9P	KM	Negative
BXR7C3	BLUESTAR	Negative		Hematrace	Negative

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
DWQB2J	TMB	Negative	F3R8XN	KM	Negative
	HemaTrace	Negative	F6EW78	Item does not display the characteristic reddish-brown stain associated with the presence of possible blood.	
DXJ4W3	KM	Negative			
DZAGJE	Visual Exam	Negative			
E4LATW	RSID	Negative	FGN89G	BLUESTAR	Negative
	HEMATRACE	Negative		CRIME LIGHT	Negative
	OBTI	Negative		HEXAGON OBTI	Negative
	BLUE STAR	Negative	FNPZGX	KM	Negative
E6FLX	Lmg	Negative	FQD862	Luminol	Negative
E7CUZA	Luminol	Negative		Hemastix	Negative
	KM	Negative	FRQ2K2	H-stix	Negative
	Hemastix	Negative		Luminol	Negative
	HemaTrace	Negative	FUUP94	visibly unstained	
E88KZW	Hemastix	Negative	FYLFBL	HEXAGON	Negative
	Luminol	Negative		OBTI	Negative
EAWQKT	KM	Negative	G2R2YL	HEXAGON	Negative
EGXWKP	Visual	Negative		OBTI	Negative
EH74NH	Visual	Negative	G3QMUL	KM	Negative
ELNDQN	no staining present on the swab to indicate potential blood		G78A76	LMG	Negative
EQYNK4	Hemastix	Negative	GCN8TK	LIGHT SOURCE ; UV	Negative
	Luminol	Negative		450; HEXAGON OBTI	Negative
ERWXU	KM	Negative		HEMASTIX	Negative
	Hemastix	Negative		BLUESTAR	Negative
	Hematrace	Negative	GFRLFV	KM	Negative
	Luminol	Negative		Hemastix	Negative
EW8P6M	KM	Negative		HemaTrace	Negative
EXKCQ8	Micro	Negative		LCV	Negative
	KM	Negative		Luminol	Negative
EYTTCJ	No visible red/brown staining				

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GG2DLT	Hemastix	Negative		HEMASTIX	Negative
	Luminol	Negative	HAXTYM	ABACard HemaTrace	Negative
GHGRZU	TMB	Negative		Thevenon Roland Piramidon	Negative
	Hemastix	Negative	HBW9W7	No red staining observed	
	Hematrace	Negative	HM8LCL	KM	Negative
	Luminol	Negative	HTQ94X	UV; 450nm ORANGE GOGGLES	Negative
	LCV	Negative		HEMASTIX	Negative
GJ8JMC	BLUESTAR OBTI	Negative		HEXAGON OBTI	Negative
	HEMASTIX	Negative		BLUESTAR	Negative
GK9QDR	KM	Negative	HYKJGP	Hemastix	Negative
	Hemastix	Negative		KM	Negative
	Hematrace	Negative		HemaTrace	Negative
	Luminol	Negative			
GKKKUT	KM	Negative	HZCRGR	Luminol	Negative
	Luminol	Negative		H/Stix	Negative
	Leucocrystal Violet	Negative	J7E9BY	LMG	Negative
	HemaTrace	Negative	J8QU3K	Thevenon Roland Piramidon	Negative
GM8BVW	Lmg	Negative		ABACard HemaTrace	Negative
GM924Z	Luminol	Negative	JC2YXU	Phenolphthalein (PTMB)	Negative
	Hemastix	Negative		Hemastix	Negative
GQPLUM	Visual Exam	Negative		Hematrace	Negative
GY4826	KM	Negative	JER6CY	H-stix	Negative
	Hemastix	Negative		Luminol	Negative
	HemaTrace	Negative	JKW22Q	KM	Negative
GZYQ8D	KM	Negative		Hematrace	Negative
H8DUT7	LMG	Negative		Luminol	Negative
H93UJG	HEMASTIX	Negative		Leucocrystal Violet	Negative
	BLUE				
H9486W	KM	Negative			
H9J6WF	OBTI	Negative			

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
JML8LM	Hemastix	Negative	LCG2HY	KM	Negative
	KM	Negative		Luminol	Negative
	HemaTrace	Negative		Hemastix	Negative
JNW8K3	Micro	Negative	LE2VBT	Hematrace	Negative
	KM	Negative		KM	Negative
JQZZE2	No visible discoloration		LFP7RQ	RSID	Negative
JT88TM	ABACard HemaTrace	Negative	LM9AYT	HEMATRACE	Negative
	Thevenon Roland Piramidon	Negative		OBTI	Negative
JVCCBU	RSID:BLOOD	Negative		TMB	Negative
JWYM6	KM	Negative	LIGHT SOURCE UV; 450nm	Negative	
	hemastix	Negative	HEMASTIX	Negative	
	hematrace	Negative	HEXAGON OBTI	Negative	
KCJ8LN	KM	Negative	LPZTZE	BLUESTAR	Negative
	HemaTrace	Negative		KM	Negative
KNDKLK	KM	Negative	LQF3XL	Visual	Negative
	Hemastix	Negative		Hemastix	Negative
	HemaTrace	Pos./Ind.		KM	Negative
KP6N9Z	Luminol	Negative	LQRPMM	Luminol	Negative
	Hemasticks	Negative		Hematrace	Negative
KTZ2QB	OBTI HEXAGON/ BLUESTAR	Negative	LR428Q	Visual exam	Negative
	HEMASTIX	Negative		HEMASTIC	Pos./Ind.
L4DLMC	BLUESTAR	Negative	M2UMR2	BLUESTAR	Pos./Ind.
	HEMASTIX	Negative		Hemastix	Negative
	BLUESTAR OBTI	Negative		KM	Negative
L9TMUP	TMB	Negative	M4G2KH	Hematrace	Negative
	Hemastix	Negative		Luminol	Negative
	Leucocrystal Violet	Negative		KM	Negative
	Luminol	Negative		HemaStix	Pos./Ind.
	HemaTrace	Negative		HemaTrace	Pos./Ind.

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
M8JW77	O-tol	Negative	PWNMNM	KM	Negative
	Hemastix	Negative		RSID	Negative
MK2U2A	Visual and KM	Negative	PX332N	Hemastix	Negative
MTWPA7	KM	Negative		HemaTrace	Negative
MXQTUW	Hemastix	Negative	PXMNRT	H-stix	Negative
	Luminol	Negative		Luminol	Negative
MZFZEU	Hemastix	Negative	PYFL3K	H-Stix	Negative
	Luminol	Negative		Luminol	Negative
NCNKDT	HEMASTIX	Negative	PZT9FT	H-stix	Negative
	HEXAGON OBTI	Negative		Luminol	
	BLUE STAR	Negative	Q2VN7W	Luminol	Negative
NENXT7	HEXAGON OBTI	Negative		Hemastix	Negative
	HEMASTIX	Negative		KM	Negative
NJPDQG	Visual	Negative		Hematrace	Negative
NT9FLA	CRIME LIGHTS	Negative	Q4KECM	RSID: BLOOD	Negative
	BLUE STAR	Negative	Q4P8C4	Visual examination only - no staining	Negative
	HEXAGON OBTI	Negative	Q9Z8PU	Luminol	Negative
NTDB9A	KM	Negative		Hemastix	Negative
NU744T	KM	Negative	QCVK76	BLUESTAR OBTI	Negative
NX3PWG	KM	Negative		HEMASTIC	Negative
PBPEAR	Luminol	Negative	QLRUYW	KM	Negative
	Hemastix	Negative		Hemastix	Negative
PC4NKD	ABACard HemaTrace	Negative		Hematrace	Negative
	Thevenon Roland Piramidon	Negative		Luminol	Negative
PJ46VJ	KM	Negative	QPXCN4	HEMASTIX	Pos./Ind.
PRG82K	Phenolphthalein	Negative		BLUESTAR	Negative
	HemaTrace	Negative	QQWXGH	KM	Negative
PRWDHV	Hemastix	Negative	QUJ6CC	KM	Negative
	Luminol	Negative	QXGPDB	KM	Negative
PUYG4Q	KM	Negative		HemaTrace	Negative

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
R38JQ3	Visual examination: No red-brown staining; therefore not tested for blood	Negative	TLEG2A	KM	Negative
R8ZRNH	Hstix	Negative	TRX263	HEXAGON OBTI	Negative
	Lum	Negative		HEMASTIX	Negative
RB2X3M	KM	Negative	TWVYXM	Hemastix	Negative
RFCNUA	KM	Negative		Luminol	
RKAHEW	LMG	Negative	TXBD9H	KM	Negative
RMYPYT	No apparent blood observed		TZW8ZC	Human Blood	Negative
RRTQXM	KM	Negative		Thevenon Roland Piramidon	Negative
	HemaTrace	Negative	U32AAE	KM	Negative
	Hemastix	Negative		Hemastix	Negative
	Luminol	Negative		Hematrace	Negative
	Leucocrystal Violet	Negative	U8UALN	KM	Negative
RUCMH7	KM	Negative	U9LC94	KM	Negative
RVR3V8	TMB	Negative	UAE9VC	Hemastix	Negative
RWZ27G	HEMOPHAN	Negative		Luminol	Negative
	SERATEC HEM	Negative	UGJWWT	KM	Negative
RXUXGV	LMG	Negative		Hematrace	Negative
RYQH4V	Hemastix	Negative	UKVC24	HEMASTIX	Negative
	KM	Negative		BLUESTAR	Negative
	Luminol	Negative	ULWJTJ	Visual	Negative
	HemaTrace	Negative	UNYNYC	LMG	Negative
TEKZXZ	KM	Negative	UPTAR3	KM	Negative
TGM3LF	KM	Negative	V3FUUC	Hemastix	Negative
	HemaTrace	Negative		KM	Negative
TJPM6M	LIGHT SOURCES	Negative		Hematrace	Negative
	HEMASTIX	Negative	V67XMJ	Hemastix	Negative
	HEXAGON OBTI	Negative		HemaTrace	Negative
	BLUESTAR	Negative		KM	Negative
			V7HR8P	LMG	Negative

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
VDWF4C	KM	Negative	WL87X3	Hemastix	
	Hemastix	Negative	WU36UH	KM	Negative
	Luminol	Negative		Hemastix	Negative
	Hematrace	Negative		HemaTrace	Negative
VHRDQH	Hemastix	Negative		Luminol	Negative
	Phenolphthalein	Negative		Leucocrystal violet	Negative
	Hematrace	Negative	WZ82F4	O-tol	Negative
VL83R8	KM	Negative	X8YXFB	Hemastix	Negative
VLBAB3	PT	Negative		Hematrace	Negative
VLUDNU	KM, Hemastix, Luminol, Hematrace	Negative	XFT7Z3	O-tol	Negative
VQ3WMM	KM	Negative	XNNVX7	KM	Negative
	HemaTrace	Negative	XPW6MH	KM	Negative
VREV3H	RSID (BLOOD)	Negative	XTLCCL	Hstix	Negative
	HEMASTIX	Inconclusive		Luminol	Negative
	BLUESTAR	Negative	XTZWZP	KM	Negative
VRXC26	O-tol	Negative		Hemastix	Negative
VYT2EF	RSID	Negative		HemaTrace	Pos./Ind.
	HEMASTIC	Negative		Luminol	Negative
	OBTI	Negative	XUT7UJ	CRIME LIGHT SOURCE	Negative
	BLUE STAR	Negative		HEMASTIX	Negative
W77RFK	Hemastix	Negative		HEXAGON OBTI	Negative
	Luminol	Negative		BLUE STAR	Negative
W842RB	Hemastix	Negative	XW2VFN	KM	Negative
	Phenolphthalein	Negative	XYQ8C9	KM	Negative
	HemaTrace	Negative		Hematrace	Negative
WD7N44	LIGHT SOURCE	Negative	XZK2Q4	HemaTrace - Human Blood	Negative
	HEMASTIX	Negative		Thevenon Roland Piramidon	Negative
	HEXAGON OBTI	Negative			
WDD4U7	KM	Negative			
WJJN4W	KM	Negative			

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
YA4QAA	HemaTrace	Negative	ZVHV94	no staining indicative of blood	
	Hemastix	Negative	ZWQRCZ	UV; LIGHTSOURCE 450	Negative
	KM	Negative		HEMASTICS	Negative
	Luminol	Negative		HEXAGON	Negative
YA8BYX	km	Negative		BLUESTAR	Negative
YG3KWA	Hemastix	Negative	ZX7E4A	Hemastix	Negative
	Luminol	Negative		Luminol	Negative
YHGYCW	KM	Negative	ZXLN33	KM	Negative
YLZW39	Hemastix	Negative			
	KM	Negative			
	HemaTrace	Negative			
ZAXZA6	Thevenon Roland Piramidon	Negative			
	ABACard HemaTrace	Negative			
ZBQVWD	Benzidine	Negative			
	Heme Direct Kit	Negative			
ZC38GG	RSID: BLOOD	Negative			
ZGHDFC	RSID	Negative			
	HEMATRACE	Negative			
	HEXAGON OBTI	Negative			
	BLUE STAR TMB	Negative			
ZKGED8	ABA card HemeTrace	Negative			
ZKYJTK	KM	Negative			
	Hemastix	Negative			
	HemaTrace	Negative			
	Luminol	Negative			
ZPBBZD	LMG	Negative			
	RSID-Blood	Negative			
ZUHJ2U	HEXAGON OBTI	Negative			
	HEMASTIX	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Brentamine	Negative		Micro	Negative
2AHUWZ	AP	Negative	2ZU2MP	Microscopy (smear)	Negative
	PSA	Negative		AP	Negative
2BNZTE	RSID	Negative	32HUYJ	AP	Negative
2DYJV4	AP	Negative		Micro	Negative
	Micro	Negative	36HAYU	AP	Negative
	PSA	Negative		p30	Negative
2EA44D	AP	Negative		KPIC	Negative
	Micro	Negative	36LPHM	AP	Negative
	PSA	Negative		Micro	Negative
2EPLHJ	Brentamine	Negative	379DR2	Micro	Negative
2GBQFA	RSID	Negative		Semenogelina RSID	Negative
	HEMATRACE	Negative	37B3UD	ALS	Negative
	BLUE STAR	Negative		RSID	Negative
	HEXAGON OBTI	Negative	3AFL6T	AP	Negative
2HTFKV	AP	Negative	3FJPVQ	Acid Phosphatase	Negative
2KHJD2	AP	Negative		Microscopy	Negative
2MHWRE	Brentamine		3FZKXL	ACP	Negative
2NHVBM	AP	Negative		Micro	Negative
	PSA	Negative	3LZP8A	HEMA- TRACE	Negative
	micro	Negative		RSID	Negative
2QLQT6	AP	Negative		OBTI	Negative
	PSA	Negative		BLUE STAR TMB	Negative
	micro	Negative	44JEZP	AP	Negative
2REJNN	Acid Phosphatase	Negative		Micro	Negative
	Microscopic	Negative		ABAcad P30	Negative
	PSA	Negative	48YHKR	RSID	Negative
2T7MB4	Microscopic	Negative	4FVTVW	AP	Negative
	RSID - Semen	Negative		MICRO	Negative
2T96LL	AP	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
4GMPH6	ALS	Negative	6CR9RW	PSA	Negative
	AP	Negative		Micro	Negative
	Micro	Negative		AP	Negative
	p30 Immunoassay	Negative		PSA	Negative
4GTYJH	AP	Negative	6HFZTX	RSID-Semen	Negative
	Micro	Negative		PSA	Negative
	ABAcad p30	Negative	6MR2Y3	AP	Negative
4H3YJH	AP	Negative		PSA	Pos./Ind.
	Micro	Negative	6TGGRF	Micro	Pos./Ind.
4K8U2Z	AP	Negative		AP	Negative
	PSA	Negative	6V2EWX	SPERM HY-LITER PI	Negative
4KQD9T	AP	Negative		RSID-Semen	Negative
	4MTXQD	RSID:SEMEN	Negative	PSA	Negative
4RMHPB		ALS	Negative	6Y7VE2	AP
	RSID	Negative	PSA		Negative
4YNCQA	UV + 450 LIGHTSOURCES	Negative	6ZWY89	Micro	Negative
62RP7V	AP	Negative		AP	Negative
	62TB7H	PSA	Negative	Micro	Negative
BCIP		Negative	PSA	Negative	
63PVUG		AP	Negative	76MTGE	AP
	PSA	Negative	ABA PSA		Negative
	Micro	Negative	Seratec PSA	Negative	
	66CRZM	AP	Negative	Micro	Negative
ABAcad - P30		Negative	7CQXBJ	Microscopy	Negative
Micro		Negative		Acid Phosphatase	Negative
6AKLRP	HEMASTIX	Negative	7M3L4A	ALS - UV; NM415 NM450	Negative
	HEXAGON OBTI	Negative	7Q762P	AP	Negative
	RSID	Negative		PSA	Negative
BLUESTAR	Negative	Micro		Negative	
6BFEAB	AP	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
7RYXW9	ALS	Negative	9MH4F2	AP	Negative
	RSID	Negative		Micro	Negative
7TDDEF	AP	Negative		Seratec PSA	Negative
	Micro	Negative	9MYHMC	AP 1 step & 2 step	Negative
83D7GF	AP	Negative	9NCZJ3	Brentamine	Negative
	Micro	Negative	9P4W9W	AP	Negative
	PSA	Negative		P-30	Negative
84QXAW	AP	Negative		KPIC	Negative
8EB7W6	AP	Negative	9PNN43	AP	Negative
8EQRP8	UV LIGHT SOURCE	Negative		Seratec PSA	Negative
8GYKKE	AP	Negative		Microscopic exam for sperm	Negative
	PSA (Abacus)	Negative	9RAGWW	AP	Negative
	Microscopic	Negative		PSA	Negative
8JJED9	ALS	Negative		Micro	Negative
	RSID	Negative	9RU9UM	AP	Negative
8LQQF4	AP	Negative	9TL6HG	AP	Negative
	PSA	Negative		p30	Pos./Ind.
	Micro	Negative		Microscopy	Negative
8VULV8	RSID SEMEN	Negative	A2FJWM	AP	Negative
8XMTKX	AP	Negative		MICRO	Negative
	MICRO	Negative		PSA	Negative
	P30	Negative	A4KAYW	Christmas Tree Coloring	Negative
8Z9MCR	AP	Negative		RSID - Human Semen	Negative
	Seratec PSA Semiquant	Negative	A8GXF4	P30	Negative
	ME (micro)	Negative		Micro	Negative
99WCD7	HEMASTIX	Negative	AA9WU2	Brentamine	Negative
	RSID BLOOD	Negative			
	RSID SEMEN	Negative			
	BLUESTAR	Negative			
9CJEFR	AP	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
ACAFY2	RSID	Negative	CERYQW	PSA	Negative
	HEMASTIX	Negative		Micro	Negative
	HEXAGON OBTI	Negative		Brentamine	Negative
	BLUE STAR TMB	Negative		CGMDL3	AP
ACDKAR	ALS	Negative		Micro	Negative
	AP	Negative		ABAcad PSA	Negative
	PSA	Negative		Seratec PSA	Negative
AD84J6	AP	Negative	CRHT3Q	RSID-Semen	Negative
	Micro	Negative		PSA	Negative
	PSA	Negative	D23C7M	AP	Negative
AL37GB	Brentamine	Negative	D48P24	AP Spot	Negative
AL6TZA	AP	Negative	DB47DL	ALTERNATIVE LIGHT SOURCE	Negative
	PSA/p30	Negative		RSID	Negative
	microscopic exam	Negative		DJ7PZX	AP
AXDLLU	Christmas Tree Stain Slide (Micro)	Negative		PSA	Negative
	RSID - Semen	Negative		Micro	Negative
AZNJZC	AP, PSA, Micro	Negative	DJYM4X	Brentamine	Negative
BC7UHY	Brentamine	Negative	DR9XUG	RSID	Negative
BHV8L9	Brentamine Test	Negative	DTRWDT	AP	Negative
BNRRWJ	AP	Negative		MICRO	Negative
	Mirco	Negative		PSA	Negative
BXMMNZ	OBTI	Negative	DU7H9P	AP	Negative
	RSID	Negative		PSA	Negative
	HEMASTIC	Negative	DWQB2J	AP	Negative
	BLUE STAR	Negative	DXJ4W3	ALS	Negative
BXR7C3	RSID SEMEN	Negative		RSID	Negative
BYLCPV	AP	Negative	DZAGJE	Micro	Negative
	PSA	Negative		PSA	Negative
	MICRO	Negative			
CA2GHD	AP	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
E4LATW	RSID	Negative	FGN89G	BLUE STAR	Negative
	HEMATRACE	Negative		CRIME LIGHT	Negative
	OBTI	Negative		RSID	Negative
	BLUE STAR	Negative		FNPZGX	ALS
E6FLX	Ap	Negative		RSID	Negative
E7CUZA	AP	Negative	FQD862	Brentamine	Negative
	Micro	Negative	FRQ2K2	Brentamine	Negative
	PSA	Negative	FUUP94	AP	Negative
E88KZW	Brentamine	Negative		micro	Negative
EAWQKT	AP	Negative	G3QMUL	AP	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative		PSA	Negative
EGXWKP	AP	Negative	G78A76	AP	Negative
EH74NH	AP	Negative		PSA	Negative
ELNDQN	AP	Negative	GCN8TK	LIGHT SOURCE UV	Negative
EQYNK4	Brentamine	Negative	GFRLEW	AP	Negative
ERWXU	AP	Negative		Micro	Negative
	Micro	Negative		PSA	Negative
	PSA (Seratec)	Negative	GG2DLT	Brentamin	Negative
	PSA (Abacus)	Negative	GHGRZU	AP	Negative
EW8P6M	AP	Negative		PSA	Negative
	Microscope Slide (Xmas Tree)	Negative		Micro	Negative
EXKCQ8	AP	Negative	GJ8JMC	RSID	Negative
	Micro	Negative	GJCHYG	AP	Negative
EYTTCJ	ALS	Inconclusive		PSA	Negative
	AP	Negative		Micro	Negative
F3R8XN	RSID-Semen	Negative	GK9QDR	AP	Negative
	PSA	Negative		PSA	Negative
F6EW78	AP	Negative			Micro
	Micro	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GKKKUT	AP	Negative		Microscopic	Negative
	PSA**	Pos./Ind.		PSA/P30	Negative
	Micro**	Pos./Ind.	JER6CY	Brentamine	Negative
GM8BVW	Ap	Negative	JKW22Q	AP	Negative
GM924Z	Brentamine	Negative		PSA	Negative
GQPLUM	AP	Negative		Micro	Negative
GY4826	AP	Negative	JML8LM	AP	Negative
	Micro	Negative		PSA	Negative
	PSA	Negative		microscopic	Negative
GZYQ8D	AP	Negative	JNW8K3	AP	Negative
H8DUT7	AP	Negative		X-mas	Negative
	Micro	Negative	JQZZE2	AP	Negative
H93UJG	ALS	Negative		Micro	Negative
H9486W	ALS	Negative		PSA	Negative
	RSID	Negative	JT88TM	Christmas Tree Stain	Negative
HAXTYM	Christmas Tree Stain	Negative		RSID - Semen	Negative
	RSID - Semen	Negative	JVCCBU	RSID:SEMEN	Negative
HBW9W7	AP	Negative	JVYIM6	AP	Negative
HM8LCL	AP	Negative		PSA	Negative
HTQ94X	UV LIGHT	Negative		micro	Negative
HYKJGP	AP	Negative	KCJ8LN	AP	Negative
	PSA	Negative		PSA	Negative
	micro	Negative		micro	Negative
HZCRGR	AP	Negative	KNDKLN	ALS	Pos./Ind.
J7E9BY	AP	Negative		AP	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative		PSA	Negative
J8QU3K	Christmas Tree	Negative	KP6N9Z	Brentamine	Negative
	RSID - Semen	Negative	KTZ2QB	RSID	Negative
JC2YXU	Acid Phosphatase	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
L9TMUP	AP	Negative	MTWPA7	AP	Negative
	Micro	Negative		Micro	Negative
	PSA	Negative		ABACard P30	Negative
LCG2HY	AP	Negative	MXQTUW	Brentamine	Negative
	Seratec PSA	Negative	MZFZEU	Brentamine	Negative
	Abacus PSA	Negative	NCNKDT	HEMASTIX	Negative
	Micro	Negative		RSID	Negative
LE2VBT	ALS	Negative	NENXT7	RSID	Negative
	RSID	Negative	NJPDQG	AP	Negative
LFP7RQ	RSID	Negative	NT9FLA	CRIME LIGHT SOURCE	Negative
	HEMATRACE	Negative		RSID	Negative
	OBTI	Negative	NTDB9A	AP	Negative
	TMB	Negative		PSA	Negative
LM9AYT	LIGHT SOURCE UV	Negative		MICRO	Negative
LPZTZE	AP	Negative	NU744T	ALS	Negative
	Microscopic slides	Negative		RSID	Negative
LQF3XL	AP	Negative	NX3PWG	PSA	Negative
	Micro	Negative		MICRO	Negative
	PSA	Negative	PBPEAR	Brentamine	Negative
LQRPMM	Micro	Negative	PC4NKD	Christmas Tree Stain	Negative
	P30	Negative		RSID - Semen	Negative
LR428Q	RSID	Negative	PJ46VJ	ALS	Negative
M2UMR2	AP	Negative		RSID	Negative
	ABACard P30	Negative	PRG82K	ALS	Pos./Ind.
	Micro	Negative		AP	Negative
M4G2KH	AP	Negative		Micro	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative	PRWDHV	Brentamine	Negative
M8JW77	AP	Negative	PUYG4Q	ALS	Negative
MK2U2A	AP and Slide	Negative		RSID	Negative

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
PWNMNM	ALS	Pos./Ind.		Micro	Negative
	AP	Negative	RJGGN9	PSA	Negative
	RSID	Negative		Micro (sperm)	Negative
PX332N	Acid Phosphatase	Negative	RKAHEW	AP	Negative
	Abacus PSA	Negative		Micro	Negative
	Microscopic sperm	Negative	RMYPYT	AP	Negative
PXMNRT	Brentamine	Negative		Micro	Negative
PYFL3K	Brentamine	Negative	RRTQXM	AP	Negative
PZT9FT	Brentamine	Negative		Micro	Negative
Q2VN7W	AP	Negative		PSA	Negative
	PSA	Negative	RUCMH7	AP	Negative
	Micro	Negative		P30	Negative
Q4KECM	RSID:SEMEN	Negative		KPIC	Negative
Q4P8C4	Acid Phosphatase	Negative	RVR3V8	AP	Negative
Q9Z8PU	Brentamine	Negative		PSA	Negative
QCVK76	RSID	Negative		Microscopic	Negative
QLRUYW	AP	Negative	RWZ27G	PHOSPHADESMO	Negative
	Micro	Negative		SERATEC SEMEN	Negative
	PSA	Negative	RXUXGV	AP	Negative
QQWXGH	AP	Negative		Micro	Negative
	ALS	Negative		PSA	Negative
QUJ6CC	AP	Negative	RYQH4V	AP	Negative
QXGPDB	AP	Negative		Abacus Card - PSA	Negative
	PSA	Negative		micro	Negative
R38JQ3	AP	Negative	TEKZXZ	AP	Negative
R8ZRNH	AP	Negative		ABAcad p30	Negative
RB2X3M	ALS	Negative		Micro	Negative
	RSID	Negative	TGM3LF	AP	Negative
RFCNUA	AP	Negative		Micro	Negative
RGPHAA	AP	Negative		PSA	Negative

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
TJPM6M	LIGHT SOURCES	Negative	V3FUUC	AP	Negative
TLEG2A	Sperm HyLiter PI	Negative		PSA	Negative
	RSID-Semen	Negative		Micro	Negative
	PSA	Negative	V67XMJ	Acid Phosphatase	Negative
TRX263	RSID SEMEN	Negative		PSA	Negative
TWVYXM	Brentamine	Negative		Microscopic	Negative
TXBD9H	AP	Negative	V7HR8P	AP	Negative
	MICRO	Negative		Micro	Negative
	PSA	Negative		ALS	Negative
TZW8ZC	Christmas Tree	Negative		PSA	Negative
	Semenogelina	Negative	VDWF4C	AP	Negative
U32AAE	AP	Negative		PSA	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative	VHRDQH	Acid Phosphatase	Negative
U8UALN	AP	Negative		Abacard PSA	Negative
	PSA	Negative		Seratec PSA	Negative
	Micro	Negative		Microscopic	Negative
U9LC94	AP	Negative	VL83R8	AP	Negative
	Micro	Negative	VLBAB3	AP	Negative
UAE9VC	AP (Brentamine)	Negative	VLUDNU	AP, Abacus p30, Seratec PSA, Micro	Negative
UGJWWT	AP	Negative	VQ3WMM	AP	Negative
	PSA	Negative		PSA (Seratec)	Negative
UKVC24	ALS	Negative		Micro	Negative
ULWJTJ	ALS	Inconclusive	VREV3H	RSID SEMEN	Negative
	p30	Negative	VRXC26	AP	Negative
UNYNYC	AP	Negative	VWM2D3	AP	Negative
	PSA	Negative	VYT2EF	RSID	Negative
	Micro	Negative		OBTI	Negative
UPTAR3	PSA	Negative		BLUE	Negative
	Micro	Negative		HEMASTIC	Negative

TABLE 2 - Item 2

Semen

Webcode	Test Performed	Results	Webcode	Test Performed	Results
W77RFK	Brentamine	Negative	XUT7UJ	CRIME LIGHT 415 AND 450	
W842RB	AP	Negative	XW2VFN	AP	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative		P30-ABAcad	Negative
WD7N44	LIGHT SOURCE	Negative	XYQ8C9	ALS	Negative
WDD4U7	AP	Negative		AP	Negative
	Micro	Negative		Micro	Negative
WJN4W	AP	Negative		PSA	Negative
	ABAcad P30	Negative	XZK2Q4	Microscopic - Christmas Tree	Negative
	Micro	Negative		RSID - Semen	Negative
WL87X3	Micro	Negative	YA4QAA	AP	Negative
	PSA	Negative		PSA	Negative
WU36UH	AP	Negative		Micro	Negative
	Micro	Negative	YA8BYX	ap	Negative
	PSA	Negative	YG3KWA	Brentamine	Negative
WZ82F4	AP	Negative	YHGYCW	AP	Negative
X8YXFB	AP	Negative		PSA	Negative
	PSA	Negative		Micro	Negative
	Microscopy	Negative	YLZW39	AP	Negative
XFT7Z3	AP	Negative		PSA	Negative
XNNVX7	SPERM HY-LITER PI	Negative		micro	Negative
	RSID-Semen	Negative	ZAXZA6	Microscopic - Christmas Tree	Negative
	PSA	Negative		RSID - Semen	Negative
XPW6MH	AP	Negative	ZBQVWD	AP (Acid Phosphatase)	Negative
	Micro	Negative		PSA	Negative
XTLCCL	Brentamine	Negative	ZC38GG	RSID: SEMEN	Negative
XTZWZP	AP	Negative			
	Micro	Negative			
	PSA	Negative			
	P30	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
ZGHDFC	RSID	Negative			
	HEMATRACE	Negative			
	BLUE STAR TMB	Negative			
	HEXAGON OBTI	Negative			
ZKGED8	ABA card P30	Negative			
ZKYJTK	AP	Negative			
	PSA	Negative			
	Micro	Negative			
ZPBBZD	AP	Negative			
	RSID-Semen	Negative			
ZUHJ2U	RSID SEMEN	Negative			
ZVHV94	AP	Negative			
ZWQRCZ	LIGHT SOURCE	Negative			
ZX7E4A	Brentamine	Negative			
ZXLN33	AP	Negative			
	PSA	Negative			

TABLE 2 - Item 2

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Not tested - Tests for possible saliva not conducted at [Laboratory]		3FZKXL	Amylase Diffusion	Pos./Ind.
2AHUWZ	Phadebas	Pos./Ind.	3LZP8A	HEMA- TRACE	Negative
2DYJV4	RSID	Pos./Ind.		RSID	Negative
2EA44D	RSID	Pos./Ind.		OBTI	Negative
2EPLHJ	No test available			BLUE STAR TMB	Negative
2GBQFA	RSID	Negative	44JEZP	Phadebas	Pos./Ind.
	HEMATRACE	Negative	4FVTWV	PHADEBAS TUBE TEST	Pos./Ind.
	BLUE STAR	Negative	4GMPH6	Amylase Radial Diffusion	Pos./Ind.
	HEXAGON OBTI	Negative		Micro	Pos./Ind.
2HTFKV	RSID	Pos./Ind.	4GTYJH	RSID Saliva	Pos./Ind.
2KHJD2	Phadebas Amylase Tablet	Pos./Ind.	4H3YJH	Amylase Diffusion	Pos./Ind.
2MHWRE	No preliminary; not done at the laboratory		4K8UZZ	Phadebas Amylase	Pos./Ind.
2NHVBM	Amylase diffusion	Pos./Ind.	4KQD9T	RSID	Pos./Ind.
2QLQT6	RSID	Pos./Ind.	62RP7V	AMYLASE DIFFUSION	Pos./Ind.
2REJNN	RSID	Pos./Ind.	62TB7H	our laboratory does not conduct saliva testing, we conduct amylase testing	
2T7MB4	The Laboratory's portfolio of services does not include Saliva Identification		63PVUG	RSID	Pos./Ind.
2T96LL	Amylase	Pos./Ind.	66CRZM	Phadebas	Pos./Ind.
2ZU2MP	RSID	Pos./Ind.	6AKLRP	HEMASTIX	Negative
32HUYJ	Amylase	Pos./Ind.		HEXAGON OBTI	Negative
36HAYU	Phadebas	Pos./Ind.		RSID	Negative
36LPHM	Amylase diffusion	Pos./Ind.		BLUESTAR	Negative
379DR2	The Laboratory's portfolio of services does not include Saliva Identification		6BFEAB	RSID	Pos./Ind.
3AFL6T	RSID-Saliva	Pos./Ind.	6CR9RW	Phadebas	Pos./Ind.
3FJPVQ	Phadebas	Pos./Ind.	6HFZTX	Amylase	Pos./Ind.
	Microscopy	Pos./Ind.	6MR2Y3	RSID-Saliva	Pos./Ind.
			6V2EWX	Amylase	Pos./Ind.
			6Y7VE2	RSID	Pos./Ind.
			6ZWY89	RSID	Pos./Ind.

TABLE 2 - Item 2

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
76MTGE	RSID Saliva	Pos./Ind.	AD84J6	RSID	Pos./Ind.
7CQXBJ	Phadebas	Pos./Ind.	AL37GB	Not tested. Saliva tests are not performed at [Laboratory]	
7M3L4A	ALS - UV; NM415; NM450	Inconclusive	AL6TZA	SALlgAE	Pos./Ind.
7Q762P	RSID	Pos./Ind.	AXDLLU	The Laboratory's portfolio of services does not include Saliva Identification	
7TDDEF	RSID	Pos./Ind.	AZNJZC	RSID - Saliva	Pos./Ind.
83D7GF	RSID Saliva	Pos./Ind.	BC7UHY	Poss saliva; The laboratory doesn't have a test for saliva	
84QXAW	Phadebas Amylase Test	Pos./Ind.	BNRRWJ	Phadebas	Pos./Ind.
8EB7W6	Phadebas	Pos./Ind.	BXMMNZ	HEMASTIC	Negative
8GYKKE	RSID saliva	Pos./Ind.		RSID	Negative
8LQQF4	RSID	Pos./Ind.		OBTI	Negative
8XMTKX	RSID	Pos./Ind.		BLUE STAR	Negative
8Z9MCR	Seratec Amylase	Pos./Ind.	BYLCPV	AMYLASE RADIAL DIFFUSION	
9CJEFR	PHADEBAS	Pos./Ind.	CA2GHD	RSID	Pos./Ind.
9MH4F2	RSID	Pos./Ind.	CERYQW	The laboratory doesn't perform any preliminary saliva tests	
9MYHMC	Amylase Diffusion	Pos./Ind.	CGMDL3	RSID	Pos./Ind.
9NCZJ3	Not tested; There is no test for saliva in a lab		CRHT3Q	Amylase	Pos./Ind.
9P4W9W	Phadebas	Pos./Ind.	D23C7M	RSID	Pos./Ind.
9PNN43	RSID saliva	Pos./Ind.	D48P24	Radial Diffusion	Pos./Ind.
9RAGWW	Phadebas	Pos./Ind.	DJ7PZX	RSID	Pos./Ind.
9RU9UM	RSID	Pos./Ind.	DJYM4X	The laboratory does not have a test for saliva	
9TL6HG	RSID	Pos./Ind.	DTRWDT	Amylase Radial Diffusion	Pos./Ind.
A2FJWM	Phadebas Amylase	Pos./Ind.	DU7H9P	Phadebas	Pos./Ind.
	RSID	Pos./Ind.	DWQB2J	Radial Diffusion	Pos./Ind.
A4KAYW	The Laboratory's portfolio of services does not include Saliva Identification		DZAGJE	Not required as per lab SOPs.	
A8GXF4	Phadebas	Pos./Ind.			
ACAFY2	RSID	Negative			
	HEMASTIX	Negative			
	HEXAGON OBTI	Negative			

TABLE 2 - Item 2

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
E4LATW	RSID	Negative	GM924Z	Presumable Epithelial (not tested because no presumptive testing method for saliva)	
	HEMATRACE	Negative			
	OBTI	Negative	GQPLUM	RSID	Pos./Ind.
	BLUE STAR	Negative	GY4826	RSID - Saliva	Pos./Ind.
E7CUZA	RSID	Pos./Ind.	GZYQ8D	Phadebas	Pos./Ind.
E88KZW	The laboratory does not have a test for saliva		H8DUT7	Amylase Diffusion	Pos./Ind.
EAWQKT	Amylase Radial Diffusion	Pos./Ind.	H93UJG	ALS	Negative
	Micro	Negative	HAXTYM	The Laboratory's portfolio of services does not include Saliva Identification	
EGXWKP	RSID	Pos./Ind.	HBW9W7	Amylase diffusion	Pos./Ind.
EH74NH	RSID-Saliva	Pos./Ind.	HM8LCL	Phadebas	Pos./Ind.
ERVWXU	RSID	Pos./Ind.	HYKJGP	RSID	Pos./Ind.
EW8P6M	Phadebas	Pos./Ind.	HZCRGR	No validated saliva test at lab	
EXKCQ8	Amylase	Pos./Ind.	J8QU3K	The Laboratory's portfolio of services does not include Saliva Identification	
EYTTCJ	Our lab does not test for saliva		JC2YXU	RSID-Saliva	Pos./Ind.
F3R8XN	Amylase	Pos./Ind.	JKW22Q	RSID-Saliva	Pos./Ind.
F6EW78	RSID Saliva	Pos./Ind.	JML8LM	RSID	Pos./Ind.
FQD862	see additional comments		JN8W8K3	Amylase	Pos./Ind.
FRQ2K2	No presumptive testing		JQZZE2	Amylase diffusion	Pos./Ind.
FUUP94	Amylase Diffusion	Pos./Ind.	JT88TM	The Laboratory's portfolio of services does not include Saliva Identification	
G3QMUL	Lab does not test for saliva		JVY6M	RSID	Pos./Ind.
G78A76	Amylase Diffusion	Pos./Ind.	KCJ8LN	RSID	Pos./Ind.
GFRLF7	RSID	Pos./Ind.	KNDK6K	ALS	Pos./Ind.
GG2DLT	No test to do saliva test			RSID	Pos./Ind.
GHGRZU	RSID saliva	Pos./Ind.	KP6N9Z	Not tested, we don't perform presumptive testing for saliva	
GJCHYG	Amylase radial diffusion	Pos./Ind.			
GK9QDR	RSID	Pos./Ind.			
GKKKUT	RSID	Pos./Ind.			

TABLE 2 - Item 2

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
L9TMUP	RSID	Pos./Ind.	Q2VN7W	RSID Saliva	Pos./Ind.
LCG2HY	RSID saliva	Pos./Ind.	Q4P8C4	Phadebas Press test	Pos./Ind.
LFP7RQ	RSID	Negative	Q9Z8PU	Not tested; Tests for saliva are not performed at [Laboratory]	
	HEMATRACE	Negative	QLRUYW	RSID	Pos./Ind.
	OBTI	Negative	QUJ6CC	Phadebas	Pos./Ind.
	TMB	Negative	QXGPDB	Phadebas	Pos./Ind.
LPZTZE	Phadebas	Pos./Ind.	R38JQ3	Phadebas paper	Pos./Ind.
LQF3XL	RSID-Saliva	Pos./Ind.	RFCNUA	PHADEBAS	Pos./Ind.
LQRPMM	Not required as per lab SOP		RJGGN9	Amylase Gel	Pos./Ind.
M2UMR2	RSID saliva	Pos./Ind.		Micro (NECs = 1)	Pos./Ind.
M4G2KH	RSID	Pos./Ind.	RKAHEW	Amylase Diffusion	Pos./Ind.
M8JW77	RSID saliva	Pos./Ind.	RMYPYT	Amylase Diffusion	Pos./Ind.
MK2U2A	Phadebas tube test not available		RRTQXM	RSID	Pos./Ind.
MTWPA7	Phadebas	Pos./Ind.	RUCMH7	Phadebas	Pos./Ind.
NJPDQG	RSID	Pos./Ind.	RVR3V8	alpha-Amylase Test card	Pos./Ind.
NTDB9A	Phadebas	Pos./Ind.	RWZ27G	SERATEC AMY	Pos./Ind.
NX3PWG	PHADEBAS	Pos./Ind.	RXUXGV	Amylase diffusion	Pos./Ind.
PBPEAR	Not tested; Tests for presumable saliva are not performed at [Laboratory]		RYQH4V	RSID - Saliva	Pos./Ind.
PC4NKD	The Laboratory's portfolio of services does not include Saliva Identification		TEKZXZ	Phadebas	Pos./Ind.
			TGM3LF	RSID	Pos./Ind.
PRG82K	ALS	Pos./Ind.	TLEG2A	Amylase	Pos./Ind.
	RSID Saliva	Pos./Ind.	TXBD9H	Radial Diffusion	Pos./Ind.
PWNMNM	ALS	Pos./Ind.	TZW8ZC	The Laboratory's portfolio of services does not include Saliva Identification	
	RSID	Pos./Ind.	U32AAE	RSID	Pos./Ind.
PX332N	RSID - Saliva	Pos./Ind.	U8UALN	Saligae	Pos./Ind.
PYFL3K	Saliva test not performed at our laboratory		U9LC94	Phadebas	Pos./Ind.

TABLE 2 - Item 2

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
UAE9VC	Laboratory does not perform this test		XW2VFN	Phadebas	Pos./Ind.
UGJWWT	Phadebas	Pos./Ind.	XYQ8C9	ALS	Negative
UKVC24	ALS	Negative		RSID - saliva	Pos./Ind.
UNYNYC	Amylase	Pos./Ind.	XZK2Q4	RSID - Saliva	Pos./Ind.
	Micro	Negative	YA4QAA	RSID-Saliva	Pos./Ind.
UPTAR3	Phadebas	Pos./Ind.	YA8BYX	rsid	Pos./Ind.
V3FUUC	RSID	Pos./Ind.	YG3KWA	Testing for saliva is not done in our laboratory as there is no specific test available	
V67XMJ	RSID saliva	Pos./Ind.	YHGYCW	RSID Saliva	Pos./Ind.
V7HR8P	Amylase diffusion	Pos./Ind.	YLZW39	RSID	Pos./Ind.
VDWF4C	RSID saliva	Pos./Ind.	ZAXZA6	The Laboratory's portfolio of services does not include Saliva Identification	
VHRDQH	RSID	Pos./Ind.	ZGHDFC	RSID	Negative
VL83R8	Phadebas Amylase	Pos./Ind.		HEMATRACE	Negative
VLUDNU	RSID Saliva	Pos./Ind.		BLUE STAR TMB	Negative
VQ3WMM	SALlgAE	Pos./Ind.		HEXAGON OBTI	Negative
VRXC26	RSID	Pos./Ind.	ZKGED8	SALlgAE	Pos./Ind.
VWM2D3	Amylase	Pos./Ind.	ZKYJTK	RSID	Pos./Ind.
VYT2EF	RSID	Negative	ZPBBZD	RSID-Saliva	Pos./Ind.
W842RB	RSID	Pos./Ind.	ZVHV94	Phadebas amylase	Pos./Ind.
WDD4U7	Radial Diffusion	Pos./Ind.	ZXLN33	Phadebas Amylase	Pos./Ind.
WJJN4W	Phadebas	Pos./Ind.			
WL87X3	Not required as per lab SOP				
WU36UH	RSID	Pos./Ind.			
WZ82F4	RSID	Pos./Ind.			
X8YXFB	RSID	Pos./Ind.			
XFT7Z3	RSID	Pos./Ind.			
XNNVX7	Amylase	Pos./Ind.			
XPW6MH	Amylase	Pos./Ind.			
XTZWZP	RSID Saliva	Pos./Ind.			
XUT7UJ	CRIME LIGHT 415 AND 450				

TABLE 2 - Item 2

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
2GBQFA	BLOOD - HEMATRA CE	Negative		SEMEN - RSID	Negative
	SALIVA - RSID	Negative		SALIVA - RSID	Negative
	SEMEN - RSID	Negative		BLOOD - BLUE STAR	Negative
2KHJD2	Urine - Creatinine	Negative	EQYNK4	Presumable skin cells	
2QLQT6	ALS	Negative	EW8P6M	Urine - Urea neg / Creatinine neg	Negative
3LZP8A	BLOOD - HEMA TRACE	Negative		Faecal - Not tested - no obvious visible faecal staining or faecal odour	
	SALIVA - RSID	Negative			
	SEMEN - RSID	Negative	GHGRZU	Urine-Creatinine	Negative
48YHKR	POLILIGHT SOURCE USED 450; UV; 415	Negative		Feces-Urobilinogen	Negative
4K8U2Z	Urine-Creatinine	Negative	GJ8JMC	ALS	Inconclusive
	Urine-DMAC	Negative	HM8LCL	Urine- Creatinine	Negative
62TB7H	Amylase- Amylase Diffusion	Pos./Ind.	KTZ2QB	SALIVA - 450 AND ORANGE GOGGLES	Inconclusive
7Q762P	Urine - Urease	Negative	L9TMUP	Semen/Saliva - ALS	Negative
84QXAW	Urine - Creatinine	Negative	LFP7RQ	BLOOD - HEMATRA CE	Negative
9MH4F2	Alternate Light source	Negative		SEMEN - RSID	Negative
9PNN43	Biological material - ALS	Inconclusive		SALIVA - RSID	Negative
	Urine - Creatinine	Negative	LPZTZE	Urine- Creatine	Negative
	Fecal mater - Uribilinogen	Negative		Urine-Urea	Negative
ACAFY2	BLOOD- HEMASTIX	Negative		Urine-odour	Negative
	SEMEN-RSID	Negative		Faeces-visual	Negative
	SALIVA-RSID	Negative		Faeces-Odour	Negative
BC7UHY	Poss epithelia - No test		LQRPMM	Possible Biological Material - Recovery.	
BHV8L9	Presumable epithelial cells		MXQTUW	Presumable skin cells	
BXMMNZ	BLOOD- HEMASTIX	Negative	MZFZEU	Epithelial Cells	
	SALIVA - RSID	Negative	NCNKDT	BLOOD - POLIFLARE 450nm LIGHT	Negative
	SEMEN - RSID	Negative		SEMEN - POLIFLARE 450nm LIGHT	Negative
DR9XUG	ALS	Inconclusive	NENXT7	ALS	Inconclusive
E4LATW	BLOOD - OBTI	Negative			

TABLE 2 - Item 2

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
PRWDHV	Prs skin cells				
PX332N	Alternate Light Source	Negative			
QCVK76	ITEM 2 - POLILIGHTS SOURCE USED NO COLOUR CHANGE	Inconclusive			
QUJ6CC	Urine - creatinine	Negative			
RJGGN9	*O-tol Blood test - no visible staining				
TRX263	ALS	Inconclusive			
TWVYXM	Presumable skin cells				
TXBD9H	Urine - Creatinine	Negative			
	Feces - Urobilinogen	Negative			
VL83R8	Urine - Creatinine	Negative			
VYT2EF	SALIVA - RSID	Negative			
	BLOOD - HEMASTIC	Negative			
	SEMEN - RSID	Negative			
X8YXFB	ALS	Pos./Ind.			
ZGHDFC	BLOOD - HEMATRADE	Negative			
	SEMEN - RSID	Negative			
	SALIVA-RSID	Negative			
ZPBBZD	Urine - RSID-Urine	Negative			
ZUHJ2U	ALS	Inconclusive			
ZXLN33	Urine - Creatinine	Negative			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Hemastix (H/stix)	Pos./Ind.	2ZU2MP	Hemastix	Pos./Ind.
2AHUWZ	KM	Pos./Ind.	32HUYJ	KM	Pos./Ind.
	ABA Hematrace	Pos./Ind.	36HAYU	KM	Pos./Ind.
2BNZTE	HEMASTIX	Pos./Ind.	36LPHM	LMG	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		HemaTrace	Pos./Ind.
	BLUESTAR	Pos./Ind.	379DR2	HemaTrace	Pos./Ind.
2DYJV4	Phenolphthalein	Pos./Ind.	37B3UD	KM	Pos./Ind.
2EA44D	KM	Pos./Ind.	3AFL6T	Visual Examination	Pos./Ind.
	HemaTrace	Pos./Ind.		LMG	Pos./Ind.
2GBQFA	HEMATRACE	Pos./Ind.		HemaTrace	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.	3FJPVQ	TMB	Pos./Ind.
	RSID	Pos./Ind.		Haemochromogen	Pos./Ind.
	BLUE STAR	Pos./Ind.		HemaTrace	Pos./Ind.
2HTFKV	Visual	Pos./Ind.	3FZKXL	LMG	Pos./Ind.
	LMG	Pos./Ind.		Hematrace	Pos./Ind.
	HemaTrace	Pos./Ind.	3LZP8A	HEMA TRACE	Pos./Ind.
2KHJD2	KM	Pos./Ind.		RSID	Pos./Ind.
	Modified Takayama	Pos./Ind.		OBTI	Pos./Ind.
2MHWRE	Visual screening of swabs			BLUE STAR TMB	Pos./Ind.
2NHVBM	LMG	Pos./Ind.	434GN6	HEMASTIC	Pos./Ind.
	HemaTrace	Pos./Ind.		BLUE STAR	Pos./Ind.
2QLQT6	HS	Pos./Ind.	44JEZP	KM	Pos./Ind.
	HT	Pos./Ind.		HemaTrace	Pos./Ind.
2REJNN	Kastle Meyer	Pos./Ind.	48YHKR	BLUESTAR OBTI	Pos./Ind.
	HemaTrace	Pos./Ind.		HEMASTIC	Pos./Ind.
2T7MB4	ABACard - HemaTrace	Pos./Ind.	4FVTWV	KM	Pos./Ind.
	Thevenon Roland Piramidon	Pos./Ind.	4GMPH6	LMG	Pos./Ind.
				HemaTrace	Pos./Ind.
2T96LL	KM	Pos./Ind.	4GTYJH	KM	Pos./Ind.
	Micro	Pos./Ind.			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
4H3YJH	Micro	Pos./Ind.	6HFZTX	KM	Pos./Ind.
	KM	Pos./Ind.		OBTI	Pos./Ind.
4K8U2Z	KM	Pos./Ind.	6MR2Y3	Hemastix	Pos./Ind.
	Takayama	Pos./Ind.		KM	Pos./Ind.
4KQD9T	Not indicated by scenario			HemaTrace	Pos./Ind.
4MTXQD	RSID: BLOOD	Pos./Ind.	6TGGRF	O-Tol	Pos./Ind.
	HEMASTIX		6V2EWX	KM	Pos./Ind.
4RMHPB	KM	Pos./Ind.		OBTI	Pos./Ind.
4YNCQA	UV + 450 LIGHT SOURCES	Pos./Ind.	6Y7VE2	Hemastix	Pos./Ind.
	HEMASTIX	Pos./Ind.		KM	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		Hematrace	Pos./Ind.
	BLUE STAR	Pos./Ind.	6ZWY89	KM	Pos./Ind.
62RP7V	O-TOL	Pos./Ind.	76MTGE	KM	Pos./Ind.
	HEMDIRECT	Pos./Ind.	7CQXBJ	Tetramethylbenzidine	Pos./Ind.
62TB7H	KM	Pos./Ind.	7M3L4A	ALS - UV; NM415; NM450	Pos./Ind.
63PVUG	KM	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
66CRZM	KM	Pos./Ind.		BLUE STAR	Pos./Ind.
	ABAcad - Hema Trace	Pos./Ind.	7Q762P	KM	Pos./Ind.
66M3QR	VISUAL OBSERVATION	Pos./Ind.	7RYXW9	KM	Pos./Ind.
	ALTERNATIVE LIGHT SOURCE	Pos./Ind.	7TDDEF	O-tol	Pos./Ind.
	HEMASTIX	Pos./Ind.	83D7GF	KM	Pos./Ind.
	BLUESTAR OBTI	Pos./Ind.		Hemastix	Pos./Ind.
6AKLRP	HEMASTIX	Pos./Ind.		Hematrace	Pos./Ind.
	HEXAGON OBTI	Negative		Luminol	Pos./Ind.
	RSID	Negative	84QXAW	KM	Pos./Ind.
	BLUESTAR	Pos./Ind.		Modified Takayama	Pos./Ind.
6BFEAB	KM	Pos./Ind.	8EB7W6	KM	Pos./Ind.
6CR9RW	KM	Pos./Ind.		Hexgon OBTI	Pos./Ind.
	Hematrace	Pos./Ind.			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
8EQRP8	LIGHT SOURCE; UV + 450 ORANGE GOGGLES	Pos./Ind.	9NCZJ3	Not tested; Bloody swabs	
	HEMASTIX	Pos./Ind.	9P4W9W	KM	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.	9PNN43	TMB	Pos./Ind.
	BLUESTAR	Pos./Ind.		Hematrace	Pos./Ind.
8GYKKE	KM	Pos./Ind.	9RAGWW	KM	Pos./Ind.
8JJED9	KM	Pos./Ind.	9RU9UM	KM	Pos./Ind.
8LQQF4	KM	Pos./Ind.		HT	Pos./Ind.
	TMB	Pos./Ind.	9TL6HG	Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.		Hematrace	Pos./Ind.
8QFTYM	HEMASTIX	Pos./Ind.	A2FJWM	KM	Pos./Ind.
	OBTI	Pos./Ind.		SERATEC Hemoglobin	Pos./Ind.
8VULV8	HEMASTIX	Pos./Ind.	A4KAYW	ABAcad HemaTrace	Pos./Ind.
	BLUESTAR	Pos./Ind.		Thevenon Roland Piramidon	Pos./Ind.
	RSID BLOOD	Pos./Ind.	A8GXF4	PHTH	Pos./Ind.
8XMTKX	HS	Pos./Ind.	AA9WU2	Swabs collected from the victim's genital area, therefore testing for blood is of no evidential value	
	KM	Pos./Ind.			
	HT	Pos./Ind.	ACAFY2	HEMASTIX	Pos./Ind.
8Z9MCR	TMB	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
	Seratec Hem Direct	Pos./Ind.		RSID	Pos./Ind.
99WCD7	HEMASTIX	Pos./Ind.		BLUE STAR TMB	Pos./Ind.
	RSID BLOOD	Pos./Ind.	ACDKAR	Visual Exam	Pos./Ind.
	RSID SEMEN	Negative		O-tol	Pos./Ind.
	BLUESTAR	Pos./Ind.		HemaTrace	Pos./Ind.
9CJEFR	BLUESTAR	Pos./Ind.	AD84J6	KM	Pos./Ind.
	OBTI	Pos./Ind.	AJNFWP	BLUESTAR	Pos./Ind.
9MH4F2	TMB	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
	Hematrace	Pos./Ind.		HEMASTIX	Pos./Ind.
9MYHMC	LMG	Pos./Ind.			
	Hematrace	Pos./Ind.			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
AL6TZA	KM	Pos./Ind.		Hematrace	Pos./Ind.
	Hematrace	Pos./Ind.	CRHT3Q	KM	Pos./Ind.
AXDLLU	Thevenon Roland (Piramidon)	Pos./Ind.		OBTI	Pos./Ind.
	ABACard HemaTrace	Pos./Ind.	CX379X	HEMASTIX	Pos./Ind.
AZNJZC	KM, Hemastix, HemaTrace	Pos./Ind.		BLUE STAR	Pos./Ind.
BC7UHY	Not tested; Bloody swabs		D23C7M	O-tol	Pos./Ind.
				HemaTrace	Pos./Ind.
BHV8L9	Testing for blood does not have evidential value, due to the fact that the blood belongs to the victim		D48P24	KM	Pos./Ind.
			DB47DL	ALTERNATE LIGHT SOURCE	Pos./Ind.
				BLUESTAR	Pos./Ind.
BNRRWJ	KM	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
	ABACard Hematrace	Pos./Ind.	DJ7PZX	KM	Pos./Ind.
BXMMNZ	HEMASTIX	Pos./Ind.		TMB (Hemastix)	Pos./Ind.
	BLUE STAR OBTI	Pos./Ind.		HemaTrace	Pos./Ind.
	RSID	Pos./Ind.	DJYM4X	Victims blood has no Evidential value here	
	BLUE STAR TMB	Pos./Ind.	DR9XUG	BLUESTAR OBTI	Pos./Ind.
BXR7C3	HEMASTICS	Pos./Ind.		HEMASTIX	Pos./Ind.
	RSID BLOOD	Pos./Ind.	DTRWDT	Visual	Pos./Ind.
	RSID SEMEN	Pos./Ind.		TMB	Pos./Ind.
	BLUESTAR	Pos./Ind.		HemaTrace	Pos./Ind.
BYLCPV	KM		DU7H9P	KM	Pos./Ind.
CA2GHD	HemaTrace	Pos./Ind.		Hematrace	Pos./Ind.
	Hemastix	Pos./Ind.	DWQB2J	TMB	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
CAXERZ	HEMASTIX	Pos./Ind.	DXJ4W3	KM	Pos./Ind.
	BLUE STAR	Pos./Ind.	DZAGJE	Not required as per the lab SOP.	
CERYQW	The laboratory does not perform any preliminary tests for bloody swabs				
CGMDL3	Phenolphthalein	Pos./Ind.			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
E4LATW	HEMASTIC	Pos./Ind.		CRIME LIGHT	Pos./Ind.
	OBTI	Pos./Ind.	FNPZGX	KM	Pos./Ind.
	RSID	Pos./Ind.	FRQ2K2	No presumptive tests performed.	
	BLUE STAR	Pos./Ind.	FUUP94	LMG	Pos./Ind.
E6FLLX	Lmg	Pos./Ind.		Hematrace	Pos./Ind.
E7CUZA	KM	Pos./Ind.	FYLFBL	HEXAGON	Pos./Ind.
	HemaTrace	Pos./Ind.		OBTI	Pos./Ind.
E88KZW	Hemastix; Bloody swabs are not tested according to the S.O.P.		G2R2YL	HEXAGON	Pos./Ind.
				OBTI	Pos./Ind.
EAWQKT	KM	Pos./Ind.	G3QMUL	KM	Pos./Ind.
	HemaTrace	Pos./Ind.	G78A76	LMG	Pos./Ind.
EGXWKP	Visual	Pos./Ind.	GCN8TK	LIGHT SOURCE; UV AND 450	Pos./Ind.
	KM	Pos./Ind.		HEMASTIX	Pos./Ind.
	HemaTrace	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
EH74NH	Visual	Pos./Ind.		BLUESTAR	Pos./Ind.
	LMG	Pos./Ind.	GFRLFV	KM	Pos./Ind.
	Hematrace	Pos./Ind.		HemaTrace	Pos./Ind.
ELNDQN	Hemastix	Pos./Ind.	GG2DLT	We don't test blood on genital swabs	
ERVWXU	KM	Pos./Ind.	GHGRZU	TMB	Pos./Ind.
EW8P6M	KM	Pos./Ind.		Hematrace	Pos./Ind.
EXKCQ8	Micro	Pos./Ind.	GJ8JMC	BLUESTAR OBTI	Pos./Ind.
	KM	Pos./Ind.		HEMASTICX	Pos./Ind.
EYTTCJ	ALS	Inconclusive	GJCHYG	TMB	Pos./Ind.
	O-tol	Pos./Ind.		HemaTrace	Pos./Ind.
	OBTI	Pos./Ind.	GK9QDR	KM	Pos./Ind.
F3R8XN	KM	Pos./Ind.	GKKKUT	KM	Pos./Ind.
	OBTI	Pos./Ind.		HemaTrace	Pos./Ind.
F6EW78	O-tol	Pos./Ind.	GM8BVV	Lmg	Pos./Ind.
FGN89G	HEXAGON OBTI	Pos./Ind.			
	BLUESTAR	Pos./Ind.			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GQPLUM	Visual Exam	Pos./Ind.		ABACard HemaTrace	Pos./Ind.
	KM	Pos./Ind.	JC2YXU	Phenolphthalein (PTMB)	Pos./Ind.
	HemaTrace	Pos./Ind.	JKW22Q	KM	Pos./Ind.
GY4826	Hemastix	Pos./Ind.	JML8LM	KM	Pos./Ind.
GZYQ8D	KM	Pos./Ind.	JNW8K3	Micro	Pos./Ind.
H8DUT7	LMG	Pos./Ind.		KM	Pos./Ind.
	HemaTrace	Pos./Ind.	JQZZE2	LMG	Pos./Ind.
H93UJG	HEMASTIX	Pos./Ind.		Hematrace	Pos./Ind.
	BLUESTAR	Pos./Ind.	JT88TM	ABACard HemaTrace	Pos./Ind.
H9486W	KM	Pos./Ind.		Thevenon Roland Piramidon	Pos./Ind.
H9J6WF	OBTI	Pos./Ind.	JUX9EH	MULTISTIX	Pos./Ind.
	HEMASTIX	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
HAXTYM	ABACard HemaTrace	Pos./Ind.		BLUESTAR	Pos./Ind.
HBW9W7	LMG	Pos./Ind.	JVCCBU	RSID: BLOOD	Pos./Ind.
	Hematrace	Pos./Ind.		HEMASTIX	Pos./Ind.
HM8LCL	KM	Pos./Ind.	JVYM6	KM	Pos./Ind.
	Takayama	Pos./Ind.	KCJ8LN	KM	Pos./Ind.
	Hematrace	Pos./Ind.	KNDKLK	KM	Pos./Ind.
HTQ94X	UV; 450nm LIGHT ; ORANGE GOGGLE	Pos./Ind.		HemaTrace	Pos./Ind.
	HEMASTIX	Pos./Ind.	KP6N9Z	Not tested	
	HEXAGON OBTI	Pos./Ind.	KTZ2QB	BLUESTAR OBTI	Pos./Ind.
	BLUESTAR	Pos./Ind.		HEMASTIX	Pos./Ind.
HYKJGP	Hemastix	Pos./Ind.	L4DLMC	BLUESTAR	Pos./Ind.
	KM	Pos./Ind.		HEMASTIX	Pos./Ind.
	HemaTrace	Pos./Ind.		BLUESTAR OBTI	Pos./Ind.
HZCRGR	Bloody swabs, not tested		L9TMUP	TMB	Pos./Ind.
J7E9BY	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	LCG2HY	Hemastix	Pos./Ind.
J8QU3K	Thevenon Roland Piramidon	Pos./Ind.	LE2VBT	KM	Pos./Ind.

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LFP7RQ	HEMASTIC	Pos./Ind.	NCNKDT	HEMASTIX	Pos./Ind.
	OBTI	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
	RSID	Pos./Ind.		BLUESTAR	Pos./Ind.
	TMB	Pos./Ind.	NENXT7	BLUESTAR OBTI	Pos./Ind.
LM9AYT	LIGHT SOURCE UV AND 450nm	Pos./Ind.		HEMASTIX	Pos./Ind.
	HEMASTIX	Pos./Ind.	NJPDQG	Visual	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		KM	Pos./Ind.
	BLUESTAR	Pos./Ind.		Hematrace	Pos./Ind.
LPZTZE	KM	Pos./Ind.	NT9FLA	CRIME LIGHT SOURCES	Pos./Ind.
	Visual	Pos./Ind.		BLUESTAR	Pos./Ind.
LQF3XL	Hemastix	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
LQRPMM	as per lab SOP (not required)		NTDB9A	KM	Pos./Ind.
LR428Q	HEMASTIX	Pos./Ind.	NU744T	KM	Pos./Ind.
	BLUESTAR	Pos./Ind.	NX3PWG	KM	Pos./Ind.
LYLCLQ	HEMASTIX	Pos./Ind.	PBPEAR	Hemastix (see additional comments)	Pos./Ind.
	BLUE STAR	Pos./Ind.	PC4NKD	ABACard HemaTrace	Pos./Ind.
M2UMR2	Hemastix	Pos./Ind.		Thevenon Roland Piramidon	Pos./Ind.
	KM	Pos./Ind.	PJ46VJ	KM	Pos./Ind.
M4G2KH	KM	Pos./Ind.	PRG82K	Phenolphthalein	Pos./Ind.
M8JW77	O-tol	Pos./Ind.		HemaTrace	Pos./Ind.
	Hemastix	Pos./Ind.	PRWDHV	No evidential value, swabs from the victim's genital area & it will be her own blood; therefore no evidential value	
	RSID blood	Pos./Ind.			
MK2U2A	visual and KM	Pos./Ind.			
MTWPA7	KM	Pos./Ind.			
	HemaTrace	Pos./Ind.	PUYG4Q	KM	Pos./Ind.
MXQTUW	No evidential value		PWNMNM	KM	Pos./Ind.
				RSID	Pos./Ind.
MZFZEU	Blood on the swab does not have evidential value because it's a genital swab		PX332N	Hemastix	Pos./Ind.
				HemaTrace	Pos./Ind.

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
PXMNRT	H-Stix	Pos./Ind.	RJGGN9	O-tol	Pos./Ind.
PYFL3K	Bloody not tested			HemaTrace	Pos./Ind.
PZT9FT	Bloody not tested according [SOP Number]		RKAHEW	LMG	Pos./Ind.
Q2VN7W	KM	Pos./Ind.	RMYPYT	LMG	Pos./Ind.
Q4KECM	RSID: BLOOD	Pos./Ind.		HemaTrace	Pos./Ind.
Q4P8C4	Visual examination for staining	Pos./Ind.	RRTQXM	KM	Pos./Ind.
	Kastle Meyer	Pos./Ind.		HemaTrace	Pos./Ind.
Q9Z8PU	Hemastix	Pos./Ind.	RUCMH7	KM	Pos./Ind.
QCVK76	BLUESTAR OBTI	Pos./Ind.	RVR3V8	TMB	Pos./Ind.
	HEMASTIX	Pos./Ind.	RWZ27G	HEMOPHAN	Pos./Ind.
QHGTCC	HEMASTIX	Pos./Ind.		SERATEC HEM	Pos./Ind.
	BLUE STAR	Pos./Ind.	RXUXGV	LMG	Pos./Ind.
QLRUYW	KM	Pos./Ind.	RYQH4V	KM	Pos./Ind.
QPXCN4	HEMASTIX	Pos./Ind.	TEKZXZ	KM	Pos./Ind.
	BLUESTAR	Negative		Hema Trace	Pos./Ind.
QQWXGH	KM	Pos./Ind.	TGM3LF	KM	Pos./Ind.
QUJ6CC	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Modified Takayama	Pos./Ind.	TJPM6M	LIGHT SOURCES UV AND 450nm	Pos./Ind.
QXGPDB	KM	Pos./Ind.		HEMASTIX	Pos./Ind.
	HemaTrace	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
R38JQ3	Visual examination: red-brown staining with the appearance of blood	Pos./Ind.		BLUESTAR	Pos./Ind.
	KM	Pos./Ind.	TLEG2A	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		OBTI	Pos./Ind.
RB2X3M	KM	Pos./Ind.	TRX263	BLUESTAR OBTI	Pos./Ind.
RFCNUA	KM	Pos./Ind.		HEMASTIX	Pos./Ind.
RGPHAA	KM	Pos./Ind.	TXBD9H	KM	Pos./Ind.
	HemaTrace	Pos./Ind.	TY3YXF	HEMASTIX	Pos./Ind.
				BLUE STAR OBTI	Pos./Ind.

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
TZW8ZC	Human Blood	Pos./Ind.	VLUDNU	KM, Hemastix	Pos./Ind.
	Thevenon Roland Piramidon	Pos./Ind.	VQ3WMM	KM	Pos./Ind.
U32AAE	KM	Pos./Ind.		HemaTrace	Pos./Ind.
U8UALN	KM	Pos./Ind.	VREV3H	HEMASTIX	Pos./Ind.
	Hematrace	Pos./Ind.		RSID BLOOD	Pos./Ind.
U9LC94	KM	Pos./Ind.		BLUESTAR	Pos./Ind.
UAE9VC	No evidential value since swab was taken from victim's genital area.		VRXC26	O-tol	Pos./Ind.
				HemaTrace	Pos./Ind.
UGJWVT	KM	Pos./Ind.	VWM2D3	Hemastix	Pos./Ind.
	Hematrace	Pos./Ind.		HemaTrace	Pos./Ind.
UKVC24	HEMASTIX	Pos./Ind.	VYT2EF	HEMASTIC	Pos./Ind.
	BLUESTAR	Pos./Ind.		OBTI	Pos./Ind.
ULWJTJ	Visual	Pos./Ind.		RSID	Pos./Ind.
	HemaTrace	Pos./Ind.		BLUE STAR	Pos./Ind.
UNYNYC	LMG	Pos./Ind.	W77RFK	genital area swabs are not tested for blood; as it doesn't normally have evidential value	
	Hematrace	Pos./Ind.			
UPTAR3	KM	Pos./Ind.	W842RB	Hemastix	Pos./Ind.
V3FUUC	Hemastix	Pos./Ind.		Phenolphthalein	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Hematrace	Pos./Ind.	WD7N44	LIGHT SOURCE (UV AND 450 ORANGE)	Pos./Ind.
V67XMJ	Hemastix	Pos./Ind.		HEMASTIX AND HEXAGON	Pos./Ind.
	HemaTrace	Pos./Ind.		OBTI AND BLUESTAR	Pos./Ind.
	KM	Pos./Ind.	WDD4U7	KM	Pos./Ind.
V7HR8P	LMG	Pos./Ind.	WJJN4W	KM	Pos./Ind.
VDWF4C	KM	Pos./Ind.		HemaTrace	Pos./Ind.
VHRDQH	Phenolphthalein	Pos./Ind.	WL87X3	Not required as per lab SOP	
VL83R8	KM	Pos./Ind.	WU36UH	KM	Pos./Ind.
	Micro (Modified Takayama)	Pos./Ind.		HemaTrace	Pos./Ind.
VLBAB3	PT	Pos./Ind.			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
WZ82F4	O-tol	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	YLZW39	Hemastix	Pos./Ind.
X8YXFB	Hemastix	Pos./Ind.		KM	Pos./Ind.
	Hematrace	Pos./Ind.		HemaTrace	Pos./Ind.
XFT7Z3	O-tol	Pos./Ind.	Z7X7H9	HEMASTIX	Pos./Ind.
	HemaTrace	Pos./Ind.		BLUE STAR OBTI	Pos./Ind.
XNNVX7	KM	Pos./Ind.	ZAXZA6	Thevenon Roland Piramidon	Pos./Ind.
	OBTI	Pos./Ind.		ABAcad HemaTrace	Pos./Ind.
XPW6MH	KM	Pos./Ind.	ZBQVWD	Benzidine	Pos./Ind.
XTZWZP	KM	Pos./Ind.		Heme Direct Kit	Pos./Ind.
	Hemastix	Pos./Ind.	ZC38GG	RSID: BLOOD	Pos./Ind.
	HemaTrace	Pos./Ind.		HEMASTIX	Pos./Ind.
XUT7UJ	CRIME LIGHT SOURCE	Pos./Ind.	ZGHDFC	HEMATRACE	Pos./Ind.
	HEMASTIX	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		RSID	Pos./Ind.
	BLUE STAR	Pos./Ind.		BLUE STAR TMB	Pos./Ind.
XW2VFN	KM	Pos./Ind.	ZKGED8	ABA card HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	ZKYJTK	KM	Pos./Ind.
XYQ8C9	KM	Pos./Ind.	ZPBBZD	LMG	Pos./Ind.
	Hematrace	Pos./Ind.		RSID-Blood	Pos./Ind.
XZK2Q4	HemaTrace - Human Blood	Pos./Ind.	ZUHJ2U	BLUESTAR OBTI	Pos./Ind.
YA4QAA	Hemastix	Pos./Ind.		HEMASTIX	Pos./Ind.
	KM	Pos./Ind.	ZVHV94	KM	Pos./Ind.
YA8BYX	km	Pos./Ind.	ZWQRCZ	LIGHT SOURCE UV AND 450	Pos./Ind.
	hematrace	Pos./Ind.		HEMASTICS	Pos./Ind.
YG3KWA	A genital swab that has blood is regarded as bloody in our laboratory and no presumptive testing is done			HEXAGON	Pos./Ind.
				BLUESTAR	Pos./Ind.
YHGYCW	KM	Pos./Ind.			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
ZX7E4A	bloody swabs from the genital area are regarded as brentamine positive and are not tested				
ZXLN33	KM	Pos./Ind.			
	Modified Takayama	Pos./Ind.			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Not tested as per Evidence Recovery SOP			RSID - Semen	Pos./Ind.
			2T96LL	AP	Pos./Ind.
2AHUWZ	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	2ZU2MP	Microscopy (smear)	Pos./Ind.
2BNZTE	RSID	Pos./Ind.	32HUYJ	AP	Pos./Ind.
2DYJV4	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	36HAYU	AP	Pos./Ind.
2EA44D	AP	Pos./Ind.		p30	Pos./Ind.
	Micro	Pos./Ind.		KPIC	Pos./Ind.
2EPLHJ	Blood swab - not tested with Brentamine (refer to comments)		36LPHM	AP	Pos./Ind.
				Micro	Pos./Ind.
2GBQFA	RSID	Pos./Ind.		p30	Pos./Ind.
	HEMATRACE	Pos./Ind.	379DR2	Micro	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.	37B3UD	ALS	Inconclusive
	BLUE STAR	Pos./Ind.		RSID	Pos./Ind.
2HTFKV	AP	Pos./Ind.		Micro	Pos./Ind.
	ABA p30	Pos./Ind.	3AFL6T	AP	Pos./Ind.
	Micro	Pos./Ind.		P30	Pos./Ind.
2KHJD2	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	3FJPVQ	Acid Phosphatase	Pos./Ind.
2MHWRE	Visual screening of swabs			Semenogelin	Pos./Ind.
2NHVBM	AP	Pos./Ind.		Microscopy	Pos./Ind.
	PSA	Pos./Ind.	3FZKXL	ACP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
2QLQT6	AP	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.	3LZP8A	RSID	Pos./Ind.
	micro	Pos./Ind.		HEMA TRACE	Pos./Ind.
2REJNN	Acid Phosphatase	Pos./Ind.		OBTI	Pos./Ind.
	Microscopic	Pos./Ind.		BLUE STAR TMB	Pos./Ind.
2T7MB4	Microscopic	Pos./Ind.	434GN6	RSID	Pos./Ind.

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
44JEZP	AP	Pos./Ind.		ABAcad - P30	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
	ABAcad P30	Pos./Ind.	6AKLRP	HEMASTIX	Negative
4FVTWV	AP	Pos./Ind.		HEXAGON OBTI	Negative
	MICRO	Pos./Ind.		RSID	Pos./Ind.
4GMPH6	ALS	Negative		BLUESTAR	Negative
	AP	Pos./Ind.	6BFEAB	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
4GTYJH	AP	Pos./Ind.	6CR9RW	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
4H3YJH	AP	Pos./Ind.	6HFZTX	RSID-Semen	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
4K8U2Z	AP	Pos./Ind.	6MR2Y3	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
4KQD9T	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	6TGGRF	AP	Pos./Ind.
	Micro	Pos./Ind.	6V2EWX	SPERM HY-LITER PI	Pos./Ind.
4MTXQD	RSID: SEMEN	Inconclusive	6Y7VE2	AP	Pos./Ind.
4RMHPB	ALS	Pos./Ind.		PSA	Pos./Ind.
	RSID	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	6ZWY89	AP	Pos./Ind.
4YNCQA	UV + 450 LIGHT SOURCES	Inconclusive		Micro	Pos./Ind.
62RP7V	AP	Pos./Ind.	76MTGE	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
62TB7H	BCIP	Pos./Ind.	7CQXBJ	Microscopy	Pos./Ind.
	Micro	Pos./Ind.	7M3L4A	ALS - NM450	Pos./Ind.
63PVUG	AP	Pos./Ind.	7Q762P	AP	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
66CRZM	AP	Pos./Ind.			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
7RYXW9	ALS	Pos./Ind.		RSID SEMEN	Negative
	RSID	Pos./Ind.		BLUESTAR	Negative
	HE microscopy	Pos./Ind.	9CJEFR	AP	Pos./Ind.
7TDDEF	AP	Pos./Ind.		SERATEC PSA	Pos./Ind.
	Micro	Pos./Ind.	9MH4F2	AP	Pos./Ind.
83D7GF	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	9MYHMC	AP 1 step & 2 step	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
84QXAW	AP	Pos./Ind.		P30	Pos./Ind.
	Micro	Pos./Ind.	9NCZJ3	Not tested; Bloody swabs	
8EB7W6	AP	Pos./Ind.	9P4W9W	AP	Pos./Ind.
8EQRP8	UV LIGHT SOURCE	Inconclusive		P-30	Pos./Ind.
8GYKKE	AP	Pos./Ind.		KPIC	Pos./Ind.
	PSA (Abacus)	Pos./Ind.	9PNN43	AP	Pos./Ind.
	Microscopic	Pos./Ind.		Microscopic exam for sperm	Pos./Ind.
8JJED9	ALS	Pos./Ind.	9RAGWW	AP	Pos./Ind.
	RSID	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
8LQQF4	AP	Pos./Ind.	9RU9UM	AP	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		PELLET SLIDE/ MICRANALYSIS	Pos./Ind.
8VULV8	RSID SEMEN	Pos./Ind.	9TL6HG	AP	Pos./Ind.
8XMTKX	AP	Pos./Ind.		p30	Pos./Ind.
	MICRO	Pos./Ind.		Microscopy	Pos./Ind.
	P30	Pos./Ind.	A2FJWM	AP	Pos./Ind.
8Z9MCR	AP	Pos./Ind.		Micro	Pos./Ind.
	Seratec PSA Semiquant	Pos./Ind.		PSA	Pos./Ind.
	ME (micro)	Pos./Ind.			
99WCD7	HEMASTIX	Negative	A4KAYW	Christmas Tree Coloring	Pos./Ind.
	RSID BLOOD	Negative		RSID - Human Semen	Pos./Ind.

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
A8GXF4	P30	Pos./Ind.	BYLCPV	AP	Pos./Ind.
	Micro	Pos./Ind.		MICRO	Pos./Ind.
AA9WU2	Bloody post-coital swabs treated as being brentamine positive		CA2GHD	AP	Pos./Ind.
				PSA	Pos./Ind.
ACAFY2	RSID	Pos./Ind.		Micro	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.	CAXERZ	RSID	Pos./Ind.
	HEMASTIX	Pos./Ind.	CERYQW	The laboratory doesn't perform any preliminary tests for bloody swabs	
ACDKAR	ALS	Pos./Ind.			
	AP	Pos./Ind.	CGMDL3	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
AD84J6	AP	Pos./Ind.	CRHT3Q	RSID-Semen	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
AL37GB	bloody - not tested. Bloody post - coital swabs treated as positive (refer to SOP).		CX379X	RSID	Pos./Ind.
			D23C7M	AP	Pos./Ind.
AL6TZA	AP	Pos./Ind.		micro	Pos./Ind.
	PSA/p30	Pos./Ind.	D48P24	AP Spot	Pos./Ind.
	microscopic exam	Pos./Ind.		Micro	Pos./Ind.
AXDLLU	Christmas Tree Stain Slide (Micro)	Pos./Ind.	DB47DL	ALTERNATE LIGHT SOURCE	Pos./Ind.
	RSID - Semen	Pos./Ind.		RSID	Pos./Ind.
AZNJZC	AP, PSA, Micro	Pos./Ind.	DJ7PZX	AP	Pos./Ind.
BC7UHY	Not tested; Bloody swabs			Micro	Pos./Ind.
BHV8L9	Bloody (not tested)		DJYM4X	Bloody swabs are not tested	
BNRRWJ	AP	Pos./Ind.	DTRWDT	AP	Pos./Ind.
	P30	Pos./Ind.		MICRO	Pos./Ind.
BXMMNZ	BLUE STAR OBTI	Pos./Ind.	DU7H9P	AP	Pos./Ind.
	RSID	Pos./Ind.		PSA	Pos./Ind.
	HEMASTIX	Pos./Ind.	DWQB2J	AP	Pos./Ind.
	BLUE STAR TMB	Pos./Ind.		PSA	Pos./Ind.
BXR7C3	RSID SEMEN	Pos./Ind.		Micro	Pos./Ind.

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
DXJ4W3	ALS	Pos./Ind.	EXKCQ8	AP	Pos./Ind.
	RSID	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	EYTTCJ	ALS	Inconclusive
DZAGJE	Micro	Pos./Ind.		AP	Pos./Ind.
E4LATW	RSID	Pos./Ind.	F3R8XN	RSID-Semen	Pos./Ind.
	OBTI	Pos./Ind.		PSA	Pos./Ind.
	HEMATRACE	Pos./Ind.	F6EW78	AP	Pos./Ind.
	BLUE STAR	Pos./Ind.		Micro	Pos./Ind.
E6FLX	Ap	Pos./Ind.	FGN89G	RSID	Pos./Ind.
E7CUZA	AP	Pos./Ind.		CRIME LIGHT	Pos./Ind.
	Micro	Pos./Ind.	FNPZGX	ALS	Pos./Ind.
	PSA	Pos./Ind.		RSID	Pos./Ind.
E88KZW	Brentamine; Bloody swabs are not test according to the S.O.P. They are treated as Brentamine positive			Micro	Pos./Ind.
			FQD862	Bloody (not tested); see additional comments	
			FRQ2K2	No presumptive tests performed; Bloody not tested as per S.O.P.	
EAWQKT	AP	Pos./Ind.	FUUP94	AP	Pos./Ind.
	PSA	Pos./Ind.		micro	Pos./Ind.
	Micro	Pos./Ind.	G3QMUL	AP	Pos./Ind.
EGXWKP	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
EH74NH	AP	Pos./Ind.	G78A76	AP	Pos./Ind.
	ABAcad P30	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	GCN8TK	LIGHT SOURCE, UV	Inconclusive
ELNDQN	AP	Pos./Ind.	GFRLFV	AP	Pos./Ind.
EQYNK4	Bloody not tested with Brentamine (see additional comments)			Micro	Pos./Ind.
ERVWXU	AP	Pos./Ind.	GG2DLT	We don't test bloody swabs	
	Micro	Pos./Ind.			
EW8P6M	AP	Pos./Ind.	GHGRZU	AP	Pos./Ind.
	Microscope Slide (Xmas tree)	Pos./Ind.		Micro	Pos./Ind.

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GJCHYG	AP	Pos./Ind.	HYKJGP	AP	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		micro	Pos./Ind.
GK9QDR	AP	Pos./Ind.	HZCRGR	Bloody swabs, not tested; Presumed pos for semen	
	PSA	Pos./Ind.			
	Micro	Pos./Ind.	J7E9BY	AP	Pos./Ind.
GKKKUT	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
GM8BVW	Ap	Pos./Ind.	J8QU3K	Christmas Tree	Pos./Ind.
GQPLUM	AP	Pos./Ind.		RSID - Semen	Pos./Ind.
	Micro	Pos./Ind.	JC2YXU	Acid Phosphatase	Pos./Ind.
GY4826	AP	Pos./Ind.		Microscopic	Pos./Ind.
	Micro	Pos./Ind.	JKW22Q	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
GZYQ8D	AP	Pos./Ind.	JML8LM	AP	Pos./Ind.
	Micro (sperm)	Pos./Ind.		microscopic	Pos./Ind.
H8DUT7	AP	Pos./Ind.	JNW8K3	AP	Pos./Ind.
	Micro	Pos./Ind.		X-mas	Pos./Ind.
	P30	Pos./Ind.	JQZZE2	AP	Pos./Ind.
H93UJG	ALS	Negative		Micro	Pos./Ind.
H9486W	ALS	Pos./Ind.	JT88TM	Christmas Tree Stain	Pos./Ind.
	RSID	Pos./Ind.		RSID - Semen	Pos./Ind.
	Micro	Pos./Ind.	JUX9EH	RSID	Pos./Ind.
HAXTYM	Christmas Tree Stain	Pos./Ind.		PRESUMPTIVE TEST UV LIGHT	Negative
HBW9W7	AP	Pos./Ind.	JVCCBU	RSID: SEMEN	Negative
	Micro	Pos./Ind.	JVY6M6	AP	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
HM8LCL	AP	Pos./Ind.		micro	Pos./Ind.
	Micro	Pos./Ind.	KCJ8LN	AP	Pos./Ind.
HTQ94X	UV; 450nm ;ORANGE GOGGLES	Inconclusive		micro	Pos./Ind.

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
KNDKLK	AP	Pos./Ind.		RSID semen	Pos./Ind.
	Micro	Pos./Ind.	MK2U2A	AP and Slide	Pos./Ind.
KP6N9Z	Not tested, we don't test any bloody genital swabs		MTWPA7	AP	Pos./Ind.
				Micro	Pos./Ind.
L9TMUP	AP	Pos./Ind.		ABACard P30	Pos./Ind.
	Micro	Pos./Ind.	MXQTUW	Bloody (not tested)	
LCG2HY	AP	Pos./Ind.	MZFZEU	Brentamine; bloody (not tested)	
	PSA	Pos./Ind.	NCKNDT	HEMASTIX	Pos./Ind.
	Micro	Pos./Ind.		RSID	Pos./Ind.
LE2VBT	ALS	Pos./Ind.	NJPDQG	AP	Pos./Ind.
	RSID	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	NT9FLA	CRIME LIGHT SOURCES	Pos./Ind.
LFP7RQ	RSID	Pos./Ind.		RSID	Pos./Ind.
	OBTI	Pos./Ind.	NTDB9A	AP	Pos./Ind.
	HEMASTIC	Pos./Ind.		PSA	Pos./Ind.
	TMB	Pos./Ind.		MICRO	Pos./Ind.
LM9AYT	LIGHT SOURCE UV	Inconclusive			
LPZTZE	AP	Pos./Ind.	NU744T	ALS	Pos./Ind.
	Microscopic slides	Pos./Ind.		RSID	Pos./Ind.
LQF3XL	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	NX3PWG	PSA	Pos./Ind.
LQRPMM	Micro	Pos./Ind.		MICRO	Pos./Ind.
LR428Q	RSID	Pos./Ind.	PBPEAR	Not tested, as per Evidence Recovery SOP	
LYLCLQ	RSID	Pos./Ind.	PC4NKD	Christmas Tree Stain	Pos./Ind.
M2UMR2	AP	Pos./Ind.		RSID - Semen	Pos./Ind.
	Micro	Pos./Ind.	PJ46VJ	ALS	Pos./Ind.
M4G2KH	AP	Pos./Ind.		RSID	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
M8JW77	AP	Pos./Ind.			
	Micro	Pos./Ind.			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
PRG82K	ALS	Negative	QXGPDB	AP	Pos./Ind.
	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	R38JQ3	AP	Pos./Ind.
PRWDHV	Brentamine: Bloody swab; Not tested			Micro	Pos./Ind.
PUYG4Q	ALS	Pos./Ind.	RB2X3M	ALS	Pos./Ind.
	RSID	Pos./Ind.		RSID	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
PWNMNM	ALS	Pos./Ind.	RFCNUA	AP	Pos./Ind.
	AP	Pos./Ind.	RGPHAA	AP	Negative
	RSID	Pos./Ind.		Micro	Pos./Ind.
	MICRO	Pos./Ind.		PSA	Pos./Ind.
PX332N	Acid Phosphatase	Pos./Ind.		ALS	Inconclusive
	Abacus PSA	Pos./Ind.	RJGGN9	PSA	Pos./Ind.
	Microscopic Sperm	Pos./Ind.		Micro (sperm)	Pos./Ind.
PXMNRT	Brentamine	Pos./Ind.	RKAHEW	AP	Pos./Ind.
PYFL3K	Bloody not tested			Micro	Pos./Ind.
Q2VN7W	AP	Pos./Ind.	RMYPYT	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
Q4KECM	RSID SEMEN	Negative	RRTQXM	AP	Pos./Ind.
Q4P8C4	Acid Phosphatase	Pos./Ind.		Micro	Pos./Ind.
	Microscopic examination for sperm	Pos./Ind.	RUCMH7	AP	Pos./Ind.
Q9Z8PU	As per SOP (SOP Evidence Recovery); (Semen not tested)			P30	Pos./Ind.
				KPIC	Pos./Ind.
QHGTCC	RSID	Pos./Ind.	RVR3V8	AP	Pos./Ind.
				PSA	Pos./Ind.
QLRUYW	AP	Pos./Ind.		Microscopic	Pos./Ind.
	Micro	Pos./Ind.	RWZ27G	PHOSPHADESMO	Pos./Ind.
QQWXGH	AP	Pos./Ind.		SERATEC PSA	Pos./Ind.
QUJ6CC	AP	Pos./Ind.			
	Micro	Pos./Ind.			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
RXUXGV	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.			
	PSA	Pos./Ind.			
RYQH4V	AP	Pos./Ind.	UAE9VC	According to our SOP bloody post coital swabs are submitted as brentamine positive and should not be tested.	
	Abacus Card - PSA	Pos./Ind.			
	micro	Pos./Ind.	UGJWWT	AP	Pos./Ind.
TEKZXZ	AP	Pos./Ind.		PSA	Pos./Ind.
	ABAcad p30	Pos./Ind.	UKVC24	ALS	Negative
	Micro	Pos./Ind.	ULWJTJ	ALS	Inconclusive
TGM3LF	AP	Pos./Ind.		p30	Pos./Ind.
	Micro	Pos./Ind.	UNYNYC	AP	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
TJPM6M	LIGHT SOURCE UV	Inconclusive		Micro	Pos./Ind.
TLEG2A	Sperm HyLiter PI	Pos./Ind.	UPTAR3	PSA	Pos./Ind.
TWVYXM	Bloody, not tested			Micro	Pos./Ind.
	Bloody, not tested		V3FUUC	AP	Pos./Ind.
	Bloody, not tested			PSA	Pos./Ind.
	Bloody, not tested			Micro	Pos./Ind.
TXBD9H	AP	Pos./Ind.	V67XMJ	Acid Phosphatase	Pos./Ind.
	MICRO	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.		Microscopic	Pos./Ind.
TY3YXF	RSID	Pos./Ind.	V7HR8P	AP	Pos./Ind.
TZW8ZC	Christmas Tree	Pos./Ind.		Micro	Pos./Ind.
	Semenogelina	Pos./Ind.		ALS	Pos./Ind.
U32AAE	AP	Pos./Ind.	VDWF4C	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
U8UALN	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	VHRDQH	Acid Phosphatase	Pos./Ind.
	Micro	Pos./Ind.		Microscopic	Pos./Ind.
U9LC94	AP	Pos./Ind.			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
VL83R8	AP	Pos./Ind.	WJN4W	AP	Pos./Ind.
	Micro (Xmas Tree Stain)	Pos./Ind.		ABAcad P30	Pos./Ind.
VLBAB3	AP (Test 1)	Pos./Ind.		Micro	Pos./Ind.
	AP (Test 2)	Negative	WL87X3	Micro	Pos./Ind.
	AP (Test 3)	Negative	WU36UH	AP	Pos./Ind.
	AP (Test 4)	Negative		Micro	Pos./Ind.
VLUDNU	AP, Micro	Pos./Ind.	WZ82F4	AP	Pos./Ind.
VQ3WMM	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA (Seratec)	Pos./Ind.	X8YXFB	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
VREV3H	RSID SEMEN	Negative		Microscopy	Pos./Ind.
VRXC26	AP	Pos./Ind.	XFT7Z3	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
VWM2D3	AP	Pos./Ind.	XNNVX7	SPERM HY-LITER PI	Pos./Ind.
	PSA	Pos./Ind.	XPW6MH	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
VYT2EF	RSID	Pos./Ind.	XTLCCL	Brentamine	Pos./Ind.
	HEMASTIC	Pos./Ind.	XTZWZP	AP	Pos./Ind.
	BLUE STAR	Pos./Ind.		Micro	Pos./Ind.
	OBTI	Pos./Ind.		PSA	Pos./Ind.
W77RFK	Swabs were bloody. No brentamine test performed, as colour change would not have been visible due to the presence of blood		XUT7UJ	CRIME LIGHT 450 AND 415	
			XW2VFN	AP	Pos./Ind.
				Micro	Pos./Ind.
				P30-ABAcad	Pos./Ind.
W842RB	AP	Pos./Ind.	XYQ8C9	ALS	Negative
	PSA	Pos./Ind.		AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
WD7N44	LIGHT SOURCE	Inconclusive	XZK2Q4	Microscopic - Christmas Tree	Pos./Ind.
WDD4U7	AP	Pos./Ind.			
	Micro	Pos./Ind.			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
YA4QAA	AP	Pos./Ind.	ZPBBZD	AP	Pos./Ind.
	PSA	Pos./Ind.		RSID-Semen	Pos./Ind.
	Micro	Pos./Ind.	ZVHV94	AP	Pos./Ind.
YA8BYX	ap	Pos./Ind.		PSA	Pos./Ind.
	psa	Pos./Ind.	ZWQRCZ	LIGHT SOURCE UV; 450	Inconclusive
	micro	Pos./Ind.	ZX7E4A	bloody swabs from the genital area are regarded as brentamine positive and are not tested	
YG3KWA	A genital swab that has blood is regarded as bloody in our laboratory and no presumptive testing is done		ZXLN33	AP	Pos./Ind.
YHGYCW	AP	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.			
YLZW39	AP	Pos./Ind.			
	PSA	Pos./Ind.			
	micro	Pos./Ind.			
Z7X7H9	RSID	Pos./Ind.			
ZAXZA6	Microscopic - Christmas Tree	Pos./Ind.			
	RSID - Semen	Pos./Ind.			
ZBQVWD	AP (Acid Phosphatase)	Pos./Ind.			
	PSA	Pos./Ind.			
	Micro	Pos./Ind.			
ZC38GG	RSID: SEMEN	Negative			
ZGHDFC	RSID	Pos./Ind.			
	HEMATRACE	Pos./Ind.			
	HEXAGON OBTI	Pos./Ind.			
	BLUE STAR TMB				
ZKGED8	ABA card P30	Pos./Ind.			
ZKYJTK	AP	Pos./Ind.			
	Micro	Pos./Ind.			

TABLE 2 - Item 3

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Not tested - Tests for possible saliva not conducted at [Laboratory]		3LZP8A	RSID	
2AHUWZ	Phadebas	Negative		HEMA-TRACE	
2DYJV4	RSID	Negative		OBTI	
2EA44D	RSID	Negative	44JEZP	BLUE STAR TMB	
2EPLHJ	No test available - (submit for epithelia, refer to comments)		4FVTWV	Phadebas	Negative
2HTFKV	RSID	Negative	4GMPH6	PHADEBAS TUBE TEST	Negative
2KHJD2	Not tested because vaginal fluid can give a false positive result for saliva and our lab does not routinely test for saliva in the vaginal area.		4GTYJH	Amylase Radial Diffusion	Negative
2MHWRE	No preliminary saliva; (This test) is not done at our lab.		4H3YJH	RSID saliva	Negative
2NHVBM	amylase diffusion	Negative	4K8U2Z	Amylase Diffusion	Inconclusive
2QLQT6	RSID	Negative	4KQD9T	Phadebas Amylase	Negative
2REJNN	RSID	Negative	62RP7V	Not indicated by scenario	
2T7MB4	The Laboratory's portfolio of services does not include Saliva Identification		62TB7H	AMYLASE DIFFUSION	
2T96LL	Amylase	Negative	63PVUG	our laboratory doesn't conduct saliva testing, we conduct amylase testing	
2ZU2MP	RSID	Negative	66CRZM	RSID	Negative
32HUYJ	Amylase	Inconclusive	6AKLRP	Phadebas	Negative
36HAYU	Phadebas	Negative		HEMASTIX	Negative
36LPHM	Amylase diffusion	Negative		HEXAGON OBTI	Negative
379DR2	The Laboratory's portfolio of services does not include Saliva Identification			RSID	Negative
3AFL6T	RSID-Saliva	Negative		BLUESTAR	Negative
3FJPVQ	Phadebas	Negative	6BFEAB	RSID	Negative
3FZKXL	Amylase Diffusion	Negative	6CR9RW	Phadebas	Negative
			6HFZTX	Laboratory only routinely performs blood and/or semen tests for sexual assault cases.	
			6MR2Y3	RSID-Saliva	Negative

TABLE 2 - Item 3

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
6V2EWX	Swab of genital area generally tested for semen. It is also tested for blood when there is blood-like stain observed. NT for saliva unless specified.		A4KAYW	The Laboratory's portfolio of services does not include Saliva Identification	
6Y7VE2	RSID	Negative	A8GXF4	Phadebas	Negative
6ZWY89	RSID	Negative	AD84J6	RSID	Negative
76MTGE	RSID Saliva	Negative	AJNFWP	HEMASTIX	Pos./Ind.
7CQXBJ	Phadebas	Negative	AL6TZA	SALlgAE	Negative
7M3L4A	ALS - NM450, UV, NM415	Inconclusive	AXDLLU	The Laboratory's portfolio of services does not include Saliva Identification	
7Q762P	RSID	Negative	AZNJZC	RSID - Saliva	Negative
7TDDEF	RSID	Negative	BC7UHY	Not tested; the laboratory doesn't have a test for saliva	
83D7GF	RSID Saliva	Negative	BNRRWJ	Phadebas	Negative
84QXAW	Phadebas Amylase Test	Negative	BXMMNZ	OBTI	Negative
8EB7W6	Case Scenario; Lab Policy			RSID	Negative
8GYKKE	RSID saliva	Negative		HEMASTIX	Negative
8LQQF4	RSID	Negative		BLUE STAR TMB	Negative
8XMTKX	RSID	Negative	BYLCPV	AMYLASE RADIAL DIFFUSION	Negative
8Z9MCR	Seratec Amylase	Negative	CA2GHD	RSID	Negative
9CJEFR	PHADEBAS	Negative	CERYQW	The laboratory does not perform any preliminary tests for saliva	
9MH4F2	RSID	Negative	CGMDL3	RSID	Negative
9MYHMC	Amylase Diffusion	Negative	CRHT3Q	Laboratory only routinely test for blood and/or semen in sexual assault cases.	
9NCZJ3	Not tested; There is no test for saliva in a lab		D23C7M	RSID	Negative
9P4W9W	Phadebas	Negative	D48P24	Radial Diffusion	Negative
9PNN43	RSID saliva	Negative	DJ7PZX	RSID	Negative
9RAGWW	Phadebas	Negative	DJYM4X	The laboratory has no test for saliva	
9RU9UM	RSID	Negative			
9TL6HG	RSID	Negative			
A2FJWM	RSID	Negative			

TABLE 2 - Item 3

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
DTRWDT	Amylase Radial Diffusion	Negative	GFRLFV	RSID	Negative
DU7H9P	Phadebas	Negative	GG2DLT	Test would not be applicable on genital swabs	
DWQB2J	Radial Diffusion	Negative	GHGRZU	RSID saliva	Negative
DZAGJE	Not required as per lab SOP.		GJCHYG	Amylase radial diffusion	Negative
E4LATW	RSID	Negative	GK9QDR	RSID	Negative
	OBTI	Negative	GKKKUT	RSID	Negative
	HEMASTIC	Negative	GQPLUM	RSID	Negative
	BLUE STAR	Negative	GY4826	RSID - Saliva	Negative
E7CUZA	RSID	Negative	GZYQ8D	NT - Sample directly from genital area - expectation of possible vaginal amylase	
E88KZW	The laboratory does not have a test for saliva		H8DUT7	Amylase Diffusion	Negative
EAWQKT	Amylase Radial Diffusion	Pos./Ind.	H93UJG	ALS	Negative
	Micro	Negative	HAXTYM	The Laboratory's portfolio of services does not include Saliva Identification	
EGXWKP	RSID	Negative	HBW9W7	amylase diffusion	Negative
EH74NH	RSID-Saliva	Negative	HM8LCL	Phadebas	Negative
ERVWXU	RSID	Negative	HYKJGP	RSID	Negative
EW8P6M	Phadebas	Negative	HZCRGR	No validated saliva test at lab	
EXKCQ8	Amylase	Inconclusive	J8QU3K	The Laboratory's portfolio of services does not include Saliva Identification	
EYTTCJ	Our lab does not test for saliva		JC2YXU	RSID-Saliva	Negative
F3R8XN	Laboratory only routinely examines for blood and/or semen in sexual assault cases.		JKW22Q	Case scenario didn't warrant it	
F6EW78	RSID Saliva	Negative	JML8LM	RSID	Negative
FQD862	See additional comments		JNW8K3	Amylase	Negative
FRQ2K2	No presumptive testing		JQZZE2	Amylase diffusion	Negative
FUUP94	amylase diffusion	Negative			
G3QMUL	Lab does not test for saliva				
G78A76	Amylase Diffusion	Negative			

TABLE 2 - Item 3

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
JT88TM	The Laboratory's portfolio of services does not include Saliva Identification		PC4NKD	The Laboratory's portfolio of services does not include Saliva Identification	
JUX9EH	MULTISTIX	Pos./Ind.	PRG82K	ALS	Negative
JVYM6	RSID	Negative		RSID Saliva	Negative
KCJ8LN	RSID	Negative	PWNMNM	ALS	Pos./Ind.
KNDKLK	RSID	Negative		RSID	Negative
KP6N9Z	Not tested, no saliva presumptive tests are performed at the lab		PX332N	RSID - Saliva	Negative
L9TMUP	RSID	Negative	PYFL3K	Saliva test not performed at our laboratory	
LCG2HY	RSID saliva	Negative	Q2VN7W	RSID saliva	Negative
LFP7RQ	RSID		Q4P8C4	Phadebas Press Test	Negative
	OBTI		Q9Z8PU	Not tested, saliva tests not performed at [Laboratory]	
	HEMASTIC		QLRUYW	RSID	Negative
	TMB		QUJ6CC	Phadebas	Negative
LPZTZE	Phadebas	Negative	QXGPDB	Phadebas	Negative
LQF3XL	RSID-Saliva	Negative	R38JQ3	Phadebas paper	Negative
LQRPMM	as per lab SOP (not required)		RJGGN9	Amylase Gel	Negative
M2UMR2	RSID saliva	Negative		Micro (NECs = 1)	Pos./Ind.
M4G2KH	RSID	Negative	RKAHEW	Amylase Diffusion	Negative
M8JW77	RSID saliva	Negative	RMYPYT	Amylase Diffusion	Negative
MK2U2A	Phadebas tube test not available		RRTQXM	RSID	Negative
MTWPA7	Phadebas	Negative	RUCMH7	Phadebas	Negative
NJPDQG	RSID	Negative	RVR3V8	alpha-Amylase Test card	Negative
NTDB9A	Phadebas	Negative	RWZ27G	SERATEC AMY	Negative
NX3PWG	PHADEBAS	Negative	RXUXGV	Amylase diffusion	Negative
PBPEAR	Not tested; Tests for presumable saliva are not performed at [Laboratory] (see comments)		RYQH4V	RSID - Saliva	Negative
			TEKZXZ	Phadebas	Negative
			TGM3LF	RSID	Negative

TABLE 2 - Item 3

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
TLEG2A	Intimate swabs not tested for saliva		VQ3WMM	SALlgAE	Negative
TXBD9H	Radial Diffusion	Negative	VRXC26	RSID	Negative
TZW8ZC	The Laboratory's portfolio of services does not include Saliva Identification		VWM2D3	Amylase	Negative
U32AAE	Not tested due to potential for false positive and oral contact not alleged in case details			RSID	Negative
U8UALN	Saligae	Negative	W842RB	RSID	Negative
U9LC94	Ambiguity with amylase activity within the vagina. Absence/presence of amylase would not help address presence of saliva.		WDD4U7	Radial Diffusion	Negative
UAE9VC	Laboratory does not perform this test		WJN4W	Phadebas	Negative
UGJWVT	Phadebas	Negative	WL87X3	Not required as per lab SOP	
UKVC24	ALS	Negative	WU36UH	RSID	Negative
UNYNYC	Amylase	Negative	WZ82F4	RSID	Negative
	Micro	Negative	X8YXFB	RSID	Negative
UPTAR3	Phadebas	Negative	XFT7Z3	RSID	Negative
V3FUUC	RSID	Negative	XNNVX7	Laboratory will conduct test for saliva only if the results for blood and semen are negative	
V67XMJ	RSID saliva	Negative	XPW6MH	Amylase	Negative
V7HR8P	Amylase diffusion	Negative	XTZWZP	RSID Saliva	Negative
VDWF4C	RSID saliva	Negative	XUT7UJ	CRIME LIGHT 450 AND 415	
VHRDQH	RSID	Negative	XW2VFN	Phadebas	Negative
VL83R8	Since amylase (a component of saliva) can also be detected in vaginal secretions, our laboratory does not routinely test these samples for amylase.		XYQ8C9	ALS	Negative
VLUDNU	RSID Saliva	Negative		RSID - saliva	Negative
			XZK2Q4	RSID - Saliva	Negative
			YA4QAA	RSID-Saliva	Negative
			YA8BYX	rsid	Negative
			YHGYCW	RSID Saliva	Negative
			YLZW39	RSID	Negative
			ZAXZA6	The Laboratory's portfolio of services does not include Saliva Identification	
			ZKGED8	We don't test for saliva in genital area	

TABLE 2 - Item 3

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
ZKYJTK	RSID	Negative			
ZPBBZD	RSID-Saliva	Negative			
ZVHV94	Phadebas amylase	Negative			
ZXLN33	Female Victim - genital area contains vaginal secretions which contain amylase and react + with phadebas test. Swabs not tested with phadebas test.				

TABLE 2 - Item 3

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
2GBQFA	SEMEN - RSID	Pos./Ind.		Faecal - not tested - no obvious visible faecal staining or faecal odour	
	BLOOD - HEXAGON OBTI	Pos./Ind.			
	BLOOD - HEMATRAACE	Pos./Ind.	GJ8JMC	ALS	Inconclusive
2MHWRE	Visual screening of the swabs were done. They were bloody according to our SOP a visual screening of blood from genital areas is seen as semen pos.		GM924Z	Bloody Post-Coital Swabs - treated as brentamine positive and not tested with reagents according to SOP	Pos./Ind.
2QLQT6	ALS	Negative	KTZ2QB	415 TOUCH	
3LZP8A	BLOOD - OBTI+ HEMA TRACE	Pos./Ind.	LFP7RQ	BLOOD - HEMASTIC	Pos./Ind.
	SEMEN - RSID	Pos./Ind.		SEMEN - RSID	Pos./Ind.
48YHKR	ITEM3 - POLIGHT SOURCE USED NO COLOUR CHANGE 450; UV; 415 LIGHT TESTED	Negative	NCNKDT	BLOOD - POLIFLARE 450nm LIGHT	Pos./Ind.
			NENXT7	ALS	Pos./Ind.
62TB7H	Amylase-Amylase Diffusion	Inconclusive	PX332N	Alternate Light Source	Pos./Ind.
9MH4F2	Alternate Light Source	Negative	QCVK76	ITEM 3 - POLILIGHT SOURCE USED NO COLOUR CHANGE 450, 415, AND UV LIGHTS	Inconclusive
ACAFY2	BLOOD - HEMASTIX	Pos./Ind.	RFCNUA	MICROSCOPY FOR SPERMHEAD	Pos./Ind.
	SEMEN - RSID	Pos./Ind.	TRX263	ASL 450, ORANGE FILTER	Pos./Ind.
	BLOOD - HEXAGON OBTI	Pos./Ind.	VYT2EF	BLOOD - HEMASTIC	Pos./Ind.
	BLOOD - BLUE STAR	Pos./Ind.		SEMEN - RSID	Pos./Ind.
BXMMNZ	BLOOD - RSID	Pos./Ind.	X8YXFB	ALS	Pos./Ind.
	SEMEN - RSID	Pos./Ind.	ZGHDFC	BLOOD - HEXAGON OBTI	Pos./Ind.
E4LATW	BLOOD - OBTI	Pos./Ind.		SEMEN - RSID	Pos./Ind.
	SEMEN - RSID	Pos./Ind.		BLOOD - HEMATRAACE	Pos./Ind.
	BLOOD - BLUE STAR	Pos./Ind.	ZPBBZD	Urine - RSID-Urine	Negative
	SALIVA - RSID	Negative	ZUHJ2U	ALS; 450, ORANGE FILTER	Pos./Ind.
EW8P6M	Urine - not tested - no smell				

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Hemastix (H/Stix)	Pos./Ind.	2ZU2MP	Hemastix	Pos./Ind.
2AHUWZ	KM	Pos./Ind.	32HUYJ	KM	Pos./Ind.
	ABA Hematrace	Pos./Ind.	36HAYU	KM	Pos./Ind.
2BNZTE	HEMASTIX	Pos./Ind.	36LPHM	LMG	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		HemaTrace	Pos./Ind.
	BLUESTAR	Pos./Ind.	379DR2	HemaTrace	Pos./Ind.
2DYJV4	Phenolphthalein	Pos./Ind.	37B3UD	KM	Pos./Ind.
2EA44D	KM	Pos./Ind.	3AFL6T	Visual Examination	Pos./Ind.
	HemaTrace	Pos./Ind.		LMG	Pos./Ind.
2EPLHJ	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
2GBQFA	HEMA TRACE	Pos./Ind.	3FJPVQ	TMB	Pos./Ind.
	RSID	Negative		Haemochromogen	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		HemaTrace	Pos./Ind.
	BLUE STAR	Pos./Ind.	3FZKXL	LMG	Pos./Ind.
2HTFKV	Visual	Pos./Ind.		Hematrace	Pos./Ind.
	LMG	Pos./Ind.	3LZP8A	HEMA TRACE	Pos./Ind.
	HemaTrace	Pos./Ind.		OBTI	Pos./Ind.
2KHJD2	KM	Pos./Ind.		RSID	Negative
	Modified Takayama	Pos./Ind.		BLUE STAR	Pos./Ind.
2MHWRE	Hstix	Pos./Ind.	434GN6	HEMASTIC	Pos./Ind.
2NHVBM	LMG	Pos./Ind.		BLUE STAR	Pos./Ind.
	HemaTrace	Pos./Ind.	44JEZP	KM	Pos./Ind.
2QLQT6	HS	Pos./Ind.		HemaTrace	Pos./Ind.
	HT	Pos./Ind.	48YHKR	BLUESTAR OBTI	Pos./Ind.
2REJNN	Kastle Meyer	Pos./Ind.		HEMASTIC	Pos./Ind.
	HemaTrace	Pos./Ind.	4FVTWV	KM	Pos./Ind.
2T7MB4	ABACard - HemaTrace	Pos./Ind.	4GMPH6	LMG	Pos./Ind.
	Thevenon Roland Piramidon	Pos./Ind.		HemaTrace	Pos./Ind.
2T96LL	KM	Pos./Ind.	4GTYJH	KM	Pos./Ind.
	Micro	Pos./Ind.			

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
4H3YJH	Micro	Pos./Ind.	6HFZTX	KM	Pos./Ind.
	KM	Pos./Ind.		OBTI	Pos./Ind.
4K8U2Z	KM	Pos./Ind.	6MR2Y3	Hemastix	Pos./Ind.
	Takayama	Pos./Ind.		KM	Pos./Ind.
4KQD9T	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	6TGGRF	O-Tol	Pos./Ind.
4MTXQD	RSID: BLOOD	Pos./Ind.	6V2EWX	KM	Pos./Ind.
4RMHPB	KM	Pos./Ind.		OBTI	Pos./Ind.
4YNCQA	UV + 415 LIGHT SOURCES	Pos./Ind.	6Y7VE2	Hemastix	Pos./Ind.
	HEMASTIX	Pos./Ind.		KM	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		Hematrace	Pos./Ind.
	BLUESTAR	Pos./Ind.	6ZWY89	KM	Pos./Ind.
62RP7V	O-TOL	Pos./Ind.		HemaTrace	Pos./Ind.
	HEMDIRECT	Pos./Ind.	76MTGE	KM	Pos./Ind.
62TB7H	KM	Pos./Ind.	7CQXBJ	Tetramethylbenzidine	Pos./Ind.
63PVUG	KM	Pos./Ind.	7M3L4A	ALS - UV; NM415; NM450	Pos./Ind.
66CRZM	KM	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
	ABAcad - Hema Trace	Pos./Ind.		BLUE STAR	Pos./Ind.
66M3QR	VISUAL OBSERVATION	Pos./Ind.	7Q762P	KM	Pos./Ind.
	ALTERNATIVE LIGHT SOURCE (UV & 450)	Pos./Ind.	7RYXW9	KM	Pos./Ind.
	HEMASTIX	Pos./Ind.	7TDDEF	O-tol	Pos./Ind.
	BLUESTAR OBTI	Pos./Ind.	83D7GF	KM	Pos./Ind.
6AKLRP	HEMASTIX	Pos./Ind.		Hemastix	Pos./Ind.
	HEXAGON OBTI	Negative		Hematrace	Pos./Ind.
	RSID	Negative		Luminol	Pos./Ind.
	BLUESTAR	Pos./Ind.	84QXAW	KM	Pos./Ind.
6BFEAB	KM	Pos./Ind.		Modified Takayama	Pos./Ind.
6CR9RW	KM	Pos./Ind.	8EB7W6	KM	Pos./Ind.
	Hematrace	Pos./Ind.		Hexagon OBTI	Pos./Ind.

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
8EQRP8	LIGHT SOURCE; UV; 415 ORANGE GOGGLES	Pos./Ind.	9P4W9W	KM	Pos./Ind.
	HEMASTIX	Pos./Ind.	9PNN43	TMB	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		Hematrace	Pos./Ind.
	BLUE STAR	Pos./Ind.	9RAGWW	KM	Pos./Ind.
8GYKKE	KM	Pos./Ind.	9RU9UM	KM	Pos./Ind.
8JJED9	KM	Pos./Ind.		HT	Pos./Ind.
8LQQF4	KM	Pos./Ind.	9TL6HG	Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.		Hematrace	Pos./Ind.
8QFTYM	HEMASTIX	Pos./Ind.	A2FJWM	KM	Pos./Ind.
	OBTI	Pos./Ind.		SERATEC Hemoglobin	Pos./Ind.
8VULV8	HEMASTIX	Pos./Ind.	A4KAYW	ABAcad HemaTrace	Pos./Ind.
	BLUESTAR	Pos./Ind.		Thevenon Roland Piramidon	Pos./Ind.
	RSID BLOOD	Pos./Ind.	A8GXF4	PHTH	Pos./Ind.
8XMTKX	HS	Pos./Ind.	AA9WU2	Hemastix	Pos./Ind.
	KM	Pos./Ind.	ACAFY2	HEMASTIX	Pos./Ind.
	HT	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
8Z9MCR	TMB	Pos./Ind.		RSID	Negative
	Seratec Hem Direct	Pos./Ind.		BLUE STAR TMB	Pos./Ind.
99WCD7	HEMASTIX	Pos./Ind.	ACDKAR	Visual Exam	Pos./Ind.
	RSID BLOOD	Pos./Ind.		O-tol	Pos./Ind.
	RSID SEMEN	Negative		HemaTrace	Pos./Ind.
	BLUESTAR	Pos./Ind.	AD84J6	KM	Pos./Ind.
9CJEFR	BLUESTAR	Pos./Ind.		HemaTrace	Pos./Ind.
	OBTI	Pos./Ind.	AJNFWP	BLUESTAR	Pos./Ind.
9MH4F2	TMB	Pos./Ind.		HEMASTIX	Pos./Ind.
	Hematrace	Pos./Ind.		HEXAGON OBTI	
9MYHMC	LMG	Pos./Ind.	AL37GB	Hemastix	Pos./Ind.
	Hematrace	Pos./Ind.	AL6TZA	KM	Pos./Ind.
9NCZJ3	Hemastix	Pos./Ind.		Hematrace	Pos./Ind.

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
AXDLLU	Thevenon Roland (Piramidon)	Pos./Ind.	D23C7M	O-tol	Pos./Ind.
	ABACard HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
AZNJZC	KM, Hemastix, HemaTrace	Pos./Ind.	D48P24	KM	Pos./Ind.
BC7UHY	Hemastix	Pos./Ind.	DB47DL	ALTERNATE LIGHT SOURCE	Pos./Ind.
BHV8L9	Hemastix Test	Pos./Ind.		BLUESTAR	Pos./Ind.
BNRRWJ	KM	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
	ABACard Hematrace	Pos./Ind.	DJ7PZX	KM	Pos./Ind.
BXMMNZ	OBTI	Pos./Ind.		TMB (Hemastix)	Pos./Ind.
	RSID	Negative		HemaTrace	Pos./Ind.
	HEMASTIC	Pos./Ind.	DJYM4X	Hemastix	Pos./Ind.
	BLUE STAR TMB	Negative		Luminol	Pos./Ind.
BXR7C3	HEMASTICKS	Pos./Ind.	DR9XUG	BLUESTAR	Pos./Ind.
	RSID BLOOD	Pos./Ind.		HEMASTIX	Pos./Ind.
	RSID SEMEN	Negative	DTRWDT	Visual	Pos./Ind.
	BLUESTAR	Pos./Ind.		TMB	Pos./Ind.
BYLCPV	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HEMATRACE	Pos./Ind.	DU7H9P	KM	Pos./Ind.
CA2GHD	HemaTrace	Pos./Ind.		Hematrace	Pos./Ind.
	Hemastix	Pos./Ind.	DWQB2J	TMB	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
CAXERZ	HEMASTIX	Pos./Ind.	DXJ4W3	KM	Pos./Ind.
	BLUE STAR	Pos./Ind.	DZAGJE	Hemochromogen	
CERYQW	Hemastix	Pos./Ind.	E4LATW	HEMASTIC	Pos./Ind.
CGMDL3	Phenolphthalein	Pos./Ind.		OBTI	Pos./Ind.
	Hematrace	Pos./Ind.		RSID	Negative
CRHT3Q	KM	Pos./Ind.		BLUE STAR	Pos./Ind.
	OBTI	Pos./Ind.	E6FLLX	Lmg	Pos./Ind.
CX379X	HEMASTIX	Pos./Ind.	E7CUZA	KM	Pos./Ind.
	BLUE STAR	Pos./Ind.		HemaTrace	Pos./Ind.
			E88KZW	Hemastix	Pos./Ind.

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
EAWQKT	KM	Pos./Ind.	G2R2YL	HEXAGON	Pos./Ind.
	HemaTrace	Pos./Ind.		OBTI	Pos./Ind.
EGXWKP	Visual	Pos./Ind.	G3QMUL	KM	Pos./Ind.
	KM	Pos./Ind.	G78A76	LMG	Pos./Ind.
	HemaTrace	Pos./Ind.	GCN8TK	LIGHT SOURCE UV AND 415	Pos./Ind.
EH74NH	Visual	Pos./Ind.		HEMASTIX	Pos./Ind.
	LMG	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
	Hematrace	Pos./Ind.		BLUE STAR	Pos./Ind.
ELNDQN	Hemastix	Pos./Ind.	GFRLFV	KM	Pos./Ind.
EQYNK4	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
ERVWXU	KM	Pos./Ind.	GG2DLT	Hemastix	Pos./Ind.
EW8P6M	KM	Pos./Ind.		Luminol	Pos./Ind.
EXKCQ8	Micro	Pos./Ind.	GHGRZU	TMB	Pos./Ind.
	KM	Pos./Ind.		Hematrace	Pos./Ind.
EYTTCJ	ALS	Inconclusive	GJ8JMC	BLUESTAR OBTI	Pos./Ind.
	O-tol	Pos./Ind.		HEMASTIX	Pos./Ind.
	OBTI	Pos./Ind.	GJCHYG	TMB	Pos./Ind.
F3R8XN	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	OBTI	Pos./Ind.	GK9QDR	KM	Pos./Ind.
F6EW78	O-tol	Pos./Ind.	GKKKUT	KM	Pos./Ind.
FGN89G	HEXAGON OBTI	Pos./Ind.		HemaTrace	Pos./Ind.
	BLUE STAR	Pos./Ind.	GM8BVW	Lmg	Pos./Ind.
	CRIME LIGHT	Pos./Ind.	GM924Z	Hemastix	Pos./Ind.
FNZPGX	KM	Pos./Ind.	GQPLUM	Visual Exam	Pos./Ind.
FQD862	Hemastix	Pos./Ind.		KM	Pos./Ind.
FRQ2K2	H-stix	Pos./Ind.		HemaTrace	Pos./Ind.
FUUP94	LMG	Pos./Ind.	GY4826	Hemastix	Pos./Ind.
	Hematrace	Pos./Ind.	GZYQ8D	KM	Pos./Ind.
FYLFBL	HEXAGON	Pos./Ind.		Hematrace	Pos./Ind.
	OBTI	Pos./Ind.			

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
H8DUT7	LMG	Pos./Ind.		H-stix	Pos./Ind.
	HemaTrace	Pos./Ind.	JKW22Q	KM	Pos./Ind.
H93UJG	HEMASTIX	Pos./Ind.	JML8LM	KM	Pos./Ind.
	BLUESTAR	Pos./Ind.	JNW8K3	Micro	Pos./Ind.
H9486W	KM	Pos./Ind.		KM	Pos./Ind.
H9J6WF	OBTI	Pos./Ind.	JQZZE2	LMG	Pos./Ind.
	HEMASTIX	Pos./Ind.		Hematrace	Pos./Ind.
HAXTYM	ABACard HemaTrace	Pos./Ind.	JT88TM	ABACard HemaTrace	Pos./Ind.
HBW9W7	LMG	Pos./Ind.		Thevenon Roland Piramidon	Pos./Ind.
	Hematrace	Pos./Ind.	JUX9EH	MULTISTIX	Pos./Ind.
HM8LCL	KM	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
	Takayama	Pos./Ind.		BLUESTAR	Pos./Ind.
	Hematrace	Pos./Ind.	JVCCBU	RSID: BLOOD	
HTQ94X	UV ; 450nm LIGHT ; ORANGE GOGGLES	Pos./Ind.	JVYIM6	KM	Pos./Ind.
	HEMASTIX	Pos./Ind.	KCJ8LN	KM	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.	KNDKLN	KM	Pos./Ind.
	BLUESTAR	Pos./Ind.		HemaTrace	Pos./Ind.
HYKJGP	Hemastix	Pos./Ind.	KP6N9Z	Hemastix	Pos./Ind.
	KM	Pos./Ind.	KTZ2QB	BLUESTAR OBTI	Pos./Ind.
	HemaTrace	Pos./Ind.		HEMASTIC	Pos./Ind.
HZCRGR	H/Stix	Pos./Ind.	L4DLMC	BLUESTAR	Pos./Ind.
J7E9BY	LMG	Pos./Ind.		HEMASTIX	Pos./Ind.
	HemaTrace	Pos./Ind.		BLUESTAR OBTI	Pos./Ind.
J8QU3K	Thevenon Roland Piramidon	Pos./Ind.	L9TMUP	TMB	Pos./Ind.
	ABACard HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
JC2YXU	Phenolphthalein (PTMB)	Pos./Ind.	LCG2HY	Hemastix	Pos./Ind.
				Hematrace	Pos./Ind.
JER6CY	H-stix	Pos./Ind.	LE2VBT	KM	Pos./Ind.
	H-stix	Pos./Ind.			
	H-stix	Pos./Ind.			

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LFP7RQ	HEMASTIC	Pos./Ind.	NENXT7	BLUESTAR OBTI	Pos./Ind.
	RSID	Negative		HEMASTIX	Pos./Ind.
	OBTI	Pos./Ind.	NJPDQG	Visual	Pos./Ind.
	TMB	Negative		KM	Pos./Ind.
LM9AYT	LIGHT SOURCE UV AND 415nm	Pos./Ind.		Hematrace	Pos./Ind.
	HEMASTIX	Pos./Ind.	NT9FLA	CRIME LIGHT	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		BLUESTAR	Pos./Ind.
	BLUESTAR	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
LPZTZE	KM	Pos./Ind.	NTDB9A	KM	Pos./Ind.
	Visual	Pos./Ind.	NU744T	KM	Pos./Ind.
LQF3XL	Hemastix	Pos./Ind.	NX3PWG	KM	Pos./Ind.
LQRPMM	Hemochromogen	Pos./Ind.	PBPEAR	Hemastix	Pos./Ind.
LR428Q	HEMASTIC	Pos./Ind.	PC4NKD	ABAcad HemaTrace	Pos./Ind.
	BLUESTAR	Pos./Ind.		Thevenon Roland Piramidon	Pos./Ind.
LYLCLQ	HEMASTIX	Pos./Ind.	PJ46VJ	KM	Pos./Ind.
	BLUE STAR	Pos./Ind.	PRG82K	Phenolphthalein	Pos./Ind.
M2UMR2	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	KM	Pos./Ind.	PRWDHV	Hemastix	Pos./Ind.
M4G2KH	KM	Pos./Ind.	PUYG4Q	KM	Pos./Ind.
M8JW77	O-tol	Pos./Ind.	PWNMNM	KM	Pos./Ind.
	Hemastix	Pos./Ind.		RSID	Pos./Ind.
	RSID blood	Pos./Ind.	PX332N	Hemastix	Pos./Ind.
MK2U2A	Visual and KM	Pos./Ind.		HemaTrace	Pos./Ind.
MTWPA7	KM	Pos./Ind.	PXMNRT	H-Stix	Pos./Ind.
	HemaTrace	Pos./Ind.	PYFL3K	H-stix	Pos./Ind.
MXQTUW	Hemastix	Pos./Ind.	PZT9FT	H-stix	Pos./Ind.
MZFZEU	Hemastix	Pos./Ind.	Q2VN7W	KM	Pos./Ind.
NCNKDT	HEMASTIX	Pos./Ind.	Q4KECM	RSID: BLOOD	Pos./Ind.
	HEXAGON OBTI	Negative			
	BLUESTAR	Pos./Ind.			

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
Q4P8C4	Visual examination for staining	Pos./Ind.	RRTQXM	KM	Pos./Ind.
	Kastle Meyer test	Pos./Ind.		HemaTrace	Pos./Ind.
Q9Z8PU	Hemastix	Pos./Ind.	RUCMH7	KM	Pos./Ind.
QCVK76	BLUESTAR OBTI	Pos./Ind.	RVR3V8	TMB	Pos./Ind.
	HEMASTIC	Pos./Ind.	RWZ27G	HEMOPHAN	Pos./Ind.
QHGTGCG	HEMASTIC	Pos./Ind.		SERATEC HEM	Pos./Ind.
	BLUE STAR	Pos./Ind.	RXUXGV	LMG	Pos./Ind.
QLRUYW	KM	Pos./Ind.	RYQH4V	KM	Pos./Ind.
QPXCN4	HEMASTIX	Pos./Ind.	TEKZXZ	KM	Pos./Ind.
	BLUESTAR	Negative		Hema Trace	Pos./Ind.
QQWXGH	KM	Pos./Ind.	TGM3LF	KM	Pos./Ind.
QUJ6CC	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Modified Takayama	Pos./Ind.	TJPM6M	LIGHT SOURCE UV AND 415nm WITH ORANGE GOGGLES	Pos./Ind.
QXGPDB	KM	Pos./Ind.		HEMASTIX	Pos./Ind.
	HemaTrace	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
R38JQ3	Visual exam: red-brown staining with the appearance of blood	Pos./Ind.		BLUESTAR	Pos./Ind.
	KM	Pos./Ind.	TLEG2A	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		OBTI	Pos./Ind.
R8ZRNH	Hstix	Pos./Ind.	TRX263	BLUESTAR OBTI	Pos./Ind.
RB2X3M	KM	Pos./Ind.		HEMASTIX	Pos./Ind.
RFCNUA	KM	Pos./Ind.	TWVYXM	Hemastix	Pos./Ind.
RGPHAA	KM	Pos./Ind.	TXBD9H	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		Hematrace	Pos./Ind.
RJGGN9	O-tol	Pos./Ind.	TY3YXF	HEMASTIX	Pos./Ind.
	HemaTrace	Pos./Ind.		BLUE STAR OBTI	Pos./Ind.
RKAHEW	LMG	Pos./Ind.	TZW8ZC	Human Blood	Pos./Ind.
RMYPYT	LMG	Pos./Ind.		Thevenon Roland Pyramidon	Pos./Ind.
	HemaTrace	Pos./Ind.	U32AAE	KM	Pos./Ind.

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
U8UALN	KM	Pos./Ind.		BLUESTAR	Pos./Ind.
	Hematrace	Pos./Ind.	VRXC26	O-tol	Pos./Ind.
U9LC94	KM	Pos./Ind.		HemaTrace	Pos./Ind.
UAE9VC	Hemastix	Pos./Ind.	VWM2D3	Hemastix	Pos./Ind.
UGJWWT	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Hematrace	Pos./Ind.	VYT2EF	HEMASTIX	Pos./Ind.
UKVC24	HEMASTIX	Pos./Ind.		RSID	Negative
	BLUESTAR	Pos./Ind.		OBTI	Pos./Ind.
ULWJTJ	Visual	Pos./Ind.		BLUE STAR	Negative
	HemaTrace	Pos./Ind.	W77RFK	Hemastix	Pos./Ind.
UNYNYC	LMG	Pos./Ind.	W842RB	Hemastix	Pos./Ind.
	Hematrace	Pos./Ind.		Phenolphthalein	Pos./Ind.
UPTAR3	KM	Pos./Ind.		HemaTrace	Pos./Ind.
V3FUUC	Hemastix	Pos./Ind.	WD7N44	LIGHT SOURCE (UV AND 450)	Pos./Ind.
	KM	Pos./Ind.		HEMASTIX	Pos./Ind.
	Hematrace	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
V67XMJ	Hemastix	Pos./Ind.		BLUESTAR	Pos./Ind.
	HemaTrace	Pos./Ind.	WDD4U7	KM	Pos./Ind.
	KM	Pos./Ind.	WJN4W	KM	Pos./Ind.
V7HR8P	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
VDWF4C	KM	Pos./Ind.	WL87X3	Hemochromogen	Pos./Ind.
VHRDQH	Phenolphthalein	Pos./Ind.	WU36UH	KM	Pos./Ind.
VL83R8	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Micro (Modified Takayama)	Pos./Ind.	WZ82F4	O-tol	Pos./Ind.
VLBAB3	PT	Pos./Ind.		HemaTrace	Pos./Ind.
VLUDNU	KM, Hemastix	Pos./Ind.	X8YXFB	Hemastix	Pos./Ind.
VQ3WMM	KM	Pos./Ind.		Hematrace	Pos./Ind.
	HemaTrace	Pos./Ind.	XFT7Z3	O-tol	Pos./Ind.
VREV3H	HEMASTIX	Pos./Ind.		HemaTrace	Pos./Ind.
	RSID BLOOD				

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
XNNVX7	KM	Pos./Ind.		ABACard HemaTrace	Pos./Ind.
	OBTI	Pos./Ind.	ZBQVWD	Benzidine	Pos./Ind.
XPW6MH	KM	Pos./Ind.		Heme Direct Kit	Pos./Ind.
XTLCCL	Hstix	Pos./Ind.	ZC38GG	RSID: BLOOD	
XTZWZP	KM	Pos./Ind.	ZGHDFC	HEMATRACE	Pos./Ind.
	Hemastix	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
	Luminol	Pos./Ind.		RSID	Negative
XUT7UJ	CRIME LIGHT SOURCE	Pos./Ind.		BLUE STAR TMB	Pos./Ind.
	HEMASTIX	Negative	ZKGED8	ABA card HemeTrace	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.	ZKYJTK	KM	Pos./Ind.
	BLUE STAR	Pos./Ind.	ZPBBZD	LMG	Pos./Ind.
XW2VFN	KM	Pos./Ind.		RSID-Blood	Pos./Ind.
	HemaTrace	Pos./Ind.	ZUHJ2U	BLUESTAR OBTI	Pos./Ind.
XYQ8C9	KM	Pos./Ind.		HEMASTIX	Pos./Ind.
	Hematrace	Pos./Ind.	ZVHV94	KM	Pos./Ind.
XZK2Q4	HemaTrace - Human Blood	Pos./Ind.	ZWQRCZ	LIGHT SOURCE UV AND 415	Pos./Ind.
YA4QAA	Hemastix	Pos./Ind.		HEMASTIX	Pos./Ind.
	KM	Pos./Ind.		HEXAGON	Pos./Ind.
YA8BYX	km	Pos./Ind.		BLUESTAR	Pos./Ind.
	hematrace	Pos./Ind.	ZX7E4A	Hemastix	Pos./Ind.
YG3KWA	Hemastix	Pos./Ind.	ZXLN33	KM	Pos./Ind.
YHGYCW	KM	Pos./Ind.		Modified Takayama	Pos./Ind.
	HemaTrace	Pos./Ind.			
YLZW39	Hemastix	Pos./Ind.			
	KM	Pos./Ind.			
	HemaTrace	Pos./Ind.			
Z7X7H9	HEMASTIX	Pos./Ind.			
	BLUE STAR	Pos./Ind.			
ZAXZA6	Thevenon Roland Piramidon	Pos./Ind.			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Not tested - swab covered with blood			Micro	Negative
2AHUWZ	AP	Negative	36HAYU	AP	Negative
	PSA	Negative		p30	Negative
2BNZTE	RSID	Negative		KPIC	Negative
2DYJV4	AP	Negative	36LPHM	AP	Negative
	Micro	Negative		Micro	Negative
2EA44D	AP	Negative	379DR2	Micro	Negative
2EPLHJ	Brentamine	Negative		Semenogelina RSID	Negative
2GBQFA	RSID	Negative	37B3UD	ALS	Inconclusive
	HEXAGON OBTI	Pos./Ind.		RSID	Negative
	HEMA TRACE	Pos./Ind.	3AFL6T	AP	Negative
2HTFKV	AP	Negative		P30	Negative
	ABA p30	Negative		Micro	Negative
	Micro	Negative	3FJPVQ	Acid Phosphatase	Negative
2KHJD2	AP	Negative		Microscopy	Negative
2MHWRE	Brentamine		3FZKXL	ACP	Negative
2NHVBM	AP	Negative		Micro	Negative
	PSA	Negative	3LZP8A	RSID	Negative
	micro	Negative		OBTI	Pos./Ind.
2QLQT6	AP	Negative		HEMA TRACE	Pos./Ind.
	PSA	Negative		BLUE STAR	Negative
	micro	Negative	434GN6	RSID	Negative
2REJNN	Acid Phosphatase	Negative	44JEZP	AP	Negative
2T7MB4	Microscopic	Negative		Micro	Negative
	RSID - Semen	Negative		ABAcad P30	Negative
2T96LL	AP	Negative	4FVTVW	AP	Negative
	Micro	Negative		MICRO	Negative
2ZU2MP	Microscopy (smear)	Negative			
	AP	Negative			
32HUYJ	AP	Negative			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
4GMPH6	ALS	Negative	6HFZTX	Brown stain observed and tested positive for blood. Hence, test for other body fluids were not performed.	
	AP	Negative			
	Micro	Negative			
	p30 Immunoassay	Negative			
4GTYJH	AP	Negative	6MR2Y3	AP	Negative
4H3YJH	AP	Negative		PSA	Negative
	Micro	Negative		Micro	Negative
4K8U2Z	AP	Inconclusive	6TGGRF	AP	Negative
	Micro	Negative	6V2EWX	Swab of floor with blood-like stain. As it tested positive for blood, tests for other body fluids were not conducted.	
	PSA	Negative			
4KQD9T	AP	Negative			
4MTXQD	RSID: SEMEN		6Y7VE2	AP	Negative
4RMHPB	ALS	Negative		PSA	Negative
	RSID	Negative		Micro	Negative
4YNCQA	UV LIGHT SOURCE	Inconclusive	6ZWY89	AP	Negative
62RP7V	AP	Negative	76MTGE	AP	Negative
	PSA	Negative	7CQXBJ	Microscopy	Negative
62TB7H	BCIP	Negative		Acid Phosphatase	Negative
63PVUG	AP	Negative	7M3L4A	ALS - UV; NM415; NM450	Negative
66CRZM	AP	Negative	7Q762P	AP	Negative
	ABACard - P30	Negative		PSA	Negative
	Micro	Negative		Micro	Negative
6AKLRP	HEMASTIX	Negative	7RYXW9	ALS	Negative
	HEXAGON OBTI	Negative		RSID	Negative
	RSID	Negative	7TDDEF	AP	Negative
	BLUESTAR	Negative		Micro	Negative
6BFEAB	AP	Negative	83D7GF	AP	Negative
6CR9RW	AP	Negative	84QXAW	AP	Negative
	PSA	Negative	8EB7W6	Case scenario; Lab policy	
			8EQRP8	UV LIGHTSOURCES	Inconclusive

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
8GYKKE	AP	Negative		Microscopy	Negative
8JJED9	ALS	Negative	A2FJWM	AP	Negative
	RSID	Negative		Micro	Negative
8LQQF4	AP	Negative		PSA	Negative
8VULV8	RSID SEMEN	Negative	A4KAYW	Christmas Tree Coloring	Negative
8XMTKX	AP	Negative		RSID - Human Semen	Negative
	MICRO	Negative	A8GXF4	P30	Negative
	P30	Negative		Micro	Negative
8Z9MCR	AP	Negative	AA9WU2	Brentamine	Negative
	Seratec PSA Semiquant	Negative	ACAFY2	RSID	Negative
	ME (micro)	Negative		HEXAGON OBTI	Pos./Ind.
99WCD7	HEMASTIX	Negative		HEMASTIX	Pos./Ind.
	RSID BLOOD	Negative		BLUE STAR	Negative
	RSID SEMEN	Negative	ACDKAR	ALS	Negative
	BLUESTAR	Negative		AP	Negative
9CJEFR	AP	Negative		PSA	Negative
9MH4F2	AP	Negative	AD84J6	AP	Negative
9MYHMC	AP 1 step & 2 step	Negative	AL37GB	Brentamine	Negative
9NCZJ3	Brentamine	Negative	AL6TZA	AP	Negative
9P4W9W	AP	Negative		PSA/p30	Negative
	P-30	Negative		microscopic exam	Negative
	KPIC	Negative	AXDLLU	Christmas Tree Stain Slide (Micro)	Negative
9PNN43	AP	Negative		RSID - Semen	Negative
	Microscopic exam for sperm	Negative	AZNJZC	AP, PSA, Micro	Negative
9RAGWW	AP	Negative	BC7UHY	Brentamine	Negative
	PSA	Negative	BHV8L9	Brentamine Test	Negative
	Micro	Negative	BNRRWJ	AP	Negative
9RU9UM	AP	Negative		Micro	Negative
9TL6HG	AP	Negative			
	p30	Pos./Ind.			

TABLE 2 - Item 4

Semen

Webcode	Test Performed	Results	Webcode	Test Performed	Results
BXMMNZ	RSID	Negative	DZAGJE	Micro	Negative
	OBTI	Pos./Ind.		PSA	Negative
	HEMASTIC	Pos./Ind.	E4LATW	HEMASTIC	Pos./Ind.
	BLUE STAR TMB	Negative		OBTI	Pos./Ind.
BXR7C3	RSID SEMEN	Negative		RSID	Negative
BYLCPV	AP	Negative		BLUE STAR	Negative
	PSA	Negative	E6FLLX	Ap	Negative
	MICRO	Negative	E7CUZA	AP	Negative
CA2GHD	AP	Negative	E88KZW	Brentamine	Negative
CAXERZ	RSID	Negative	EAWQKT	AP	Pos./Ind.
CERYQW	Brentamine	Negative		PSA	Negative
CGMDL3	AP	Negative		Micro	Negative
CRHT3Q	Brown stain observed, as it was tested positive for blood, test for other body fluids was not performed.		EGXWKP	AP	Negative
			EH74NH	AP	Negative
				ABACard P30	Negative
CX379X	RSID	Negative		Micro	Negative
D23C7M	AP	Negative	ELNDQN	AP	Negative
D48P24	AP Spot	Negative	EQYNK4	Brentamine	Negative
DB47DL	ALTERNATE LIGHT SOURCE	Negative	ERVWXU	AP	Negative
	RSID	Negative	EW8P6M	AP	Negative
DJ7PZX	AP	Negative		Microscope Slide (Xmas tree)	Negative
DJYM4X	Brentamine	Negative	EXKCQ8	AP	Negative
DTRWDT	AP	Negative		Micro	Negative
	MICRO	Negative	EYTTCJ	ALS	Inconclusive
	PSA	Negative		AP	Negative
DU7H9P	AP	Negative	F3R8XN	Brown stain observed, as it was tested positive for blood, test for other body fluids were not conducted.	
	PSA	Negative			
DWQB2J	AP	Negative			
DXJ4W3	ALS	Negative	F6EW78	AP	Negative
	RSID	Negative		Micro	Negative

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
FGN89G	RSID	Negative	H93UJG	ALS	Negative
	CRIME LIGHT	Negative	H9486W	ALS	Negative
FNZPGX	ALS	Negative		RSID	Negative
	RSID	Negative	HAXTYM	Christmas Tree Stain	Negative
FQD862	Brentamine	Negative		RSID - Semen	Negative
FRQ2K2	Tested brentamine (unable to phone to confirm)	Negative	HBW9W7	AP	Negative
				PSA	Negative
FUUP94	AP	Negative	HM8LCL	AP	Negative
	micro	Negative	HTQ94X	UV; 450nm LIGHT ; ORANGE GOGGLES	Inconclusive
G3QMUL	AP	Negative	HYKJGP	AP	Negative
	Micro	Negative		PSA	Negative
	PSA	Negative		micro	Negative
G78A76	AP	Negative	HZCRGR	AP	Negative
GCN8TK	LIGHT SOURCE	Inconclusive	J7E9BY	AP	Negative
GFRLFV	AP	Negative		PSA	Negative
GG2DLT	Brentamin	Negative		Micro	Negative
GHGRZU	AP	Negative	J8QU3K	Christmas Tree	Negative
	PSA	Negative		RSID - Semen	Negative
	Micro	Negative	JC2YXU	Acid Phosphatase	Negative
GJCHYG	AP	Negative		Microscopic	Negative
	PSA	Negative	JKW22Q	AP	Negative
GK9QDR	AP	Negative	JML8LM	AP	Negative
GKKKUT	AP	Negative		PSA	Negative
GM8BVV	Ap	Negative	JNW8K3	AP	Negative
GM924Z	Brentamine	Negative		X-mas	Negative
GQPLUM	AP	Negative	JQZZE2	AP	Negative
GY4826	AP	Negative		Micro	Negative
GZYQ8D	AP	Negative	JT88TM	Christmas Tree Stain	Negative
H8DUT7	AP	Negative		RSID - Semen	Negative
	Micro	Negative			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
JUX9EH	PRESUMPTIVE TEST (POLIFLARE LIGHT	Negative		Micro	Negative
JVCCBU	RSID : SEMEN			ABACard P30	Negative
JWYM6	AP	Negative	MXQTUW	Brentamine	Negative
KCJ8LN	AP	Negative	MZFZEU	Brentamine	Negative
	micro	Negative	NCNKDT	HEMASTIX	Pos./Ind.
KNDKLK	AP	Negative		RSID	Negative
	Micro	Negative	NJPDQG	AP	Negative
KP6N9Z	Not tested; we do not for possible semen on bloody swabs		NT9FLA	CRIME LIGHT	Negative
L9TMUP	AP	Negative		RSID	Negative
LCG2HY	AP	Negative	NTDB9A	AP	Negative
LE2VBT	ALS	Negative		PSA	Negative
	RSID	Negative		MICRO	Negative
LFP7RQ	RSID	Negative	NU744T	ALS	Negative
	OBTI	Pos./Ind.		RSID	Negative
	HEMASTIC	Pos./Ind.	NX3PWG	PSA	Negative
	TMB	Negative		MICRO	Negative
LM9AYT	LIGHT SOURCE UV	Inconclusive	PBPEAR	Swab not tested for possible semen as it is covered with blood	
LPZTZE	AP	Negative	PC4NKD	Christmas Tree Stain	Negative
	Microscopic slides	Negative		RSID - Semen	Negative
LQF3XL	AP	Negative	PJ46VJ	ALS	Negative
LQRPMM	Fast Black (AP)	Negative		RSID	Negative
LR428Q	RSID	Negative	PRG82K	ALS	Negative
LYLCLQ	RSID	Negative		AP	Negative
M2UMR2	AP	Negative		Micro	Negative
M4G2KH	AP	Negative	PRWDHV	Brentamine	Negative
	Micro	Negative	PUYG4Q	ALS	Negative
M8JW77	AP	Negative		RSID	Negative
MK2U2A	AP and Slide	Negative			
MTWPA7	AP	Negative			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
PWNMNM	ALS	Negative		Micro	Negative
	AP	Negative	RRTQXM	AP	Negative
	RSID	Negative	RUCMH7	AP	Negative
PX332N	Acid Phosphatase	Negative		P30	Negative
PXMNRT	Brentamine	Negative		KPIC	Negative
PYFL3K	Brentamine	Negative	RVR3V8	AP	Negative
PZT9FT	Brentamine	Negative		PSA	Negative
Q2VN7W	AP	Negative		Microscopic	Negative
Q4KECM	RSID: SEMEN	Negative	RWZ27G	PHOSPHADESMO	Negative
Q4P8C4	Acid Phosphatase	Negative		SERATEC PSA	Negative
Q9Z8PU	Not tested with brentamine, swab covered with blood		RXUXGV	AP	Negative
				Micro	Negative
QHGTCC	RSID	Negative		PSA	Negative
QLRUYW	AP	Negative	RYQH4V	AP	Negative
QQWXGH	AP	Negative	TEKZXZ	AP	Negative
QUJ6CC	AP	Negative		ABAcad p30	Negative
QXGPDB	AP	Negative		Micro	Negative
	PSA	Negative	TGM3LF	AP	Negative
R38JQ3	AP	Negative		Micro	Negative
R8ZRNH	AP	Negative	TJPM6M	LIGHT SOURCE UV	Inconclusive
RB2X3M	ALS	Negative	TLEG2A	Scene swabs not routinely tested for semen; blood-like stain observed.	
	RSID	Negative			
RFCNUA	AP	Negative	TWVYXM	Brentamine	Negative
RGPHAA	AP	Negative	TXBD9H	AP	Negative
	Micro	Negative	TY3YXF	RSID	Negative
RJGGN9	PSA	Negative	TZW8ZC	Christmas Tree	Negative
	Micro (sperm)	Negative		Semenogelina	Negative
RKAHEW	AP	Negative	U32AAE	AP	Negative
	Micro	Negative		Micro	Negative
RMYPYT	AP	Negative			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
U8UALN	AP	Negative	VLUDNU	AP	Negative
	PSA	Negative	VQ3WMM	AP	Negative
	Micro	Negative		PSA (Seratec)	Negative
U9LC94	AP	Negative		Micro	Negative
	Micro	Negative	VREV3H	RSID SEMEN	Negative
UAE9VC	AP (Brentamine)	Negative	VRXC26	AP	Negative
UGJVWT	AP	Negative	VWM2D3	AP	Negative
	PSA	Negative	VYT2EF	RSID	Negative
UKVC24	ALS	Negative		OBTI	Pos./Ind.
ULWJTJ	ALS	Inconclusive		BLUE STAR	Negative
	p30	Negative		HEMASTIC	Pos./Ind.
UNYNYC	AP	Negative	W77RFK	Brent	Negative
	PSA	Negative	W842RB	AP	Negative
	Micro	Negative		PSA	Negative
UPTAR3	PSA	Negative		Micro	Negative
	Micro	Negative	WD7N44	UV AND 450 LIGHT SOURCE	Inconclusive
V3FUUC	AP	Negative	WDD4U7	AP	Negative
	PSA	Negative	WJJN4W	AP	Negative
	Micro	Negative		ABAcad P30	Negative
V67XMJ	Acid Phosphatase	Negative		Micro	Negative
	PSA	Negative	WL87X3	Micro	Negative
	Microscopic	Negative		PSA	Negative
V7HR8P	AP	Negative	WU36UH	AP	Negative
	Micro	Negative	WZ82F4	AP	Negative
	ALS	Negative	X8YXFB	AP	Negative
	PSA	Negative		PSA	Negative
VDWF4C	AP	Negative	XFT7Z3	AP	Negative
VHRDQH	Acid Phosphatase	Negative			
VL83R8	AP	Negative			
VLBAB3	AP	Negative			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
XNNVX7	The stain on the item was reddish brown and tested positive for blood. Therefore tests are not conducted for other biological fluids			RSID - Semen	Negative
			ZBQVWD	AP (Acid Phosphatase)	Negative
				PSA	Negative
			ZC38GG	RSID: SEMEN	
XPW6MH	AP	Negative	ZGHDFC	RSID	Negative
	Micro	Negative		HEXAGON OBTI	Pos./Ind.
XTLCCL	Brentamine	Negative		HEMATRACE	Pos./Ind.
XTZWZP	AP	Negative		BLUE STAR TMB	Negative
XUT7UJ	CRIME LIGHT 415 AND 450		ZKGED8	ABA card P30	Negative
XW2VFN	AP	Negative	ZKYJTK	AP	Negative
	Micro	Negative	ZPBBZD	AP	Negative
	P30-ABAcad	Negative		RSID-Semen	Negative
XYQ8C9	ALS	Negative	ZVHV94	AP	Negative
	AP	Negative	ZWQRCZ	LIGHT SOURCE	Inconclusive
	Micro	Negative	ZX7E4A	Brentamine	Negative
	PSA	Negative	ZXLN33	AP	Negative
XZK2Q4	Microscopic - Christmas Tree	Negative		PSA	Negative
	RSID - Semen	Negative			
YA4QAA	AP	Negative			
YA8BYX	ap	Negative			
YG3KWA	Brentamine	Negative			
YHGYCW	AP	Negative			
	PSA	Negative			
	Micro	Negative			
YLZW39	AP	Negative			
	PSA	Negative			
	micro	Negative			
Z7X7H9	RSID	Negative			
ZAXZA6	Microscopic - Christmas Tree	Negative			

TABLE 2 - Item 4

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Not tested - Tests for possible saliva not conducted at [Laboratory]		3FJPVQ	Phadebas	Negative
2AHUWZ	Phadebas	Negative	3FZKXL	Amylase Diffusion	Negative
2DYJV4	RSID	Negative	3LZP8A	RSID	Negative
2EA44D	RSID	Negative		OBTI	Negative
2EPLHJ	No test available (submit for epithelia) refer to comments			HEMA TRACE	Negative
2GBQFA	RSID	Negative		BLUE STAR	Negative
	HEMATRACE	Negative	44JEZP	Phadebas	Negative
	HEXAGON OBTI	Negative	4FVTWV	PHADEBAS TUBE TEST	Negative
	BLUE STAR	Negative	4GMPH6	Amylase Radial Diffusion	Negative
2HTFKV	RSID	Negative	4GTYJH	RSID saliva	Negative
2KHJD2	Phadebas Amylase Tablet	Negative	4H3YJH	Amylase Diffusion	Inconclusive
2MHWRE	No preliminary (saliva); This test is not performed at our lab		4K8U2Z	Phadebas Amylase	Negative
2NHVBM	amylase diffusion	Negative	4KQD9T	Not indicated by scenario	
2QLQT6	RSID	Negative	62RP7V	AMYLASE DIFFUSION	Negative
2REJNN	RSID	Negative	62TB7H	our laboratory doesn't conduct saliva testing, we conduct amylase testing	
2T7MB4	The Laboratory's portfolio of services does not include Saliva Identification		63PVUG	RSID	Negative
2T96LL	Amylase	Negative	66CRZM	Phadebas	Negative
2ZU2MP	RSID	Negative	6AKLRP	HEMASTIX	Negative
32HUYJ	Amylase	Inconclusive		HEXAGON OBTI	Negative
36HAYU	Phadebas	Negative		RSID	Negative
36LPHM	Amylase diffusion	Negative		BLUESTAR	Negative
379DR2	The Laboratory's portfolio of services does not include Saliva Identification		6BFEAB	RSID	Negative
3AFL6T	RSID-Saliva	Negative	6CR9RW	Phadebas	Negative
			6HFZTX	Laboratory only routinely performs blood and/or semen tests for sexual assault cases.	
			6MR2Y3	RSID-Saliva	Negative

TABLE 2 - Item 4

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
6V2EWX	Swab of floor with blood-like stain. As it tested positive for blood, tests for other body fluids were not conducted.		A4KAYW	The Laboratory's portfolio of services does not include Saliva Identification	
6Y7VE2	RSID	Negative	A8GXF4	Phadebas	Negative
6ZWY89	RSID	Negative	AD84J6	RSID	Negative
76MTGE	RSID Saliva	Negative	AJNFWP	HEMASTIX	Pos./Ind.
7CQXBJ	Phadebas	Negative	AL6TZA	SALlgAE	Negative
7M3L4A	ALS-UV; NM415; NM450	Inconclusive	AXDLLU	The Laboratory's portfolio of services does not include Saliva Identification	
7Q762P	RSID	Negative	AZNJZC	RSID - Saliva	Negative
7TDDEF	RSID	Negative	BC7UHY	Poss saliva; The laboratory doesn't have a test for saliva	
83D7GF	RSID Saliva	Negative	BNRRWJ	Phadebas	Negative
84QXAW	Phadebas Amylase Test	Negative	BXMMNZ	HEMASTIC	Negative
8EB7W6	Case scenario; Lab policy			OBTI	Negative
8GYKKE	RSID saliva	Negative		RSID	Negative
8LQQF4	RSID	Negative		BLUE STAR TMB	Negative
8XMTKX	RSID	Negative	BYLCPV	AMYLASE RADIAL DIFFUSION	Negative
8Z9MCR	Seratec Amylase	Negative	CA2GHD	RSID	Negative
9CJEFR	PHADEBAS	Negative	CERYQW	No preliminary saliva tests performed in the laboratory	
9MH4F2	RSID	Negative	CGMDL3	RSID	Negative
9MYHMC	Amylase Diffusion	Negative	CRHT3Q	Laboratory only routinely test for blood and/or semen in sexual assault cases.	
9NCZJ3	Not tested; There is no test for saliva in a lab		D23C7M	RSID	Negative
9P4W9W	Phadebas	Negative	D48P24	Radial Diffusion	Negative
9PNN43	RSID saliva	Negative	DJ7PZX	RSID	Negative
9RAGWW	Phadebas	Negative	DJYM4X	The laboratory has no test for saliva.	
9RU9UM	RSID	Negative	DTRWDT	Amylase Radial Diffusion	Negative
9TL6HG	RSID	Negative			
A2FJWM	RSID	Negative			

TABLE 2 - Item 4

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
DU7H9P	Phadebas	Negative	GHGRZU	RSID saliva	Negative
DWQB2J	Radial Diffusion	Negative	GJCHYG	Amylase radial diffusion	Negative
DZAGJE	Not req as per lab SOP		GK9QDR	RSID	Negative
E4LATW	HEMASTIC	Negative	GKKKUT	RSID	Negative
	OBTI	Negative	GM924Z	Presumptive Epithelial (no presumptive testing method for saliva)	
	RSID	Negative	GQPLUM	RSID	Negative
	BLUE STAR	Negative	GY4826	RSID - Saliva	Negative
E7CUZA	RSID	Negative	GZYQ8D	Phadebas	Negative
E88KZW	The laboratory does not have a test for saliva		H8DUT7	Amylase Diffusion	Negative
EAWQKT	Amylase Radial Diffusion	Pos./Ind.	H93UJG	ALS	Negative
	Micro	Negative	HAXTYM	The Laboratory's portfolio of services does not include Saliva Identification	
EGXWKP	RSID	Negative	HBW9W7	amylase diffusion	Negative
EH74NH	RSID-Saliva	Negative	HM8LCL	Phadebas	Negative
ERVWXU	RSID	Negative	HYKJGP	RSID	Negative
EW8P6M	Phadebas	Negative	HZCRGR	No validated saliva test at lab	
EXKCQ8	Amylase	Inconclusive	J8QU3K	The Laboratory's portfolio of services does not include Saliva Identification	
EYTTCJ	Our lab does not test for saliva		JC2YXU	RSID-Saliva	Negative
F3R8XN	Laboratory only routinely examines for blood and/or semen in sexual assault cases.		JKW22Q	RSID-Saliva	Negative
F6EW78	RSID Saliva	Negative	JML8LM	RSID	Negative
FQD862	See additional comments		JNW8K3	Amylase	Negative
FRQ2K2	No presumptive testing		JQZZE2	Amylase diffusion	Negative
FUUP94	Amylase Diffusion	Negative	JT88TM	The Laboratory's portfolio of services does not include Saliva Identification	
G3QMUL	Lab does not test for saliva		JUX9EH	MULTISTIX	Pos./Ind.
G78A76	Amylase Diffusion	Negative	JVYVM6	RSID	Negative
GFRLFV	RSID	Negative			
GG2DLT	No test to do saliva test				

TABLE 2 - Item 4

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
KCJ8LN	RSID	Negative	PX332N	RISD - Saliva	Negative
KNDKLL	RSID	Negative	Q2VN7W	RSID Saliva	Negative
KP6N9Z	Not tested; we don't do presumptive testing for saliva		Q4P8C4	Phadebas press test	Negative
L9TMUP	RSID	Negative	Q9Z8PU	Not tested, saliva tests not performed at [Laboratory]	
LCG2HY	RSID saliva	Negative	QHGTCG	NO KNOWN TEST	
LFP7RQ	RSID	Negative	QLRUYW	RSID	Negative
	OBTI	Pos./Ind.	QUJ6CC	Phadebas	Negative
	HEMASTIC	Pos./Ind.	QXGPDB	Phadebas	Negative
	TMB	Negative	R38JQ3	Phadebas paper	Negative
LPZTZE	Phadebas	Negative	RFCNUA	PHADEBAS	Negative
LQF3XL	RSID-Saliva	Negative	RJGGN9	Amylase Gel	Negative
LQRPM	Phadebas Test	Negative		Micro (MED NECs)	Pos./Ind.
M2UMR2	RSID saliva	Negative	RKAHEW	Amylase Diffusion	Negative
M4G2KH	RSID	Negative	RMYPYT	Amylase Diffusion	Negative
M8JW77	RSID saliva	Negative	RRTQXM	RSID	Negative
MK2U2A	Phadebas tube test not available		RUCMH7	Phadebas	Negative
MTWPA7	Phadebas	Negative	RVR3V8	alpha-Amylase Test card	Negative
NJPDQG	RSID	Negative	RWZ27G	SERATEC AMY	Negative
NTDB9A	Phadebas	Negative	RXUXGV	Amylase diffusion	Negative
NX3PWG	PHADEBAS	Negative	RYQH4V	RSID - Saliva	Negative
PBPEAR	Not tested; Tests for presumable saliva are not conducted at [Laboratory]		TEKZXZ	Phadebas	Negative
PC4NKD	The Laboratory's portfolio of services does not include Saliva Identification		TGM3LF	RSID	Negative
PRG82K	ALS	Negative	TLEG2A	Scene swabs not routinely tested for saliva; blood-like stain observed	
	RSID Saliva	Negative	TXBD9H	Testing for saliva not completed	
PWNMNM	ALS	Negative	TZW8ZC	The Laboratory's portfolio of services does not include Saliva Identification	
	RSID	Negative			

TABLE 2 - Item 4

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
U32AAE	RSID	Negative	X8YXFB	RSID	Negative
U8UALN	Saligae	Negative	XFT7Z3	RSID	Negative
U9LC94	Phadebas Inc as blood in extract/supernatant obscuring visual colour change.	Inconclusive	XNNVX7	The stain on the item was reddish brown and tested positive for blood. Therefore tests are not conducted for other biological fluids	
UAE9VC	Laboratory does not perform this test		XPW6MH	Amylase	Negative
UGJWVT	Phadebas	Negative	XTZWZP	RSID Saliva	Negative
UKVC24	ALS	Negative	XUT7UJ	CRIME LIGHT 450 AND 415	
UNYNYC	Amylase	Negative	XW2VFN	Phadebas	Negative
	Micro	Negative	XYQ8C9	ALS	Negative
UPTAR3	Phadebas	Negative		RSID - saliva	Negative
V3FUUC	RSID	Negative	XZK2Q4	RSID - Saliva	Negative
V67XMJ	RSID saliva	Negative	YA4QAA	RSID-Saliva	Negative
V7HR8P	Amylase diffusion	Negative	YA8BYX	rsid	Negative
VDWF4C	RSID saliva	Negative	YHGYCW	RSID Saliva	Negative
VHRDQH	RSID	Negative	YLZW39	RSID	Negative
VL83R8	Phadebas Amylase	Negative	ZAXZA6	The Laboratory's portfolio of services does not include Saliva Identification	
VLUDNU	RSID Saliva	Negative	ZGHDFC	RSID	Negative
VQ3WMM	SALlgAE	Negative		HEXAGON OBTI	Negative
VRXC26	RSID	Negative		HEMATRACE	Negative
VWM2D3	Amylase	Negative		BLUE STAR TMB	Negative
	RSID	Negative		SALlgAE	Inconclusive
W842RB	RSID	Negative	ZKGED8	RSID	Negative
WDD4U7	NT since the KM positive sample would be taken on to DNA		ZKYJTK	RSID-Saliva	Negative
WJJN4W	Phadebas	Negative	ZPBBDZ	Phadebas amylase	Negative
WL87X3	Not required as per lab SOP		ZVHV94	Phadebas Amylase	Negative
WU36UH	RSID	Negative	ZXLN33	Phadebas Amylase	Negative
WZ82F4	RSID	Negative			

TABLE 2 - Item 4

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
2GBQFA	BLOOD - HEMATRA CE	Pos./Ind.		Faecal - no obvious visible faecal staining or faecal odour	
	BLOOD - HEXAGON OBTI	Pos./Ind.	GJ8JMC	ALS	Inconclusive
	SEMEN - RSID	Negative	LFP7RQ	BLOOD - HEMATRA CE	Pos./Ind.
2QLQT6	ALS	Negative		BLOOD - OBTI	Pos./Ind.
3LZP8A	BLOOD - HEMA TRACE	Pos./Ind.		SEMEN - RSID	Negative
	SEMEN - RSID	Negative	LPZTZE	Urine- Creatine	Negative
	BLOOD - OBTI	Pos./Ind.		Urine-Urea	Negative
48YHKR	POLYLIGHTS USED AND NO COLOUR CHANGE 450; UV; 415 LIGHT USED	Negative		Urine -odour	Negative
				Faeces-odour	Negative
62TB7H	Amylase - Amylase Diffusion	Inconclusive		Faeces-visual	Negative
9MH4F2	Alternate Light source	Negative	NCNKDT	BLOOD - POLIFLARE 450nm LIGHT	Pos./Ind.
ACAFY2	BLOOD - HEMASTIX	Pos./Ind.	NENXT7	ALS	Inconclusive
	BLOOD - HEXAGON OBTI	Pos./Ind.	PRWDHV	Prs skin cells	
	SEMEN - RSID	Negative	PX332N	Alternate Light Source	Negative
BHV8L9	Presumable epithelial cells		QCVK76	ITEM 4 POLYLIGHT USED 450; UV AND 415 LIGHT TESTED NO COLOUR CHANGE	Inconclusive
BXMMNZ	BLOOD - HEMASTIC	Pos./Ind.	TRX263	ALS 450 ORANGE	Inconclusive
	BLOOD - OBTI	Pos./Ind.		415 YELLOW	Inconclusive
DR9XUG	ALS 450 ORANGE	Inconclusive	TWVYXM	Presumable Skin Cells	
	415 YELLOW		VYT2EF	BLOOD - HEMASTIC	Pos./Ind.
	UV NO FILTER			SALIVA - RSID	Negative
	RED RED/ORANGE YELLOW		X8YXFB	ALS	Pos./Ind.
E4LATW	BLOOD - BLUE STAR	Pos./Ind.	ZGHDFC	BLOOD - HEMATRA CE	Pos./Ind.
	BLOOD - OBTI	Pos./Ind.		BLOOD - HEXAGON OBTI	Pos./Ind.
	SEMEN - RSID	Negative		SEMEN - RSID	Negative
	BLOOD - HEMASTIC	Pos./Ind.	ZPBBZD	Urine - RSID-Urine	Negative
EW8P6M	Urine - Urea neg / Creatinine Inc.	Inconclusive			

TABLE 2 - Item 4

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
ZUHJ2U	ALS 450 ORANGE	Inconclusive			
	415 YELLOW				
	UV				

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Hemastix (H/stix)	Pos./Ind.	2ZU2MP	Hemastix	Pos./Ind.
2AHUWZ	KM	Pos./Ind.	32HUYJ	KM	Pos./Ind.
	ABA Hematrace	Pos./Ind.		Stereoscope	Inconclusive
2BNZTE	HEMASTIX	Pos./Ind.	36HAYU	KM	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.	36LPHM	LMG	Pos./Ind.
	BLUESTAR	Pos./Ind.		HemaTrace	Pos./Ind.
2DYJV4	Phenolphthalein	Pos./Ind.	379DR2	HemaTrace	Pos./Ind.
2EA44D	KM	Pos./Ind.	37B3UD	KM	Pos./Ind.
	HemaTrace	Pos./Ind.	3AFL6T	Visual Examination	Pos./Ind.
2EPLHJ	Hemastix	Pos./Ind.		LMG	Pos./Ind.
2GBQFA	HEMATRACE	Pos./Ind.		HemaTrace	Pos./Ind.
	RSID	Negative	3FJPVQ	TMB	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		Luminol	Pos./Ind.
	BLUE STAR	Pos./Ind.		HemaTrace	Pos./Ind.
2HTFKV	Visual	Pos./Ind.	3FZKXL	LMG	Pos./Ind.
	LMG	Pos./Ind.		Hematrace	Pos./Ind.
	HemaTrace	Pos./Ind.	3LZP8A	HEMA TRACE	Pos./Ind.
2KHJD2	KM	Pos./Ind.		RSID	Negative
	Modified Takayama	Pos./Ind.		OBTI	Pos./Ind.
2MHWRE	Hstix			BLUE STAR	Pos./Ind.
2NHVBM	LMG	Pos./Ind.	434GN6	BLUE STAR	Pos./Ind.
	HemaTrace	Pos./Ind.		MAMASTIC	Pos./Ind.
2QLQT6	HS	Pos./Ind.	44JEZP	KM	Pos./Ind.
	HT	Pos./Ind.		HemaTrace	Pos./Ind.
2REJNN	Kastle Meyer	Pos./Ind.	48YHKR	BLUESTAR OBTI	Pos./Ind.
	HemaTrace	Pos./Ind.		HEMASTIX	Pos./Ind.
2T7MB4	ABACard - HemaTrace	Pos./Ind.	4FVTVW	KM	Pos./Ind.
	Thevenon Roland Piramidon	Pos./Ind.	4GMPH6	LMG	Pos./Ind.
2T96LL	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Micro	Pos./Ind.	4GTYJH	KM	Pos./Ind.

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
4H3YJH	Micro	Inconclusive		KM	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
4K8U2Z	KM	Pos./Ind.	6TGGRF	O-Tol	Pos./Ind.
	Takayama	Pos./Ind.	6V2EWX	KM	Pos./Ind.
4KQD9T	KM	Pos./Ind.		OBTI	Pos./Ind.
	HemaTrace	Pos./Ind.	6Y7VE2	Hemastix	Pos./Ind.
4MTXQD	RSID: BLOOD			KM	Pos./Ind.
4RMHPB	KM	Pos./Ind.		Hematrace	Pos./Ind.
4YNCQA	UV + 450 LIGHT SOURCES	Pos./Ind.	6ZWY89	KM	Pos./Ind.
	HEMASTIX	Pos./Ind.		Luminol	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.	76MTGE	KM	Pos./Ind.
	BLUESTAR	Pos./Ind.	7CQXBJ	Tetramethylbenzidine	Pos./Ind.
62RP7V	O-TOL	Pos./Ind.	7M3L4A	ALS; UV; NM450	Pos./Ind.
	HEMDIRECT	Pos./Ind.		BLUESTAR	Pos./Ind.
62TB7H	KM	Pos./Ind.	7Q762P	KM	Pos./Ind.
63PVUG	KM	Pos./Ind.	7RYXW9	KM	Pos./Ind.
66CRZM	KM	Pos./Ind.	7TDDEF	O-tol	Pos./Ind.
	ABACard - HemaTrace	Pos./Ind.	83D7GF	KM	Pos./Ind.
66M3QR	VISUAL OBSERVATION	Pos./Ind.		Hemastix	Pos./Ind.
	ALTERNATIVE LIGHT SOURCE (UV & 450)	Pos./Ind.		Hematrace	Pos./Ind.
	HEMASTIX	Pos./Ind.		Luminol	Pos./Ind.
	BLUESTAR	Pos./Ind.	84QXAW	KM	Pos./Ind.
6BFEAB	KM	Pos./Ind.		Modified Takayama	Pos./Ind.
	Luminol	Pos./Ind.	8EB7W6	KM	Pos./Ind.
6CR9RW	KM	Pos./Ind.	8EQRP8	LIGHT SOURCE; UV; 415	Pos./Ind.
	Hematrace	Pos./Ind.		HEMASTIX	Pos./Ind.
6HFZTX	KM	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
	OBTI	Pos./Ind.		BLUE STAR	Pos./Ind.
6MR2Y3	Hemastix	Pos./Ind.	8GYKKE	KM	Pos./Ind.
			8JJED9	KM	Pos./Ind.

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
8LQQF4	KM	Pos./Ind.		Hematrace	Pos./Ind.
	Hematrace	Pos./Ind.	A2FJWM	KM	Pos./Ind.
	Luminol	Pos./Ind.		SERATEC Hemoglobin	Pos./Ind.
8QFTYM	HEMASTIX	Pos./Ind.	A4KAYW	ABAcad HemaTrace	Pos./Ind.
	OBTI	Pos./Ind.		Thevenon Roland Piramidon	Pos./Ind.
8VULV8	HEMASTIX	Pos./Ind.	A8GXF4	PHTH	Pos./Ind.
	BLUESTAR	Pos./Ind.	AA9WU2	Hemastix	Pos./Ind.
	RSID BLOOD	Negative	ACAFY2	HEMASTIX	Pos./Ind.
8XMTKX	HS	Pos./Ind.		RSID	Negative
	HT	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
8Z9MCR	TMB	Pos./Ind.		BLUE STAR TMB	Pos./Ind.
	Seratec Hem Direct	Pos./Ind.	ACDKAR	Visual Exam	Pos./Ind.
99WCD7	HEMASTIX	Pos./Ind.		O-tol	Pos./Ind.
	RSID BLOOD	Negative		HemaTrace	Pos./Ind.
	RSID SEMEN	Negative	AD84J6	KM	Pos./Ind.
	BLUESTAR	Pos./Ind.		Luminol	Pos./Ind.
9CJEFR	BLUESTAR	Pos./Ind.	AL37GB	Hemastix	Pos./Ind.
	OBTI	Pos./Ind.	AL6TZA	KM	Pos./Ind.
9MH4F2	TMB	Pos./Ind.		Hematrace	Pos./Ind.
	Hematrace	Pos./Ind.	AXDLLU	Thevenon Roland (Piramidon)	Pos./Ind.
9MYHMC	LMG	Pos./Ind.		ABAcad HemaTrace	Pos./Ind.
	Hematrace	Pos./Ind.	AZNJZC	KM	Pos./Ind.
9NCZJ3	Hemastix	Pos./Ind.	BC7UHY	Hemastix	Pos./Ind.
9P4W9W	KM	Pos./Ind.	BHV8L9	Hemastix Test	Pos./Ind.
9PNN43	TMB	Pos./Ind.	BNRRWJ	KM	Pos./Ind.
	Hematrace	Pos./Ind.		ABAcad Hematrace	Pos./Ind.
9RAGWW	KM	Pos./Ind.			
9RU9UM	KM	Pos./Ind.			
	HT	Pos./Ind.			
9TL6HG	Hemastix	Pos./Ind.			

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
BXMMNZ	OBTI	Pos./Ind.	DJYM4X	Hemastix	Pos./Ind.
	RSID	Negative	DR9XUG	BLUESTAR OBTI	Pos./Ind.
	HEMASTIC	Pos./Ind.		HEMASTIX	Pos./Ind.
BXR7C3	BLUE STAR TMB	Pos./Ind.	DTRWDT	Visual	Pos./Ind.
	HEMASTICKS	Pos./Ind.		TMB	Pos./Ind.
	BLUESTAR	Pos./Ind.		HemaTrace	Pos./Ind.
BYLCPV	RSID BLOOD	Negative	DU7H9P	KM	Pos./Ind.
	KM	Pos./Ind.		Hematrace	Pos./Ind.
	HEMATRACE	Pos./Ind.	DWQB2J	TMB	Pos./Ind.
CA2GHD	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
	Hemastix	Pos./Ind.	DXJ4W3	KM	Pos./Ind.
	KM	Pos./Ind.	DZAGJE	Hemochromogen	Pos./Ind.
CAXERZ	Luminol	Pos./Ind.	E4LATW	OBTI	Pos./Ind.
	HEMASTIX	Pos./Ind.		RSID	Negative
	BLUE STAR	Pos./Ind.		HEMASTIC	Pos./Ind.
CERYQW	Hemastix	Pos./Ind.		BLUE STAR	Pos./Ind.
CGMDL3	Phenolphthalein	Pos./Ind.	E6FLX	Lmg	Pos./Ind.
	Hematrace	Pos./Ind.	E7CUZA	KM	Pos./Ind.
CRHT3Q	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	OBTI	Pos./Ind.	E88KZW	Hemastix	Pos./Ind.
CX379X	HEMASTIX	Pos./Ind.	EAWQKT	KM	Pos./Ind.
	BLUE STAR	Pos./Ind.		HemaTrace	Pos./Ind.
D23C7M	O-tol	Pos./Ind.	EGXWKP	Visual	Pos./Ind.
	HemaTrace	Pos./Ind.		KM	Pos./Ind.
D48P24	KM	Pos./Ind.		HemaTrace	Pos./Ind.
DB47DL	ALTERNATE LIGHT SOURCE	Pos./Ind.	EH74NH	Visual	Pos./Ind.
	BLUESTAR	Pos./Ind.		LMG	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		Hematrace	Pos./Ind.
DJ7PZX	KM	Pos./Ind.	ELNDQN	Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.	EQYNK4	Hemastix	Pos./Ind.

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
ERVWXU	KM	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
EW8P6M	KM o/s front	Pos./Ind.		BLUESTAR	Pos./Ind.
	KM i/s front (soaked from o/s)	Pos./Ind.	GFRLFV	KM	Pos./Ind.
	KM o/s + i/s back (no visible staining); Not tested			HemaTrace	Pos./Ind.
EXKCQ8	Micro	Inconclusive	GG2DLT	Hemastix	Pos./Ind.
	KM	Pos./Ind.	GHGRZU	TMB	Pos./Ind.
EYTTCJ	ALS	Pos./Ind.		Hematrace	Pos./Ind.
	O-tol	Pos./Ind.	GJ8JMC	BLUESTAR OBTI	Pos./Ind.
	OBTI	Pos./Ind.		HEMASTIX	Pos./Ind.
F3R8XN	KM	Pos./Ind.	GJCHYG	TMB	Pos./Ind.
	OBTI	Pos./Ind.		HemaTrace	Pos./Ind.
F6EW78	O-tol	Pos./Ind.	GK9QDR	KM	Pos./Ind.
FGN89G	HEXAGON OBTI	Pos./Ind.	GKKKUT	KM	Pos./Ind.
	CRIME LIGHT	Pos./Ind.		HemaTrace	Pos./Ind.
	BLUE STAR	Pos./Ind.	GM8BVW	Lmg	Pos./Ind.
FNZPGX	KM	Pos./Ind.	GM924Z	Hemastix	Pos./Ind.
FQD862	Hemastix	Pos./Ind.		Luminol (Tested rest of exhibit for nonvisible blood)	Negative
FRQ2K2	H-stix	Pos./Ind.	GQPLUM	Visual Exam	Pos./Ind.
FUUP94	LMG	Pos./Ind.		KM	Pos./Ind.
	Hematrace	Pos./Ind.		HemaTrace	Pos./Ind.
FYLFBL	HEXAGON	Pos./Ind.	GY4826	Hemastix	Pos./Ind.
	OBTI	Pos./Ind.	GZYQ8D	KM	Pos./Ind.
G2R2YL	HEXAGON	Pos./Ind.		Hematrace	Pos./Ind.
	OBTI	Pos./Ind.	H8DUT7	LMG	Pos./Ind.
G3QMUL	KM	Pos./Ind.		HemaTrace	Pos./Ind.
G78A76	LMG	Pos./Ind.	H93UJG	BLUESTAR	Pos./Ind.
GCN8TK	LIGHT SOURCES UV AND 415	Pos./Ind.		HEMASTIX	Pos./Ind.
	HEMASTIX	Pos./Ind.	H9486W	KM	Pos./Ind.

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
H9J6WF	OBTI	Pos./Ind.	JT88TM	ABACard HemaTrace	Pos./Ind.
	HEMASTIX	Pos./Ind.		Thevenon Roland Piramidon	Pos./Ind.
HAXTYM	ABACard HemaTrace	Pos./Ind.	JVCCBU	RSID: BLOOD	Pos./Ind.
HBW9W7	LMG	Pos./Ind.	JVYIM6	KM	Pos./Ind.
	Hematrace	Pos./Ind.	KCJ8LN	KM	Pos./Ind.
HM8LCL	KM	Pos./Ind.	KNDKLK	KM	Pos./Ind.
	Takayama	Pos./Ind.		HemaTrace	Pos./Ind.
	Hematrace	Pos./Ind.	KP6N9Z	Hmstx (Hemastix)	Pos./Ind.
HTQ94X	UV; 450nm LIGHT ORANGE GOGGLES	Pos./Ind.	KTZ2QB	BLUESTAR OBTI	Pos./Ind.
	HEMASTIX	Pos./Ind.	L4DLMC	HEMASTIX	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		BLUESTAR	Pos./Ind.
	BLUE STAR	Pos./Ind.		BLUESTAR OBTI	Pos./Ind.
HYKJGP	Hemastix	Pos./Ind.	L9TMUP	TMB	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	LCG2HY	Hemastix	Pos./Ind.
HZCRGR	H/Stix	Pos./Ind.	LE2VBT	KM	Pos./Ind.
J7E9BY	LMG	Pos./Ind.	LFP7RQ	HEMA	Pos./Ind.
	HemaTrace	Pos./Ind.		OBTI	Pos./Ind.
J8QU3K	Thevenon Roland Piramidon	Pos./Ind.		RSID	Negative
	ABACard HemaTrace	Pos./Ind.		TMB	Pos./Ind.
JC2YXU	Phenolphthalein	Pos./Ind.	LM9AYT	LIGHT SOURCE UV AND 415nm	Pos./Ind.
	Luminol	Pos./Ind.		HEMASTIX	Pos./Ind.
JER6CY	H-stix	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
JKW22Q	KM	Pos./Ind.		BLUESTAR	Pos./Ind.
JML8LM	KM	Pos./Ind.	LPZTZE	KM	Pos./Ind.
JNW8K3	Micro	Pos./Ind.		Visual	Pos./Ind.
	KM	Pos./Ind.	LQF3XL	Hemastix	Pos./Ind.
JQZZE2	LMG	Pos./Ind.	LQRPMM	Hemochromogen	Pos./Ind.
	Hematrace	Pos./Ind.			

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LR428Q	HEMASTIX	Pos./Ind.	PC4NKD	ABACard HemaTrace	Pos./Ind.
	BLUE STAR	Pos./Ind.		Thevenon Roland Piramidon	Pos./Ind.
LYLCLQ	HEMASTIX	Pos./Ind.	PJ46VJ	KM	Pos./Ind.
	BLUE STAR	Pos./Ind.	PRG82K	Phenolphthalein	Pos./Ind.
M2UMR2	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	KM	Pos./Ind.	PRWDHV	Hemastix	Pos./Ind.
M4G2KH	KM	Pos./Ind.	PUYG4Q	KM	Pos./Ind.
M8JW77	O-tol	Pos./Ind.	PWNMNM	KM	Pos./Ind.
	Hemastix	Pos./Ind.		RSID	Pos./Ind.
	RSID blood	Pos./Ind.	PX332N	Hemastix	Pos./Ind.
MK2U2A	Visual and KM	Pos./Ind.		HemaTrace	Pos./Ind.
MTWPA7	KM	Pos./Ind.	PXMNRT	H-Stix	Pos./Ind.
	HemaTrace	Pos./Ind.	PYFL3K	H-stix	Pos./Ind.
MXQTUW	Hemastix	Pos./Ind.	PZT9FT	H-Stix	Pos./Ind.
MZFZEU	Hemastix	Pos./Ind.	Q2VN7W	KM	Pos./Ind.
NCNKDT	HEMASTIX	Pos./Ind.	Q4KECM	RSID: BLOOD	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.	Q4P8C4	Visual examination for staining	Pos./Ind.
	BLUESTAR	Pos./Ind.		Kastle Meyer test	Pos./Ind.
NENXT7	BLUESTAR OBTI	Pos./Ind.	Q9Z8PU	Hemastix	Pos./Ind.
	HEMASTIX	Pos./Ind.	QCVK76	BLUESTAR OBTI	Pos./Ind.
NJPDQG	Visual	Pos./Ind.		HEMASTIC	Pos./Ind.
	KM	Pos./Ind.	QHGTCCG	HEMASTIC	Pos./Ind.
	Hemastix	Pos./Ind.		BLUE STAR	Pos./Ind.
NT9FLA	CRIME LIGHT	Pos./Ind.	QLRUYW	KM	Pos./Ind.
	BLUESTAR	Pos./Ind.	QPXCN4	HEMASTIX	Pos./Ind.
	HEXAGON OBTI	Pos./Ind.		BLUESTAR	Negative
NTDB9A	KM	Pos./Ind.	QQWXGH	KM	Pos./Ind.
NU744T	KM	Pos./Ind.	QUJ6CC	KM	Pos./Ind.
NX3PWG	KM	Pos./Ind.		Modified Takayama	Pos./Ind.
PBPEAR	Hemastix	Pos./Ind.			

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
QXGPDB	KM	Pos./Ind.		HEMASTIX	Pos./Ind.
	HemaTrace	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
R38JQ3	Visual exam: Red-brown stain with the appearance of blood, some of which also had a diluted appearance	Pos./Ind.		BLUESTAR	Pos./Ind.
	KM	Pos./Ind.	TLEG2A	KM	Pos./Ind.
				OBTI	Pos./Ind.
			TRX263	HEXAGON OBTI	Pos./Ind.
				HEMASTIX	Pos./Ind.
R8ZRNH	Hstix	Pos./Ind.	TWVYXM	Hemastix	Pos./Ind.
RB2X3M	KM	Pos./Ind.	TXBD9H	KM	Pos./Ind.
RFCNUA	KM	Pos./Ind.		Hematrace	Pos./Ind.
RGPHAA	KM	Pos./Ind.	TY3YXF	HEMASTIX	Pos./Ind.
	HemaTace	Pos./Ind.		BLUE STAR OBTI	Pos./Ind.
RJGGN9	O-tol	Pos./Ind.	TZW8ZC	Human Blood	Pos./Ind.
	HemaTrace	Pos./Ind.		Thevenon Roland Piramidon	Pos./Ind.
RKAHEW	LMG	Pos./Ind.	U32AAE	KM	Pos./Ind.
RMYPYT	LMG	Pos./Ind.	U8UALN	ALS (IR)	Pos./Ind.
	HemaTrace	Pos./Ind.		KM	Pos./Ind.
RRTQXM	KM	Pos./Ind.		Hematrace	Pos./Ind.
	HemaTrace	Pos./Ind.	U9LC94	KM	Pos./Ind.
RUCMH7	KM	Pos./Ind.	UAE9VC	Hemastix	Pos./Ind.
RVR3V8	TMB	Pos./Ind.	UGJWWT	KM	Pos./Ind.
RWZ27G	HEMOPHAN	Pos./Ind.		Hematrace	Pos./Ind.
	SERATEC HEM	Pos./Ind.	UKVC24	HEMASTIX	Pos./Ind.
RXUXGV	LMG	Pos./Ind.		BLUESTAR	Pos./Ind.
RYQH4V	KM	Pos./Ind.	ULWJTJ	Visual	Pos./Ind.
TEKZXZ	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Hema Trace	Pos./Ind.	UNYNYC	LMG	Pos./Ind.
TGM3LF	KM	Pos./Ind.		Hematrace	Pos./Ind.
	HemaTrace	Pos./Ind.	UPTAR3	KM	Pos./Ind.
TJPM6M	UV AND 415nm LIGHT SOURCE	Pos./Ind.			

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
V3FUUC	Hemastix	Pos./Ind.	W842RB	Hemastix	Pos./Ind.
	KM	Pos./Ind.		Phenolphthalein	Pos./Ind.
	Hematrace	Pos./Ind.		HemaTrace	Pos./Ind.
V67XMJ	Hemastix	Pos./Ind.	WD7N44	LIGHT SOURCE (UV AND 450)	Pos./Ind.
	HemaTrace	Pos./Ind.		HEMASTIX	Pos./Ind.
	KM	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
V7HR8P	LMG	Pos./Ind.		BLUESTAR	Pos./Ind.
VDWF4C	KM	Pos./Ind.	WDD4U7	KM	Pos./Ind.
VHRDQH	Phenolphthalein	Pos./Ind.	WJJN4W	KM	Pos./Ind.
	Luminol	Pos./Ind.		HemaTrace	Pos./Ind.
VL83R8	KM	Pos./Ind.	WL87X3	Hemochromogen	Pos./Ind.
	Micro (Modified Takayama)	Pos./Ind.	WU36UH	KM	Pos./Ind.
VLBAB3	PT	Pos./Ind.		HemaTrace	Pos./Ind.
	FLS-White	Pos./Ind.	WZ82F4	O-tol	Pos./Ind.
	FLS-Blue	Pos./Ind.		HemaTrace	Pos./Ind.
VLUDNU	KM, Hemastix	Pos./Ind.	X8YXFB	Hemastix	Pos./Ind.
VQ3WMM	KM	Pos./Ind.		Hematrace	Pos./Ind.
	Hematrace	Pos./Ind.	XFT7Z3	O-tol	Pos./Ind.
VREV3H	HEMASTIX	Pos./Ind.		HemaTrace	Pos./Ind.
	RSID BLOOD	Negative	XNNVX7	KM	Pos./Ind.
	BLUESTAR	Pos./Ind.		OBTI	Pos./Ind.
VRXC26	O-tol	Pos./Ind.	XPW6MH	KM	Pos./Ind.
	HemaTrace	Pos./Ind.	XTLCCL	Hstix	Pos./Ind.
VWM2D3	Hemastix	Pos./Ind.	XTZWZP	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		Hemastix	Pos./Ind.
VYT2EF	HEMASTIX	Pos./Ind.	XUT7UJ	CRIME LIGHT SOURCE	Pos./Ind.
	RSID	Negative		HEMASTIX	Pos./Ind.
	BLUE STAR	Pos./Ind.		HEXAGON OBTI	Pos./Ind.
	OBTI	Pos./Ind.		BLUE STAR	Pos./Ind.
W77RFK	Hemastix	Pos./Ind.			

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
XW2VFN	KM	Pos./Ind.		RSID-Blood	Pos./Ind.
	HemaTrace	Pos./Ind.	ZUHJ2U	BLUESTAR OBTI	Pos./Ind.
XYQ8C9	KM	Pos./Ind.		HEMASTIX	Pos./Ind.
	Hematrace	Pos./Ind.	ZVHV94	KM	Pos./Ind.
XZK2Q4	HemaTrace - Human Blood	Pos./Ind.	ZWQRCZ	LIGHT SOURCE; UV AND 415	Pos./Ind.
YA4QAA	Hemastix	Pos./Ind.		HEMASTICS	Pos./Ind.
	KM	Pos./Ind.		HEXAGON	Pos./Ind.
YA8BYX	km	Pos./Ind.		BLUESTAR	Pos./Ind.
	hematrace	Pos./Ind.	ZX7E4A	Hemastix	Pos./Ind.
YG3KWA	Hemastix	Pos./Ind.	ZXLN33	KM	Pos./Ind.
YHGycw	KM	Pos./Ind.		Modified Takayama	Pos./Ind.
	HemaTrace	Pos./Ind.			
YLZW39	Hemastix	Pos./Ind.			
	KM	Pos./Ind.			
	HemaTrace	Pos./Ind.			
Z7X7H9	HEMASTIC	Pos./Ind.			
	BLUE STAR	Pos./Ind.			
ZAXZA6	Thevenon Roland Piramidon	Pos./Ind.			
	ABACard HemaTrace	Pos./Ind.			
ZBQVWD	Benzidine	Pos./Ind.			
	Heme Direct Kit	Pos./Ind.			
ZC38GG	RSID: BLOOD	Pos./Ind.			
ZGHDFC	HEMATRACE	Pos./Ind.			
	RSID	Negative			
	HEXAGON OBTI	Pos./Ind.			
	BLUESTAR TMB	Pos./Ind.			
ZKGED8	ABA card HemeTrace	Pos./Ind.			
ZKYJTK	KM	Pos./Ind.			
ZPBBZD	LMG	Pos./Ind.			

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Brentamine	Negative		AP	Negative
2AHUWZ	AP	Negative	32HUYJ	ALS	Negative
	PSA	Negative		AP	Negative
2BNZTE	RSID	Negative	36HAYU	AP	Negative
2DYJV4	AP	Negative		p30	Negative
2EA44D	AP	Negative		KPIC	Negative
2EPLHJ	Brentamine	Negative	36LPHM	ALS	Negative
2GBQFA	RSID	Negative		AP	Negative
	HEXAGON OBTI	Negative		Micro	Negative
	BLUE STAR	Pos./Ind.	379DR2	Micro	Negative
	HEMATRACE	Pos./Ind.		Semenogelina RSID	Negative
2HTFKV	ALS	Pos./Ind.	37B3UD	ALS	Inconclusive
	AP	Negative		RSID	Negative
	ABA p30	Negative	3AFL6T	ALS	Negative
	Micro	Negative		AP	Negative
2KHJD2	AP	Negative	3FJPVQ	Acid Phosphatase	Negative
2MHWRE	Brentamine		3FZKXL	ACP	Negative
2NHVBM	AP	Negative		Micro	Negative
	PSA	Negative		ALS	Negative
	micro	Negative	3LZP8A	RSID	Negative
2QLQT6	AP	Negative		HEMA TRACE	Pos./Ind.
	PSA	Negative		OBTI	Pos./Ind.
	micro	Negative		BLUE STAR	Pos./Ind.
2REJNN	Acid Phosphatase	Negative	434GN6	RSID	Negative
2T7MB4	Microscopic	Negative	44JEZP	AP	Negative
	RSID - Semen	Negative	4FVTWV	AP	Negative
2T96LL	AP	Negative	4GMPH6	ALS	Negative
	Micro	Negative		AP	Negative
	ALS	Negative		Micro	Negative
2ZU2MP	Polilight	Negative		p30 Immunoassay	Negative

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
4GTYJH	AP	Negative	6V2EWX	Blood-like stain observed. As it tested positive for blood & corresponds to perpetrator bleeding, tests for other body fluids were not conducted.	
4H3YJH	ALS	Negative			
	AP	Negative			
	Micro	Negative			
4K8U2Z	AP	Inconclusive			
	Micro	Negative	6Y7VE2	AP	Negative
	PSA	Negative		PSA	Negative
4KQD9T	AP	Negative		Micro	Negative
4MTXQD	RSID: SEMEN		6ZWY89	AP	Negative
4RMHPB	ALS	Negative		Micro	Negative
	RSID	Negative	76MTGE	AP	Negative
4YNCQA	UV LIGHT SOURCE	Negative	7CQXBJ	Acid Phosphatase	Negative
62RP7V	AP	Negative	7M3L4A	ALS - UV; NM415; NM450	Negative
	PSA	Negative	7Q762P	AP	Negative
62TB7H	BCIP	Negative		PSA	Negative
63PVUG	AP	Negative		Micro	Negative
66CRZM	AP	Negative		ALS	Negative
6BFEAB	AP	Negative	7RYXW9	ALS	Negative
6CR9RW	AP	Negative		RSID	Negative
	PSA	Negative	7TDDEF	AP	Negative
6HFZTX	Brown stain observed and tested positive for blood. Hence, test for other body fluids were not performed.			Micro	Negative
			83D7GF	AP	Negative
			84QXAW	AP	Negative
6MR2Y3	AP	Negative	8EB7W6	AP	Negative
	PSA	Negative	8EQR8	UV LIGHT SOURCE	Negative
	Micro	Negative	8GYKKE	AP	Negative
6TGGRF	AP	Negative	8JJED9	ALS	Negative
				RSID	Negative
			8LQQF4	AP	Negative
			8VULV8	RSID SEMEN	Negative

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
8XMTKX	AP	Negative		RSID - Human Semen	Negative
	MICRO	Negative	A8GXF4	BCIP	Negative
	P30	Negative		P30	Negative
8Z9MCR	AP	Negative		Micro	Negative
	Seratec PSA Semiquant	Negative	AA9WU2	Brentamine	Negative
	ME (micro)	Negative	ACAFY2	RSID	Negative
99WCD7	HEMASTIX	Negative		HEMASTIX	Pos./Ind.
	RSID BLOOD	Negative		HEXAGON OBTI	Pos./Ind.
	RSID SEMEN	Negative		BLUE STAR TMB	Pos./Ind.
	BLUESTAR	Negative	ACDKAR	ALS	Negative
9CJEFR	AP	Negative		AP	Negative
9MH4F2	AP	Negative		PSA	Negative
9MYHMC	ALS	Negative	AD84J6	AP	Negative
	AP 1 step & 2 step	Negative	AL37GB	Brentamine	Negative
9NCZJ3	Brentamine	Negative	AL6TZA	ALS	Negative
9P4W9W	AP	Negative		AP	Negative
	P-30	Negative	AXDLLU	Christmas Tree Stain Slide (Micro)	Negative
	KPIC	Negative		RSID - Semen	Negative
9PNN43	AP	Negative	AZNJZC	ALS - no fluorescence observed	Negative
9RAGWW	AP	Negative		AP	Negative
	PSA	Negative	BC7UHY	Brentamine	Negative
	Micro	Negative	BHV8L9	Brentamine Test	Negative
9RU9UM	AP	Negative	BNRRWJ	AP	Negative
	ALS	Negative	BXMMNZ	RSID	Negative
9TL6HG	Not indicated in scenario			HEMASTIC	Negative
A2FJWM	AP	Negative		OBTI	Negative
	Micro	Negative		BLUE STAR TMB	Negative
	PSA	Negative	BXR7C3	RSID SEMEN	Negative
A4KAYW	Christmas Tree Coloring	Negative	BYLCPV	AP	Negative

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CA2GHD	AP	Negative	E6FLLX	Ap	Negative
CAXERZ	RSID	Negative	E7CUZA	AP	Negative
CERYQW	Brentamine	Negative	E88KZW	Brentamine	Negative
CGMDL3	AP	Negative	EAWQKT	AP	Negative
CRHT3Q	Brown stain observed, as it was tested positive for blood, test for other body fluids was not performed.			PSA	Negative
				Micro	Negative
				ALS	Negative
CX379X	RSID	Negative	EGXWKP	ALS	Negative
D23C7M	ALS	Inconclusive		AP	Negative
	AP	Negative	EH74NH	ALS	Negative
D48P24	ALS	Negative		AP	Negative
	AP Overlay	Negative		ABA Card P30	Negative
DB47DL	ALTERNATE LIGHT SOURCE	Negative		Micro	Negative
	RSID	Negative	ELNDQN	Alternate Light Source	Negative
DJ7PZX	AP	Negative	ERVWXU	AP	Negative
DJYM4X	The headband remained attached to the victims head. Hence there was no chance for semen presence.		EW8P6M	AP (o/s + i/s front, o/s + i/s back)	Negative
			EXKCQ8	ALS	Negative
				AP	Negative
				Micro	Negative
DTRWDT	ALS	Negative	EYTTCJ	ALS	Negative
	AP	Negative		AP	Negative
	MICRO	Negative	F3R8XN	Brown stain observed, as it was tested positive for blood, test for other body fluids were not conducted.	
	PSA	Negative			
DU7H9P	AP	Negative	F6EW78	AP	Negative
	PSA	Negative		Micro	Negative
DWQB2J	AP	Negative	FGN89G	RSID	Negative
DXJ4W3	ALS	Negative		CRIME LIGHT	Negative
	RSID	Negative	FNPZGX	ALS	Negative
DZAGJE	Fast Blue	Negative		RSID	Negative
E4LATW	RSID	Negative			

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
FQD862	Brentamine	Negative		AP	Negative
FRQ2K2	Brentamine	Negative		Micro	Negative
FUUP94	AP	Negative	H93UJG	ALS	Negative
	micro	Negative	H9486W	ALS	Negative
	ALS	Negative		RSID	Negative
G3QMUL	AP	Negative	HAXTYM	Christmas Tree Stain	Negative
	Micro	Negative		RSID - Semen	Negative
	PSA	Negative	HBW9W7	AP	Negative
G78A76	ALS	Negative		ALS	Negative
	AP	Negative	HM8LCL	AP	Negative
GCN8TK	LIGHT SOURCE UV	Negative	HTQ94X	UV; 450nm LIGHT ORANGE GOGGLE	Negative
GFRLFV	AP	Negative	HYKJGP	AP	Negative
GG2DLT	Head band remained on the victim's head, minimizing every chance of contact with semen			PSA	Negative
				micro	Negative
GHGRZU	AP	Negative	HZCRGR	AP	Negative
	PSA	Negative	J7E9BY	ALS	Negative
GJCHYG	AP	Negative		AP	Negative
	PSA	Negative		PSA	Negative
GK9QDR	AP	Negative		Micro	Negative
GKKKUT	ALS (fluorescence)	Negative	J8QU3K	Christmas Tree	Negative
	AP	Negative		RSID - Semen	Negative
GM8BVV	Ap	Negative	JC2YXU	NT-due to case details; remained with victim and she headbutted mouth and noses of suspect	
GM924Z	Brentamine	Negative	JER6CY	Brentamine	Negative
GQPLUM	ALS	Negative	JKW22Q	ALS	Negative
	UV	Negative	JML8LM	ALS	Negative
	AP	Negative		AP	Negative
GY4826	AP	Negative		PSA	Negative
GZYQ8D	AP	Negative			
H8DUT7	ALS	Negative			

TABLE 2 - Item 5

Semen

Webcode	Test Performed	Results	Webcode	Test Performed	Results
JNW8K3	ALS	Negative	M4G2KH	ALS	Negative
	AP	Negative		AP	Negative
	X-mas	Negative		Micro	Negative
JQZZE2	ALS	Negative	M8JW77	ALS	Negative
	AP	Negative		AP screen	Negative
	Micro	Negative	MK2U2A	AP	Negative
JT88TM	Christmas Tree Stain	Negative	MTWPA7	AP	Negative
	RSID - Semen	Negative	MZFZEU	Semen on the headband does not have evidential value because it was	
JVCCBU	RSID : SEMEN	Negative			
JVYIM6	AP	Negative	NCNKDT	HEMASTIX	Pos./Ind.
KCJ8LN	AP	Negative		RSID	Negative
	micro	Negative	NJPDQG	ALS	Pos./Ind.
KNDKLL	ALS	Negative		AP	Negative
	AP	Negative	NT9FLA	CRIME LIGHTS	Negative
	Micro	Negative		RSID	Negative
KP6N9Z	Brentamine	Negative	NTDB9A	AP	Negative
L9TMUP	AP	Negative		PSA	Negative
LCG2HY	AP	Negative		MICRO	Negative
LE2VBT	ALS	Negative	NU744T	ALS	Negative
	RSID	Negative		RSID	Negative
LFP7RQ	RSID	Negative	NX3PWG	PSA	Negative
	OBTI	Pos./Ind.		MICRO	Negative
	HEMATRACE	Pos./Ind.	PBPEAR	Brentamine	Negative
LM9AYT	LIGHT SOURCE UV	Negative	PC4NKD	Christmas Tree Stain	Negative
LPZTZE	AP	Negative		RSID - Semen	Negative
LQF3XL	AP	Negative	PJ46VJ	ALS	Negative
LQRPM	Fast Black (AP)	Negative		RSID	Negative
LR428Q	RSID	Negative	PRG82K	ALS	Negative
LYLCLQ	RSID	Negative		AP	Negative
M2UMR2	AP	Negative		Micro	Negative

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
PRWDHV	Brentamine	Negative		ALS	Negative
PUYG4Q	ALS	Negative	RJGGN9	ALS	Negative
	RSID	Negative		AP	Negative
PWNMNM	ALS	Pos./Ind.		PSA	Negative
	AP	Negative		Micro (sperm)	Negative
	RSID	Negative	RKAHEW	ALS	Negative
PX332N	Acid Phosphatase	Negative		AP	Negative
PXMNRT	Brentamine	Negative		Micro	Negative
PYFL3K	Brentamine	Negative	RMYPYT	ALS	Negative
PZT9FT	Brentamine	Negative		AP	Negative
Q2VN7W	Acid phosphatase	Negative		Micro	Negative
Q4KECM	RSID: SEMEN	Negative		AP Mapping	Negative
Q4P8C4	Acid Phosphatase	Negative	RRTQXM	AP	Negative
Q9Z8PU	Brentamine	Negative	RUCMH7	AP	Negative
QHGTCC	RSID	Negative		P30	Negative
QLRUYW	AP	Negative		KPIC	Negative
QQWXGH	AP	Negative	RVR3V8	ALS	Negative
	ALS	Negative		AP	Negative
QUJ6CC	AP	Negative	RWZ27G	PHOSPHADESMO	Negative
QXGPDB	AP	Negative		SERATEC PSA	Negative
	PSA	Negative	RXUXGV	AP	Negative
R38JQ3	Due to circumstances of scenario, the headband was not tested for the presence of semen			ALS	Negative
				AP mapping	Negative
R8ZRNH	AP	Negative	RYQH4V	AP	Negative
RB2X3M	ALS	Negative	TEKZXZ	AP	Negative
	RSID	Negative	TGM3LF	ALS	Negative
RFCNUA	AP	Negative		AP	Negative
				Micro	Negative
RGPHAA	AP	Negative	TJPM6M	LIGHT SOURCE UV	Negative
	Micro	Negative			

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
TLEG2A	Case scenario suggests blood testing from head butting; blood-like stain observed			Micro	Negative
			V67XMJ	Acid Phosphatase	Negative
			V7HR8P	AP	Negative
TWVYXM	Brentamine	Negative		Micro	Negative
TXBD9H	ALS - no stains fluoresced			ALS	Negative
TY3YXF	RSID	Negative		PSA	Negative
TZW8ZC	Christmas Tree	Negative	VDWF4C	AP	Negative
	Semenogelina	Negative	VL83R8	AP	Negative
U32AAE	ALS	Negative	VLBAB3	AP	Negative
	AP	Negative		FLS-White	Negative
	Micro	Negative		FLS-Blue	Negative
U8UALN	ALS (blue)	Negative	VLUDNU	AP	Negative
	AP	Negative	VQ3WMM	ALS	Negative
	PSA	Negative	VREV3H	RSID SEMEN	Negative
	Micro	Negative	VRXC26	ALS	Negative
U9LC94	AP	Negative		AP	Negative
UAE9VC	AP (Brentamine)	Negative	VWM2D3	AP	Negative
UGJVWT	AP	Negative	VYT2EF	RSID	Negative
	PSA	Negative	W77RFK	Brentamine	Negative
UKVC24	ALS	Negative	W842RB	AP	Negative
ULWJTJ	ALS	Inconclusive		PSA	Negative
	p30	Negative		Micro	Negative
UNYNYC	AP	Negative	WD7N44	LIGHT SOURCE	Negative
	PSA	Negative	WDD4U7	NT based on scenario and how we approach casework	
	Micro	Negative	WJJN4W	AP	Negative
UPTAR3	PSA	Negative	WL87X3	Not required as per lab SOP	
	Micro	Negative	WU36UH	AP	Negative
	ALS	Negative	WZ82F4	AP	Negative
V3FUUC	AP	Negative		ALS	Inconclusive
	PSA	Negative			

TABLE 2 - Item 5

Semen

Webcode	Test Performed	Results	Webcode	Test Performed	Results
X8YXFB	AP	Negative		PSA	Negative
	PSA	Negative		micro	Negative
XFT7Z3	ALS	Negative	Z7X7H9	RSID	Negative
	AP	Negative	ZAXZA6	Microscopic - Christmas Tree	Negative
XNNVX7	Blood-like stain observed. As it tested positive for blood & corresponds to perpetration bleed, tests for other body fluids were not conducted.			RSID - Semen	Negative
			ZBQVWD	AP (Acid Phosphatase)	Negative
				PSA	Negative
			ZC38GG	RSID: SEMEN	Negative
XPW6MH	AP	Negative	ZGHDFC	RSID	Negative
	Micro	Negative		HEMATRACE	Pos./Ind.
XTLCCL	Brentamine	Negative		HEXAGON OBTI	Pos./Ind.
XTZWZP	AP	Negative		BLUE STAR TMB	Pos./Ind.
XUT7UJ	CRIME LIGHT 450 AND 415		ZKGED8	We test for semen in genital related areas of its relations	
XW2VFN	AP	Negative	ZKYJTK	AP	Negative
XYQ8C9	ALS	Negative	ZPBBZD	AP	Negative
	AP	Negative		RSID-Semen	Negative
	Micro	Negative	ZVHV94	No staining indicative of semen	
	PSA	Negative	ZX7E4A	Brentamine	Negative
XZK2Q4	Microscopic - Christmas Tree	Negative	ZXLN33	AP	Negative
	RSID - Semen	Negative		PSA	Negative
YA4QAA	AP	Negative			
YA8BYX	ap	Negative			
	als	Negative			
YG3KWA	Brentamine	Negative			
YHGYCW	ALS	Pos./Ind.			
	AP	Negative			
	PSA	Negative			
	Micro	Negative			
YLZW39	AP	Negative			

TABLE 2 - Item 5

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Not tested but presumable saliva removed		3AFL6T	ALS	Negative
				RSID-Saliva	Pos./Ind.
2AHUWZ	Phadebas	Pos./Ind.	3FJPVQ	Phadebas paper	Pos./Ind.
2DYJV4	RSID	Pos./Ind.	3FZKXL	Amylase Diffusion	Pos./Ind.
2EA44D	RSID	Pos./Ind.	3LZP8A	RSID	Negative
2EPLHJ	No test available (submit for epithelia) refer to comments			HEMA TRACE	Negative
				OBTI	Negative
2GBQFA	RSID	Negative		BLUE STAR	Negative
	HEMATRACE	Negative	44JEZP	Phadebas	Pos./Ind.
	HEXAGON OBTI	Negative	4FVTWV	PHADEBAS PAPER TEST	Pos./Ind.
	BLUE STAR	Negative	4GMPH6	Amylase Radial Diffusion	Pos./Ind.
2HTFKV	ALS	Pos./Ind.		Micro	Pos./Ind.
	RSID	Pos./Ind.	4GTYJH	RSID saliva	Pos./Ind.
2KHJD2	Phadebas Amylase Tablet	Pos./Ind.	4H3YJH	Amylase diffusion	Pos./Ind.
2MHWRE	Swab taken; No presumptive test at [Laboratory]		4K8U2Z	Phadebas Amylase	Pos./Ind.
2NHVBM	amylase diffusion	Pos./Ind.	4KQD9T	RSID	Pos./Ind.
2QLQT6	RSID	Pos./Ind.	62RP7V	AMYLASE DIFFUSION	
2REJNN	RSID	Pos./Ind.	62TB7H	our laboratory doesn't conduct saliva testing, we conduct amylase testing.	
2T7MB4	The Laboratory's portfolio of services does not include Saliva Identification		63PVUG	RSID	Pos./Ind.
2T96LL	Amylase	Pos./Ind.	66CRZM	Phadebas	Pos./Ind.
2ZU2MP	Phadebas	Pos./Ind.	6BFEAB	RSID	Pos./Ind.
32HUYJ	Amylase	Pos./Ind.	6CR9RW	Phadebas	Pos./Ind.
	ALS	Negative	6HFZTX	Laboratory only routinely performs blood and/or semen tests for sexual assault cases.	
36HAYU	Phadebas	Pos./Ind.	6MR2Y3	RSID-Saliva	Pos./Ind.
36LPHM	Amylase diffusion	Pos./Ind.			
379DR2	The Laboratory's portfolio of services does not include Saliva Identification				

TABLE 2 - Item 5

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
6V2EWX	Blood-like stain observed. As it tested positive for blood & corresponds to perpetrator bleeding, tests for other body fluids were not conducted.			RSID	Pos./Ind.
			A2FJWM	Phadebas Amylase	Pos./Ind.
				RSID	Pos./Ind.
6Y7VE2	RSID	Pos./Ind.	A4KAYW	The Laboratory's portfolio of services does not include Saliva Identification	
6ZWY89	RSID	Pos./Ind.	A8GXF4	Phadebas	Pos./Ind.
76MTGE	RSID Saliva	Pos./Ind.	AD84J6	RSID	Pos./Ind.
7CQXBJ	Phadebas	Pos./Ind.	AL6TZA	SALlgAE	Pos./Ind.
7M3L4A	ALS - UV ; NM415; NM450	Negative	AXDLLU	The Laboratory's portfolio of services does not include Saliva Identification	
7Q762P	RSID	Pos./Ind.			
	ALS	Negative	AZNJZC	ALS - no fluorescence observed	Negative
7TDDEF	RSID	Pos./Ind.		RSID - Saliva	Pos./Ind.
83D7GF	RSID Saliva	Pos./Ind.	BNRRWJ	Phabebas	Pos./Ind.
84QXAW	Phadebas Amylase Test	Pos./Ind.	BXMMNZ	RSID	Negative
8EB7W6	Case scenario; Lab policy			HEMASTIC	Negative
8GYKKE	RSID saliva	Pos./Ind.		OBTI	Negative
8LQQF4	RSID	Pos./Ind.		BLUE STAR	Negative
8XMTKX	RSID	Pos./Ind.	BYLCPV	AMYLASE RADIAL DIFFUSION	Pos./Ind.
8Z9MCR	Seratec Amylase	Pos./Ind.	CA2GHD	RSID	Pos./Ind.
9CJEFR	PHADEBAS	Pos./Ind.	CERYQW	The labotatory does not perform any preliminary saliva tests	
9MH4F2	RSID	Pos./Ind.	CGMDL3	RSID	Pos./Ind.
9MYHMC	Amylase Diffusion	Pos./Ind.	CRHT3Q	Laboratory only routinely test for blood and/or semen in sexual assault cases.	
9NCZJ3	Not tested; there is no test for saliva in a lab				
9P4W9W	Phadebas	Pos./Ind.	D23C7M	RSID	Pos./Ind.
9PNN43	RSID saliva	Pos./Ind.	DJ7PZX	RSID	Pos./Ind.
9RAGWW	Phadebas	Pos./Ind.	DJYM4X	The Laboratory has no test for saliva.	
9RU9UM	RSID	Pos./Ind.			
9TL6HG	Phadebas	Pos./Ind.			

TABLE 2 - Item 5

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
DTRWDT	Amylase Radial Diffusion	Pos./Ind.	FRQ2K2	No presumptive testing	
DU7H9P	Phadebas	Pos./Ind.	FUUP94	Amylase Diffusion	Pos./Ind.
DWQB2J	Radial Diffusion	Pos./Ind.	G3QMUL	Lab does not test for saliva	
DZAGJE	Not required as per lab SOP		G78A76	Amylase Diffusion	Pos./Ind.
E4LATW	RSID	Negative	GFRLFV	RSID	Pos./Ind.
E7CUZA	RSID	Pos./Ind.	GG2DLT	No test to do saliva test	
E88KZW	The laboratory does not have a test for saliva		GHGRZU	RSID saliva	Pos./Ind.
EAWQKT	Amylase Radial Diffusion	Pos./Ind.	GJCHYG	Amylase radial diffusion	Pos./Ind.
	Micro	Negative	GK9QDR	RSID	Pos./Ind.
	ALS	Negative	GKKKUT	RSID*	Pos./Ind.
EGXWKP	ALS	Negative		ALS (fluorescence)	Negative
	RSID	Pos./Ind.	GM924Z	Presumable Epithelial (no presumptive test method for saliva), swab taken from Item	
EH74NH	RSID-Saliva	Pos./Ind.	GQPLUM	ALS	Negative
	ALS	Negative		UV	Negative
ERVWXU	RSID	Pos./Ind.		RSID	Pos./Ind.
EW8P6M	Phadebas o/s front; reaction observed likely due to blood	Inconclusive	GY4826	RSID - Saliva	Pos./Ind.
	*o/s back	Inconclusive	GZYQ8D	Phadebas	Pos./Ind.
	i/s front; reaction observed likely due to blood	Inconclusive	H8DUT7	Amylase Diffusion	Pos./Ind.
	*i/s back	Inconclusive	H93UJG	ALS	Negative
EXKCQ8	ALS	Negative	HAXTYM	The Laboratory's portfolio of services does not include Saliva Identification	
	Amylase	Pos./Ind.	HBW9W7	amylase diffusion	Pos./Ind.
EYTTCJ	Our lab does not test for saliva		HM8LCL	Phadebas	Pos./Ind.
F3R8XN	Laboratory only routinely examines for blood and/or semen in sexual assault cases.		HYKJGP	RSID	Pos./Ind.
F6EW78	RSID Saliva	Pos./Ind.	HZCRGR	No validated saliva test at lab	
			J8QU3K	The Laboratory's portfolio of services does not include Saliva Identification	

TABLE 2 - Item 5

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
JC2YXU	RSID-Saliva	Pos./Ind.	MK2U2A	Phadebas	Pos./Ind.
JKW22Q	ALS	Negative	MTWPA7	Phadebas	Pos./Ind.
	RSID	Pos./Ind.	NJPDQG	ALS	Pos./Ind.
JML8LM	ALS	Negative		RSID	Pos./Ind.
	RSID	Pos./Ind.	NTDB9A	Phadebas	Pos./Ind.
JNW8K3	Amylase	Pos./Ind.	NX3PWG	PHADEBAS	Inconclusive
JQZZE2	Amylase diffusion	Pos./Ind.	PBPEAR	Presumable epithelial removed (please see comments); Saliva tests not conducted at [Laboratory]	
JT88TM	The Laboratory's portfolio of services does not include Saliva Identification				
JVYIM6	RSID	Pos./Ind.	PC4NKD	The Laboratory's portfolio of services does not include Saliva Identification	
KCJ8LN	RSID	Pos./Ind.	PRG82K	ALS	Negative
KNDKLK	ALS	Negative		RSID Saliva	Pos./Ind.
	RSID	Pos./Ind.	PWNMNM	ALS	Pos./Ind.
KP6N9Z	Not tested, no presumptive testing done for saliva			RSID	Pos./Ind.
L9TMUP	RSID	Pos./Ind.	PX332N	RSID - Saliva	Pos./Ind.
LCG2HY	RSID saliva	Pos./Ind.	PXMNRT	Epithelial Cells	Pos./Ind.
LFP7RQ	HEMA	Negative	PYFL3K	Epithelial Cells	Pos./Ind.
	OBTI	Negative	PZT9FT	Possible High Friction; No chemical test provided for possible High Friction.	
	RSID	Negative			
	TMB	Negative			
LPZTZE	Phadebas	Pos./Ind.	Q2VN7W	RSID saliva	Pos./Ind.
LQF3XL	RSID-Saliva	Pos./Ind.	Q4P8C4	Phadebas Press Test	Inconclusive
LQRPMM	Phadebas Test (presumptive test only).	Pos./Ind.		(weak reaction at 40 mins in area of bloodstaining)	
M2UMR2	RSID saliva	Pos./Ind.	Q9Z8PU	Not tested but, presumable epithelial removed	
M4G2KH	ALS	Negative	QHGTCCG	NO KNOWN TEST	
	RSID	Pos./Ind.			
M8JW77	ALS	Negative	QLRUYW	RSID	Pos./Ind.
	RSID saliva	Pos./Ind.	QUJ6CC	Phadebas	Pos./Ind.

TABLE 2 - Item 5

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
QXGPDB	Phadebas	Pos./Ind.	U9LC94	Phadebas	Inconclusive
R38JQ3	Phadebas paper	Pos./Ind.		Inc as known blood can give amylase positive. Phadebas reaction coincided with blood.	
RFCNUA	PHADEBAS	Pos./Ind.			
RJGGN9	ALS	Negative			
	Amylase Gel	Inconclusive	UAE9VC	Laboratory does not perform this test	
	Micro (1 NEC)	Pos./Ind.	UGJWWT	Phadebas	Pos./Ind.
RKAHEW	Amylase Diffusion	Pos./Ind.	UKVC24	ALS	Negative
RMYPYT	Amylase Diffusion	Pos./Ind.	UNYNYC	Amylase	Negative
	Amylase Mapping	Pos./Ind.		Micro	Negative
RRTQXM	RSID	Pos./Ind.	UPTAR3	Phadebas	Pos./Ind.
RUCMH7	Phadebas	Pos./Ind.	V3FUUC	RSID	Pos./Ind.
RVR3V8	*Amylase mapping is not in our laboratory TPM.		V67XMJ	RSID saliva	Pos./Ind.
RWZ27G	SERATEC AMY	Pos./Ind.	V7HR8P	Amylase diffusion	Pos./Ind.
RXUXGV	Amylase diffusion	Pos./Ind.	VDWF4C	RSID saliva	Pos./Ind.
	Amylase mapping	Pos./Ind.	VHRDQH	RSID	Pos./Ind.
RYQH4V	RSID - Saliva	Pos./Ind.	VL83R8	Phadebas Amylase	Pos./Ind.
TEKZXZ	Phadebas	Pos./Ind.	VLUDNU	RSID Saliva	Pos./Ind.
TGM3LF	ALS	Negative	VQ3WMM	ALS	Negative
	RSID	Pos./Ind.	VRXC26	RSID	Pos./Ind.
TLEG2A	Case scenario suggests blood testing from head butting; blood-like stain observed.		VWM2D3	Amylase	Pos./Ind.
			VYT2EF	RSID	Negative
TXBD9H	ALS - no stains fluoresced		W842RB	RSID	Pos./Ind.
			WDD4U7	NT since the KM positive sample would be taken on to DNA	
TZW8ZC	The Laboratory's portfolio of services does not include Saliva Identification		WJN4W	Phadebas	Pos./Ind.
			WL87X3	Not required as per lab SOP	
U32AAE	RSID	Pos./Ind.	WU36UH	RSID	Pos./Ind.
U8UALN	ALS (blue)	Negative	WZ82F4	RSID	Pos./Ind.
	Saligae	Pos./Ind.	X8YXFB	RSID	Pos./Ind.

TABLE 2 - Item 5

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
XFT7Z3	RSID	Pos./Ind.			
XNNVX7	The stain on the item was reddish brown and tested positive for blood. Therefore tests are not conducted for other biological fluids				
XPW6MH	Amylase	Pos./Ind.			
XTZWZP	RSID Saliva	Pos./Ind.			
XUT7UJ	CRIME LIGHT 450 AND 415				
XW2VFN	Phadebas	Pos./Ind.			
XYQ8C9	ALS	Negative			
	RSID - saliva	Pos./Ind.			
XZK2Q4	RSID - Saliva	Pos./Ind.			
YA4QAA	RSID-Saliva	Pos./Ind.			
YA8BYX	rsid	Pos./Ind.			
YG3KWA	Testing for saliva is not done in our laboratory as there is no specific test available.				
YHGYCW	ALS	Pos./Ind.			
	Phadebas	Pos./Ind.			
YLZW39	RSID	Pos./Ind.			
ZAXZA6	The Laboratory's portfolio of services does not include Saliva Identification				
ZKGED8	SALlgAE	Inconclusive			
	RSH Saliva	Pos./Ind.			
ZKYJTK	RSID	Pos./Ind.			
ZPBBZD	RSID-Saliva	Pos./Ind.			
ZVHV94	No staining indicative of saliva				
ZXLN33	Phadebas Amylase	Pos./Ind.			

TABLE 2 - Item 5

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
2DYJV4	ALS	Negative	9RAGWW	saliva - ALS (no fluorescence observed)	Negative
2EA44D	ALS	Negative		semen - ALS (no fluorescence observed)	Negative
2EPLHJ	Pres sweat - No test available, refer to comments		9RU9UM	ALS	Negative
2GBQFA	BLOOD - HEMATRACE	Pos./Ind.	ACAFY2	BLOOD - HEMASTIX	Pos./Ind.
	BLOOD - HEXAGON OBTI	Pos./Ind.		BLOOD - HEXAGON OBTI	Pos./Ind.
	SEMEN - RSID	Negative		SEMEN - RSID	Negative
2QLQT6	ALS	Negative	AD84J6	ALS	Pos./Ind.
3LZP8A	BLOOD - HEMA TRACE	Pos./Ind.	AL37GB	1x pres. Epithelia - removed from exhibit	
	BLOOD - OBTI	Pos./Ind.	BHV8L9	Presumable epithelial cells (removed)	
	SEMEN - RSID	Negative	CGMDL3	ALS	Negative
48YHKR	A 450 ORANGE FILTER. VISIBLE SUBSTANCE .ORANGE GOGGLES USED . UV LIGHT	Pos./Ind.	DR9XUG	ALS 450/ORANGE STAIN WAS VISIBLE WITHOUT ANY LIGHT SOURCE	
4KQD9T	Nonspecific - ALS (no fluorescence)	Negative	DZAGJE	Hair - Search/recovery	Negative
62TB7H	Item not tested for amylase due to lack of Fluorescence with Forensic Light Source, other probative amylase items moving forward for DNA analysis.		E4LATW	BLOOD - HEMASTIC	Pos./Ind.
6BFEAB	ALS	Negative		SEMEN - RSID	Negative
6MR2Y3	ALS	Negative		SALIVA - RSID	Negative
6Y7VE2	ALS	Negative		BLOOD - BLUE STAR	Pos./Ind.
6ZWY89	ALS	Pos./Ind.	EW8P6M	Urine - Not tested - no smell	
8LQQF4	ALS for other body fluid stains	Negative		Faecal - Not tested - no obvious visible faecal staining or faecal odour	
8XMTKX	ALS	Negative	FQD862	Pres. Epithelia removed - (see additional comments); not tested	
9MH4F2	Alternate Light source	Negative	FRQ2K2	Epithelial Friction - High friction swab	
9PNN43	Biological material - ALS	Negative	GFRLFV	Semen/Saliva ALS	Negative
			GHGRZU	Screening-ALS	Negative
			GJ8JMC	ALS	Inconclusive

TABLE 2 - Item 5

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
HZCRGR	Epithelial - Tissue Collection	Inconclusive	TWVYXM	Presumptive skin cells removed	
JC2YXU	ALS	Negative	U9LC94	Crime-lite (searching for vis fluorescence poss from bodyfluid)	Negative
JER6CY	Possible Hair - Visual inspection (not found)	Negative	V3FUUC	ALS	Negative
KP6N9Z	Presumable epithelial cells removed from item 5		V67XMJ	ALS	Negative
KTZ2QB	450 WITH ORANGE GOGGLE AND STAIN VISIBLE WITHOUT LIGHT SOURCE	Pos./Ind.	VHRDQH	ALS	Negative
L9TMUP	Semen/Saliva - ALS	Negative	VREV3H	ALTERNATE LIGHT SOURCE	Pos./Ind.
LQRPM	Hair - Search/Recovery	Negative	VYT2EF	BLOOD - HEMASTIC	Pos./Ind.
MXQTUW	Presumable hair	Negative		SALIVA - RSID	Negative
NCNKDT	BLOOD - POLIFLARE 450nm LIGHT	Pos./Ind.		SEMEN - RSID	Negative
NENXT7	ALS	Inconclusive	W77RFK	Epithelial Cells - Exhibit swabbed to remove possible epithelial cells	Pos./Ind.
NTDB9A	ALS	Negative	W842RB	ALS	Negative
NX3PWG	ALS	Negative	WL87X3	Hair - Search/Recovery	Negative
PRWDHV	Pres. Skin cells (removed)		WU36UH	ALS - Semen/Saliva	Negative
PX332N	Alternate Light Source	Negative	X8YXFB	ALS	Pos./Ind.
PXMNRT	Hair - visual inspection for hair		XPW6MH	ALS	Negative
PYFL3K	Hair - visual inspection for hair		XTLCCL	Body Fluid (Epithelial cells removed)	
PZT9FT	Saliva - Possible High friction		ZGHDFC	BLOOD - HEMATRADE	Pos./Ind.
	No hair has been removed			BLOOD - HEXAGON OBTI	Pos./Ind.
QCVK76	ITEM 5 - POLILIGHTS USED AND ONLY A PORTION WITH SUSTANCE REFLECTS USED ORANGE GOGGLES; UV LIGHT	Pos./Ind.	ZPBBZD	SEMEN - RSID	Negative
R8ZRNH	Hair - visual inspection			Urine - RSID-Urine	Negative
RRTQXM	ALS - Semen, Saliva	Negative	ZUHJ2U	ALS 450 ORANGE FILTER	Inconclusive
TRX263	ALS 450 ORANGE FILTER	Inconclusive			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Luminol	Negative		Thevenon Roland Piramidon	Negative
2AHUWZ	KM	Negative	37B3UD	KM	Negative
	ABA Hematrace	Negative	3AFL6T	Visual Examination	Negative
2BNZTE	HEMASTIX	Negative	3FJPVQ	TMB	Negative
	HEXAGON OBTI	Negative		Luminol	Negative
	BLUESTAR	Negative	3FZKXL	Visually inconsistent with blood	
2DYJV4	Phenolphthalein	Negative	3LZP8A	HEMA TRACE	Negative
2EA44D	No apparent red/brown/blood staining observed			OBTI	Negative
2EPLHJ	Luminol	Negative		RSID	Negative
2GBQFA	HEMATRACE	Negative		BLUE STAR	Negative
	RSID	Negative	434GN6	MAMASTIC	Pos./Ind.
	HEXAGON OBTI	Negative		BLUE STAR	Negative
	BLUE STAR	Negative	44JEZP	KM	Negative
2HTFKV	Visual	Negative	48YHKR	BLUESTAR OBTI	Negative
2KHJD2	KM	Negative		HEMASTIC	Negative
2MHWRE	Luminol		4FVTWV	KM	Negative
2NHVBM	LMG	Negative	4GMPH6	No red/brown stains observed; therefore, not tested for blood	
2QLQT6	HS	Negative	4GTYJH	Redish-brown staining not observed.	
	HT	Negative	4H3YJH	Micro	Negative
2REJNN	Kastle Meyer	Negative		KM	Negative
2T7MB4	ABACard - HemaTrace	Negative	4K8U2Z	KM	Negative
	Thevenon Roland Piramidon	Negative	4KQD9T	PHTH	Negative
2T96LL	KM	Negative	4MTXQD	RSID: BLOOD	Negative
	Micro	Negative	4RMHPB	KM	Negative
2ZU2MP	Hemastix	Pos./Ind.	4YNCQA	UV LIGHT SOURCE	Negative
32HUYJ	KM	Negative		HEMASTIX	Negative
36HAYU	KM	Negative	62RP7V	O-TOL	Inconclusive
36LPHM	LMG	Negative		HEMDIRECT	Inconclusive
379DR2	HemaTrace	Negative			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
62TB7H	Visually, no r/b staining noted, would not test in casework.		83D7GF	no red/brown staining obs.	
63PVUG	Item showed no staining consistent with possible blood.		84QXAW	KM	Negative
66CRZM	KM	Negative	8EB7W6	No observed blood stain	
66M3QR	VISUAL OBSERVATION		8EQRP8	UV AND 450 LIGHTSOURCE	Negative
	ALTERNATIVE LIGHT SOURCE			HEMASTIX	Negative
	HEMASTIX			HEXAGON OBTI	Negative
	BLUESTAR OBTI		8GYKKE	no staining consistent with possible blood	
6CR9RW	KM	Negative	8JJED9	KM	Negative
	Hematrace	Negative	8LQQF4	Luminol	Negative
6HFZTX	No visible brown stain observed		8QFTYM	HEMASTIX	Negative
6MR2Y3	Hemastix	Negative	8VULV8	HEMASTIX	Negative
	KM	Negative		BLUESTAR	Negative
	HemaTrace	Negative		BLOOD RSID	Negative
6V2EWX	No stain observed.		8XMTKX	HS	Negative
6Y7VE2	Hemastix	Negative		HT	Negative
	KM	Negative	8Z9MCR	TMB	Negative
	Hematrace	Negative		Seratec Hem Direct	Negative
6ZWY89	Visual examination did not detect reddish brown stains		99WCD7	HEMASTIX	Negative
76MTGE	visual examination did not indicate the presence of blood			RSID BLOOD	Negative
7CQXBJ	Tetramethylbenzidine	Negative		RSID SEMEN	Negative
7M3L4A	ALS - UV; NM415; NM450	Negative		BLUESTAR	Negative
	BLUESTAR	Negative	9CJEFR	BLUESTAR	Negative
7Q762P	Shoelace had no stain for testing		9MYHMC	No visible staining observed	
7RYXW9	KM	Negative	9NCZJ3	Luminol	Negative
7TDDEF	No reddish/brown stain observed		9P4W9W	KM	Negative
			9PNN43	Visual exam no red/brown stain noted	
			9RAGWW	KM	Negative
			9RU9UM	There was no visible sign of blood	

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
9TL6HG	Hemastix	Negative		BLUE STAR TMB	Negative
A2FJWM	KM	Inconclusive	BXR7C3	HEMASTICK	Negative
	SERATEC Hemoglobin	Inconclusive		BLUESTAR	Negative
A4KAYW	ABACard HemaTrace	Negative		RSID BLOOD	Negative
	Thevenon Roland Piramidon	Negative		LIGHTSOURCE	Pos./Ind.
A8GXF4	Visual Exam	Negative	BYLCPV	No visible bloodstain	
AA9WU2	Hemastix	Negative	CA2GHD	No reddish brown staining was observed on item therefore, no blood testing was performed.	
	Luminol	Negative			
ACAFY2	HEMASTIX	Negative	CAXERZ	HEMASTIX	Negative
	HEXAGON OBTI	Negative		BLUE STAR	Negative
	RSID	Pos./Ind.			
	BLUE STAR TMB	Negative	CERYQW	Luminol	Negative
ACDKAR	Visual Exam	Negative	CGMDL3	Luminol	Negative
	O-tol	Negative	CRHT3Q	No visible brown stain observed	
	HemaTrace	Negative	CX379X	HEMASTIX	Pos./Ind.
AD84J6	No staining consistent with blood noted on item			BLUE STAR OBTI	Negative
AL37GB	Luminol	Negative	D23C7M	not tested due to absence of red brown staining	
AL6TZA	KM	Negative	DB47DL	ALTERNATE LIGHT SOURCE	Negative
AXDLLU	Thevenon Roland (Piramidon)	Negative		BLUESTAR	Negative
	ABACard HemaTrace	Negative		HEXAGON OBTI	Negative
AZNJZC	Visual examination for red-brown staining	Negative	DJ7PZX	No apparent bloodstaining noted on item	
BC7UHY	Hemastix	Negative	DJYM4X	Hemastix	Negative
	Luminol	Negative		Luminol	Negative
BHV8L9	Luminol Test	Negative	DR9XUG	BLUESTAR OBTI	Negative
BNRRWJ	KM	Negative		HEMASTIX	Negative
BXMMNZ	RSID	Negative	DTRWDT	Lacked visible characteristics of blood.	
	OBTI	Negative			
	HEMASTIC	Negative			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
DU7H9P	KM	Negative	FGN89G	HEXAGON OBTI	Negative
	Hematrace	Pos./Ind.		BLUESTAR	Negative
DWQB2J	TMB	Negative		CRIME LIGHT	Negative
DXJ4W3	KM	Negative	FNPZGX	KM	Negative
DZAGJE	Visual Exam	Negative	FQD862	Luminol	Negative
E4LATW	HEMASTIC	Negative	FRQ2K2	Luminol	Negative
	RSID	Negative	FUUP94	not stained red-brown	
	OBTI	Negative	FYLFBL	HEXAGON	Negative
	BLUE STAR	Negative		OBTI	Negative
E6FLLX	Lmg	Negative	G2R2YL	HEXAGON	Negative
E7CUZA	no apparent bloodstains noted			OBTI	Negative
E88KZW	Luminol	Negative	G3QMUL	No "Blood-like" stains detected	
EAWQKT	KM	Negative	G78A76	LMG	Negative
EGXWKP	Visual	Negative	GCN8TK	UV LIGHT SOURCE	Negative
EH74NH	Visual	Negative		HEMASTIX	Negative
ELNDQN	Hemastix	Negative		HEXAGON OBTI	Negative
EQYNK4	Luminol	Negative	GFRLFV	KM	Negative
ERVWXU	No staining consistent with blood was observed; therefore no testing was performed for blood.		GG2DLT	Hemastix	Negative
				Luminol	Negative
EW8P6M	No obvious blood staining therefore no test carried out		GHGRZU	TMB	Negative
			GJ8JMC	BLUESTAR OBTI	Negative
				HEMASTIX	Negative
EXKCQ8	Micro	Negative	GK9QDR	KM	Negative
	KM	Negative	GKKKUT	KM	Negative
EYTTCJ	No visible red/brown staining		GM8BVW	Lmg	Negative
F3R8XN	No visible brown stain		GM924Z	Luminol	Negative
F6EW78	Item does not display the characteristic reddish-brown stain associated with the presence of possible blood.		GQPLUM	Visual Exam	Negative
			GY4826	no visible RBS	
			GZYQ8D	KM	Negative
			H8DUT7	LMG	Negative

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
H93UJG	BLUESTAR	Negative	JT88TM	ABACard HemaTrace	Negative
	HEMASTIX	Negative		Thevenon Roland Piramidon	Negative
H9486W	KM	Negative	JVCCBU	RSID: BLOOD	Negative
H9J6WF	OBTI	Negative	JVYM6	No staining was observed consistent with blood	
	HEMASTIX	Negative		no visible red staining	
HAXTYM	ABACard HemaTrace	Negative	KCJ8LN		
	Thevenon Roland Piramidon	Negative	KNDKLN	KM	Negative
HBW9W7	No red staining observed		KP6N9Z	Luminol	Negative
HM8LCL	KM	Negative	KTZ2QB	BLUESTAR OBTI	Negative
HTQ94X	UV; 450nm ORANGE GOGGLES	Negative		HEMASTIX	Negative
	HEMASTIX	Negative	L4DLMC	BLUESTAR	Negative
	HEXAGON OBTI	Negative		HEMASTIX	Negative
HYKJGP	Hemastix	Negative		BLUESTAR OBTI	Negative
	KM	Negative	L9TMUP	TMB	Negative
	HemaTrace	Negative	LCG2HY	Not tested - no RBS per visual examination	
HZCRGR	Luminol	Negative	LE2VBT	KM	Negative
J7E9BY	LMG	Negative	LFP7RQ	HEMA TRACE	Negative
J8QU3K	Thevenon Roland Piramidon	Negative		RSID	Pos./Ind.
	ABACard HemaTrace	Negative		OBTI	Negative
JC2YXU	NT due to no red/brown staining noted			MBT	Negative
JER6CY	Luminol	Negative	LM9AYT	LIGHT SOURCE UV	Negative
JKW22Q	no red/brown discoloration observed			HEMASTIX	Negative
JML8LM	Visual examination did not support testing for blood.			HEXAGON OBTI	Negative
JNW8K3	Micro	Negative	LPZTZE	Visual	Negative
	KM	Negative	LQF3XL	Absence of staining consistent with blood	
JQZZE2	No visible discoloration		LQRPMM	Hemastix	Negative
			LR428Q	HEMASTIX	Pos./Ind.
				BLUE STAR	Negative

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LYLCLQ	HEMASTIX	Pos./Ind.		RSID	Negative
	BLUE STAR	Negative	PX332N	No RBS observed on Item 6	
M2UMR2	No red brown staining observed		PXMNRT	Luminol	Negative
M4G2KH	no red/brown staining present		PYFL3K	Luminol	Negative
M8JW77	O-tol screen	Negative	PZT9FT	H-Stix	Negative
MK2U2A	Visual and KM	Negative		Luminol	Negative
MTWPA7	KM	Negative	Q2VN7W	not tested: no red staining observed	
MXQTUW	Luminol	Negative	Q4KECM	RSID: BLOOD	Negative
MZFZEU	Luminol	Negative	Q4P8C4	Visual examination for staining	Negative
NCNKDT	HEMASTIX	Pos./Ind.	Q9Z8PU	Luminol	Negative
	HEXAGON OBTI	Negative	QCVK76	BLUESTAR OBTI	Negative
	BLUESTAR	Negative		HEMASTIX	Negative
NENXT7	BLUESTAR OBTI	Negative	QHGTCC	HEMASTIX	Pos./Ind.
	HEMASTIX	Negative	QLRUYW	NT: no staining consistent with blood obs	
NJPDQG	Visual	Negative	QPXCN4	HEMASTIX	Negative
NT9FLA	CRIME LIGHTS	Negative		BLUESTAR	Negative
	BLUESTAR	Negative	QQWXGH	KM	Negative
	HEXAGON OBTI	Negative	QUJ6CC	KM	Negative
NTDB9A	KM	Negative	QXGPDB	KM	Negative
NU744T	KM	Negative		HemaTrace	Pos./Ind.
NX3PWG	KM	Negative	R38JQ3	Visual exam: no staining with the appearance of blood, therefore not chemically tested	Negative
PBPEAR	Luminol	Negative			
PC4NKD	ABACard HemaTrace	Negative	R8ZRNH	Lum	Negative
	Thevenon Roland Piramidon	Negative	RB2X3M	KM	Negative
PJ46VJ	KM	Negative	RFCNUA	KM	Negative
PRG82K	No reddish-brown staining was observed		RKAHEW	LMG	Negative
PRWDHV	Luminol	Negative	RMYPYT	No apparent blood observed	
PUYG4Q	KM	Negative			
PWNMNM	KM	Negative			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
RRTQXM	KM	Negative	U9LC94	Vis search - No vis bloodlike staining found	
RUCMH7	KM	Negative			
RVR3V8	*No stains having the appearance of blood observed.		UAE9VC	Luminol	Negative
			UGJWWT	KM	Negative
RWZ27G	HEMOPHAN	Negative		Hematrace	Pos./Ind.
	SERATEC HEM	Negative	UKVC24	HEMASTIX	Negative
RXUXGV	No stains indicative of blood observed on item.			BLUESTAR	Negative
			ULWJTJ	Visual	Negative
RYQH4V	no reddish/brown staining observed		UNYNYC	No stains visually consistent with blood observed	
TEKXZ	KM	Negative			
TGM3LF	no red/brown staining observed		UPTAR3	KM	Negative
			V3FUUC	Hemastix	Inconclusive
TJPM6M	LIGHT SOURCE UV	Negative		KM	Negative
	HEMASTIX	Negative		Hematrace	Negative
	HEXAGON OBTI	Negative	V67XMJ	No red/brown staining noted.	
TLEG2A	Case scenario suggests blood or semen testing; no visible stain		V7HR8P	LMG	Negative
			VDWF4C	KM	Negative
TRX263	BLUESTAR OBTI	Negative	VL83R8	KM	Negative
	HEMASTIX	Negative	VLBAB3	PT	Negative
TWVYXM	Luminol	Negative		FLS-White	Negative
				FLS-Blue	Negative
TXBD9H	No reddish-brown stains detected		VLUDNU	KM, Hemastix	Negative
TY3YXF	HEMASTIX	Pos./Ind.	VQ3WMM	KM	Negative
	BLUE STAR OBTI	Negative		Hematrace	Negative
TZW8ZC	Human Blood	Negative	VREV3H	HEMASTIX	Negative
	Thevenon Roland Piramidon	Negative		RSID BLOOD	Negative
U32AAE	Not tested due to lack of apparent staining characteristic of blood			BLUESTAR	Negative
U8UALN	ALS (IR)	Negative	VRXC26	No apparent red brown stains.	
	KM	Negative			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
VYT2EF	HEMASTIC	Negative	XW2VFN	KM	Negative
	RSID	Negative	XYQ8C9	No tests were performed for the possible presence of blood due to the fact that no reddish brown staining was observed on this item.	
	OBTI	Negative			
	BLUE STAR	Negative			
W77RFK	Luminol	Negative			
W842RB	Hemastix	Negative	XZK2Q4	HemaTrace - Human Blood	Negative
	Phenolphthalein	Negative		Thevenon Roland Piramidon	Negative
	HemaTrace	Negative			
WD7N44	LIGHT SOURCE	Negative	YA4QAA	Hemastix	Negative
	HEMASTIX	Negative		KM	Negative
	HEXAGON OBTI	Negative	YA8BYX	km	Negative
WDD4U7	No staining indicating a need for KM. Sample would be taken on to DNA.		YG3KWA	Luminol	Negative
			YLZW39	Hemastix	Negative
WJJN4W	KM	Negative		KM	Negative
WL87X3	Visual exam	Negative		HemaTrace	Negative
	Hemastix	Negative	Z7X7H9	HEMASTIX	Pos./Ind.
WU36UH	KM	Negative		BLUE STAR	Negative
WZ82F4	No RBS present		ZAXZA6	Thevenon Roland Piramidon	Negative
X8YXFB	Hemastix	Negative		ABAcad HemaTrace	Negative
XFT7Z3	No Red Brown Stains		ZBQVWD	Benzidine	Negative
XNNVX7	No stain observed.			Heme Direct Kit	Negative
XTLCCL	Hstix	Negative	ZC38GG	RSID: BLOOD	Negative
	Luminol	Negative	ZGHDFC	HEMATRACE	Negative
XTZWZP	KM	Negative		HEXAGON OBTI	Negative
	Hemastix	Negative		RSID	Pos./Ind.
XUT7UJ	CRIME LIGHT SOURCE	Negative		BLUE STAR TMB	Negative
	HEMASTIX	Negative	ZKGED8	the item had no stain that was visibly referred to blood color	
	HEXAGON OBTI	Negative	ZKYJTK	Visible staining not consistent with possible blood	
	BLUE STAR	Negative			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
ZPBBZD	LMG	Negative			
	RSID-Blood	Negative			
ZUHH2U	HEXAGON OBTI	Negative			
	HEMASTIX	Negative			
ZVHV94	No staining indicative of blood				
ZWQRCZ	LIGHT SOURCE; UV	Negative			
	HEMASTICS	Negative			
	HEXAGON	Negative			
	BLUE	Negative			
ZX7E4A	Hemastix	Negative			
	Luminol	Negative			
ZXLN33	KM	Negative			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
29HY6H	Brentamine	Pos./Ind.		RSID - Semen	Pos./Ind.
2AHUWZ	AP	Pos./Ind.	2T96LL	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
2BNZTE	RSID	Pos./Ind.		ALS	Pos./Ind.
2DYJV4	AP	Pos./Ind.	2ZU2MP	Polilight	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
2EA44D	AP	Pos./Ind.		Microscopy (smear)	Pos./Ind.
	Micro	Pos./Ind.	32HUYJ	ALS	Pos./Ind.
2EPLHJ	Brentamine	Pos./Ind.		AP	Pos./Ind.
2GBQFA	HEMATRACE	Negative		Micro	Pos./Ind.
	HEXAGON OBTI	Negative	36HAYU	AP	Pos./Ind.
	RSID	Negative		p30	Pos./Ind.
	BLUE STAR	Negative		KPIC	Pos./Ind.
2HTFKV	ALS	Pos./Ind.	36LPHM	ALS	Negative
	AP	Pos./Ind.		AP	Pos./Ind.
	ABA p30	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.		p30	Pos./Ind.
2KHJD2	AP	Pos./Ind.		AP mapping	Pos./Ind.
	Micro	Pos./Ind.	379DR2	Micro	Pos./Ind.
2MHWRE	Brentamine		37B3UD	ALS	Pos./Ind.
2NHVBM	AP	Pos./Ind.		RSID	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
	micro	Pos./Ind.	3AFL6T	ALS	Pos./Ind.
	ALS	Pos./Ind.		AP	Pos./Ind.
2QLQT6	AP	Pos./Ind.		P30	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
	micro	Pos./Ind.	3FJPVQ	Acid Phosphatase	Pos./Ind.
2REJNN	Acid Phosphatase	Pos./Ind.		Polilight	Pos./Ind.
	Microscopic	Pos./Ind.		Microscopy	Pos./Ind.
2T7MB4	Microscopic	Pos./Ind.			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
3FZKXL	ALS	Pos./Ind.		Micro	Pos./Ind.
	ACP	Pos./Ind.	4YNCQA	UV LIGHT SOURCE	Pos./Ind.
	Micro	Pos./Ind.	62RP7V	AP	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
3LZP8A	HEMA TRACE	Negative	62TB7H	BCIP	Pos./Ind.
	OBTI	Negative		Micro	Pos./Ind.
	RSID	Pos./Ind.	63PVUG	AP	Pos./Ind.
	BLUE STAR	Negative		PSA	Pos./Ind.
434GN6	RSID	Pos./Ind.		Micro	Pos./Ind.
44JEZP	AP	Pos./Ind.	66CRZM	AP	Pos./Ind.
	Micro	Pos./Ind.		ABACard - P30	Pos./Ind.
	ABACard P30	Pos./Ind.		Micro	Pos./Ind.
4FVTWV	AP	Pos./Ind.	66M3QR	RSID	Pos./Ind.
	MICRO	Pos./Ind.	6BFEAB	AP	Pos./Ind.
4GMPH6	ALS	Pos./Ind.		Micro	Pos./Ind.
	AP	Pos./Ind.	6CR9RW	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
4GTYJH	AP	Pos./Ind.	6HFZTX	AP	Pos./Ind.
	Micro	Pos./Ind.		RSID-Semen	Pos./Ind.
4H3YJH	ALS	Pos./Ind.		PSA	Pos./Ind.
	AP	Pos./Ind.	6MR2Y3	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
4K8U2Z	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	6TGGRF	AP	Pos./Ind.
4KQD9T	AP	Pos./Ind.	6V2EWX	AP	Pos./Ind.
	PSA	Pos./Ind.		RSID-Semen	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
4MTXQD	RSID: SEMEN	Pos./Ind.	6Y7VE2	AP	Pos./Ind.
4RMHPB	ALS	Pos./Ind.		PSA	Pos./Ind.
	RSID	Pos./Ind.		Micro	Pos./Ind.

TABLE 2 - Item 6

Semen

Webcode	Test Performed	Results	Webcode	Test Performed	Results
6ZWY89	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
76MTGE	AP	Pos./Ind.	8VULV8	RSID SEMEN	Pos./Ind.
	Micro	Pos./Ind.	8XMTKX	AP	Pos./Ind.
7CQXBJ	Acid Phosphatase	Pos./Ind.		MICRO	Pos./Ind.
	Microscopy	Pos./Ind.		P30	Pos./Ind.
7M3L4A	ALS - UV; NM450	Pos./Ind.	8Z9MCR	AP	Pos./Ind.
7Q762P	ALS	Pos./Ind.		Seratec PSA Semiquant	Pos./Ind.
	AP	Inconclusive		ME (micro)	Pos./Ind.
	PSA	Pos./Ind.	99WCD7	HEMASTIX	Negative
	Micro	Pos./Ind.		RSID BLOOD	Negative
7RYXW9	ALS	Pos./Ind.		RSID SEMEN	Pos./Ind.
	RSID	Pos./Ind.		BLUESTAR	Negative
	HE microscopy	Pos./Ind.	9CJEFR	AP	Pos./Ind.
7TDDEF	AP	Pos./Ind.		SERATEC PSA	Pos./Ind.
	Micro	Pos./Ind.	9MH4F2	AP	Pos./Ind.
83D7GF	AP	Pos./Ind.		Micro	Negative
	Micro	Pos./Ind.		Seratec PSA	Pos./Ind.
	PSA	Pos./Ind.	9MYHMC	ALS	Pos./Ind.
84QXAW	AP	Pos./Ind.		AP 1 step & 2 step	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
8EB7W6	AP	Negative		Mapping using 1 step	Pos./Ind.
8EQRP8	UV LIGHT SOURCE	Pos./Ind.	9NCZJ3	AP	
8GYKKE	AP	Pos./Ind.		Brentamine	Pos./Ind.
	PSA (Abacus)	Pos./Ind.	9P4W9W	AP	Pos./Ind.
	Microscopic	Pos./Ind.		P-30	Pos./Ind.
8JJED9	ALS	Pos./Ind.		KPIC	Pos./Ind.
	RSID	Pos./Ind.	9PNN43	AP	Pos./Ind.
	Micro	Pos./Ind.		Microscopic exam for sperm	Pos./Ind.
8LQQF4	AP	Pos./Ind.			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
9RAGWW	AP	Pos./Ind.		AP	Pos./Ind.
	PSA	Pos./Ind.		PSA/p30	Pos./Ind.
	Micro	Pos./Ind.		microscopic exam	Pos./Ind.
9RU9UM	AP	Pos./Ind.	AXDLLU	Christmas Tree Stain Slide (Micro)	Pos./Ind.
	PSA	Pos./Ind.		RSID - Semen	Pos./Ind.
	PELLET SLIDE/ MICROANALYSIS	Pos./Ind.	AZNJZC	ALS, AP, PSA, Micro	Pos./Ind.
9TL6HG	Polilight	Pos./Ind.	BC7UHY	Brentamine	Pos./Ind.
	AP	Pos./Ind.	BHV8L9	Brentamine Test	Pos./Ind.
	Microscopy	Pos./Ind.	BNRRWJ	AP	Pos./Ind.
A2FJWM	AP	Pos./Ind.		P30	Negative
	Micro	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	BXMMNZ	OBTI	Negative
A4KAYW	Christmas Tree Coloring	Pos./Ind.		RSID	Negative
	RSID - Human Semen	Pos./Ind.		HEMASTIX	Negative
A8GXF4	BCIP	Pos./Ind.		BLUE STAR TMB	Negative
	P30	Pos./Ind.	BXR7C3	RSID SEMEN	Pos./Ind.
	Micro	Pos./Ind.	BYLCPV	AP	Pos./Ind.
AA9WU2	Brentamine	Pos./Ind.		MICRO	Pos./Ind.
ACAFY2	RSID	Pos./Ind.	CA2GHD	AP	Pos./Ind.
	HEMASTIX	Negative		PSA	Pos./Ind.
	HEXAGON OBTI	Negative		Micro	Pos./Ind.
	BLUE STAR TMB	Negative	CAXERZ	RSID	Negative
ACDKAR	ALS	Pos./Ind.	CERYQW	Brentamine	Pos./Ind.
	AP	Pos./Ind.	CGMDL3	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
AD84J6	AP	Pos./Ind.	CRHT3Q	AP	Pos./Ind.
	Micro	Pos./Ind.		RSID-Semen	Pos./Ind.
AL37GB	Brentamine	Pos./Ind.		PSA	Pos./Ind.
AL6TZA	ALS	Pos./Ind.	CX379X	RSID	Pos./Ind.

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
D23C7M	ALS	Pos./Ind.		Micro	Pos./Ind.
	AP	Pos./Ind.		PSA	Pos./Ind.
	micro	Pos./Ind.	E88KZW	Brentamine	Pos./Ind.
D48P24	ALS	Pos./Ind.	EAWQKT	AP	Pos./Ind.
	AP Spot	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
DB47DL	ALTERNATE LIGHT SOURCE	Pos./Ind.		ALS	Pos./Ind.
	RSID	Pos./Ind.	EGXWKP	ALS	Pos./Ind.
DJ7PZX	AP	Pos./Ind.		AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
DJYM4X	Brentamine	Pos./Ind.	EH74NH	ALS	Pos./Ind.
DTRWDT	ALS	Pos./Ind.		AP	Pos./Ind.
	AP	Pos./Ind.		ABAcad P30	Pos./Ind.
	MICRO	Pos./Ind.		Micro	Pos./Ind.
DU7H9P	AP	Pos./Ind.	ELNDQN	AP	Pos./Ind.
	PSA	Pos./Ind.		Alternate Light Source	Pos./Ind.
DWQB2J	AP	Pos./Ind.	EQYNK4	Brentamine	Pos./Ind.
	PSA	Pos./Ind.	ERVWXU	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
DXJ4W3	ALS	Pos./Ind.	EW8P6M	AP toggle end	Pos./Ind.
	RSID	Pos./Ind.		Microscope slide (Xmas tree) toggle end	Pos./Ind.
	Micro	Pos./Ind.		AP rest of item	Negative
DZAGJE	Fast Blue	Pos./Ind.	EXKCQ8	ALS	Pos./Ind.
	Micro	Pos./Ind.		AP	Negative
E4LATW	RSID	Negative		Micro	Pos./Ind.
	HEMASTIC	Negative	EYTTCJ	ALS	Pos./Ind.
	OBTI	Negative		AP	Pos./Ind.
	BLUE STAR	Negative	F3R8XN	AP	Pos./Ind.
E6FLX	Ap	Pos./Ind.		RSID-Semen	Pos./Ind.
E7CUZA	AP	Pos./Ind.		PSA	Pos./Ind.

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
F6EW78	AP	Pos./Ind.	GKKKUT	ALS (fluorescence)	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
FGN89G	RSID	Negative		Micro	Pos./Ind.
	CRIME LIGHT	Negative	GM8BVW	Ap	Pos./Ind.
FNPZGX	ALS	Pos./Ind.	GM924Z	Brentamine	Pos./Ind.
	RSID	Pos./Ind.	GQPLUM	Visual Exam	Pos./Ind.
	Micro	Pos./Ind.		ALS	Pos./Ind.
FQD862	Brentamine	Pos./Ind.		UV	Pos./Ind.
FRQ2K2	Brentamine	Pos./Ind.		AP	Pos./Ind.
FUUP94	AP	Pos./Ind.		Micro	Pos./Ind.
	micro	Pos./Ind.	GY4826	AP	Pos./Ind.
	ALS	Pos./Ind.		Micro	Pos./Ind.
G3QMUL	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	GZYQ8D	AP	Negative
	PSA	Pos./Ind.	H8DUT7	ALS	Pos./Ind.
G78A76	ALS	Pos./Ind.		AP	Pos./Ind.
	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.		P30	Pos./Ind.
GCN8TK	LIGHT SOURCE UV	Pos./Ind.	H93UJG	ALS	Negative
GFRLFV	AP	Pos./Ind.	H9486W	ALS	Pos./Ind.
	Micro	Pos./Ind.		RSID	Pos./Ind.
GG2DLT	Brentamin	Pos./Ind.		Micro	Pos./Ind.
GHGRZU	AP	Pos./Ind.	HAXTYM	Christmas Tree Stain	Pos./Ind.
	Micro	Pos./Ind.	HBW9W7	AP	Pos./Ind.
GJCHYG	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.		AP Mapping	Pos./Ind.
	Micro	Pos./Ind.	HM8LCL	AP	Pos./Ind.
GK9QDR	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	HTQ94X	UV; 450nm ORANGE GOGGLES	Pos./Ind.
	Micro	Pos./Ind.			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
HYKJGP	AP	Pos./Ind.	KCJ8LN	micro	Pos./Ind.
	PSA	Pos./Ind.		AP	Pos./Ind.
	micro	Pos./Ind.		micro	Pos./Ind.
HZCRGR	AP	Pos./Ind.	KNDKLN	ALS	Pos./Ind.
J7E9BY	ALS	Pos./Ind.		AP	Pos./Ind.
J8QU3K	AP	Pos./Ind.	KP6N9Z	Micro	Pos./Ind.
	PSA	Pos./Ind.		Brentamine	Pos./Ind.
	Micro	Pos./Ind.		L9TMUP	AP
J8QU3K	Christmas Tree	Pos./Ind.	LCG2HY	Micro	Pos./Ind.
	RSID - Semen	Pos./Ind.		AP	Pos./Ind.
JC2YXU	Acid Phosphatase	Pos./Ind.	LE2VBT	PSA	Pos./Ind.
	Microscopic	Pos./Ind.		Micro	Pos./Ind.
JER6CY	Brentamine	Pos./Ind.	LFP7RQ	ALS	Pos./Ind.
JKW22Q	ALS	Pos./Ind.		RSID	Pos./Ind.
	AP	Pos./Ind.		Micro	Pos./Ind.
JML8LM	Micro	Pos./Ind.	LM9AYT	RSID	Pos./Ind.
	ALS	Pos./Ind.		OBTI	Negative
	AP	Pos./Ind.		HEMA TRACE	Negative
JNW8K3	microscopic	Pos./Ind.	LPZTZE	MBT	Negative
	ALS	Pos./Ind.		LIGHT SOURCE UV	Pos./Ind.
	AP	Pos./Ind.		AP	Pos./Ind.
JQZZE2	X-mas	Pos./Ind.	LQF3XL	Microscopic slides	Pos./Ind.
	ALS	Pos./Ind.		AP	Pos./Ind.
	AP	Pos./Ind.		Micro	Pos./Ind.
JT88TM	Micro	Pos./Ind.	LQRPM	Fast Black (AP)	Pos./Ind.
	Christmas Tree Stain	Pos./Ind.		Micro	Pos./Ind.
	RSID - Semen	Pos./Ind.	LR428Q	RSID	Pos./Ind.
JVCCBU	RSID: SEMEN	Pos./Ind.	LYLCLQ	RSID	Pos./Ind.
JVY6M	AP	Pos./Ind.	M2UMR2	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
M4G2KH	ALS	Pos./Ind.	PC4NKD	Christmas Tree Stain	Pos./Ind.
	AP	Pos./Ind.		RSID - Semen	Pos./Ind.
	Micro	Pos./Ind.	PJ46VJ	ALS	Pos./Ind.
M8JW77	ALS	Pos./Ind.		RSID	Pos./Ind.
	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	PRG82K	ALS	Pos./Ind.
	RSID semen	Pos./Ind.		AP	Pos./Ind.
MK2U2A	AP and slide	Pos./Ind.		Micro	Pos./Ind.
MTWPA7	AP	Pos./Ind.	PRWDHV	Brentamine	Pos./Ind.
	Micro	Pos./Ind.	PUYG4Q	ALS	Pos./Ind.
	ABACard P30	Pos./Ind.		RSID	Pos./Ind.
MXQTUW	Brentamine	Pos./Ind.		Micro	Pos./Ind.
MZFZEU	Brentamine	Pos./Ind.	PWNMNM	ALS	Pos./Ind.
NCNKDT	HEMASTIX	Pos./Ind.		AP	Pos./Ind.
	RSID	Pos./Ind.		RSID	Pos./Ind.
NJPDQG	Visual	Pos./Ind.		MICRO	Pos./Ind.
	ALS	Pos./Ind.	PX332N	Acid Phosphatase	Pos./Ind.
	Micro	Pos./Ind.		Abacus PSA	Pos./Ind.
	AP	Pos./Ind.		Microscopic Sperm	Pos./Ind.
NT9FLA	CRIME LIGHT	Negative	PXMNRT	Brentamine	Pos./Ind.
	RSID	Negative	PYFL3K	Brentamine	Pos./Ind.
NTDB9A	AP	Pos./Ind.	PZT9FT	Brentamine	Pos./Ind.
	PSA	Pos./Ind.	Q2VN7W	AP	Pos./Ind.
	MICRO	Pos./Ind.		Micro	Pos./Ind.
NU744T	ALS	Pos./Ind.	Q4KECM	RSID	Pos./Ind.
	RSID	Pos./Ind.	Q4P8C4	Acid Phosphatase	Pos./Ind.
	Micro	Pos./Ind.		Microscopic examination for sperm	Pos./Ind.
NX3PWG	PSA	Pos./Ind.	Q9Z8PU	Brentamine	Pos./Ind.
	MICRO	Pos./Ind.	QHGTCTG	BLUE STAR	Negative
PBPEAR	Brentamine	Pos./Ind.			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
QLRUYW	AP	Pos./Ind.	RUCMH7	AP	Pos./Ind.
	Micro	Pos./Ind.		P30	Pos./Ind.
QQWXGH	AP	Pos./Ind.		KPIC	Pos./Ind.
	ALS	Pos./Ind.	RVR3V8	ALS	Pos./Ind.
QUJ6CC	AP	Pos./Ind.		AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
QXGPDB	AP	Pos./Ind.		Microscopic	Pos./Ind.
	PSA	Pos./Ind.	RWZ27G	PHOSPHADESMO	Pos./Ind.
R38JQ3	AP	Pos./Ind.		SERATEC PSA	Pos./Ind.
	Micro	Pos./Ind.	RXUXGV	AP	Pos./Ind.
R8ZRNH	AP	Pos./Ind.		Micro	Pos./Ind.
RB2X3M	ALS	Pos./Ind.		ALS	Pos./Ind.
	RSID	Pos./Ind.	RYQH4V	AP	Pos./Ind.
	Micro	Pos./Ind.		Abacus Card- PSA	Pos./Ind.
RFCNUA	AP	Pos./Ind.		micro	Pos./Ind.
RGPHAA	AP	Pos./Ind.	TEKZXZ	AP	Pos./Ind.
	Micro	Pos./Ind.		ABAcad p30	Pos./Ind.
	ALS	Pos./Ind.		Micro	Pos./Ind.
RJGGN9	ALS	Pos./Ind.	TGM3LF	ALS	Pos./Ind.
	AP	Pos./Ind.		AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
	Micro (sperm)	Pos./Ind.		PSA	Pos./Ind.
RKAHEW	ALS	Pos./Ind.	TJPM6M	LIGHT SOURCE UV	Pos./Ind.
	AP	Pos./Ind.	TLEG2A	AP	Pos./Ind.
	Micro	Pos./Ind.		RSID-Semen	Pos./Ind.
RMYPYT	ALS	Pos./Ind.		PSA	Pos./Ind.
	AP	Pos./Ind.	TWVYXM	Brentamine	Pos./Ind.
	Micro	Pos./Ind.			
RRTQXM	AP	Pos./Ind.			
	Micro	Pos./Ind.			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
TXBD9H	ALS	Pos./Ind.	V67XMJ	Micro	Pos./Ind.
	AP	Pos./Ind.		Acid Phosphatase	Pos./Ind.
	MICRO	Pos./Ind.		PSA	Pos./Ind.
TY3YXF	PSA	Pos./Ind.	V7HR8P	Microscopic	Pos./Ind.
	RSID	Pos./Ind.		AP	Pos./Ind.
TZW8ZC	Christmas Tree	Pos./Ind.	VDWF4C	Micro	Pos./Ind.
	Semenogelina	Pos./Ind.		ALS	Pos./Ind.
U32AAE	ALS	Pos./Ind.	VHRDQH	PSA	Pos./Ind.
	AP	Pos./Ind.		AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
U8UALN	ALS (blue)	Pos./Ind.	VL83R8	Micro	Pos./Ind.
	AP	Pos./Ind.		AP	Pos./Ind.
	PSA	Pos./Ind.		Micro (Xmas Tree Stain)	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
U9LC94	AP	Pos./Ind.	VLBAB3	AP	Pos./Ind.
	Micro	Pos./Ind.		FLS-White	Negative
UAE9VC	AP (Brentamine)	Pos./Ind.	VLUDNU	FLS-Blue	Pos./Ind.
UGJVWT	AP	Pos./Ind.		AP, Micro	Pos./Ind.
UKVC24	PSA	Pos./Ind.	VQ3WMM	ALS	Pos./Ind.
	ALS	Negative		AP	Pos./Ind.
ULWJTJ	ALS	Pos./Ind.	VRE3H	PSA (Seratec)	Pos./Ind.
	p30	Pos./Ind.		Micro	Pos./Ind.
	AP	Pos./Ind.		RSID (SEMEN)	Pos./Ind.
UNYNYC	PSA	Pos./Ind.	VRXC26	ALS	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
	UPTAR3	PSA	Pos./Ind.	VWM2D3	Micro
Micro	Pos./Ind.	AP	Pos./Ind.		
ALS	Pos./Ind.	PSA	Pos./Ind.		
V3FUUC	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
	RSID	Negative		Micro	Pos./Ind.
W77RFK	Brentamine	Pos./Ind.		PSA	Pos./Ind.
W842RB	AP	Pos./Ind.	XUT7UJ	CRIME LIGHT 415 AND 450	
	PSA	Pos./Ind.	XW2VFN	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
WD7N44	LIGHT SOURCE	Pos./Ind.		P30-ABAcad	Pos./Ind.
WDD4U7	AP	Pos./Ind.	XYQ8C9	ALS	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
WJJN4W	AP	Pos./Ind.		Micro	Pos./Ind.
	ABAcad P30	Pos./Ind.	XZK2Q4	Microscopic - Christmas Tree	Pos./Ind.
	Micro	Pos./Ind.	YA4QAA	AP	Pos./Ind.
WL87X3	Not required as per lab SOP			PSA	Pos./Ind.
WU36UH	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	YA8BYX	ap	Pos./Ind.
WZ82F4	AP	Pos./Ind.		psa	Pos./Ind.
	ALS	Pos./Ind.		micro	Pos./Ind.
	Micro	Pos./Ind.		als	Pos./Ind.
X8YXFB	AP	Pos./Ind.	YG3KWA	Brentamine	Pos./Ind.
	PSA	Pos./Ind.	YHGYCW	ALS	Pos./Ind.
	Microscopy	Pos./Ind.		AP	Pos./Ind.
XFT7Z3	ALS	Pos./Ind.		PSA	Pos./Ind.
	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	YLZW39	AP	Pos./Ind.
XNNVX7	AP	Pos./Ind.		PSA	Pos./Ind.
	RSID-Semen	Pos./Ind.		micro	Pos./Ind.
	PSA	Pos./Ind.	Z7X7H9	RSID	Pos./Ind.
XPW6MH	AP	Pos./Ind.	ZAXZA6	Microscopic - Christmas Tree	Pos./Ind.
	Micro	Pos./Ind.		RSID - Semen	Pos./Ind.
XTLCCL	Brentamine	Pos./Ind.			
XTZWZP	AP	Pos./Ind.			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
ZBQVWD	AP (Acid Phosphatase)	Pos./Ind.			
	PSA	Pos./Ind.			
	Micro	Pos./Ind.			
ZC38GG	RSID: SEMEN	Pos./Ind.			
ZGHDFC	RSID	Pos./Ind.			
	HEXAGON OBTI	Negative			
	HEMATRACE	Negative			
	BLUE STAR TMB	Negative			
ZKGED8	ABA card P30	Pos./Ind.			
ZKYJTK	AP	Pos./Ind.			
	Micro	Pos./Ind.			
ZPBBZD	AP	Pos./Ind.			
	RSID-Semen	Pos./Ind.			
ZVHV94	AP	Pos./Ind.			
	PSA	Pos./Ind.			
ZWQRCZ	LIGHT SOUCE	Pos./Ind.			
ZX7E4A	Brentamine	Pos./Ind.			
ZXLN33	AP	Pos./Ind.			
	PSA	Pos./Ind.			
	Micro	Pos./Ind.			

TABLE 2 - Item 6

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
2AHUWZ	Phadebas	Pos./Ind.		OBTI	
2DYJV4	RSID	Pos./Ind.		RSID	
2EA44D	RSID	Pos./Ind.		BLUE STAR	
2EPLHJ	No test available (submit for epithelia refer to comments)		44JEZP	Phadebas	Pos./Ind.
2HTFKV	ALS	Pos./Ind.	4FVTWV	PHADEBAS PAPER TEST	Pos./Ind.
	RSID	Pos./Ind.	4GMPH6	Amylase Radial Diffusion	Pos./Ind.
2KHJD2	Phadebas Amylase Tablet	Pos./Ind.		Micro	Pos./Ind.
2MHWRE	No preliminary saliva test done at the lab		4GTYJH	RSID saliva	Pos./Ind.
2NHVBM	amylase diffusion	Pos./Ind.	4H3YJH	Amylase Diffusion	Pos./Ind.
2QLQT6	RSID	Pos./Ind.	4K8U2Z	Phadebas Amylase	Pos./Ind.
2REJNN	RSID	Pos./Ind.	4KQD9T	RSID	Pos./Ind.
2T7MB4	The Laboratory's portfolio of services does not include Saliva Identification		62RP7V	AMYLASE DIFFUSION	Pos./Ind.
2T96LL	Amylase	Pos./Ind.	62TB7H	our laboratory doesn't conduct saliva testing, we conduct amylase testing	
2ZU2MP	Not necessary at this stage. Can be tested at a later stage.		63PVUG	RSID	Pos./Ind.
32HUYJ	ALS	Pos./Ind.	66CRZM	Phadebas	Pos./Ind.
	Amylase	Pos./Ind.	6BFEAB	RSID	Pos./Ind.
36HAYU	Phadebas	Pos./Ind.	6CR9RW	Phadebas	Pos./Ind.
36LPHM	Amylase diffusion	Pos./Ind.	6HFZTX	Laboratory only routinely performs blood and/or semen tests for sexual assault cases.	
	Amylase mapping	Pos./Ind.	6MR2Y3	RSID-Saliva	Pos./Ind.
379DR2	The Laboratory's portfolio of services does not include Saliva Identification		6V2EWX	Sexual assault case exhibit generally tested for blood (if stain observed) and semen. NT for saliva unless specified.	
3AFL6T	ALS	Pos./Ind.			
	RSID-Saliva	Pos./Ind.	6Y7VE2	RSID	Pos./Ind.
3FJPVQ	Phadebas paper	Pos./Ind.	6ZWY89	RSID	Pos./Ind.
3FZKXL	Amylase Diffusion	Pos./Ind.	76MTGE	RSID Saliva	Pos./Ind.
3LZP8A	HEMA TRACE				

TABLE 2 - Item 6

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
7CQXBJ	Phadebas	Pos./Ind.	AL6TZA	SALlgAE	Pos./Ind.
7M3L4A	ALS - UV; NM415 ; NM450	Inconclusive	AXDLLU	The Laboratory's portfolio of services does not include Saliva Identification	
7Q762P	ALS	Pos./Ind.	AZNJZC	ALS, RSID - Saliva	Pos./Ind.
	RSID	Pos./Ind.	BNRRWJ	Phadebas	Pos./Ind.
7TDDEF	RSID	Pos./Ind.	BXMMNZ	OBTI	Negative
83D7GF	RSID Saliva	Pos./Ind.		HEMASTIC	Negative
84QXAW	Phadebas Amylase Test	Pos./Ind.		RSID	Negative
8EB7W6	Phadebas	Pos./Ind.		BLUE STAR TMB	Negative
8GYKKE	RSID saliva	Pos./Ind.	BYLCPV	AMYLASE RADIAL DIFFUSION	Pos./Ind.
8LQQF4	RSID	Pos./Ind.	CA2GHD	RSID	Pos./Ind.
8XMTKX	RSID	Negative	CERYQW	The laboratory does not perform any preliminary saliva tests	
8Z9MCR	Seratec Amylase	Pos./Ind.	CGMDL3	RSID	Pos./Ind.
9CJEFR	PHADEBAS	Pos./Ind.	CRHT3Q	Laboratory only routinely test for blood and/or semen in sexual assault cases.	
9MH4F2	RSID	Pos./Ind.	D23C7M	not tested due to case scenario	
9MYHMC	Amylase Difussion	Pos./Ind.	D48P24	Radial Diffusion	Pos./Ind.
	Phadebas Paper (Amylase Mapping)	Pos./Ind.	DJ7PZX	RSID	Pos./Ind.
9NCZJ3	Not tested; There is no test for saliva in the lab		DJYM4X	The laboratory has no test for saliva.	
9P4W9W	Phadebas	Pos./Ind.	DTRWDT	Amylase Radial Diffusion	Pos./Ind.
9PNN43	RSID saliva	Pos./Ind.	DU7H9P	Phadebas	Pos./Ind.
9RAGWW	Phadebas	Pos./Ind.	DWQB2J	Radial Diffusion	Pos./Ind.
9RU9UM	RSID	Pos./Ind.	DZAGJE	Not required as per lab SOP.	
9TL6HG	Not included in scenario				
A2FJWM	Phadebas Amylase	Pos./Ind.			
	RSID	Pos./Ind.			
A4KAYW	The Laboratory's portfolio of services does not include Saliva Identification				
A8GXF4	Phadebas	Pos./Ind.			
AD84J6	RSID	Pos./Ind.			

TABLE 2 - Item 6

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
E4LATW	RSID	Negative	GHGRZU	RSID saliva	Pos./Ind.
	HEMASTIC	Negative	GJCHYG	Amylase radial diffusion	Pos./Ind.
	OBTI	Negative	GK9QDR	RSID	Negative
	BLUE STAR	Negative	GKKKUT	RSID*	Pos./Ind.
E7CUZA	RSID	Pos./Ind.		ALS (fluorescence)	Pos./Ind.
E88KZW	The laboratory does not have a test for saliva		GM924Z	Presumable Epithelial (no presumptive testing method for saliva)	
EAWQKT	Amylase Radial Diffusion	Pos./Ind.	GQPLUM	ALS	Negative
	Micro	Negative		UV	Negative
	ALS	Pos./Ind.		RSID	Pos./Ind.
EGXWKP	ALS	Pos./Ind.	GY4826	RSID - Saliva	Pos./Ind.
	RSID	Pos./Ind.	GZYQ8D	Phadebas	Pos./Ind.
EH74NH	RSID-Saliva	Pos./Ind.	H8DUT7	Amylase Diffusion	Pos./Ind.
	ALS	Pos./Ind.	H93UJG	ALS	Negative
ERVWXU	RSID	Pos./Ind.	HAXTYM	The Laboratory's portfolio of services does not include Saliva Identification	
EW8P6M	Phadebas toggle end	Pos./Ind.	HBW9W7	amylase diffusion	Pos./Ind.
	Phadebas rest of item	Negative		amylase mapping	Pos./Ind.
EXKCQ8	ALS	Pos./Ind.	HM8LCL	Phadebas	Pos./Ind.
	Amylase	Pos./Ind.	HYKJGP	RSID	Pos./Ind.
EYTTCJ	Our lab does not test for saliva		HZCRGR	No validated saliva test at lab	
F3R8XN	Laboratory only routinely examines for blood and/or semen in sexual assault cases.		J8QU3K	The Laboratory's portfolio of services does not include Saliva Identification	
F6EW78	RSID Saliva	Pos./Ind.	JC2YXU	RSID-Saliva	Pos./Ind.
FRQ2K2	No presumptive testing		JKW22Q	ALS-no dilute staining	Negative
FUUP94	Amylase Diffusion	Pos./Ind.		RSID	Pos./Ind.
G3QMUL	Lab does not test for saliva		JML8LM	ALS	Pos./Ind.
G78A76	Amylase Diffusion	Pos./Ind.		RSID	Pos./Ind.
GFRLFV	RSID	Pos./Ind.			
GG2DLT	No test to do saliva test				

TABLE 2 - Item 6

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
JNW8K3	Amylase	Pos./Ind.	PWNMNM	ALS	Pos./Ind.
JQZZE2	Amylase diffusion	Pos./Ind.		RSID	Pos./Ind.
JT88TM	The Laboratory's portfolio of services does not include Saliva Identification		PX332N	RSID - Saliva	Pos./Ind.
JVYM6	RSID	Pos./Ind.	PYFL3K	Saliva test not performed at our laboratory	
KCJ8LN	RSID	Pos./Ind.	PZT9FT	Possible High Friction	
KNDKLK	ALS	Pos./Ind.	Q2VN7W	RSID saliva	Pos./Ind.
	RSID	Pos./Ind.	Q4P8C4	Phadebas Press test	Pos./Ind.
KP6N9Z	Not tested, no presumptive testing done for saliva		QHGTCTG	NO KNOWN TEST	
L9TMUP	RSID	Pos./Ind.	QLRUYW	RSID	Pos./Ind.
LCG2HY	RSID saliva	Pos./Ind.	QUJ6CC	Phadebas	Pos./Ind.
LQF3XL	RSID-Saliva	Pos./Ind.	QXGPDB	Phadebas	Pos./Ind.
LQRPMM	Not required as per lab SOP		R38JQ3	Phadebas paper	Pos./Ind.
M2UMR2	RSID saliva	Pos./Ind.	RFCNUA	PHADEBAS	Pos./Ind.
M4G2KH	ALS	Pos./Ind.	RJGGN9	ALS	Pos./Ind.
	RSID	Pos./Ind.		Amylase Gel	Pos./Ind.
M8JW77	ALS	Pos./Ind.		Micro (0 NECs)	Negative
	RSID saliva	Pos./Ind.	RKAHEW	Amylase Diffusion	Pos./Ind.
MK2U2A	Phadebas	Pos./Ind.	RMYPYT	Amylase Diffusion	Pos./Ind.
MTWPA7	Phadebas	Pos./Ind.	RRTQXM	RSID	Pos./Ind.
NJPDQG	ALS	Pos./Ind.	RUCMH7	Phadebas	Pos./Ind.
	RSID	Pos./Ind.	RVR3V8	*Amylase mapping is not in our laboratory TPM.	
NTDB9A	Phadebas	Pos./Ind.	RWZ27G	SERATEC AMY	Pos./Ind.
NX3PWG	PHADEBAS	Pos./Ind.	RXUXGV	Amylase diffusion	Pos./Ind.
PC4NKD	The Laboratory's portfolio of services does not include Saliva Identification		RYQH4V	RSID - Saliva	Pos./Ind.
PRG82K	ALS	Pos./Ind.	TEKZXZ	Phadebas	Pos./Ind.
	RSID Saliva	Pos./Ind.	TGM3LF	ALS	Pos./Ind.
				RSID	Pos./Ind.

TABLE 2 - Item 6

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
TLEG2A	Saliva not routinely tested if blood or semen positive		VWM2D3	Amylase	Pos./Ind.
				RSID	Negative
TXBD9H	Radial Diffusion	Pos./Ind.	W842RB	RSID	Negative
TZW8ZC	The Laboratory's portfolio of services does not include Saliva Identification		WDD4U7	NT since the semen positive sample would be taken on to DNA	
U32AAE	RSID	Pos./Ind.	WJJN4W	Phadebas	Pos./Ind.
U8UALN	ALS (blue)	Pos./Ind.	WL87X3	Not required as per lab SOP	
	Saligae	Pos./Ind.	WU36UH	RSID	Pos./Ind.
U9LC94	Phadebas +ve reaction; though given coincidental AP+ve, findings would be interpreted with caution and considering the overall case circs.	Inconclusive	WZ82F4	Positive AP result and case scenario	
			X8YXFB	RSID	Pos./Ind.
			XFT7Z3	Strong AP+ reaction, so did not test for saliva - sperm is better evidence of the sexual assault	
UAE9VC	Laboratory does not perform this test		XNNVX7	Laboratory test for saliva only if results for blood and semen are negative	
UGJWWT	Phadebas	Pos./Ind.			
UKVC24	ALS	Negative			
UNYNYC	Amylase	Pos./Ind.	XPW6MH	Amylase	Pos./Ind.
	Micro	Negative	XTZWZP	RSID Saliva	Pos./Ind.
UPTAR3	Phadebas	Pos./Ind.	XUT7UJ	CRIME LIGHT 415 AND 450	
V3FUUC	RSID	Pos./Ind.	XW2VFN	Phadebas	Pos./Ind.
V67XMJ	RSID saliva	Pos./Ind.	XYQ8C9	ALS	Pos./Ind.
V7HR8P	Amylase diffusion	Pos./Ind.		RSID - saliva	Pos./Ind.
VDWF4C	RSID saliva	Pos./Ind.	XZK2Q4	RSID - Saliva	Pos./Ind.
VHRDQH	RSID	Pos./Ind.	YA4QAA	RSID-Saliva	Pos./Ind.
VL83R8	Phadebas Amylase	Pos./Ind.	YA8BYX	rsid	Pos./Ind.
VLUDNU	RSID Saliva	Pos./Ind.	YHGYCW	ALS	Pos./Ind.
VQ3WMM	ALS	Pos./Ind.		RSID Saliva	Pos./Ind.
	SALlgAE	Pos./Ind.	YLZW39	RSID	Negative
VRXC26	Scenario, and the presence of semen, does not warrant saliva testing.				

TABLE 2 - Item 6

Saliva

Webcode	Test Performed	Results	Webcode	Test Performed	Results
ZAXZA6	The Laboratory's portfolio of services does not include Saliva Identification				
ZKGED8	SALlgAE	Pos./Ind.			
ZKYJTK	RSID	Pos./Ind.			
ZPBBZD	RSID-Saliva	Pos./Ind.			
ZVHV94	Phadebas amylase	Pos./Ind.			
ZXLN33	Phadebas Amylase	Pos./Ind.			

TABLE 2 - Item 6

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
29HY6H	Possible sweat (removed) - Not tested; Tests for possible sweat not conducted at [Laboratory]		9RAGWW	saliva - ALS (fluorescence observed)	Pos./Ind.
2EA44D	ALS	Pos./Ind.		semen - ALS (fluorescence observed)	Pos./Ind.
2EPLHJ	Pres sweat - no test available; refer to comments		ACAFY2	BLOOD - HEMASTIX	Negative
2GBQFA	BLOOD - HEMATRACE	Negative		BLOOD - HEXAGON OBTI	Negative
	BLOOD - BLUE STAR	Negative		SEMEN - RSID	Pos./Ind.
	SEMEN - RSID	Pos./Ind.	AD84J6	ALS	Pos./Ind.
2MHWRE	Possible removed - high friction	Pos./Ind.	AL37GB	1x pres sweat - Removed from exhibit	
2QLQT6	ALS	Pos./Ind.	BC7UHY	Poss epithelia - No test (swabbed from the shoelace)	
36HAYU	ALS	Pos./Ind.	BHV8L9	Presumable epithelial cells (removed)	
3LZP8A	BLOOD - HEMA TRACE	Negative	BXR7C3	ALTERNATIVE LIGHT SOURCE	Pos./Ind.
	SEMEN - RSID	Pos./Ind.	CGMDL3	ALS	Pos./Ind.
	BLOOD - BLUE STAR	Negative	DJ7PZX	ALS	Pos./Ind.
48YHKR	POLY LIGHT USED 415 LIGHT AND ORANGE GOGGLES IT GLOWS	Pos./Ind.	DR9XUG	ALS 450/ ORANGE 415/ORANGE	Inconclusive
4KQD9T	Nonspecific - ALS	Pos./Ind.	DZAGJE	Hair - search/recovery	Negative
62TB7H	Amylase-Amylase Diffusion	Pos./Ind.		Possible biological material - recovery by tap	
6BFEAB	ALS	Pos./Ind.	E4LATW	BLOOD - -OBTI	Negative
6MR2Y3	ALS	Pos./Ind.		SEMEN - RSID	Negative
6Y7VE2	ALS	Pos./Ind.		SALIVA -RSID	Negative
6ZWY89	ALS	Pos./Ind.		BLOOD - BLUE STAR	Negative
8LQQF4	ALS for body fluids	Pos./Ind.	EQYNK4	Presumable skin cells	
8XMTKX	ALS	Pos./Ind.	EW8P6M	Urine - Not tested - no smell	
9MH4F2	Alternate Light Source	Pos./Ind.		Faecal - Not tested - no obvious visible faecal staining or faecal odour	
9PNN43	Biological material - ALS	Pos./Ind.			

TABLE 2 - Item 6

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
FQD862	Pres. Epithelia removed - Not tested (see additional comments)		NX3PWG	ALS	Pos./Ind.
FRQ2K2	Skin Cells - High friction swab		PBPEAR	Possible sweat removed - Not tested; tests for presumable sweat are not conducted at [Laboratory] (see comments)	
GFRLFV	Semen/Saliva ALS	Pos./Ind.	PRWDHV	Pres skin cells (removed)	
GHGRZU	Screening-ALS	Pos./Ind.	PX332N	Alternate Light Source	Pos./Ind.
GJ8JMC	ALS	Inconclusive	PXMNRT	Hair - visual inspection for hair	
GM924Z	Presumable epithelial (skin cells) - presumable epithelial swab taken from item for skin cells of suspect, submitted for DNA (no presumptive test method for epithelial cells)			High Friction - Pos epithelial cells were taken off from the exhibit.	
HZCRGR	Epithelial - Tissue Collection	Inconclusive	PYFL3K	Hair - visual inspection of hair	
JC2YXU	ALS	Pos./Ind.		High Friction - possible epithelial cells were taken from the exhibit	
JER6CY	Possible Epithelial Cells - Removed (not tested)		PZT9FT	No hair has been removed	
	Possible Hair - Visual inspection (not found)	Negative	Q9Z8PU	Possible sweat removed - (Not tested); possible sweat not performed at [Laboratory]	
KP6N9Z	Presumable epithelial cells removed from item 6		QCVK76	ITEM POLYLIGHT USED 415 LIGHT AND ORANGE GOGGLES IT GLOWS REFLECTIONS	Pos./Ind.
KTZ2QB	415 WITH ORANGE GOGGLE REFLECT		R8ZRNH	Hair - visual inspection	
LQRPMM	Possible Biological Material - Recovered		RFCNUA	MICROSCOPY	Pos./Ind.
MXQTUW	Pres. hair	Negative	RJGGN9	*Blood - no visible staining	
	Pres. Skin cells (removed)		RRTQXM	ALS - Semen, Saliva	Pos./Ind.
MZFZEU	Epithelial Cells - removed		TRX263	ALS 450 ORANGE FILTER	Inconclusive
NCNKDT	BLOOD - POLIFLARE 450nm LIGHT	Negative	TWVYXM	Presumable skin cells removed	
	SEMEN POLIFLARE 450nm LIGHT	Pos./Ind.			
NENXT7	ALS	Inconclusive			
NTDB9A	ALS	Pos./Ind.			

TABLE 2 - Item 6

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
U9LC94	Crime-lite - Fluorescence seen to undamaged end of lace - coinciding with amylase/AP reaction	Pos./Ind.			
V3FUUC	ALS	Pos./Ind.			
V67XMJ	ALS	Pos./Ind.			
VHRDQH	ALS	Pos./Ind.			
VREV3H	ALTERNATE LIGHT SOURCE	Pos./Ind.			
VYT2EF	BLOOD	Negative			
	SEMEN	Negative			
	SALIVA	Negative			
W77RFK	Epithelial Cells - Exhibit swabbed to remove possible epithelial cells	Pos./Ind.			
W842RB	ALS	Pos./Ind.			
WL87X3	Possible Biological Material - Recovered				
WU36UH	ALS - Semen/Saliva	Pos./Ind.			
X8YXFB	ALS	Pos./Ind.			
XPW6MH	ALS	Pos./Ind.			
XTLCCL	Epithelial Cells Removed				
YHGYCW	Blood- Not tested because there was no brown or red staining				
ZGHDFC	BLOOD - HEMATRACE	Negative			
	BLOOD - BLUE STAR TMB	Negative			
	SEMEN - RSID	Pos./Ind.			
ZPBBZD	Urine - RSID-Urine	Negative			
ZUHJ2U	ALS 450 ORANGE FILTER	Inconclusive			

Additional Comments

TABLE 3

WebCode	Additional Comments
29HY6H	Item 3: Brentamine test was not conducted because SOP clearly states that bloody swabs taken from genital area must be treated as brentamine positive and should not be tested. Item 4: Brentamine test not conducted due to the fact that the swab was covered with blood and in our laboratory we don't test because brentamine reaction in a blood swab cannot be observed with the naked eye. Item 5: The exhibit received was dark, therefore polilight was used to identify stains. Stain identify and tested positive with hemastix, stain was removed and tested the rest of the dark exhibit with luminol and tested negative. Item 5: Possible epithelial cells were removed not to determine the ownership but it is clearly stated that the suspect spat on victim, therefore suspect's epithelial cells could be detected. Item 5: Brentamine test was performed on on the exhibit before the stain was removed, and tested negative. Item 3: Genital swabs received were all bloody. Hemastix test was performed to detect the presence of blood, as swabs received were in duplicate, so the sample was not compromised. Also, one swab will be submitted for possible saliva because it is clearly stated that the suspect spat on the victim, off which it could be anywhere on the victim's body including the genital area.
2AHUWZ	Items #1 and #6 ABA Hematrace tests done several times over as results were 1) inconsistent, 2)contrary to the always negative KM test results for both items and 3)contrary to visual examinations of both items, all of which lacked R/B staining. Positive results, when they did occur, were very faint. ABA Hematrace Insert consulted and under limitations it explains, "Due to the extreme sensitivity of the test, trace levels of hemoglobin might be detected occasionally in body fluid samples other than blood (eg. urine, semen, stool, saliva, vaginal fluid, perspiration)." Testing was suspended until a new lot of ABA Hematrace tests could arrive. Consistent results--the same result at least three times in a row--were achieved and recorded. Item #4 Phadebas testing repeated with serial dilutions as deep R/B colour may have obscured colour change.
2EA44D	NOTE: For overall conclusion of blood for Item 2, I am indicating negative for the presence of blood even though there was a positive LCV reaction. I am indicating negative per Biology Procedures under section 1.11 (Body Fluid Identification Lab Reports) and further under the Results Statements v7 PDF.
2EPLHJ	Items 1, 2 +6: Luminol was used to test for possible blood as there were no visible blood stains noted (as per SOP.) Item 3 to 6: All items to be submitted for presumable epithelia (saliva due to suspect spitting from duplicate swabs.) There is no presumptive test at the ER lab to test for pres. epithelia/saliva/sweat. Pres. epithelia was removed from item 5 as suspect spat on victim and victim headbutted suspect. Pres epithelia was removed from item 6 as suspect spat on victim and used item 6 to tie victims' wrists together. NB: Item 3 should only be submitted for saliva as the item is duplicated, however semen is the body fluid with most evidential value (from genital area) and saliva submissions would not apply in a case with only 1 swab. Item 3: Not tested with Brentamine as swab appears bloody - SOP states that bloody genital swabs (from female victims) must be treated as Brentamine positive, and not tested with Brentamine (submit for pres. semen.) Item 4: Crime scene swab-epithelia, blood + semen will have evidential value. Swab appeared to have visible blood on it, therefore Hemastix was used (visible blood). Brentamine test was performed on paper towel to reflect the reaction for possible semen. Sample not limited - pres. epithelia may also be present due to suspect's saliva. Item 5: Hemastix used to test visible blood stain. Polilight then used to identify other stains + mixture stains. No other/mixture stains noted, exhibit was tested with Brentamine for semen. Removal of possible epithelia is explained above. Item 6: No visible blood - Luminol used, pres epithelia removed - as explained above.
2HTFKV	No hairs observed on Item 5 or Item 6.
2NHVBM	Sample 1- Semen with spermatozoa. Sample 2- Indicative of saliva. Sample 3- Semen with spermatozoa and blood, indicative of human origin. Sample 4- Blood, indicative of human origin. Sample 5- Blood, indicative of human origin and indicative of saliva. Sample 6- Semen with spermatozoa and indicative of saliva.
2T96LL	RNA item 7 (control swabs)
32HUYJ	Amylase testing (radial diffusion test) for items 3 and 4 revealed a slightly clear ring around the well;

TABLE 3

WebCode	Additional Comments
	therefore making the results inconclusive.
379DR2	1. According to the analyzes performed on samples of swabs (item 1), swabs taken from the victim's genital area (item 3), and one torn white shoelace (item 6), sperm was detected. 2. According to the analyzes performed on samples of swabs (item 1), swabs taken from the victim's genital area (item 3), swabs taken from a stain on the floor at the scene (item 4), and one red headband (item 5), human blood was detected. 3. According to the analyzes performed on samples of swabs (item 2), swabs taken from a stain on the floor at the scene (item 4), and one red headband, sperm was not detected. 4. According to the analyzes performed on samples of swabs (item 2), and one torn white shoelace (item 6), human blood was not detected.
3AFL6T	No hairs were observed on any of the items. The area selected for testing on the headband was visible on both the outside and inside (as received) of the headband and was treated as one area. All microscope examinations were performed after slides were stained using the Kernechtrot-Picroindigocarmine stain (Christmas tree stain).
4GTYJH	Item 1: Due to non-concordant presumptive tests for blood the sample is inconclusive (presumptive test KM negative result and the presumptive test Hemastix positive result). Per [Agency] Standard Operating Procedures (SOP), a positive HemaTrace result will be reported as inconclusive when a presumptive test is negative for the possible presence of blood (SOP).
4H3YJH	Did not test control swabs (RNA) due to case circumstances indicating that these swabs were "unused."
4K8U2Z	Item 4- AP inconclusive due to red/brown color of extract. Item 5- AP inconclusive due to red/brown color of extract.
6CR9RW	Pack of control swabs were not tested and were not included in numbering. At the end of each day, put test in sealed plastic bag until next day of testing.
6TGGRF	Reason for selecting "NT" (Not Tested) for saliva tests: I have not been trained to perform these tests. Reason I did not perform a blood screening test for Item 6: There were no stains suspected to be blood.
6ZWY89	Item 1- cotton swabs, blood conclusion inconclusive due to negative presumptive testing but positive result for HemaTrace test kit.
7Q762P	For the AP test on Item 6, per our SOP manual: "A color change after 60 seconds and up to 2 minutes is interpreted as inconclusive."
8XMTKX	No exams were performed on control swabs.
8Z9MCR	Tails were noted on sperm cells from Items #1 and #6.
9NCZJ3	Saliva test were not done because there is no test for saliva in the lab. Bloody swabs were not tested because according to the SOP bloody swabs are not supposed to be tested because they are considered positive for brentamine. Unused swabs not tested but kept in the docket.
9PNN43	Item 2 ALS INC due to possible slight fluorescence.
9TL6HG	Item 1 - ?possible contamination to give very weak Hematrace result. Item 2 - ?possible contamination to give very weak p30 result. Item 4 - ?possible contamination to give weak p30 result.
AA9WU2	Items 1-6: No specific or specialized test(s) available in the laboratory to test for saliva/possible epithelial cells. Therefore not tested. Attached also on the B-side is the sealed control swabs on pg B14/14. [Reference material not provided by participant].
ACDKAR	This laboratory does not confirm the presence of Saliva.
AD84J6	The overall conclusion for blood is inconclusive due to both negative and positive test results obtained. (Per [laboratory] Biology procedure manual) A very faint fluorescence was noted around the reddish brown stain on item 5, therefore, listing as ALS positive.
AL37GB	Item 3: The swabs were taken from victim's genital area. The swabs were bloody and therefore not tested. Bloody post-coital swabs are treated as Brent positive as per SOP. Therefore the other duplicate

TABLE 3

WebCode	Additional Comments
	swabs were not tested as well. Item 4: The swabs received were bloody and therefore tested with Hemastix for visible blood. Second swab was tested with Brentamine so to see if there were no traces of semen on the floor (also to link the suspect to the crime scene). Item 5: Exhibit was swabbed for presumable epithelial cells as the victim was often beaten and spat on if she refused to cooperate. There was a visible stain, but polylight was used to check if stain was not a mixed one. Stain was tested with Hemastix and rest of exhibit tested with Brentamine. Item 6: Presumable sweat was taken as shoelace was used to tie victim up. No visible blood observed, therefore Brentamine was used first to test for any stains and then Luminol was used on Brent pos stain and rest of exhibit. Item 5: Stain was also tested with Brentamine and it was negative.
AL6TZA	Item 1 had a positive Hematrace result. However, since the KM test was negative I do not believe that blood was present on this item. It has been shown in our validations and training that Hematrace may produce positive results with saliva, urine, vaginal secretions, semen or other body fluids. I also did no testing on the 1 package of control swabs that were included with the proficiency test.
AXDLLU	Item No. 1: Four (4) swabs are POSITIVE for blood and semen. Although the presence of blood in the sample corresponding to Item 1 is not evident, the result obtained with ABACard HemaTrace was positive, and this may be due to the extreme sensitivity of the test, trace levels of Hb could be occasionally detected in body fluids other than blood (For example: urine, semen, feces, vaginal fluid, saliva and sweat), as reported by the manufacturer.
BC7UHY	Item 3 - Bloody swabs were not tested because according to the SOP; bloody swabs from the genital area are not supposed to be tested. Item 4 - The duplicate swabs were tested for brentamine and hemastix because there was visible blood and the stains were collected from the floor. This means there could have been a mixture of blood, semen and saliva (spitting on the scene). Saliva tests were not done because the laboratory doesn't have a test for saliva. The control swabs were not used therefore not put in the results section.
BHV8L9	Bloody post-coital swabs should be treated as being Brentamine positive and should not be tested. See Evidence Recovery SOP. Saliva Test not performed at laboratory. The headband came from the victim, thus the headband was tested with Brentamine. This was a rape and assault case, thus everything from the victim is tested for semen.
CA2GHD	Item 1: Per SOP's if the presumptive tests for blood are negative and there is a positive HemaTrace result it must be interpreted with caution. Since hemoglobin can be found in other bodily fluids in low concentrations the Hematrace result should be reported as inconclusive when presumptive tests for blood are negative.
CERYQW	Please note that saliva tests were not performed because the laboratory does not perform any saliva tests (i.e. no preliminary saliva tests). The package of control swabs on page B12/12 was put in the docket as it is, that is unopened [reference material not provided by participant], because the covering minute states that it was unused. Presumable saliva was collected from the headband because the covering minute states that the victim was often spat on and again she was able to headbutt the perpetrator in the mouth. Item 3 swabs were not tested because they are bloody and no tests are performed on bloody items.
CGMDL3	Luminol was not used on the general screening swabs because it is used as a presumptive test for blood on non-swab items. It was used on item 6 in this test instead.
D23C7M	ALS marked inconclusive on Item 5 due to darkness of stain
DJ7PZX	For Item 1: cotton tipped swabs with white plastic handle -- Item marked inconclusive for the overall conclusion for blood per department procedure since the presumptive tests results were not concordant.
DJYM4X	Item 5: Presumable epithelia (saliva) was taken because the suspect spat on the victim.
DWQB2J	Item 1 The examination for blood is inconclusive. Seminal material was identified. No saliva was detected. Item 2 No blood was detected. There was no indication of seminal material from presumptive testing. Amylase was detected at a level that indicated the presence of saliva. However, amylase is also found in other biological fluids. Item 3 Human blood was identified. Seminal material was identified. No saliva was detected. Item 4 Human blood was identified. There was no indication of

TABLE 3

WebCode	Additional Comments
	seminal material from presumptive testing. No saliva was detected. Item 5 Human blood was identified on the red headband. There was no indication of seminal material from presumptive testing on the red headband. Amylase was detected at a level that indicated the presence of saliva on the red headband. However, amylase is also found in other biological fluids. Item 6 No blood was detected on the white shoelace. Seminal material was identified on the white shoelace. Amylase was detected at a level that indicated the presence of saliva on the white shoelace. However, amylase is also found in other biological fluids.
E7CUZA	Item 1: A positive HemaTrace reaction was observed when presumptive tests were negative. Per SOPs, this situation should be reported as inconclusive. (Hemoglobin may be present in body fluids other than blood in low concentrations.)
E88KZW	Item 1 to Item 6 were not tested for saliva because the laboratory does not have a preliminary test for saliva or epithelial cells. Item 3 swabs were not tested because bloody genital area swabs or bloody groin stains are treated as Brentamine positive according to our SOP. Saliva/epithelial cells were removed from Item 5 because according to the scenario the victim was sometime spat on and the headband remained with her throughout her captivity, therefore we will be linking any suspect to the victim by removing epithelial cells. Controls were unused but kept in the docket, we don't throw away anything received for evidence recovery.
EAWQKT	Items 2, 5, and 6- Elevated levels of amylase activity and no nucleated epithelial cells were observed for these samples. Laboratory procedure requires the observation of nucleated epithelial cells in addition to the elevated amylase activity to report the indication of saliva; therefore these samples will be reported as inconclusive for the presence of saliva. Items 3 and 4- Trace levels of amylase activity and no nucleated epithelial cells were observed for these samples. Consequently, they are being reported as inconclusive for the presence of saliva. Other body fluids present on these samples may account for the trace levels of amylase activity detected. Item 4- Acid phosphatase was detected but no p30 was detected or sperm cells were observed; therefore, this sample was reported as negative for semen. Acid phosphatase can be found at lower levels in other body fluids.
EH74NH	No hairs were observed on the red headband or on the piece of shoe string.
ELNDQN	Saliva tests not performed at this laboratory.
EQYNK4	The swab 'Item 3a' is bloody and not tested with Brentamine, but regarded as positive (Brentamine) for further analysis [SOP]. The headband was tested for skin cells to see if the suspect didn't shared during headbutting contact.
ERVWXU	Presumptive tests on for blood on Item 1 were negative, however a weak positive was obtained for the Hematrace test. This is likely due to hemoglobin present in semen. Per laboratory procedures this item is inconclusive for blood due to conflicting blood test results.
EW8P6M	[From Table 2 - Serology Screening Results, Item 5, Saliva Tests: " *No visible blood, but phadebas reaction @ 10 mins. Therefore can't determine if saliva present."]
FQD862	Item 1 & Item 2: No visible blood noted on swabs. Saliva (epithelial) tests are not performed in the ER Laboratory, swab will be submitted for epithelial fraction in the DNA process. Item 3: Bloody post-coital swabs should be treated as brentamine positive and should not be tested (refer to Evidence Recovery SOP). Saliva (epithelial) tests are not performed at ER, since the sample is not limited and the scenario states that the suspect spat on the victim, swab to be submitted for epithelia (saliva). Item 4: Brentamine test was performed as swab was not completely covered in blood (reaction would've also been visible on paper towel). Swab to be submitted for epithelia (saliva) as scenario states that suspect did spit. Item 5: A visible stain was noted, tested with hemastix, a positive result was obtained. Polilight was thereafter used to indicate other/mixture stains, no stains were noted using polilight. The rest of the exhibit (including HEM Pos stain) was tested for Brentamine. Stain was then removed & the rest of the exhibit was tested with Luminol. Although polilight was used to indicate other stains, it is NOT a presumptive test, hence further testing was done. Epithelia removed as scenario states victim was spat on. Item 6: Pres. Epithelia was removed as scenario states that the suspect used this to bind the victims wrists. Luminol testing was performed (on entire exhibit) before brent. pos stain was removed.

TABLE 3

WebCode	Additional Comments
G3QMUL	All items - this lab does not perform saliva screening. Item 6 - blood screening (visual observation, etc.) did not reveal any stains that seemed like a typical bloodstain.
GFRLFV	Item #1: ".....On occasion, a positive Hematrace reaction may be observed even when the presumptive tests are negative. These results must be interpreted with caution. Hemoglobin may be present in body fluids other than blood in low concentrations and should be reported as inconclusive when presumptive tests for blood are negative."
GG2DLT	Item 5: The victim indicated that the suspect spat on her. We then took presumable epithelia on the head band, because maybe saliva maybe there.
GHGRZU	For Item #1, presumptive testing for the possible presence of blood was negative; however, immunological testing was inconclusive for the presence of human blood(very faint band observed). Hemoglobin can be present in other body fluids in low concentrations other than blood. The results for the presence of blood was found to be inconclusive.
GJCHYG	Item 1: Seminal material was identified. No saliva was detected. Item 2: No seminal material was identified. Amylase was detected at a level that indicated the presence of saliva. However, amylase is also found in other biological fluids. Item 3: Human blood was identified. Seminal material was identified. No saliva was detected. Item 4: Human blood was identified. No seminal material was identified. No saliva was detected. Item 5: 5.1 One (1/4 inch length x 1/4 inch width) section was removed from the exterior of the red headband. Human blood was identified. No seminal material was identified. Amylase was detected at a level that indicated the presence of saliva. However, amylase is also found in other biological fluids. Item 6: 6.1 One (1/8 inch length x 1/8 inch width) section was removed from the manufactured end of the white shoelace. Seminal material was identified. Amylase was detected at a level that indicated the presence of saliva. However, amylase is also found in other biological fluids.
GKKKUT	*RSID tested positive; however, a false positive reaction may have been observed due to the large presence of blood and/or seminal fluid. **Due to the discrepancy between the positive PSA and negative AP, I cut the rest of each swab and labeled each swab "1", "2", "3", and "4" with a piece of tape; took the rest of each swab and placed it into an extraction tube, labeled "1", "2", "3", and "4", to test for PSA again. While I was labeling the swabs, I noticed that all were pink sticks/handles; however, one swab stick ("2") had what appeared to be a blue mark around the top portion of the stick, just below the cotton swab area. This swab had a positive result within seconds and after the 10mins was complete, it was the only swab that was positive for PSA. Since these are noted as "duplicate" samples, and my results for one of them was positive for PSA and micro; my overall result will be positive for semen.
GM924Z	Item 3 - No presumptive testing was conducted on Item 3 because the swabs were taken from the genital area of victim. The swabs were completely discoloured hence no colour change can be seen if tested. Therefore swabs treated as bloody post-coital swabs and according to SOP we do not test it. Item 4 - the swabs were taken from the floor of the room, hence the swabs were tested for blood (because perpetrator bled), for semen (victim was raped and suspect could of ejaculated anywhere), and for saliva (suspect spat on victim). Swabs in duplicate so sample not compromised. Item 5 - visible stain tested Hemastix Positive. I further tested the rest of the headband with Luminol for stains that could not be seen with the naked eye. Item was swabbed for presumable epithelial cells from suspect, as the victim headbutted the suspect. Brentamine test performed on item for semen before stain was removed to exclude mixture stain. Item 6 - Item was swabbed for presumable epithelial cells of suspects because he tied the victim, as well as for saliva because he spat on the victim.
GQPLUM	The positive RSID result from the item 2 swabs, item 5 stain, and item 6 stain is indicative for the presence of human saliva. This RSID test may also react with human breast milk, menstrual blood, and fecal material. The positive HemaTrace result from the item 3 swabs, item 4 swabs, and item 5 stain is indicative for the presence of human blood. This HemaTrace test may cross-react with ferret and higher primate blood.
HBW9W7	Item #1: Semen with spermatozoa. Item #2: Possible saliva. Item #3: Semen with spermatozoa mixed with apparent blood (indicative of human origin). Item #4: Blood; indicative of human origin. Item #5:

TABLE 3

WebCode	Additional Comments
HBW9W7	Item #1: Semen with spermatozoa. Item #2: Possible saliva. Item #3: Semen with spermatozoa mixed with apparent blood (indicative of human origin). Item #4: Blood; indicative of human origin. Item #5: Blood; indicative of human origin, mixed with possible saliva. Item #6: Semen with spermatozoa mixed with possible saliva.
HZCRGR	Swabs A1.4; A 2.4 were not tested as they are duplicates and was not necessary. Swabs A 3.1 - A3.4 were not tested. Bloody swabs according to SOP are presumed pos for semen. For Items 5 & 6, Epithelial tissue was collected, but not tested. Therefore I ticked Inconclusive box. Item 4; 1 swab used - Made swab of swab for H/stix test.
JC2YXU	item 1: pheno testing weak positive, hemastix very weak and very delayed reaction noted after acceptable time limit-calling negative. item 6: did not test for semen due to case details
JML8LM	Item 1 tested negative for both presumptive blood tests, however tested positive for the confirmatory Hematrace test. This is not unexpected, as it is cited in the Hematrace product insert that there are trace amounts of hemoglobin in seminal fluid (of which all tests, presumptive and confirmatory, were positive for this item). The overall conclusion will be deemed inconclusive for blood for this item based on the conflicting results. Item 6 - visual exam was negative for the presence of possible bloodstains
KNDKLK	17-578 Item #1 and Item #2: Per ABACard HemaTrace Technical Information sheet under Limitations: "Due to the extreme sensitivity of the test, trace levels of hemoglobin might be detected occasionally in body fluid samples other than blood (e.g. urine, semen, stool, saliva, vaginal fluid, perspiration)." Item #1 tested positive for semen and negative for all other blood tests. Item #2 tested positive for saliva and negative for all other blood tests. In casework, HemaTrace would not be conducted after obtaining the previous negative results. Therefore, the overall conclusion for blood is inconclusive for Item #1 and Item #2.
KP6N9Z	Item 1: We do not do a presumptive test for saliva or any other possible epithelial cells such as sweat, tears, etc, however we submit such evidence for DNA. Item 3: We do not test bloody genital swabs as noted on SOP: "Bloody post coital swabs should be treated as being Brentamine positive and should not be tested." Item 4: Although the presumptive saliva testing is not done, but it could have evidential value therefore we submit this exhibit for DNA, because the suspect spat on the victim. The swabs were not tested for possible semen because they had blood on them, however we cannot exclude possible semen from this/these swabs because it could be that the stain on the floor was a mixture of suspects semen and victims blood that leaked from the victims vagina. So although we do not test it with brentamine we could assume or take it as brentamine positive similar to bloody swabs & these are to be submitted for DNA. Item 5: Although we don't test for possible saliva on the exhibit; we submit this evidence because suspect spat on her; so there could be suspects saliva on the headband and also because she headbutted him (possible saliva). Item 6: We would submit this piece of evidence for possible sweat and saliva which could have come from suspect while we was trying to tie the victim with the shoe lace.
L9TMUP	ALS exam also performed on control swabs.
LPZTZE	Item 1. No odour and only 1 positive test for urine might be reported as possible urine present but with caution. Item 6. Not examined for saliva since the ends of the laces were not 'ragged' as if it had been in someone's mouth. The supernatant could be tested after DNA tests. Items were sampled and prepped for DNA profiling if required.
LQF3XL	Item 1: Presumptive tests for blood were negative, but Hematrace was positive. Lab procedures indicate it be reported as "inconclusive." Item positive for semen, which can contribute to a positive Hematrace test. Item did not otherwise support any staining consistent with blood.
M4G2KH	Item 1 and 2: Hematrace positive; per Limitations #4 of product insert "trace levels of hemoglobin might be detected occasionally in body fluids other than blood." Per our procedure manual if chemical presumptive test is negative and Hematrace yields a positive result, the overall conclusion for blood should be reported out as inconclusive. In casework, Hematrace testing would not have been performed after a negative presumptive chemical test. Item 2: Hemastix testing resulted in a delayed weak positive at ~30 seconds, therefore, reported out as a positive result. Visual examination of item did not reveal any red/brown staining and testing for blood would not have been performed in routine

TABLE 3

WebCode	Additional Comments
M4G2KH	Item 1 and 2: Hematrace positive; per Limitations #4 of product insert "trace levels of hemoglobin might be detected occasionally in body fluids other than blood." Per our procedure manual if chemical presumptive test is negative and Hematrace yields a positive result, the overall conclusion for blood should be reported out as inconclusive. In casework, Hematrace testing would not have been performed after a negative presumptive chemical test. Item 2: Hemastix testing resulted in a delayed weak positive at ~30 seconds, therefore, reported out as a positive result. Visual examination of item did not reveal any red/brown staining and testing for blood would not have been performed in routine casework. Item 6: visual examination of item did not reveal any red/brown staining to warrant chemical testing for presence of blood.
MXQTUW	According to SOP Bloody post-coital swabs should be treated as being Brent pos and should not be tested. Semen not tested on the headband since it is mentioned that it remained with the victim throughout and the position (head) was taken into consideration.
MZFZEU	Item 3: According to SOP, bloody post coital swabs should be treated as being brentamine positive and should not be tested. Item 3- and it was taken from the victim, so it means it is victim's blood its not going to prove anything. Item 5 - Always with the victim.
NTDB9A	ALS finding for Exhibit 5: No glowing stains were observed. ALS finding for Exhibit 6: Glowing stain was observed.
PBPEAR	Item 3: Brentamine test was not conducted because SOP states that bloody swabs taken from the genital area must be treated as brentamine positive and therefore should not be tested. Item 4: Brentamine test not conducted due to the fact that the swab was covered with blood. Therefore brentamine reaction will not be observed with naked eyes. Item 5: Exhibit was dark, therefore polight was used to identify stains. Stain identified was tested with hemastix for presumable blood and with Brent for presumable semen. The stain (Hem pos) was removed and the rest of the exhibit was tested with luminol as it was dark and tested negative. The rest of the exhibit also tested neg for Brent. Item 5: Possible epithelial cells were removed not to determine ownership but to check for possible saliva as it is clearly stated on the covering letter that the suspect spat on the victim. Item 3: Although swabs were collected from the Genital area as per given scenario the first swab was tested with Hemastix. The swabs were received in duplicates therefore testing the first swab will not compromise the evidential value of the case. Item 6: Presumable sweat was removed from the torn shoelace found on the room in order to determine ownership. Item 3: Although swabs were collected from the Genital area and according to the scenario the victim was spat on so the possibility of presumable saliva can not be ignored. Hence the scenario does not clearly state where in the body the victim was spat. Therefore item 3, swab 3 can be submitted for possible saliva and this will not compromise the case as the swabs are in duplicate.
PRG82K	No blood testing was conducted on Item 6 due to the lack of reddish-brown and brown staining on a very clean item that is white in color when observed in bright light. In addition, no dark areas were observed when visualizing Item 6 using the ALS.
PRWDHV	"Item 4c" for presumable skin cells for saliva, due to the fact that the victim was spat on. "Item 3A" not tested for Brentamine (semen) because it is bloody and don't test bloody swabs for semen as mentioned in Evidence Recovery SOP Bloody post coital swabs, bloody stains from the groin or panties, tampons and sanitary pads should be treated as being Brentamine positive and should not be tested. "Item 5" tested for semen on victim's clothing, as per ER SOP, the headband is part of the crime scene therefor semen could be on the headband. Therefore I tested for semen.
PWNMNM	Control Swabs tested negative for -KM, RSID-BLOOD (Thus, negative for Blood); -ALS, AP, RSID-SEMEN (Thus, negative for Semen); -ALS, RSID-SALIVA (Thus, negative for Saliva)
PXMNRT	Item 5: High Friction was taken because the covering minute refer that the suspect spat on her. Item 4: I performed optimal testing; because stain comes from the crime scene. Item 3: According to the ER SOP "Bloody post-coital swabs, bloody stains from the groin, or panties, tampons and sanitary pads should be treated as being Brentamine positive and should not be tested." I do recognized the above par and do know in normal case work I should not test exhibits of this nature.

TABLE 3

WebCode	Additional Comments
PYFL3K	Item 3: According to the ER SOP "Bloody post-coital swabs, bloody stains from the groin, of panties, tampons and sanitary pads should be treated as being Brentamine positive and should not be tested." Item 4: I normal casework I would have phone the IO to find out type of stain and testing is required. I did performed optimal testing because the stain comes from the crime scene. Item 5: High friction was taken because the covering minute mention that the suspect spat on her (the victim).
PZT9FT	Bloody post coital swabs are not tested according to [SOP] paragraph 7.2.10. "Bloody post coital swabs, bloody stains from groin of panties, tampons and sanitary pads should be treated as being Brentamine positive and should not be tested." Possible High Friction has no preliminary test in Evidence recovery, according to the SOP.
Q4P8C4	Item 5 saliva test reported as inconclusive as small weak positive reaction at 40 min only in area of bloodstaining. Could be high levels of amylase in blood or weak saliva reaction. Amylase is a substance which occurs at high levels in saliva, however it can also be found at much lower levels in other body fluids. A positive result for amylase is reported as the probable presence of saliva. The reporting of blood is based on its appearance and a positive result for a presumptive chemical test for blood. A presumptive test is used to screen for the presence of a substance but it cannot confirm its presence.
Q9Z8PU	Item 3: According to [SOP] bloody swab taken from genital area must be treated as brentamine positive and should not be tested with brentamine. Item 4: Brentamine test not conducted due to the fact that the swab was covered with blood, and in our laboratory we do not test because brentamine reaction cannot be observed. Item 5: Blood test (According to [SOP]) polilight was used to identify stain & stain tested positive with hemastix. The stain was removed & tested the rest of the exhibit with lumionol (reaction neg), Brentamine test was performed on the exhibit before stain was removed and tested negative (Brent Neg). Item 5: Possible epithelial was removed not to determine the ownership but it is clearly stated that victim was beaten & spat on. Item 3: Genital swabs received were all bloody, Hemastix test was performed to detect the presence of blood, as swabs received were in duplicate, so sample was not compromised. Also one swab will be submitted for possible saliva because it is clearly stated that the suspect spat on the victim off which it could be anywhere on victim's body including genital area.
QQWXGH	Our Investigative Section does not test for Saliva.
R38JQ3	As would occur in a casework situation, the shoelace and aiglet were tapelifted for trace DNA before being tested for semen and saliva. Item 3: Phadebas Test: As the swabs are from the genital area, any amylase present may be endogenous to vaginal fluid, therefore this test would not ordinarily be carried out - an example of an exception to this would be if the complainant is a young girl and oral sex had been allegedly performed on her. HemaTrace Test: Would not normally be carried out on human genital swabs. This was done in error but has been reported in order to disclose the results of all testing performed. Item 5: HemaTrace test not carried out as presence of blood is consistent with the scenario given and it would therefore be definitely sent for DNA analysis.
R8ZRNH	Item 3 was not tested because swabs from genital area that appear bloody should not be tested presumptively for semen (see SOP)
RRTQXM	Per our laboratory standard operating procedures, a positive Hematrace reaction may be observed even when the presumptive tests are negative. Hemoglobin may be present in body fluids other than blood in low concentrations and should be reported as inconclusive when presumptive tests for blood are negative.
TGM3LF	The positive HemaTrace result for item 1 is most likely a false positive reaction caused by the large amount of semen detected on the swabs.
TLEG2A	Lab does not perform routine testing for saliva.
TWVYXM	Subjected swab 'item 4c' for presumable epithelial cells to test for saliva. Swabs 'item 3a-item 3d' were bloody, thus not tested for semen and presumed as being Brent positive since it was taken from victim's genital area, as stipulated in Evidence Recovery SOP which quotes "Bloody post-coital swabs, bloody stains from the groin of panties, tampons and sanitary pads should be treated as being Brentamine

TABLE 3

WebCode	Additional Comments
TWVYXM	Subjected swab 'item 4c' for presumable epithelial cells to test for saliva. Swabs 'item 3a-item 3d' were bloody, thus not tested for semen and presumed as being Brent positive since it was taken from victim's genital area, as stipulated in Evidence Recovery SOP which quotes "Bloody post-coital swabs, bloody stains from the groin of panties, tampons and sanitary pads should be treated as being Brentamine positive and should not be tested." Subjected headband 'item 5' for presumable epithelial cells to test for saliva.
U32AAE	Item 1: Although Hematrace card was positive, overall blood conclusions deemed inconclusive due to the lack of staining on the swabs, other presumptive testing being negative, and to the extreme sensitivity of the Hematrace cards where hemoglobin can be detected in other body fluids.
UAE9VC	For Item 3: Blood tests were not performed as this has no evidential value since swabs were taken from the genital area of the victim. Semen was not tested. According to our SOP, Bloody post coital swabs are submitted as brentamine positive and should not be tested. For Item 1-6: Saliva test was not performed as the laboratory does not perform this type of test.
ULWJTJ	Our laboratory does not offer saliva testing as a service.
UNYNYC	Detection of amylase activity is not a confirmation of saliva. Amylase is found in high concentrations in saliva and in relatively lower concentrations in other body fluids such as vaginal secretions, sweat, and fecal material.
V67XMJ	No examinations were conducted on item PT17-226-7 (Control swabs).
VQ3WMM	Item 1: I performed the Phenolphthalein test and got a negative result, but I still performed the HemaTrace testing on this item and got a very weak positive result. As per the Technical Leader and Assistant Technical Leader, I should have stopped after the Phenolphthalein negative result without doing further testing. I have updated my results because of this to say that Item 1 is negative for blood.
W77RFK	I took a high-friction swab of item 5, as the perpetrator's saliva might have come into contact with the headband and the swab could pick up epithelial cells that may be present. Swab "A4C" could be submitted for epithelial cells, as the stain on the floor could also have contained saliva from the perpetrator.
WU36UH	Item 1: Cutting was taken to be tested with RSID, and at 10 minutes the control line appeared, but only half of the testing line appeared. A second test was run with the same extract from the same cutting, and at 10 minutes was negative. A third test was run with the same extract from the same cutting, and at 10 minutes was negative. Called RSID for item negative. Pictures of all three tests were taken and uploaded to the Object Repository. Item 1: Phenolphthalein and Hemastix tests negative, but HemaTrace test positive. Per [laboratory] Biology Procedure: "On occasion, a positive HemaTrace reaction may be observed even when the presumptive tests are negative... Hemoglobin may be present in body fluids other than blood in low concentrations and should be reported as inconclusive when presumptive tests for blood are negative." Overall result for blood was therefore called inconclusive.
WZ82F4	Item 5 ALS Inconclusive - General fluorescence throughout interior and exterior, possibly due to elastic component?
X8YXFB	Item 1: Determination of human blood was inconclusive due to non-concordant presumptive test results. This could be due to the presence of a large amount of seminal fluid.
XYQ8C9	An overall conclusion of inconclusive for blood was reported for Item 1 due to the fact that negative Phenolphthalein (KM) results were obtained, yet positive Hematrace results were also then obtained. The Hematrace product insert states under the limitations section that, "Due to the extreme sensitivity of the test, trace levels of hemoglobin might be detected occasionally in body fluid samples other than blood (e.g. urine, semen, stool, saliva, vaginal fluid, perspiration)".
YA8BYX	Item 5 ALS - No fluorescence or additional staining detected under ALS. Item 6 ALS - Fluorescence detected on yellowish staining located on aglet end of shoelace.
YG3KWA	Please note: For item 5 a swab for possible epithelia was taken because there is a possibility that the saliva of the suspect could be on it as the victim described that she was often spat on.

TABLE 3

WebCode	Additional Comments
ZBQVWD	- Human blood was detected on items (3,4,5). - No blood traces were detected on items (1,2,6). - Seminal fluid was detected on items (1,3,6). - No traces of seminal fluid were detected on items (2,4,5). - Saliva tests are not carried out on our laboratory.
ZX7E4A	No saliva tests were performed on Items 1 to 6, because there is no specific tests to be performed in our laboratory. Unused control swabs were discarded.

Appendix: Data Sheet

Collaborative Testing Services ~ Forensic Testing Program

Test No. 17-578: Body Fluid Identification Test

DATA MUST BE RECEIVED BY May 30, 2017 TO BE INCLUDED IN THE REPORT

Participant Code:

WebCode:

Accreditation Release Statement

CTS submits external proficiency test data directly to ASCLD/LAB, ANAB, and A2LA. Please select one of the following statements to ensure your data is handled appropriately.

- This participant's data is intended for submission to ASCLD/LAB, ANAB, and/or A2LA. (Accreditation Release section on the last page must be completed and submitted.)
- This participant's data is NOT intended for submission to ASCLD/LAB, ANAB or A2LA.

Scenario (this scenario applies only to Items 3 - 6):

Police are investigating the kidnapping and sexual assault of a female victim. After escaping her bonds, she called police to her location and described the building in which she had been kept and sexually assaulted repeatedly. The victim explained that she was often beaten and spat on if she refused to cooperate or fought back. She stated that during one altercation she was able to headbutt the perpetrator in the nose and mouth which caused him to bleed. The following items are being submitted to your department for examination. One envelope containing four duplicate swabs (Item 3) which were taken from the victim's genital area. One envelope containing four duplicate swabs (Item 4) which were taken from a stain on the floor of the room where the victim was reportedly kept. A red headband (Item 5) which had been worn by the victim prior to her abduction and remained with her throughout her captivity. A torn white shoe lace (Item 6) found in the room that the victim described as the object that was used to bind her wrists together.

Items Submitted (Sample Pack BF11):

- Item 1 Swab with white handle (provided as 4 duplicates) - intended for general screening for body fluids tested in normal laboratory casework; scenario not applicable
- Item 2 Swab with pink handle (provided as 4 duplicates) - intended for general screening for body fluids tested in normal laboratory casework; scenario not applicable
- Item 3 Swab with blue handle (provided as 4 duplicates) - taken from the victim's genital area
- Item 4 Swab with yellow handle (provided as 4 duplicates) - taken from a stain on the floor at the scene
- Item 5 One red headband
- Item 6 One torn white shoelace
- 1 package of control swabs (unused)

Please return all pages of this data sheet.

Page 1 of 10

Instructions:

Please indicate the overall conclusion for each body fluid using the check boxes provided. List the tests performed and the results of each test. Item descriptions (as applicable) are provided at the top of each Item page.

For the purposes of this test, all swabs within an Item have been prepared as duplicates in order to provide sufficient sample quantity. A package of unused swabs is also provided for control purposes.

Please use the abbreviations listed in this response key to fill in the Screening Test tables. This is not an all inclusive list of tests/screening methods, and should not be used to determine what should be performed. TESTS NOT ON THIS LIST MAY BE USED FOR SCREENING.

Test	Abbreviation	Test	Abbreviation
Acid Phosphatase	AP	Ortho-tolidine	O-tol
Alternate Light Source	ALS	Phenolphthalein-Tetramethyl benzidine	PTMB
Kastle Meyer	KM	Prostate Specific Antigen	PSA
Leucomalachite Green	LMG	Rapid Stain Identification	RSID
Microscopic	Micro	Tetramethyl benzidine	TMB

Example		Pos./Ind.	Neg.	Inc.	NT*
Blood Tests					
What is the overall conclusion for blood?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed	HemaTrace	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	KM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Pos./Ind. - Positive/Indicative; Neg. - Negative; Inc. - Inconclusive; NT - Not Tested					

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Item 1: Cotton tipped swabs with white plastic handle

Four duplicate white handled swabs. Scenario is not applicable for this Item. Utilizing your laboratory policies, please examine this item for body fluids tested in normal laboratory casework.

Blood Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for blood?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Semen Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for semen?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Saliva Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for saliva?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Other Tests		Test Results		
Body Fluid	Test(s) Performed	Pos./Ind.	Neg.	Inc.
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

Item 2: Cotton tipped swabs with pink plastic handle

Four duplicate pink handled swabs. Scenario is not applicable for this Item. Utilizing your laboratory policies, please examine this item for body fluids tested in normal laboratory casework.

Blood Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for blood?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Semen Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for semen?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Saliva Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for saliva?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Other Tests		Test Results		
Body Fluid	Test(s) Performed	Pos./Ind.	Neg.	Inc.
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

Item 3: Cotton tipped swabs with blue plastic handle

Four duplicate blue handled swabs taken from the victim's genital area.

Blood Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for blood?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Semen Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for semen?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Saliva Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for saliva?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Other Tests		Test Results		
Body Fluid	Test(s) Performed	Pos./Ind.	Neg.	Inc.
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

Item 4: Cotton tipped swabs with yellow plastic handle

Four duplicate yellow handled swabs taken from a stain on the floor at the scene.

Blood Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for blood?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Semen Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for semen?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Saliva Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for saliva?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Other Tests		Test Results		
Body Fluid	Test(s) Performed	Pos./Ind.	Neg.	Inc.
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

Item 5: One red headband

The item of evidence is a red headband recovered from the victim.

Blood Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for blood?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<u>Performed</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Semen Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for semen?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<u>Performed</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Saliva Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for saliva?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<u>Performed</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Other Tests		Test Results		
Body Fluid	Test(s) Performed	Pos./Ind.	Neg.	Inc.
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

Item 6: One torn white shoelace

The item of evidence is a torn white shoelace found at the scene.

Blood Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for blood?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Semen Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for semen?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Saliva Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for saliva?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test(s) Performed _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Other Tests		Test Results		
Body Fluid	Test(s) Performed	Pos./Ind.	Neg.	Inc.
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

Collaborative Testing Services ~ Forensic Testing Program

RELEASE OF DATA TO ACCREDITATION BODIES

The following Accreditation Releases will apply only to:

Participant Code:

WebCode:

for Test No. **17-578: Body Fluid Identification**

This release page must be completed and received by **May 30, 2017** to have this participant's submitted data included in the reports forwarded to the respective Accreditation Bodies.

Have the laboratory's designated individual complete the following steps **only if your laboratory is accredited in this testing/calibration discipline** by one or more of the following Accreditation Bodies.

Step 1: Provide the applicable Accreditation Certificate Number(s) for your laboratory

ASCLD/LAB Certificate No. _____

ANAB Certificate No. _____

A2LA Certificate No. _____

Step 2: Complete the Laboratory Identifying Information in its entirety

Signature and Title _____

Laboratory Name _____

Location (City/State) _____

Accreditation Release	
<u>Return Instructions</u>	
<i>Please submit the completed Accreditation Release at the same time as your full data sheet. See Data Sheet Return Instructions on the previous page.</i>	<i>Questions? Contact us 8 am-4:30 pm EST Telephone: +1-571-434-1925 email: forensics@cts-interlab.com</i>

Please return all pages of this data sheet.