



## Body Fluid Identification Test No. 15-578 Summary Report

---

This proficiency test was sent to 259 participants. Each participant received a sample pack containing six items for examination. Participants were asked to examine each item and report the body fluid(s) identified. Data were returned from 218 participants (84% response rate) and are compiled into the following tables:

	<u>Page</u>
<a href="#"><u>Manufacturer's Information</u></a>	2
<a href="#"><u>Summary Comments</u></a>	3
<a href="#"><u>Key to Screening Results</u></a>	4
<a href="#"><u>Table 1: Screening Conclusions &amp; Test(s) Performed</u></a>	5
<a href="#"><u>Table 2: Serology Screening Results</u></a>	159
<a href="#"><u>Table 3: Additional Comments</u></a>	285
<a href="#"><u>Appendix: Data Sheet</u></a>	296

This report contains the data received from the participants in this test. Since these participants are located in many countries around the world, and it is their option how the samples are to be used (e.g., training exercise, known or blind proficiency testing, research and development of new techniques, etc.), the results compiled in the Summary Report are not intended to be an overview of the quality of work performed in the profession and cannot be interpreted as such. The Summary Comments are included for the benefit of participants to assist with maintaining or enhancing the quality of their results. These comments are not intended to reflect the general state of the art within the profession.

Participant results are reported using a randomly assigned "WebCode". This code maintains participant's anonymity, provides linking of the various report sections, and will change with every report.

## Manufacturer's Information

Each sample pack consisted of six items for testing, four of which were swabs and two of which were evidence items. Participants were asked to examine Items 1 and 2 for the body fluids that they typically encounter in casework. Items 3-6 were to be examined for scenario specific body fluids.

**SAMPLE PREPARATION:** The stains on Item 1 (white swabs) were prepared using human saliva. The stains on Item 2 (pink swabs), Item 4 (yellow swabs) and Item 5 (purple wrist sweatband) were prepared using human whole blood which was drawn into citric acid preservative bloodbank bags. The stain on Item 3 (blue swabs) were prepared using human semen. The stain on Item 6 (black rag) was a mixture prepared from human whole blood and semen. The raw semen was from a single donor, stored frozen at a temperature below -20°C. The semen was thawed and mixed 1:1 with TAE buffer, and then mixed 1:1 with the blood. This mixture was used to spot the Item 6 substrate. Stains from different sources were prepared at separate times and were packaged once they were thoroughly dried.

**SAMPLE SET ASSEMBLY:** Each sample set contained a package of unused swabs, questioned swabs (Items 1, 2, 3 and 4) and two questioned items of evidence, a purple sweatband (Item 5) and a black rag (Item 6) which were placed in a pre-labeled sample pack envelope. The sealed sample pack envelopes were then packaged in pre-labeled envelopes and heat sealed. This process was repeated until all of the sample sets were prepared.

**VERIFICATION:** All predistribution participants confirmed the manufacturer's expected conclusions, reporting consistent body fluid identifications for Items 1-5. Two laboratories reported positive semen and blood results for Item 6 however, the third laboratory did not identify semen after running a single presumptive test.

### *Sample Preparation Schedule*

<u>Item</u>	<u>Substrate</u>	<u>Fluid</u>	<u>Volume</u>
1	4 White swabs	Saliva	100 µl/swab
2	4 Pink swabs	Blood	100 µl/swab
3	4 Blue swabs	Semen	100 µl/swab
4	4 Yellow swabs	Blood	100 µl/swab
5	Purple wrist sweatband	Blood	100 µl
6	Black rag	Blood and Semen	100 µl

Completed sample sets were stored at -20°C until shipment on March 09, 2015, following receipt of predistribution results.

## **Summary Comments**

---

The 15-578 Body Fluid Identification test was designed to allow participants to assess their proficiency in the identification of stains that may contain dried body fluids. Each participant received six items for testing, four of which were swabs and two which were whole evidence pieces. No scenario was provided for Items 1 and 2; participants were requested to test for body fluids that they typically encounter in casework. Scenarios were provided for the remaining items; participants were asked to treat these as they would casework.

For the following paragraphs, the numbers of participants presented are those who tested for the particular body fluid and reported results in Table 1.

Item 1 consisted of four swabs containing saliva. For saliva, all participants reported positive/indicative. For blood, the majority (91%) of participants reported negative, 14 reported inconclusive and two reported positive/indicative. For semen, the majority (99.1%) of participants reported negative and two reported positive/indicative.

Item 2 consisted of four swabs containing blood. For blood, all participants reported positive/indicative. For semen, the majority (99.5%) of participants reported negative and one reported positive/indicative. For saliva, the majority (89.4%) of participants reported negative, nine reported positive/indicative and six reported inconclusive.

Item 3 consisted of four swabs containing semen. For semen, the majority (99.5%) of participants reported positive/indicative and one reported negative. For blood, the majority (84.7%) of participants reported negative, 17 reported positive/indicative and ten reported inconclusive. For saliva, the majority (89.6%) of participants reported negative, nine reported positive/indicative and four reported inconclusive.

Item 4 consisted of four swabs containing blood. For blood, all participants reported positive/indicative. For semen, the majority (99.0%) of participants reported negative and two reported positive/indicative. For saliva, the majority (90.2%) of participants reported negative, seven reported inconclusive and five reported positive/indicative.

Item 5 consisted of one purple wrist sweatband containing blood. For blood, all participants reported positive/indicative. For semen, the majority (99.5%) of participants reported negative and one reported positive/indicative. For saliva, the majority (94.5%) of participants reported negative, five reported inconclusive and one reported positive/indicative.

Item 6 consisted of one black rag containing a mixture of blood and semen. For blood, the majority (86.9%) of participants reported positive/indicative and 28 reported negative. For semen, the majority (87.0%) of participants reported positive/indicative and 27 reported negative. For saliva, the majority (97.4%) of participants reported negative, two reported inconclusive and one reported positive/indicative.

## Key for Screening Tests Used

---

Participants were asked to use, where possible, the following chart of abbreviated screening test names. This was not an all inclusive list and was not designed to determine what tests should be performed. Participants were advised that tests not on this list may be used for screening.

Test	Abbreviation
Acid Phosphatase	AP
Kastle Meyer	KM
Leucomalachite Green	LMG
Microscopic	Micro
Ortho-tolidine	O-tol
Phenolphthalein-Tetramethyl	PTMB
Prostate Specific Antigen	PSA
Tetramethyl benzidine	TMB

# Screening Conclusions & Test(s) Performed

*Indicate the overall conclusion from the results of the screening tests performed.*

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
27VVBR	<b>Negative</b> Hemastix HemaTrace Phenolphthalein	<b>Negative</b> Acid Phosphatase PSA Micro	<b>Positive/Indicative</b> RSID saliva
27XMCV	<b>Negative</b> LMG	<b>Negative</b> AP	<b>Not Tested</b>
29T3ZY	<b>Negative</b> Visual - reported as "no blood was observed"	<b>Negative</b> AP	<b>Positive/Indicative</b> Phadebas Forensic paper-reported as "saliva was probably present"
2CNQHQ	<b>Negative</b> O-tol.  <u>Other Tests Performed</u> Blood/Semen - ALS (see Additional Comments)	<b>Negative</b> AP	<b>Not Tested</b> Not trained to perform this test.
2VXXL8	<b>Negative</b> O-tol	<b>Negative</b> AP Micro RSID Semen	<b>Positive/Indicative</b> RSID Saliva
2WV7UQ	<b>Negative</b> KM Hemastix HemaTrace	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID
2XRL7M	<b>Negative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> RSID-Saliva
3B92LR	<b>Negative</b> Hemastix HemaTrace	<b>Negative</b> ALS AP PSA Micro	<b>Positive/Indicative</b> ALS RSID

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
3M6XUL	<b>Negative</b> LMG	<b>Negative</b> AP PSA	<b>Positive/Indicative</b> Amylase Diffusion
47A3JT	<b>Negative</b> LMG	<b>Negative</b> AP	<b>Not Tested</b>
4PPCMF	<b>Negative</b> H-six Luminol	<b>Negative</b> Brentamine/AP	
4TK8BT	<b>Negative</b> KM  <u>Other Tests Performed</u> Urine- Creatinine Fecal Material- Urobilinogen	<b>Negative</b> AP	<b>Positive/Indicative</b> Phadebas
62WEWN	<b>Negative</b> Micro KM	<b>Negative</b> FBB Micro	<b>Positive/Indicative</b> Amylase
634WHT	<b>Negative</b> O-tol HemaTrace	<b>Negative</b> ALS AP PSA	<b>Not Tested</b>
66ET2C	KM	AP	
68HJGC	<b>Not Tested</b> Swabs were not red in color	<b>Negative</b> AP P30 micro (sperm)	<b>Positive/Indicative</b> Amylase Radial Diffusion (ARD) micro (nucleated epithelial cells) (NEC)
6BYZLP	<b>Not Tested</b> No visible red stain	<b>Negative</b> Acid Phosphatase Alternate light source	<b>Not Tested</b>
6DN9VQ	<b>Negative</b> KM	<b>Negative</b> RSID-Semen PSA	<b>Positive/Indicative</b> Amylase

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
6ELHUM	<b>Negative</b> TMB Hemastix HemaTrace Luminol <u>Other Tests Performed</u> Semen/saliva - ALS Blood - Leucocrystal Violet	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> RSID -saliva
6JA3X3	<b>Negative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>
6KBWTG	<b>Negative</b> KM SERATEC Hemoglobin	<b>Negative</b> AP Micro SERATEC PSA	<b>Positive/Indicative</b> Phadebas Amylase RSID Saliva
6LJAYB	<b>Negative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>
6XCW7Q	<b>Negative</b> Visual	<b>Negative</b> AP	<b>Positive/Indicative</b> RSID- Saliva
74EZWP	<b>Negative</b> Phenolphthalein HemaTrace (see comments section)	<b>Negative</b> ALS AP Micro PSA	<b>Positive/Indicative</b> ALS RSID - saliva
78Y3PG	<b>Not Tested</b> No red/brown discoloration observed	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> Amylase Diffusion
7EEQFC	<b>Negative</b> HemaTrace TMB (Hemastix) KM Luminol	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID
7EXD8U	Thevenon-Roland (Piramidón)	Micro (Christmas Tree) PSA	<b>Not Tested</b>

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
7G4YMR	<b>Negative</b> Visual Examination	<b>Negative</b> ABACard p30 Alternate Light Source	<b>Not Tested</b>
7MQUMB	<b>Negative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>
7R4Q4K	<b>Negative</b> Thevenon Roland Test Occult blood Cassette	<b>Negative</b> Christmas Tree PSA Test Cassette	<b>Not Tested</b>
7TY8FH	<b>Negative</b> Hem. Luminol	<b>Negative</b> AP (Brentamine test)	<b>Not Tested</b>
826CWP	<b>Negative</b> KM	<b>Negative</b> AP PSA	<b>Positive/Indicative</b> RSID
88XE3B	<b>Inconclusive</b> Luminol Hemastix KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID
8BDX6D	<b>Not Tested</b> No color/staining seen	<b>Negative</b> AP	<b>Positive/Indicative</b> gel diffusion
8GM26F	<b>Negative</b> TMB HemDirect - Seratec	<b>Negative</b> AP PSA - Seratec Micro	<b>Positive/Indicative</b> Amylase - Seratec
8JRL4L	<b>Negative</b> KM	<b>Negative</b> BCIP	<b>Positive/Indicative</b> Amylase Diffusion Plate
8LF6YR	<b>Inconclusive</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> RSID



Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
8PXHML	<b>Negative</b> Micro KM	<b>Negative</b> FBB Micro	<b>Positive/Indicative</b> Amylase
8QMXTM	<b>Negative</b> KM Hemastix HemaTrace	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID
8XMEBV	<b>Negative</b> Phenolphthalein HemaTrace	<b>Negative</b> AP p30/PSA Slide/Microscopic Exam	<b>Positive/Indicative</b> SALlgAE
8YHUNR	<b>Negative</b> Occult blood immuno- chromatography[sic] (Orgenics) Thevenon Roland Piramidon	<b>Negative</b> Christmas tree Stain PSA immunochromatography (Orgenics)	<b>Not Tested</b>
8YHUPD	<b>Negative</b> KM	<b>Negative</b> AP	<b>Positive/Indicative</b> Phadebas
93CD3V	<b>Negative</b> KM	<b>Negative</b> RSID-Semen PSA	<b>Positive/Indicative</b> Amylase
9AUMG6	<b>Not Tested</b> Swabs did not have any color indicating the presence of blood.	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> Amylase Radial Diffusion Micro
9CXHZ9	<b>Negative</b> KM	<b>Negative</b> AP Micro PSA	<b>Not Tested</b>
9PBC4L	<b>Negative</b> LMG	<b>Negative</b> AP 1-step AP 2-step micro	<b>Positive/Indicative</b> Amylase diffusion

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
9YDWWG	<b>Negative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID
A3QZ8G	<b>Inconclusive</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA P30 Micro	<b>Positive/Indicative</b> RSID
A4QRLC	<b>Negative</b> LMG	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> Amylase diffusion
A9XMU6	<b>Negative</b> Hemastix Luminol <u>Other Tests Performed</u> Possible Epithelial cells - Not Tested	<b>Negative</b> Brentamine	<b>Not Tested</b>
ABK7ZH	<b>Positive/Indicative</b> KM Hemastix (see add'l comments) HemaTrace	<b>Positive/Indicative</b> AP PSA Micro (see add'l comments)	<b>Positive/Indicative</b> RSID - saliva
ACHAZK	<b>Not Tested</b> No visible discoloration	<b>Negative</b> AP PSA	<b>Positive/Indicative</b> Amylase diffusion
AFZJ26	<b>Not Tested</b> Not tested - swabs did not display the characteristic reddish-brown color associated with blood.	<b>Negative</b> Item 1A: AP, Micro Item 1B: AP, Micro Item 1C: AP, Micro Item 1D: AP, Micro	<b>Positive/Indicative</b> Item 1A: RSID Saliva Item 1B: RSID Saliva Item 1C: RSID Saliva Item 1D: RSID Saliva
AH64QQ	<b>Negative</b> KM TMB (Hemastix) Luminol HemaTrace	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
AL6CXL	<b>Negative</b> Phenolphthalein Hemastix HemaTrace	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> RSID
ANBTEP	<b>Negative</b> Hemastix	<b>Negative</b> AP	<b>Positive/Indicative</b> RSID Saliva
AY83N8	<b>Negative</b> Hemastix Luminol	<b>Negative</b> Brentamine	<b>Not Tested</b> Only three tests are performed in our lab, i.e., Hemastix, Luminol and Brentamine
C4F3X4	<b>Negative</b> Hemastix Luminol <u>Other Tests Performed</u> Epithelial cells - removed	<b>Negative</b> Brentamine	<b>Not Tested</b>
C74HEC	<b>Negative</b> Hemastix KM HemaTrace	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> RSID
C8ZN4H	<b>Not Tested</b> No visible stain observed	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> Amylase diffusion
CDMJUF	<b>Negative</b> Thevenon and Roland (Piramidon) Occult Blood Card Test (Organics)	<b>Negative</b> Christmas Tree Stained Slide (micro) Prostate Antigen Specific PSA (organics)	<b>Not Tested</b>
CGPKWY	<b>Negative</b> KM Hemoglobin Immunochromatography	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> Phadebas Amylase Test

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
CGZN9A	<b>Inconclusive</b> Phenolphthalein Hemastix HemaTrace <u>Other Tests Performed</u> Semen/saliva - ALS	<b>Negative</b> Acid Phosphatase Micro PSA	<b>Positive/Indicative</b> RSID-saliva
CKKFHR	<b>Negative</b> O-Tol	<b>Negative</b> ALS AP	<b>Positive/Indicative</b> ALS RSID
CLF29W	<b>Negative</b> KM	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> Phadebas
CM9PUD	<b>Negative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> RSID saliva
CMBFVG	<b>Not Tested</b>	<b>Negative</b> AP PSA	<b>Positive/Indicative</b> Radial Diffusion
CPDEWM	<b>Negative</b> Visual	<b>Negative</b> AP	<b>Positive/Indicative</b> RSID
CWFH8E	<b>Negative</b> KM	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> phadebas press
DLA4FD	<b>Inconclusive</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA (Abacus) PSA (Seratec) Micro	<b>Positive/Indicative</b> RSID
DLCUGG	<b>Negative</b> KM (direct)	<b>Negative</b> AP (direct)	<b>Not Tested</b>

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
DTWPK7	<b>Negative</b> H-six Luminol	<b>Negative</b> AP	<b>Not Tested</b> Saliva test not performed at lab
DYLCFJ	<b>Negative</b> KM	<b>Negative</b> AP	<b>Positive/Indicative</b> RSID
E8AHM3	<b>Negative</b> Hemastix Luminol	<b>Negative</b> Brentamine	<b>Not Tested</b> We only perform three tests in our laboratory i.e. Hemastix and Luminol for blood and Brentamine for Semen
E8AKBL	<b>Negative</b> LMG ABA Hematrace  <u>Other Tests Performed</u> Microscope- epithelial cells	<b>Negative</b> ALS AP Microscope ABA P30	<b>Not Tested</b> This test is not offered at this laboratory.
EDDMD2	<b>Negative</b> Luminol Hemastix	<b>Negative</b> Brentamine	<b>Not Tested</b> Our laboratory does not perform saliva test
EDXXP	<b>Negative</b> O-tol	<b>Negative</b> ALS AP	<b>Positive/Indicative</b> RSID
ELTADH	<b>Negative</b> KM	<b>Negative</b> AP	<b>Positive/Indicative</b> RSID
EMZK47	<b>Negative</b> O-tolidine Hem-Direct	<b>Negative</b> Acid Phosphatase P30	<b>Positive/Indicative</b> amylase diffusion
EP6DVK	<b>Negative</b> LMG	<b>Negative</b> AP	<b>Not Tested</b>

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
FKRYRY	<b>Negative</b> LMG	<b>Negative</b> AP PSA Micro (spermatozoa)	<b>Positive/Indicative</b> Amylase Radial Diffusion Micro (NEC's)
FVRLN3	<b>Inconclusive</b> Hemastix KM HemaTrace Luminol	<b>Negative</b> AP P30 PSA Micro	<b>Positive/Indicative</b> RSID Saliva
FY6A8Z	<b>Negative</b> KM	<b>Negative</b> AP MICRO	<b>Positive/Indicative</b> AMYLASE
G2WMKP	<b>Negative</b> KM	<b>Negative</b> AP micro PSA	<b>Positive/Indicative</b> Phadebas
G399G7	<b>Not Tested</b> No reddish/brown stain observed during visual inspection	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> RSID saliva
G436K7	<b>Negative</b> Luminol Hemastix KM HemaTrace	<b>Negative</b> AP ABA PSA Microscopic	<b>Positive/Indicative</b> RSID Saliva
G6YEYH	<b>Not Tested</b> TMB test for blood not performed as no visible staining	<b>Negative</b> Microscopy AP	<b>Positive/Indicative</b> Phadebas
G8HHLU	<b>Negative</b> O-tol	<b>Negative</b> AP Micro RSID	<b>Positive/Indicative</b> RSID

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
GCCAVC	<b>Negative</b> Hemastix KM HemaTrace <u>Other Tests Performed</u> Various - ALS	<b>Negative</b> AP PSA Micro (sperm)	<b>Positive/Indicative</b> RSID
GELEAZ	<b>Negative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID-Saliva
GJBYBV	<b>Negative</b> O-tol	<b>Negative</b> ALS AP Micro RSID - Semen	<b>Positive/Indicative</b> ALS RSID - Saliva
GLJ93R	<b>Negative</b> O-tol	<b>Negative</b> Micro RSID	<b>Positive/Indicative</b> RSID
GPJHB9	<b>Negative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP ABAcad P30 Seratec PSA Micro	<b>Positive/Indicative</b> RSID Saliva
GVATHD	<b>Negative</b> KM	<b>Negative</b> AP RSID SEMEN	<b>Not Tested</b> Laboratory does not perform test on saliva per laboratory policy.
GVM6LW	<b>Negative</b> O-tol	<b>Negative</b> AP PSA Micro	<b>Not Tested</b>
H28WY9	<b>Negative</b> Visual exam of swabs Microscopic exam of swabs KM	<b>Negative</b> AP X-Mas	<b>Positive/Indicative</b> Amylase

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
H6P4AP	<b>Negative</b> KM	<b>Negative</b> AP Micro	<b>Not Tested</b>
HAP9CA	<b>Not Tested</b>	<b>Negative</b> Micro seratec (p30)	<b>Not Tested</b>
HDLU4C	<b>Not Tested</b> visibly unstained	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> Amylase Diffusion
HFADXH	<b>Negative</b> TMB Hemastix HemaTrace Luminol, Leucocrystal Violet <u>Other Tests Performed</u> Fecal matter - Urobilinogen Urine - Creatinine Semen/Saliva/Urine - ALS	<b>Negative</b> AP Seratec Prostate Specific Antigen Microscopic sperm search	<b>Positive/Indicative</b> RSID saliva
HFWLA8	<b>Inconclusive</b> KM Hemastix Luminol HemaTrace	<b>Negative</b> AP PSA (Abacus) PSA (Seratec) Micro	<b>Positive/Indicative</b> RSID Saliva
HLZLH4	<b>Negative</b> visual examination  <u>Other Tests Performed</u> Urine - Urease	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID saliva
HRH4MY	<b>Negative</b> KM	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> Amylase Radial Diffusion
HTWKX6	<b>Negative</b> KM Hemastix HemaTrace	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> RSID



Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
HXNZ7Y	<b>Not Tested</b>	<b>Negative</b> AP Spot test ABACard p30 Microscopic	<b>Positive/Indicative</b> RSID-Saliva
JF9YZ4	<b>Negative</b> Visual test KM test of supernatant  <u>Other Tests Performed</u> Urine - DMAC	<b>Negative</b> extraction and AP of supernatant microscopic exam	<b>Positive/Indicative</b> Phadebas tube test
JNJYNX	<b>Negative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP Micro Seratec PSA ABA p30	<b>Positive/Indicative</b> RSID saliva
JPEGX2	<b>Negative</b> Hemastix Luminol	<b>Negative</b> Brentamine - AP	<b>Not Tested</b> Saliva test not done at the laboratory.
JPQGJM	<b>Negative</b> KM  <u>Other Tests Performed</u> Urine - Creatinine Feces - Urobilinogen	<b>Negative</b> AP	<b>Positive/Indicative</b> Phadebas Amylase Test
JRZHPF	<b>Negative</b> TMB  <u>Other Tests Performed</u> Urine - RSID Urine	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> phadebas amylase -tube micro
JX6BKX	<b>Negative</b> Visual ALS LMG	<b>Negative</b> Visual ALS AP	<b>Not Tested</b> We do not test for this
K26P8Z	<b>Not Tested</b> No visible blood	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> Amylase Diffusion micro

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
K6MVGW	<b>Not Tested</b> Swabs do not have reddish-brown stain; Lack visual appearance of blood <u>Other Tests Performed</u> Urine - Jaffe for Creatinine Urine - DMAC for Urea	<b>Negative</b> AP Micro p-30	<b>Positive/Indicative</b> Amylase Radial Diffusion
K8VYFD	<b>Negative</b> KM	<b>Negative</b> AP	<b>Positive/Indicative</b> Phadebas test (paper)
KAE32P	<b>Not Tested</b> Swabs had no visible stains	<b>Positive/Indicative</b> Micro RSID	<b>Positive/Indicative</b> RSID
KAJGJ7	<b>Negative</b> THEVENON-ROLAND/ PIRAMIDON OCCULT BLOOD RAPID SIGNAL	<b>Negative</b> MICROSCOPIC PSA-RAPID SIGNAL	<b>Not Tested</b>
KERW62	<b>Not Tested</b> no visable[sic] stain	<b>Negative</b> AcP PSA micro	<b>Positive/Indicative</b> amylase diffusion
KLQNY4	<b>Negative</b> Hemastix Luminol	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
KTAVMM	<b>Negative</b> O-tol	<b>Negative</b> Micro RSID	<b>Positive/Indicative</b> RSID
KVCUY2	<b>Negative</b> KM Hemastix HemaTrace	<b>Negative</b> AP Micro PSA ALS	<b>Positive/Indicative</b> RSID ALS
KVCWMK	<b>Negative</b> Visual Exam	<b>Negative</b> AP	<b>Positive/Indicative</b> RSID

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
KZR8ZN	<b>Negative</b> O-tol	<b>Negative</b> Micro RSID	<b>Positive/Indicative</b> RSID
L3VGAW	<b>Inconclusive</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP Micro Seratec PSA Abacus PSA	<b>Positive/Indicative</b> RSID Saliva
LAQJB9	<b>Inconclusive</b> Hemastix KM HemaTrace	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> RSID
LBK3EV	<b>Negative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID
LGC967	<b>Negative</b> Immunochromatography for human blood Thevenon and Roland Pyramidon[sic]	<b>Negative</b> Christmas tree stain Immunochromatography for Prostate Specific Antigen (PSA)	<b>Not Tested</b> Our laboratory not included[sic] in the portfolio of service testing for the presence of saliva
LN9AAB	<b>Negative</b> KM  <u>Other Tests Performed</u> urine - creatinine urine - DMAC fecal material - Urobilinogen	<b>Negative</b> AP	<b>Positive/Indicative</b> Phadebas
LUTD4L	<b>Not Tested</b>	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> Amylase
LZ2P8D	<b>Negative</b> LMG HemaTrace	<b>Negative</b> ALS AP Microscopic examination P30	<b>Not Tested</b> Test not offered

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
M834UZ	<b>Negative</b> o-tolidine	<b>Negative</b> ALS acid phosphatase	<b>Not Tested</b>
M8KCJV	<b>Negative</b> H/stix Luminol	<b>Negative</b> Brentamine/AP	<b>Not Tested</b> We don't have a test for saliva
MAQUQC	<b>Negative</b> O-Tol HemaTrace	<b>Negative</b> AP Micro P30	<b>Positive/Indicative</b> RSID
MJWKJ2	<b>Negative</b> Hemastix Luminol	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
MK4W24	<b>Negative</b> Ocultt[sic] Blood Casstte[sic] Thevenon and Roland Piramidon	<b>Negative</b> Christmas tree Coloration PSA serum/plasma casstte[sic]	<b>Not Tested</b>
MLJZZA	<b>Inconclusive</b> KM Hemastix HemaTrace	<b>Negative</b> ALS AP Micro PSA	<b>Positive/Indicative</b> ALS RSID
MMRAT8	<b>Negative</b> Hemastix KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID
MRN2YH	<b>Negative</b> KM  <u>Other Tests Performed</u> Urine - Creatinine, DMAC, Urea Fecal Material - Urobilinogen	<b>Negative</b> AP, PSA (ABA P30), Micro	<b>Positive/Indicative</b> Phadebas (a-Amylase)
MW4MTB	<b>Negative</b> Hemastix	<b>Negative</b> Microscopy AP PSA	<b>Positive/Indicative</b> RSID-saliva

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
MYLQFM	<b>Not Tested</b> no visible stains	<b>Negative</b> Micro RSID	<b>Positive/Indicative</b> RSID
N9TM26	<b>Negative</b> Hemastix HemaTrace PTMB <u>Other Tests Performed</u> ALS	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID
NBJJG	<b>Negative</b> Visual	<b>Negative</b> AP	<b>Positive/Indicative</b> RSID
NLVDQ6	<b>Negative</b> TMB	<b>Negative</b> AP	<b>Positive/Indicative</b> Amylase
NLWA22	<b>Negative</b> Hem Lum	<b>Negative</b> Brent	<b>Not Tested</b>
NMQZ8F	<b>Not Tested</b> White swabs	<b>Negative</b> Micro P30	<b>Not Tested</b>
NNKJB3	<b>Negative</b> Thevenon Roland Test Occult blood Casstte[sic]	<b>Negative</b> Christmas Tree PSA Test Cassette	<b>Not Tested</b>
NQNEU6	<b>Negative</b> TMB	<b>Negative</b> AP PSA	<b>Positive/Indicative</b> Amylase radial diffusion
NUDFBY	<b>Not Tested</b> No test performed due to no reddish-brown color.	<b>Negative</b> Item 1 AnB:AP, Micro Item 1 CnD:AP, Micro	<b>Positive/Indicative</b> Item 1 AnB:RSID Item 1 CnD:RSID
NV8DEZ	<b>Negative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID-Saliva

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
NVMV7Y	<b>Negative</b> Luminol Hemastix	<b>Negative</b> AP (Brentamine)	<b>Not Tested</b>
P3LF9U	<b>Negative</b> Hstix Luminol	<b>Negative</b> AP	<b>Not Tested</b> No saliva test perform at the lab
P8EKQQ	<b>Not Tested</b> Swab did not have red-brown color stain	<b>Negative</b> AP p-30 microscopy-presence of sperm	<b>Positive/Indicative</b> Amylase Radial Diffusion Microscopy-presence of nucleated epithelial cells (NEC)
P8QFAW	<b>Negative</b> Phenolphthalein Hemastix HemaTrace	<b>Negative</b> alternate light source AP Micro PSA	<b>Positive/Indicative</b> Alternate light source RSID saliva
PBB8JE	<b>Negative</b> Visual Exam	<b>Negative</b> AP	<b>Positive/Indicative</b> RSID
PCM4Q4	<b>Negative</b> Hemastix HemaTrace	<b>Negative</b> AP Microscopic exam PSA	<b>Positive/Indicative</b> RSID - saliva
PGHXMK	<b>Negative</b> O-Tol	<b>Negative</b> AP Micro RSID	<b>Positive/Indicative</b> RSID
PUQFU3	<b>Negative</b> RAPID SIGNAL OCCULT BLOOD THEVENON ROLAND - PIRAMIDON	<b>Negative</b> MICRO PSA	<b>Not Tested</b>
Q9JNQ8	<b>Negative</b> LMG	<b>Negative</b> AP	<b>Not Tested</b>

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
QGVPDF	<b>Negative</b> KM  <u>Other Tests Performed</u> Creatinine DMAC Urea Urobilinogen	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> Phadebas-Amylase
QP6ABX	<b>Negative</b> Hemastix Luminol	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
QPTEXQ	<b>Inconclusive</b> HemaTrace Hemastix KM Luminol	<b>Negative</b> AP PSA (ABACard p30) Micro	<b>Positive/Indicative</b> RSID
QTUEGW	<b>Negative</b> LMG	<b>Negative</b> AP	<b>Positive/Indicative</b> Amylase Diffusion
QU4KH4	<b>Negative</b> LMG	<b>Negative</b> AP PSA Micro ALS	<b>Positive/Indicative</b> amylase radial diffusion ALS
R3UDJ3	<b>Negative</b> HS KM HT	<b>Negative</b> AP Micro P30	<b>Positive/Indicative</b> RSID
RDEWMY	<b>Negative</b> KM Micro	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> Amylase
RFLZM4	<b>Negative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
RQJ3R7	<b>Negative</b> Visual	<b>Negative</b> ABACard p30 ALS	<b>Not Tested</b>
RQWTP4	<b>Negative</b> KM	<b>Negative</b> RSID-Semen PSA	<b>Positive/Indicative</b> Amylase
RRR93Z	<b>Not Tested</b> Swab's overall appearance was no color stain on it - did not appear to have presence of blood on it	<b>Negative</b> AP	<b>Not Tested</b>
T764WM	<b>Negative</b> Hemastix Luminol <u>Other Tests Performed</u> Epithelial skin cells - Not Tested	<b>Negative</b> Brentamine	<b>Not Tested</b>
TK8D2W	<b>Negative</b> Hemastix test Luminol test <u>Other Tests Performed</u> Presumable - skin cells	<b>Negative</b> Brentamine test	<b>Not Tested</b>
TLZ47B	<b>Not Tested</b> Not red stained	<b>Negative</b> Micro P30	<b>Not Tested</b>
TQD8L6	<b>Negative</b> KM	<b>Negative</b> AP PSA Microscopic Slides for Sperm Cells	<b>Positive/Indicative</b> Amylase Diffusion
TYRWJD	<b>Negative</b> KM  <u>Other Tests Performed</u> Urine - Creatinine Feces - Urobilinogen	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> Phadebas



Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
TYRWLY	<b>Negative</b> Hemastix KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID
U2EUK4	<b>Negative</b> LMG	<b>Negative</b> AP	<b>Not Tested</b>
U2QQP9	<b>Negative</b> Phenolphthalein HemaTrace	<b>Negative</b> ALS Acid Phosphatase P30	<b>Positive/Indicative</b> Saligae
U6QZMG	<b>Negative</b> O-tol	<b>Negative</b> ALS AP Micro RSID-semenogelin	<b>Positive/Indicative</b> ALS RSID-amylase
U74A29	<b>Negative</b> O-tol	<b>Negative</b> AP Micro RSID - Semen	<b>Positive/Indicative</b> RSID - Saliva
UBXEHL	<b>Not Tested</b> No visible red/brown staining observed	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> Radial Diffusion
UCRBUL	<b>Negative</b> Hemastix Luminol	<b>Negative</b> Brentamine	<b>Not Tested</b> Fourth swab was not tested as only three prelim tests are done in our lab.
UEFMR7	<b>Inconclusive</b> LMG HemaTrace	<b>Negative</b> AP PSA Micro	<b>Not Tested</b>
UFAADV	<b>Negative</b> KM Luminol Hemastix HemaTrace	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> RSID Saliva

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
UL2HUV	<b>Negative</b> Hemastix Luminol	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
UMU9ZB	<b>Not Tested</b>	<b>Negative</b> Micro P30	<b>Not Tested</b>
UVLQKX	<b>Positive/Indicative</b> Phenolphthalein Hemastix HemaTrace	<b>Negative</b> Acid Phosphatase Microscopic PSA/P30	<b>Positive/Indicative</b> RSID saliva
V4EFPF	<b>Negative</b> Visual Exam Benzidine Test	<b>Negative</b> AP (Acid Phosphatase) PSA Kit Microscopic Test	<b>Not Tested</b>
VCRDH6	<b>Negative</b> LMG HemaTrace  <u>Other Tests Performed</u> Body Fluid - Visual Exam	<b>Negative</b> ALS AP P30 card Micro	<b>Not Tested</b> This test is not offered in our laboratory.
VPCL84	<b>Inconclusive</b> Hemastix Phenolphthalein HemaTrace Luminol	<b>Negative</b> AP PSA (Seratec) Micro	<b>Positive/Indicative</b> RSID - saliva
VWGTNT	<b>Negative</b> KM HemaTrace Hemastix	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID
VZBMLU	<b>Negative</b> KM Hemastix Luminol HemaTrace	<b>Negative</b> AP P30 Micro	<b>Positive/Indicative</b> RSID

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
W3DVDC	<b>Negative</b> Kastle Meyer	<b>Negative</b> AP	<b>Not Tested</b> Saliva test not conducted at this Lab
W4AJJE	<b>Negative</b> LMG RSID-Blood  <u>Other Tests Performed</u> Urine - RSID-Urine	<b>Negative</b> AP RSID-Semen Micro	<b>Positive/Indicative</b> RSID-Saliva
WLPTHU	<b>Negative</b> Human Blood Thevenon Roland Piramidon	<b>Negative</b> Christmas tree PSA	<b>Not Tested</b> Our laboratory does not perform test to identify saliva
WUGAZW	<b>Negative</b> Hemastix HemaTrace Phenolphthalein LCV <u>Other Tests Performed</u> alternate light source	<b>Negative</b> Acid Phosphatase PSA Microscopic Exam -sperm cells	<b>Positive/Indicative</b> RSID-saliva
WYVLA7	<b>Negative</b> Visual	<b>Negative</b> ALS AP	<b>Positive/Indicative</b> ALS SaligAE
X3RUT8	<b>Negative</b> KM	<b>Negative</b> PSA RSID-Semen	<b>Positive/Indicative</b> Amylase
X4P4UN	<b>Negative</b> KM Hemastix HemaTrace Luminol <u>Other Tests Performed</u> Blood- Leucocrystal violet	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID-saliva
XARAGU	<b>Negative</b> Thevenon y Roland Immunochromatography	<b>Negative</b> Christmas Tree Stain (Micro) PSA	<b>Not Tested</b>

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
XBLXX4	<b>Not Tested</b> No staining (blood-like or otherwise) observe on swabs. No blood testing required per agency policy.	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> SALlgAE
XCFPX2	<b>Inconclusive</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP Micro PSA(seratec)	<b>Positive/Indicative</b> RSID
XH66M9	<b>Negative</b> KM  <u>Other Tests Performed</u> Urine - Creatinine Feces - Urobilinogen	<b>Negative</b> AP Micro	<b>Positive/Indicative</b> Phadebas Amylase Test
XUUC7H	<b>Not Tested</b> Not Tested: No red-brown staining observed on the items.	<b>Negative</b> AP	<b>Positive/Indicative</b> RSID
Y8KEBV	<b>Not Tested</b> no stains consistent with visible blood for testing - this decision made after AP test showed negative	<b>Negative</b> AP	<b>Not Tested</b>
YA4A2F	<b>Negative</b> KM	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> Amylase Radial Diffusion Micro
YHKTA9	<b>Negative</b> KM	<b>Negative</b> AP	<b>Not Tested</b> Tests are not performed at the lab.
YJA9MP	<b>Negative</b> Hematix[sic] Luminol	<b>Negative</b> Brentamine	<b>Not Tested</b>

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
YK4YT4	<b>Negative</b> Phenolphthalein - KM	<b>Negative</b> P30 Microscopic exam	<b>Not Tested</b>
YKPATX	<b>Negative</b> KM	<b>Negative</b> RSID-Semen PSA	<b>Positive/Indicative</b> Amylase
YR66KY	<b>Negative</b> KM Visual examination	<b>Negative</b> AP	<b>Positive/Indicative</b> Phadebas
YRNZ3Z	<b>Negative</b> TMB Hemastix HemaTrace Luminol <u>Other Tests Performed</u> Blood - Leucocrystalviolet Feces - Urobilinogen Urine - Creatinine	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID saliva
YWLDZD	<b>Negative</b> KM Test	<b>Negative</b> AP Test	<b>Positive/Indicative</b> Phadebas (press test)
Z6BNKR	<b>Negative</b> Thevenon Roland Piramidon Human Blood by Inmuno- chromatography[sic]	<b>Negative</b> Micro PSA	<b>Not Tested</b>
ZBJTNX	<b>Negative</b> KM Hemastix (TMB) Luminol HemaTrace <u>Other Tests Performed</u> ALS	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID
ZBXEXZ	<b>Negative</b> Hemastix TMB HemaTrace Luminol, LCV <u>Other Tests Performed</u> Alternate light source	<b>Negative</b> AP Micro seratec PSA	<b>Positive/Indicative</b> RSID

Table 1 - Item 1

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
ZG3F7V	<b>Negative</b> LMG	<b>Negative</b> AP	<b>Not Tested</b>
ZQAW7M	<b>Negative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID saliva ALS
ZTEKGX	<b>Not Tested</b> red-brown staining was not observed on item swabs <u>Other Tests Performed</u> ALS	<b>Negative</b> PSA	<b>Positive/Indicative</b> RSID
ZUCUFU	<b>Negative</b> Hemastix KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID

### Response Summary for Table 1 - Item 1

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	2	2	148
Negative	169	214	0
Inconclusive	14	0	0
Not Tested (NT)	31	0	68

# Screening Conclusions & Test(s) Performed

*Indicate the overall conclusion from the results of the screening tests performed.*

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
27VVBR	<b>Positive/Indicative</b> Hemastix HemaTrace Phenolphthalein	<b>Negative</b> Acid Phosphatase PSA Micro	<b>Negative</b> RSID saliva
27XMCV	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony	<b>Negative</b> AP	<b>Not Tested</b>
29T3ZY	<b>Positive/Indicative</b> Visual KM Hematrace - reported as most likely to be human blood	<b>Negative</b> AP	<b>Negative</b> Phadebas Forensic Paper
2CNQHQ	<b>Positive/Indicative</b> O-tol.  <u>Other Tests Performed</u> Blood/Semen - ALS (see Additional Comments)	<b>Negative</b> AP	<b>Not Tested</b> Not trained to perform this test.
2VXXL8	<b>Positive/Indicative</b> O-tol Human Abacard	<b>Negative</b> AP Micro RSID Semen	<b>Negative</b> RSID Saliva
2WV7UQ	<b>Positive/Indicative</b> KM Hemastix HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID
2XRL7M	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP Micro PSA	<b>Negative</b> RSID-Saliva

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
3B92LR	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> ALS AP PSA Micro	<b>Negative</b> ALS RSID
3M6XUL	<b>Positive/Indicative</b> LMG	<b>Negative</b> AP	<b>Negative</b> Amylase Diffusion
47A3JT	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony (human)	<b>Negative</b> AP	<b>Not Tested</b>
4PPCMF	<b>Positive/Indicative</b> H-six Luminol	<b>Negative</b> Brent/AP	
4TK8BT	<b>Positive/Indicative</b> KM Modified Takayama <u>Other Tests Performed</u> Urine- Creatinine Fecal Material- Urobilinogen Ouchterlony- 9 animal species	<b>Negative</b> AP	<b>Negative</b> Phadebas
62WEWN	<b>Positive/Indicative</b> Micro KM	<b>Negative</b> FBB Micro	<b>Inconclusive</b> Amylase
634WHT	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> ALS AP PSA	<b>Not Tested</b>
66ET2C	KM	AP	
68HJGC	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP P30 micro (sperm)	<b>Negative</b> ARD Micro (NEC)



Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
6BYZLP	<b>Positive/Indicative</b> Phenolphthalein	<b>Negative</b> Acid Phosphatase alternate light source	<b>Not Tested</b>
6DN9VQ	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Negative</b> RSID-Semen PSA	<b>Not Tested</b> Saliva test is not done if item is tested positive for either blood or semen. Item 2 is tested positive for blood, thus no saliva test was performed.
6ELHUM	<b>Positive/Indicative</b> TMB Hemastix HemaTrace Luminol <u>Other Tests Performed</u> semen/saliva - ALS Blood - Leucocrystal violet	<b>Negative</b> AP Micro PSA	<b>Negative</b> RSID-Saliva
6JA3X3	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Not Tested</b>
6KBWTG	<b>Positive/Indicative</b> KM SERATEC Hemoglobin	<b>Negative</b> AP Micro SERATEC PSA	<b>Negative</b> Phadebas Amylase RSID Saliva
6LJAYB	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Not Tested</b>
6XCW7Q	<b>Positive/Indicative</b> Visual LMG HemaTrace	<b>Negative</b> AP P30 Micro	<b>Negative</b> RSID - Saliva
74EZWP	<b>Positive/Indicative</b> Phenolphthalein HemaTrace	<b>Negative</b> ALS AP Micro PSA	<b>Negative</b> ALS RSID- saliva

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
78Y3PG	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> AP Micro	<b>Negative</b> Amylase Diffusion
7EEQFC	<b>Positive/Indicative</b> HemaTrace TMB (Hemastix) KM Luminol	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID
7EXD8U	Occult blood Rapid Test (Cassette ) immuno- chromatographic[sic]	Micro (Christmas Tree) PSA	<b>Not Tested</b>
7G4YMR	<b>Positive/Indicative</b> Visual Examination ABACard Hematrace	<b>Negative</b> ABACard p30 Alternate Light Source	<b>Not Tested</b>
7MQUMB	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Not Tested</b>
7R4Q4K	<b>Positive/Indicative</b> Thevenon Roland Test Occult Blood Cassette	<b>Negative</b> Christmas Tree PSA Test Cassette	<b>Not Tested</b>
7TY8FH	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> AP (Brentamine test)	<b>Not Tested</b>
826CWP	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> RSID
88XE3B	<b>Positive/Indicative</b> Luminol KM Hemastix HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
8BDX6D	<b>Positive/Indicative</b> LMG Hema Trace	<b>Negative</b> AP P30	<b>Negative</b> gel diffusion
8GM26F	<b>Positive/Indicative</b> TMB HemDirect - Seratec	<b>Negative</b> AP PSA - Seratec Micro	<b>Negative</b> Amylase - Seratec
8JRL4L	<b>Positive/Indicative</b> KM Hematrace	<b>Negative</b> BCIP	<b>Inconclusive</b> Amylase Diffusion
8LF6YR	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP Micro PSA	<b>Negative</b> RSID
8PXHML	<b>Positive/Indicative</b> Micro KM	<b>Negative</b> FBB Micro	<b>Positive/Indicative</b> Amylase
8QMXTM	<b>Positive/Indicative</b> KM Hemastix HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID
8XMEBV	<b>Positive/Indicative</b> Phenolphthalein HemaTrace	<b>Negative</b> AP p30/PSA Slide/Microscopic Exam	<b>Inconclusive</b> SALlgAE
8YHUNR	<b>Positive/Indicative</b> Occult blood immunochromatography (Organics)	<b>Negative</b> Christmas tree Stain PSA immuno- chromatography[sic] (Organics)	<b>Not Tested</b>
8YHUPD	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> Phadebas

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
93CD3V	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Negative</b> RSID-Semen PSA	<b>Not Tested</b> Testing for saliva is generally not done when item is positive for blood or semen.
9AUMG6	<b>Positive/Indicative</b> LMG Ouchterlony	<b>Negative</b> AP PSA Micro	<b>Negative</b> Amylase Radial Diffusion Micro
9CXHZ9	<b>Positive/Indicative</b> KM	<b>Negative</b> AP Micro PSA	<b>Not Tested</b>
9PBC4L	<b>Positive/Indicative</b> LMG Hematrace	<b>Negative</b> AP 1-Step AP 2-Step Micro PSA	<b>Negative</b> Amylase Diffusion
9YDWWG	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID
A3QZ8G	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA P30 Micro	<b>Negative</b> RSID
A4QRLC	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> AP Micro	<b>Negative</b> Amylase diffusion
A9XMU6	<b>Positive/Indicative</b> Hemastix Luminol	<b>Not Tested</b>	<b>Not Tested</b>

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
ABK7ZH	<b>Positive/Indicative</b> KM Hemastix HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID - Saliva
ACHAZK	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> Amylase Diffusion
AFZJ26	<b>Positive/Indicative</b> Item 2A: O-tol Item 2B: O-tol Item 2C: O-tol Item 2D: O-tol	<b>Negative</b> Item 2A: AP, Micro Item 2B: AP, Micro Item 2C: AP, Micro Item 2D: AP, Micro	<b>Negative</b> Item 2A: RSID Saliva Item 2B: RSID Saliva Item 2C: RSID Saliva Item 2D: RSID Saliva
AH64QQ	<b>Positive/Indicative</b> KM TMB (Hemastix) Luminol HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID
AL6CXL	<b>Positive/Indicative</b> Phenolphthalein Hemastix HemaTrace	<b>Negative</b> AP Micro PSA	<b>Negative</b> RSID
ANBTEP	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID Saliva
AY83N8	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> Brentamine	<b>Not Tested</b> Only three tests are performed in our lab, i.e., Hemastix, Luminol and Brentamine
C4F3X4	<b>Positive/Indicative</b> Hemastix Luminol	<b>Not Tested</b>	<b>Not Tested</b>
C74HEC	<b>Positive/Indicative</b> Hemastix KM HemaTrace	<b>Negative</b> AP Micro PSA	<b>Negative</b> RSID

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
C8ZN4H	<b>Positive/Indicative</b> LMG Hematrace	<b>Negative</b> AP Micro	<b>Negative</b> Amylase diffusion
CDMJUF	<b>Positive/Indicative</b> Thevenon and Roland (Piramidon) Occult Blood Card Test (Organics)	<b>Negative</b> Christmas Tree Stained Slide (micro) Prostate Antigen Specific PSA (organics)	<b>Not Tested</b>
CGPKWY	<b>Positive/Indicative</b> KM Hemoglobin Immunochromatography	<b>Negative</b> AP PSA Micro	<b>Negative</b> Phadebas Amylase Test
CGZN9A	<b>Positive/Indicative</b> Phenolphthalein Hemastix HemaTrace <u>Other Tests Performed</u> semen/saliva- ALS	<b>Negative</b> Acid Phosphatase Micro PSA	<b>Positive/Indicative</b> RSID saliva
CKKFHR	<b>Positive/Indicative</b> O-Tol HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS RSID
CLF29W	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> Phadebas
CM9PUD	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID saliva
CMBFVG	<b>Positive/Indicative</b> TMB HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> Radial Diffusion

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
CPDEWM	<b>Positive/Indicative</b> Visual LMG HemaTrace	<b>Negative</b> AP ABA p30 Micro	<b>Negative</b> RSID
CWFH8E	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP Micro	<b>Negative</b> Phadebas press
DLA4FD	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA (Abacus) PSA (Seratec) Micro	<b>Negative</b> RSID
DLCUGG	<b>Positive/Indicative</b> KM (indirect)	<b>Negative</b> AP(indirect) AP (direct)	<b>Not Tested</b>
DTWPK7	<b>Positive/Indicative</b> H-stix Luminol	<b>Negative</b> AP	<b>Not Tested</b> Saliva testing not performed at lab
DYLCFJ	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID
E8AHM3	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> Brentamine	<b>Not Tested</b> We only perform three tests in our laboratory i.e. Hemastix and Luminol for blood and Brentamine for Semen
E8AKBL	<b>Positive/Indicative</b> LMG ABA Hematrace  <u>Other Tests Performed</u> Microscope- epithelial cells	<b>Negative</b> ALS AP Microscope ABA P30	<b>Not Tested</b> This test is not offered at this laboratory.
EDDMD2	<b>Positive/Indicative</b> Luminol Hemastix	<b>Negative</b> Brentamine	<b>Not Tested</b> Our laboratory does not test for saliva

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
EDXAXP	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> RSID
ELTADH	<b>Positive/Indicative</b> KM HT	<b>Negative</b> AP	<b>Negative</b> RSID
EMZK47	<b>Positive/Indicative</b> O-tolidine HemDirect	<b>Negative</b> Acid Phosphatase P30	<b>Negative</b> Amylase Diffusion
EP6DVK	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony	<b>Negative</b> AP PSA Micro	<b>Not Tested</b>
FKRYRY	<b>Positive/Indicative</b> LMG ABA HemaTrace	<b>Negative</b> AP PSA Micro (spermatozoa)	<b>Inconclusive</b> Amylase Radial Diffusion Micro (NECs)
FVRLN3	<b>Positive/Indicative</b> Hemastix KM HemaTrace Luminol	<b>Negative</b> AP P30 PSA Micro	<b>Negative</b> RSID Saliva
FY6A8Z	<b>Positive/Indicative</b> KM	<b>Negative</b> AP MICRO	<b>Negative</b> AMYLASE
G2WMKP	<b>Positive/Indicative</b> KM Hematrace	<b>Negative</b> AP micro PSA	<b>Negative</b> Phadebas
G399G7	<b>Positive/Indicative</b> O-tol	<b>Negative</b> AP Micro	<b>Negative</b> RSID saliva



Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
G436K7	<b>Positive/Indicative</b> Luminol KM Hemastix HemaTrace	<b>Negative</b> AP ABA PSA Microscopic	<b>Negative</b> RSID Saliva
G6YEH	<b>Positive/Indicative</b> TMB	<b>Negative</b> Microscopy AP	<b>Negative</b> Phadebas
G8HHLU	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> AP Micro RSID	<b>Negative</b> RSID
GCCAVC	<b>Positive/Indicative</b> Hemastix KM HemaTrace <u>Other Tests Performed</u> Various - ALS	<b>Negative</b> AP PSA Micro (sperm)	<b>Negative</b> RSID
GELEAZ	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID-Saliva
GJBYBV	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> ALS AP Micro RSID - Semen	<b>Negative</b> ALS RSID - Saliva
GLJ93R	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> Micro RSID	<b>Positive/Indicative</b> RSID
GPJHB9	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP ABAcad P30 Seratec PSA Micro	<b>Negative</b> RSID Saliva

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
GVATHD	<b>Positive/Indicative</b> KM Hema Trace	<b>Negative</b> AP RSID Semen	<b>Not Tested</b> Laboratory does not perform test on saliva per laboratory policy.
GVM6LW	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> AP PSA Micro	<b>Not Tested</b>
H28WY9	<b>Positive/Indicative</b> Visual exam of swabs Microscopic exam of swabs KM	<b>Negative</b> AP X-Mas	<b>Negative</b> Amylase
H6P4AP	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP Micro	<b>Not Tested</b>
HAP9CA	<b>Positive/Indicative</b> KM Takayama	<b>Negative</b> Micro seratec (p30)	<b>Not Tested</b>
HDLU4C	<b>Positive/Indicative</b> LMG Hematrace	<b>Negative</b> AP Micro	<b>Negative</b> Amylase Diffusion
HFADXH	<b>Positive/Indicative</b> TMB Hemastix HemaTrace Luminol, Leucocrystal violet <b><u>Other Tests Performed</u></b> Fecal matter - Urobilinogen Urine - Creatinine Semen/Saliva/Urine - ALS	<b>Negative</b> AP Seratec PSA Microscopic sperm search	<b>Negative</b> RSID saliva
HFWLA8	<b>Positive/Indicative</b> KM Hemastix Luminol HemaTrace	<b>Negative</b> AP PSA (Abacus) PSA (Seratec) Micro	<b>Negative</b> RSID Saliva

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
HLZLH4	<b>Positive/Indicative</b> KM  <u>Other Tests Performed</u> Urine - Urease	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID saliva
HRH4MY	<b>Positive/Indicative</b> KM	<b>Negative</b> AP Micro	<b>Negative</b> Amylase Radial Diffusion
HTWKX6	<b>Positive/Indicative</b> KM Hemastix HemaTrace	<b>Negative</b> AP Micro PSA	<b>Negative</b> RSID
HXNZ7Y	<b>Positive/Indicative</b> Kastle-Meyer (KM) Tetramethylbenzidine (TMB) HemaTrace	<b>Negative</b> AP Spot ABAcad p30 Microscopic	<b>Negative</b> RSID-Saliva
JF9YZ4	<b>Positive/Indicative</b> visual exam KM test of supernatant  <u>Other Tests Performed</u> Urine - DMAC	<b>Negative</b> Extraction - AP of supernatant Microscopic exam	<b>Negative</b> Phadebas tube test
JNJYNX	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP Micro Seratec PSA ABA p30	<b>Negative</b> RSID saliva
JPEGX2	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> Brentamine - AP	<b>Not Tested</b> Saliva test not done at the laboratory.
JPQGJM	<b>Positive/Indicative</b> KM Modified Takayama <u>Other Tests Performed</u> Species - Ouchterlony (Bovine/Cat/Chicken/Deer/Dog/Swine/ Horse/Sheep/Rabbit) Urine - Creatinine Feces - Urobilinogen	<b>Negative</b> AP	<b>Negative</b> Phadebas Amylase Test

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
JRZHPF	<b>Positive/Indicative</b> TMB HemaTrace haemochromogen <u>Other Tests Performed</u> urine - RSID urine	<b>Negative</b> AP	<b>Not Tested</b> Red-brown stain interferes with ability to obtain a reliable[sic] result using spectrophotometry
JX6BKX	<b>Positive/Indicative</b> Visual ALS LMG	<b>Negative</b> Visual ALS AP	<b>Not Tested</b> We do not test for this
K26P8Z	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> AP Micro	<b>Negative</b> Amylase Diffusion
K6MVGV	<b>Positive/Indicative</b> TMB HemaTrace  <u>Other Tests Performed</u> Urine - Jaffe for Creatinine Urine - DMAC for Urea	<b>Negative</b> AP Micro P-30	<b>Negative</b> Amylase Radial Diffusion
K8VYFD	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> Phadebas paper
KAE32P	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> Micro RSID	<b>Negative</b> RSID
KAJGJ7	<b>Positive/Indicative</b> OCCULT-BLOOD-RAPID SIGNAL THEVENON-ROLAND / PIRAMIDON	<b>Negative</b> MICROSCOPIC PSA-RAPID SIGNAL	<b>Not Tested</b>
KERW62	<b>Positive/Indicative</b> LMG Hematrace	<b>Negative</b> AcP PSA Micro	<b>Negative</b> Amylase diffusion

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
KLQNY4	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
KTAVMM	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> Micro RSID	<b>Negative</b> RSID
KVCUY2	<b>Positive/Indicative</b> KM Hemastix HemaTrace	<b>Negative</b> ALS AP Micro PSA	<b>Negative</b> ALS RSID
KVCWMK	<b>Positive/Indicative</b> Visual Exam KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID
KZR8ZN	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> Micro RSID	<b>Negative</b> RSID
L3VGAW	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP Micro Seratec PSA Abacus PSA	<b>Negative</b> RSID Saliva
LAQJB9	<b>Positive/Indicative</b> Hemastix KM HemaTrace	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> RSID
LBK3EV	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
LGC967	<b>Positive/Indicative</b> Immunochromatography for human blood	<b>Negative</b> Christmas tree stain Immunochromatography for Prostate Specific Antigen (PSA)	<b>Not Tested</b> Our laboratory not included[sic] in the portfolio of service testing for the presence of saliva
LN9AAB	<b>Positive/Indicative</b> KM Takayama <u>Other Tests Performed</u> urine - Creatinine urine - DMAC fecal material - Urobilinogen Ouchterlony - 9 animal species (see Comments)	<b>Negative</b> AP	<b>Negative</b> Phadebas
LUTD4L	<b>Positive/Indicative</b> KM	<b>Negative</b> AP Micro	<b>Negative</b> Amylase
LZ2P8D	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> ALS AP Microscopic examination P30	<b>Not Tested</b> Test not offered
M834UZ	<b>Positive/Indicative</b> o-tolidine hexagon OBTI	<b>Negative</b> ALS acid phosphatase	<b>Not Tested</b>
M8KCJV	<b>Positive/Indicative</b> H/stix Luminol	<b>Negative</b> Brentamine/AP	<b>Not Tested</b> We don't have a test for saliva
MAQUQC	<b>Positive/Indicative</b> O-Tol HemaTrace	<b>Negative</b> AP Micro P30	<b>Negative</b> RSID
MJWKJ2	<b>Positive/Indicative</b> Hemastix Luminol	<b>Positive/Indicative</b> Brentamine (AP)	<b>Not Tested</b>

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
MK4W24	<b>Positive/Indicative</b> Occult Blood Casstte[sic]	<b>Negative</b> Christmas Tree coloration PSA serum/plasma casstte[sic]	<b>Not Tested</b>
MLJZZA	<b>Positive/Indicative</b> KM Hemastix HemaTrace	<b>Negative</b> ALS AP Micro PSA	<b>Positive/Indicative</b> ALS RSID
MMRAT8	<b>Positive/Indicative</b> Hemastix KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID
MRN2YH	<b>Positive/Indicative</b> KM, Mod Taka  <u>Other Tests Performed</u> Urine - Creatinine, DMAC, Urea Fecal Material - Urobilinogen	<b>Negative</b> AP, PSA (ABA P30), Micro	<b>Negative</b> Phadebas (α-Amylase)
MW4MTB	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> Microscopy AP PSA	<b>Negative</b> RSID-saliva
MYLQFM	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> Micro RSID	<b>Negative</b> RSID
N9TM26	<b>Positive/Indicative</b> Hemastix HemaTrace PTMB <u>Other Tests Performed</u> ALS	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID
NBJUJG	<b>Positive/Indicative</b> Visual KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
NLVDQ6	<b>Positive/Indicative</b> TMB Hematrace	<b>Negative</b> AP	<b>Negative</b> Amylase
NLWA22	<b>Positive/Indicative</b> Hem Lum	<b>Negative</b> Brent	<b>Not Tested</b>
NMQZ8F	<b>Positive/Indicative</b> KM	<b>Negative</b> Micro P30	<b>Not Tested</b>
NNKJB3	<b>Positive/Indicative</b> Thevenon Roland Test Occult Blood Cassette	<b>Negative</b> Christmas Tree PSA Test Cassette	<b>Not Tested</b>
NQNEU6	<b>Positive/Indicative</b> TMB HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> Amylase radial diffusion
NUDFBY	<b>Positive/Indicative</b> Item 2 AnB: O-tol Item 2 CnD: O-tol	<b>Negative</b> Item 2 AnB: AP, Micro Item CnD: AP, Micro	<b>Negative</b> Item 2 AnB: RSID Item 2 CnD: RSID
NV8DEZ	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID-Saliva
NVMV7Y	<b>Positive/Indicative</b> Luminol Hemastix	<b>Not Tested</b>	<b>Not Tested</b>
P3LF9U	<b>Positive/Indicative</b> Hstix Luminol	<b>Negative</b> AP	<b>Not Tested</b> No saliva test performed at the lab



Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
P8EKQQ	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP P30 Microscopy-presence of sperm	<b>Negative</b> Amylase Radial Diffusion** [**See additional comments] microscopy -presence of NEC
P8QFAW	<b>Positive/Indicative</b> Phenolphthalein Hemastix HemaTrace	<b>Negative</b> alternate light source AP Micro PSA	<b>Negative</b> alternate light source RSID saliva
PBB8JE	<b>Positive/Indicative</b> Visual Exam KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID
PCM4Q4	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> AP Microscopic exam PSA	<b>Negative</b> RSID - saliva
PGHXMK	<b>Positive/Indicative</b> O-Tol Hematrace	<b>Negative</b> AP Micro RSID	<b>Negative</b> RSID
PUQFU3	<b>Positive/Indicative</b> RAPID SIGNAL OCCULT BLOOD THEVENON ROLAND - PIRAMIDON	<b>Negative</b> MICRO PSA	<b>Not Tested</b>
Q9JNQ8	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony-Human	<b>Negative</b> AP	<b>Not Tested</b>

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
QGVPDF	<b>Positive/Indicative</b> KM Takayama  <u>Other Tests Performed</u> Creatinine DMAC Urea Urobilinogen Ouchterlony-9 animal species see comments	<b>Negative</b> AP Micro PSA	<b>Negative</b> Phadebas-Amylase
QP6ABX	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
QPTEXQ	<b>Positive/Indicative</b> HemaTrace Hemastix KM Luminol	<b>Negative</b> AP PSA (ABAcad p30) Micro	<b>Negative</b> RSID
QTUEGW	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> AP	<b>Negative</b> Amylase Diffusion
QU4KH4	<b>Positive/Indicative</b> LMG	<b>Negative</b> AP Micro PSA ALS	<b>Negative</b> amylase radial diffusion ALS
R3UDJ3	<b>Positive/Indicative</b> HS KM HT	<b>Negative</b> AP Micro P30	<b>Negative</b> RSID
RDEWMY	<b>Positive/Indicative</b> KM Micro	<b>Negative</b> AP Micro	<b>Negative</b> Amylase
RFLZM4	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
RQJ3R7	<b>Positive/Indicative</b> ABACard HemaTrace	<b>Negative</b> ABACard p30 ALS	<b>Not Tested</b>
RQWTP4	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Negative</b> RSID-Semen PSA	<b>Not Tested</b> Laboratory only examines for saliva if blood and semen are not detected.
RRR93Z	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>
T764WM	<b>Positive/Indicative</b> Hstix Luminol <u>Other Tests Performed</u> Epithelial skin cells - Not Tested	<b>Not Tested</b>	<b>Not Tested</b>
TK8D2W	<b>Positive/Indicative</b> Hemastix test Lumninol[sic] test	<b>Not Tested</b> Brentamine (bloody). Swab bloody not tested in our lab	<b>Not Tested</b>
TLZ47B	<b>Positive/Indicative</b> KM	<b>Negative</b> Micro P30	<b>Not Tested</b>
TQD8L6	<b>Positive/Indicative</b> KM	<b>Negative</b> AP PSA Microscopic Slides for Sperm Cells	<b>Negative</b> Amylase Diffusion
TYRWJD	<b>Positive/Indicative</b> KM Modified Takayama Species - Ouch (Cat, Cow, Chicken, Dog, Deer, Horse, Pig, Rabbit, Sheep) <u>Other Tests Performed</u> Urine - Creatinine Feces - Urobilinogen	<b>Negative</b> AP PSA Micro	<b>Negative</b> Phadebas

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
TYRWLY	<b>Positive/Indicative</b> Hemastix KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID
U2EUK4	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony	<b>Negative</b> AP	<b>Not Tested</b>
U2QQP9	<b>Positive/Indicative</b> Phenolphthalein HemaTrace	<b>Negative</b> ALS AP P30	<b>Positive/Indicative</b> Saligae
U6QZMG	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> ALS AP Micro RSID-semenogelin	<b>Negative</b> ALS RSID-amylase
U74A29	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> AP Micro RSID - Semen	<b>Negative</b> RSID - Saliva
UBXEHL	<b>Positive/Indicative</b> KM	<b>Negative</b> AP Micro	<b>Not Tested</b> Positive for KM, didn't want to consume sample.
UCRBUL	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> Brentamine	<b>Not Tested</b> Fourth swab not tested as only three tests are done in our lab.
UEFMR7	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> AP PSA Micro	<b>Not Tested</b>

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
UFAADV	<b>Positive/Indicative</b> KM Luminol Hemastix HemaTrace	<b>Negative</b> AP Micro PSA	<b>Negative</b> RSID Saliva
UL2HUV	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
UMU9ZB	<b>Positive/Indicative</b> KM	<b>Negative</b> Micro P30	<b>Not Tested</b>
UVLQKX	<b>Positive/Indicative</b> Phenolphthalein Hemastix HemaTrace	<b>Negative</b> Acid Phosphatase Microscopic PSA/P30	<b>Positive/Indicative</b> RSID Saliva
V4EPPF	<b>Positive/Indicative</b> Visual Exam Benzidine Test Hemoglobin Kit	<b>Negative</b> AP (Acid Phosphatase) PSA Kit Microscopic Test	<b>Not Tested</b>
VCRDH6	<b>Positive/Indicative</b> LMG HemaTrace  <u>Other Tests Performed</u> Body Fluid - Visual Exam	<b>Negative</b> ALS AP P30 card Micro	<b>Not Tested</b> This test is not offered in our laboratory.
VPCL84	<b>Positive/Indicative</b> Hemastix Phenolphthalein HemaTrace Luminol	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID - saliva
WGTNT	<b>Positive/Indicative</b> KM HemaTrace Hemastix	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
VZBMLU	<b>Positive/Indicative</b> KM Hemastix Luminol HemaTrace	<b>Negative</b> AP P30 Micro	<b>Negative</b> RSID Saliva
W3DVDC	<b>Positive/Indicative</b> Kastle Meyer Hematrace	<b>Negative</b> AP	<b>Not Tested</b> Saliva test not conducted at this Lab
W4AJJE	<b>Positive/Indicative</b> LMG RSID-Blood  <u>Other Tests Performed</u> Urine - RSID-Urine	<b>Negative</b> AP RSID-Semen Micro	<b>Negative</b> RSID-Saliva
WLPTHU	<b>Positive/Indicative</b> Human Blood	<b>Negative</b> Christmas Tree PSA	<b>Not Tested</b> Our laboratory does not perform test to identify saliva
WUGAZW	<b>Positive/Indicative</b> Hemastix HemaTrace Phenolphthalein LCV <u>Other Tests Performed</u> Alternate light source	<b>Negative</b> Acid Phosphatase PSA Microscopic exam - sperm cells	<b>Negative</b> RSID-saliva
WYVLA7	<b>Positive/Indicative</b> Visual KM HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS
X3RUT8	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Negative</b> PSA RSID-Semen	<b>Not Tested</b> Lab only tests for saliva if blood and semen not detected.
X4P4UN	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol <u>Other Tests Performed</u> Blood - Leucocrystal violet	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID-saliva

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
XARAGU	<b>Positive/Indicative</b> Immunochromatography	<b>Negative</b> Christmas Tree Stain (Micro) PSA	<b>Not Tested</b>
XBLXX4	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Inconclusive</b> SALlgAE
XCFPX2	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP Micro PSA (seratec)	<b>Negative</b> RSID
XH66M9	<b>Positive/Indicative</b> KM Takayama <u>Other Tests Performed</u> Urine - Creatinine Feces - Urobilinogen Species - Ouchterlony (bovine, cat, chicken, deer, dog, swine, horse, sheep, rabbit)	<b>Negative</b> AP Micro	<b>Negative</b> Phadebas Amylase Test
XUUC7H	<b>Positive/Indicative</b> KM RSID	<b>Negative</b> AP	<b>Negative</b> RSID
Y8KEBV	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>
YA4A2F	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> AP PSA Micro	<b>Inconclusive</b> Amylase Radial Diffusion Micro
YHKTA9	<b>Positive/Indicative</b> KM Hematrace	<b>Negative</b> AP	<b>Not Tested</b> Tests are not performed at the lad[sic]
YJA9MP	<b>Positive/Indicative</b> Hematix[sic] Luminol	<b>Negative</b> Brentamine	<b>Not Tested</b>

Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
YK4YT4	<b>Positive/Indicative</b> Phenolphthalein - KM	<b>Negative</b> P30 Microscopic exam	<b>Not Tested</b>
YKPATX	<b>Positive/Indicative</b> KM Bluestar Hexagon OBTI	<b>Negative</b> RSID-Semen PSA	<b>Not Tested</b> Lab only test for saliva if blood and semen are not detected
YR66KY	<b>Positive/Indicative</b> KM Hematrace Visual examination	<b>Negative</b> AP	<b>Negative</b> Phadebas
YRNZ3Z	<b>Positive/Indicative</b> TMB Hemastix HemaTrace Luminol <u>Other Tests Performed</u> Blood - Leucocrystalviolet Feces - Urobilinogen Urine - Creatinine	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID saliva
YWLDZD	<b>Positive/Indicative</b> KM Test Hematrace Notes - of human origin (excl:primates/ferret)	<b>Negative</b> AP Test	<b>Negative</b> Phadebas
Z6BNKR	<b>Positive/Indicative</b> Human Blood by Immuno- chromatography[sic]	<b>Negative</b> Micro PSA	<b>Not Tested</b>
ZBJTNX	<b>Positive/Indicative</b> KM Hemastix (TMB) Luminol HemaTrace <u>Other Tests Performed</u> ALS	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID



Table 1 - Item 2

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
ZBXEXZ	<b>Positive/Indicative</b> Hemastix TMB HT Luminol, LCV <u>Other Tests Performed</u> Alternate Light Source	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> RSID
ZG3F7V	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony	<b>Negative</b> AP	<b>Not Tested</b>
ZQAW7M	<b>Positive/Indicative</b> KM Hemastix HemaTrace Luminol	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID saliva ALS
ZTEKGX	<b>Positive/Indicative</b> KM	<b>Negative</b> PSA	<b>Negative</b> RSID
ZUCUFU	<b>Positive/Indicative</b> Hemastix KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID

**Response Summary for Table 1 - Item 2**

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	216	1	9
Negative	0	210	126
Inconclusive	0	0	6
Not Tested (NT)	0	5	75

# Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
27VVBR	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Positive/Indicative</b> Acid Phosphatase PSA Micro	<b>Positive/Indicative</b> RSID- saliva
27XMCV	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b>
29T3ZY	<b>Negative</b> Visual KM	<b>Positive/Indicative</b> AP Microscopy	<b>Negative</b> Phadebas Forensic paper
2CNQHQ	<b>Negative</b> O-tol.  <u>Other Tests Performed</u> Blood/Semen - ALS (see Additional Comments)	<b>Positive/Indicative</b> AP	<b>Not Tested</b> Not trained to perform this test.
2VXXL8	<b>Negative</b> O-tol	<b>Positive/Indicative</b> Ap Micro	<b>Negative</b> RSID Saliva
2WV7UQ	<b>Not Tested</b>	<b>Positive/Indicative</b> AP Micro	<b>Not Tested</b>
2XRL7M	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID-Saliva
3B92LR	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
3M6XUL	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Amylase Diffusion

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
47A3JT	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b>
4PPCMF	<b>Not Tested</b> no evidential value	<b>Positive/Indicative</b> Brentamine/AP	<b>Not Tested</b>
4TK8BT	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Phadebas
62WEWN	<b>Negative</b> Micro KM	<b>Positive/Indicative</b> FBB Micro	<b>Negative</b> Amylase
634WHT	<b>Negative</b> O-tol HemaTrace	<b>Positive/Indicative</b> ALS AP PSA	<b>Not Tested</b>
66ET2C	KM	AP	
68HJGC	<b>Negative</b> KM	<b>Positive/Indicative</b> AP P30 micro (sperm)	<b>Negative</b> ARD Micro (NEC)
6BYZLP	<b>Not Tested</b> No visible red stain	<b>Positive/Indicative</b> Acid Phosphatase alternate light source	<b>Not Tested</b>
6DN9VQ	<b>Negative</b> KM	<b>Positive/Indicative</b> RSID-Semen PSA	<b>Not Tested</b> Saliva test not routinely conducted in sexual assault cases. Saliva test is only performed when specifically requested for by the client.

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
6ELHUM	<b>Negative</b> TMB	<b>Positive/Indicative</b> AP Micro	<b>Not Tested</b> Confirmed the presence of semen on item
6JA3X3	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro PSA	<b>Not Tested</b>
6KBWTG	<b>Negative</b> KM SERATEC Hemoglobin	<b>Positive/Indicative</b> AP Micro SERATEC PSA	<b>Negative</b> RSID Saliva
6LJAYB	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro PSA	<b>Not Tested</b>
6XCW7Q	<b>Negative</b> Visual LMG	<b>Positive/Indicative</b> AP P30 Micro	<b>Negative</b> RSID- saliva
74EZWP	<b>Negative</b> Phenolphthalein	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID-saliva
78Y3PG	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP Micro PSA	<b>Negative</b> Amylase Diffusion
7EEQFC	<b>Negative</b> KM	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
7EXD8U	Thevenon-Roland Piramidon	Micro (Christmas Tree)	<b>Not Tested</b>

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
7G4YMR	<b>Negative</b> Visual Examination	<b>Positive/Indicative</b> ABACard p30 Alternate Light Source	<b>Not Tested</b>
7MQUMB	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> AP Micro PSA	<b>Not Tested</b>
7R4Q4K	<b>Negative</b> Thevenon Roland Test Occult Blood Cassette	<b>Positive/Indicative</b> Christmas Tree PSA Test Cassette	<b>Not Tested</b>
7TY8FH	<b>Negative</b> Hemastix Luminol	<b>Positive/Indicative</b> AP (Brentamine test)	<b>Not Tested</b>
826CWP	<b>Positive/Indicative</b> HemaTrace	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
88XE3B	<b>Negative</b> KM	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b> case scenario indicated a sexual assault of the victim and item tested positive for semen.
8BDX6D	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP P30 Micro	<b>Negative</b> gel diffusion
8GM26F	<b>Positive/Indicative</b> TMB HemDirect - Seratec	<b>Positive/Indicative</b> AP PSA - Seratec Micro	<b>Negative</b> Amylase - Seratec
8JRL4L	<b>Negative</b> KM	<b>Positive/Indicative</b> BCIP Micro	<b>Not Tested</b> with positive sperm search and scenario provided, would not test further.

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
8LF6YR	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
8PXHML	<b>Negative</b> Micro KM	<b>Positive/Indicative</b> FBB Micro	<b>Negative</b> Amylase
8QMXTM	<b>Not Tested</b> No red/brown staining, inner thigh is probable for semen testing.	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
8XMEBV	<b>Positive/Indicative</b> Phenolphthalein HemaTrace	<b>Positive/Indicative</b> AP p30/PSA Slide/Microscopic Exam	<b>Negative</b> SALlgAE
8YHUNR	<b>Negative</b> Occult blood immunochromatography (Organics) Thevenon Roland Piramidon	<b>Positive/Indicative</b> Christmas tree Stain	<b>Not Tested</b>
8YHUPD	<b>Negative</b> KM	<b>Positive/Indicative</b> AP	<b>Negative</b> Phadebas
93CD3V	<b>Negative</b> KM	<b>Positive/Indicative</b> RSID-Semen PSA	<b>Not Tested</b> Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specified.
9AUMG6	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Amylase Radial Diffusion Micro
9CXHZ9	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro PSA	<b>Not Tested*</b>

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
9PBC4L	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP 1-step AP 2-step micro PSA	<b>Negative</b> Amylase Diffusion
9YDWG	<b>Negative</b> KM	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
A3QZ8G	<b>Inconclusive</b> KM Hemastix HemaTrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
A4QRLC	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP Micro PSA	<b>Negative</b> Amylase diffusion
A9XMU6	<b>Negative</b> Hemastix Luminol	<b>Positive/Indicative</b> Brentamine	<b>Not Tested</b>
ABK7ZH	<b>Positive/Indicative</b> KM Hemastix HemaTrace	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID - Saliva
ACHAZK	<b>Not Tested</b> No visible red discoloration	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Amylase Diffusion
AFZJ26	<b>Not Tested</b> Not tested - swabs did not display the characteristic reddish-brown color associated with blood.	<b>Positive/Indicative</b> Item 3A: AP, Micro Item 3B: AP, Micro Item 3C: AP, Micro Item 3D: AP, Micro	<b>Negative</b> Item 3A: RSID Saliva Item 3B: RSID Saliva Item 3C: RSID Saliva Item 3D: RSID Saliva

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
AH64QQ	<b>Negative</b> KM	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
AL6CXL	<b>Negative</b> Phenolphthalein	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
ANBTEP	<b>Negative</b> Hemastix	<b>Positive/Indicative</b> AP Micro RSID Semen	<b>Negative</b> RSID Saliva
AY83N8		<b>Positive/Indicative</b> Brentamine	
C4F3X4	<b>Negative</b> Hemastix Luminol	<b>Positive/Indicative</b> Brentamine	<b>Not Tested</b>
C74HEC	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
C8ZN4H	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP Micro P30	<b>Negative</b> Amylase diffusion
CDMJUF	<b>Negative</b> Thevenon and Roland (Piramidon) Occult Blodd[sic] Card Test (Organics)	<b>Positive/Indicative</b> Christmas Tree Stained Slide (micro) Prostate Antigen Specific PSA (organics)	<b>Not Tested</b>
CGPKWY	<b>Negative</b> KM Hemoglobin Immunochromatography	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> Phadebas Amylase Test



Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
CGZN9A	<b>Negative</b> Phenolphthalein  <u>Other Tests Performed</u> Semen/Saliva - ALS	<b>Positive/Indicative</b> Acid Phosphatase Micro	<b>Negative</b> RSID Saliva
CKKFHR	<b>Negative</b> O-Tol	<b>Positive/Indicative</b> ALS AP Micro	<b>Not Tested</b> Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)
CLF29W	<b>Negative</b> KM	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> Phadebas
CM9PUD	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID saliva
CMBFVG	<b>Inconclusive</b> TMB HemaTrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> Radial Diffusion
CPDEWM	<b>Negative</b> Visual LMG	<b>Positive/Indicative</b> AP ABA P30 Micro	<b>Negative</b> RSID
CWFH8E	<b>Negative</b> KM	<b>Positive/Indicative</b> AP PSA	<b>Negative</b> Phadebas press
DLA4FD	<b>Negative</b> KM	<b>Positive/Indicative</b> AP PSA (Abacus) Micro	<b>Negative</b> RSID
DLCUGG	<b>Negative</b> KM (direct)	<b>Positive/Indicative</b> AP (direct)	<b>Not Tested</b>

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
DTWPK7	<b>Not Tested</b> Swabs taken from below the hips of the victim is only tested for possible semen	<b>Positive/Indicative</b> AP	<b>Not Tested</b> Swabs taken from below the hips of the victim is only tested for possible semen. No saliva testing performed at the lab
DYLCFJ	<b>Negative</b> KM	<b>Positive/Indicative</b> AP p30 Micro	<b>Negative</b> RSID
E8AHM3	<b>Not Tested</b> The first swab tested positive for semen, the other three were therefore not tested for blood since there[sic] are duplicate with the first swab	<b>Positive/Indicative</b> Brentamine	<b>Not Tested</b> test for saliva not done in our laboratory
E8AKBL	<b>Not Tested</b> Not performed due to case circumstances and collection site.	<b>Positive/Indicative</b> ALS AP Microscope ABA P30- not performed due to microscopic results	<b>Not Tested</b> This test is not offered at this laboratory.
EDDMD2	<b>Not Tested</b> Swabs were duplicated, so they will contain some Body Fluid.	<b>Positive/Indicative</b> Brentamine	
EDXAXP	<b>Negative</b> O-tol	<b>Positive/Indicative</b> ALS AP Micro	<b>Not Tested</b> The case scenario does not indicate oral contact.
ELTADH	<b>Negative</b> KM	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
EMZK47	<b>Negative</b> O-tolidine HemDirect	<b>Positive/Indicative</b> Acid Phosphatase P30	<b>Negative</b> Amylase diffusion

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
EP6DVK	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b>
FKRYRY	<b>Positive/Indicative</b> LMG ABA HemaTrace	<b>Positive/Indicative</b> AP PSA micro (spermatozoa)	<b>Negative</b> Amylase Radial Diffusion Micro (NECs)
FVRLN3	<b>Negative</b> Hemastix	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID Saliva
FY6A8Z	<b>Negative</b> KM	<b>Positive/Indicative</b> AP MICRO	<b>Negative</b> AMYLASE
G2WMKP	<b>Negative</b> KM	<b>Positive/Indicative</b> AP micro PSA	<b>Negative</b> Phadebas
G399G7	<b>Negative</b> O-tol	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID saliva
G436K7	<b>Not Tested</b> No Reddish Brown Staining	<b>Positive/Indicative</b> AP Microscopic	<b>Negative</b> RSID Saliva
G6YEYH	<b>Not Tested</b> TMB test for blood not performed as no visible staining	<b>Positive/Indicative</b> Microscopy	<b>Negative</b> Phadebas
G8HHLU	<b>Negative</b> O-tol	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
GCCAVC	<b>Negative</b> Hemastix KM HemaTrace <u>Other Tests Performed</u> Various- ALS	<b>Positive/Indicative</b> AP PSA Micro (sperm)	<b>Positive/Indicative</b> RSID
GELEAZ	<b>Positive/Indicative</b> Hemastix KM	<b>Positive/Indicative</b> AP PSA Micro	<b>Positive/Indicative</b> RSID-Saliva
GJBYBV	<b>Negative</b> O-tol	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID - Saliva
GLJ93R	<b>Negative</b> O-tol	<b>Positive/Indicative</b> Micro	<b>Positive/Indicative</b> RSID
GPJHB9	<b>Negative</b> KM	<b>Positive/Indicative</b> AP ABAcad P30 Micro	<b>Negative</b> RSID Saliva
GVATHD	<b>Negative</b> KM	<b>Positive/Indicative</b> AP RSID Semen	<b>Not Tested</b> Laboratory does not perform test on saliva per laboratory policy.
GVM6LW	<b>Positive/Indicative</b> O-tol Hematrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b>
H28WY9	<b>Negative</b> Visual exam of swabs Microscopic exam of swabs KM	<b>Positive/Indicative</b> AP X-Mas	<b>Negative</b> Amylase
H6P4AP	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro PSA	<b>Not Tested</b>

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
HAP9CA	<b>Not Tested</b>	<b>Positive/Indicative</b> Micro	<b>Not Tested</b>
HDLU4C	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Amylase Diffusion
HFADXH	<b>Negative</b> TMB Hemastix HemaTrace	<b>Positive/Indicative</b> AP Seratec Prostate Specific Antigen Microscopic sperm search	<b>Negative</b> RSID saliva
HFWLA8	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID Saliva
HLZLH4	<b>Negative</b> KM  <u>Other Tests Performed</u> Urine -Urease	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID saliva
HRH4MY	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Amylase Radial Diffusion
HTWKX6	<b>Not Tested</b> Not tested for blood due to color of swab (light beige).	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
HXNZ7Y	<b>Not Tested</b>	<b>Positive/Indicative</b> AP Spot test ABAcad p30 Microscopic	<b>Not Tested</b>
JF9YZ4	<b>Negative</b> visual exam KM test of swab	<b>Positive/Indicative</b> extraction - AP of supernatant microscopic exam	<b>Inconclusive</b> Phadebas tube test

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
JNJYNX	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro Seratec PSA ABA p30	<b>Negative</b> RSID saliva
JPEGX2	<b>Not Tested</b> Swabs taken below hip area of female, not tested for blood	<b>Positive/Indicative</b> Brentamine-AP	<b>Not Tested</b> Saliva test not done at the laboratory and swabs taken below hip area of female not tested for saliva
JPQGJM	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Phadebas Amylase Test
JRZHPF	<b>Negative</b> TMB  <u>Other Tests Performed</u> Urine - RSID Urine	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> Phadebas amylase -tube
JX6BKX	<b>Negative</b> Visual ALS LMG	<b>Positive/Indicative</b> Visual ALS AP	<b>Not Tested</b> We do not test for this
K26P8Z	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Amylase Diffusion
K6MVGV	<b>Negative</b> TMB  <u>Other Tests Performed</u> Urine - Jaffe for Creatinine Urine - DMAC for Urea	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Amylase Radial Diffusion
K8VYFD	<b>Negative</b> KM	<b>Positive/Indicative</b> AP microscopy for sperm	<b>Negative</b> Phadebas paper

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
KAE32P	<b>Negative</b> O-tol	<b>Positive/Indicative</b> Micro	<b>Negative</b> RSID
KAJGJ7	<b>Negative</b> THEVENON-ROLAND / PIRAMIDON OCCULT BLOOD-RAPID SIGNAL	<b>Positive/Indicative</b> MICROSCOPIC PSA-RAPIDSIGNAL	<b>Not Tested</b>
KERW62	<b>Negative</b> LMG	<b>Positive/Indicative</b> AcP PSA micro	<b>Negative</b> amylase diffusion
KLQNY4	<b>Negative</b> Hemastix Luminol	<b>Positive/Indicative</b> Brentamine (AP)	<b>Not Tested</b>
KTAVMM	<b>Negative</b> O-tol	<b>Positive/Indicative</b> Micro	<b>Inconclusive</b> RSID
KVCUY2	<b>Negative</b> KM	<b>Positive/Indicative</b> ALS AP Micro PSA	<b>Inconclusive</b> RSID** ALS
KVCWMK	<b>Negative</b> Visual Exam	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
KZR8ZN	<b>Negative</b> O-tol	<b>Positive/Indicative</b> Micro	<b>Negative</b> RSID
L3VGAW	<b>Negative</b> Hemastix	<b>Positive/Indicative</b> AP Micro	<b>Positive/Indicative</b> RSID Saliva

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
LAQJB9	<b>Positive/Indicative</b> Hemastix KM HemaTrace	<b>Positive/Indicative</b> AP Micro PSA	<b>Negative</b> RSID
LBK3EV	<b>Negative</b> KM Hemastix	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
LGC967	<b>Negative</b> Immunochromatography for human blood Thevenon and Roland Pyramidon[sic]	<b>Positive/Indicative</b> Christmas tree stain	<b>Not Tested</b> Our laboratory not included[sic] in the portfolio of service testing for the presence of saliva
LN9AAB	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro - Christmas Tree Stain	<b>Negative</b> Phadebas
LUTD4L	<b>Not Tested</b>	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Amylase
LZ2P8D	<b>Not Tested</b> not tested based on case circumstances	<b>Positive/Indicative</b> ALS AP Microscopic p30	<b>Not Tested</b> Test not offered
M834UZ	<b>Negative</b> o-tolidine	<b>Positive/Indicative</b> ALS acid phosphatase	<b>Not Tested</b>
M8KCJV	<b>Not Tested</b> Not tested as it was not evidential value. Only test swabs for semen	<b>Positive/Indicative</b> Brentamine/AP	<b>Not Tested</b> No evidential value
MAQUQC	<b>Inconclusive</b> O-Tol HemaTrace	<b>Positive/Indicative</b> AP Micro P30	<b>Negative</b> RSID



Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
MJWKJ2	<b>Not Tested</b>	<b>Positive/Indicative</b> Brentamine (AP)	<b>Not Tested</b>
MK4W24	<b>Negative</b> Occult Blood Cassette Thevenon and roland Piramidon	<b>Positive/Indicative</b> Christmas Tree Coloration	<b>Not Tested</b>
MLJZZA	<b>Not Tested</b> No apparent bloodstains noted	<b>Positive/Indicative</b> AP Micro	<b>Positive/Indicative</b> RSID
MMRAT8	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
MRN2YH	<b>Negative</b> KM	<b>Positive/Indicative</b> AP, Micro	<b>Negative</b> Phadebas (a-Amylase)
MW4MTB	<b>Negative</b> Hemastix	<b>Positive/Indicative</b> Microscopy	<b>Negative</b> RSID-saliva
MYLQFM	<b>Negative</b> O-tol	<b>Positive/Indicative</b> Micro	<b>Negative</b> RSID
N9TM26	<b>Positive/Indicative</b> Hemastix HemaTrace PTMB <u>Other Tests Performed</u> ALS	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
NBJJG	<b>Negative</b> Visual	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
NLVDQ6	<b>Inconclusive</b> TMB Hematrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> Amylase

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
NLWA22	<b>Negative</b> Hem Lum	<b>Positive/Indicative</b> Brent	<b>Not Tested</b>
NMQZ8F	<b>Not Tested</b> Light orange stained swabs	<b>Positive/Indicative</b> Micro	<b>Not Tested</b>
NNKJB3	<b>Negative</b> Thevenon Roland Test Occult Blood Cassette	<b>Positive/Indicative</b> Christmas Tree PSA Test Cassette	<b>Not Tested</b>
NQNEU6	<b>Inconclusive</b> TMB HemaTrace	<b>Positive/Indicative</b> AP PSA Microscopic	<b>Negative</b> Amylase radial diffusion
NUDFBY	<b>Not Tested</b> No test performed due to no reddish-brown color.	<b>Positive/Indicative</b> Item 3 AnB: AP, Micro Item 3 CnD: AP, Micro	<b>Negative</b> Item 3 AnB: RSID Item 3 CnD: RSID
NV8DEZ	<b>Not Tested</b> no reddish brown staining observed	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b> allegations did not support
NVMV7Y	<b>Negative</b> Luminol Hemastix	<b>Positive/Indicative</b> AP (Brentamine)	<b>Not Tested</b>
P3LF9U	<b>Not Tested</b> Swabs taken below hip area of a female is not tested for blood.	<b>Positive/Indicative</b> AP	<b>Not Tested</b> Saliva test not performed at the lab & swabs taken below hip area of a female is not tested
P8EKQQ	<b>Not Tested</b> Swab did not have red-brown color stain	<b>Positive/Indicative</b> AP P30 Microscopy - presence of sperm	<b>Negative</b> Amylase Radial Diffusion** [**See additional comments] Microscopy-presence of NEC

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
P8QFAW	<b>Not Tested</b> This item was not tested for blood based on the scenario given and lack of visible staining	<b>Positive/Indicative</b> alternate light source AP Micro PSA	<b>Negative</b> alternate light source RSID saliva
PBB8JE	<b>Negative</b> Visual Exam KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
PCM4Q4	<b>Inconclusive</b> Hemastix HemaTrace	<b>Positive/Indicative</b> AP Microscopic exam PSA	<b>Positive/Indicative</b> RSID-saliva
PGHMK	<b>Negative</b> O-ToI	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
PUQFU3	<b>Negative</b> RAPID SIGNAL OCCULT BLOOD THEVENON ROLAND-PIRAMIDON	<b>Positive/Indicative</b> MICRO PSA	<b>Not Tested</b>
Q9JNQ8	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b>
QGVPDF	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro PSA	<b>Negative</b> Phadebas-Amylase
QP6ABX	<b>Negative</b> Hemastix	<b>Positive/Indicative</b> Brentamine (AP)	<b>Not Tested</b>
QPTEXQ	<b>Negative</b> KM	<b>Positive/Indicative</b> AP PSA (ABAcad p30) Micro	<b>Negative</b> RSID

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
QTUEGW	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP Micro PSA	<b>Negative</b> Amylase Diffusion
QU4KH4	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP Micro ALS	<b>Negative</b> amylase radial diffusion ALS
R3UDJ3	<b>Positive/Indicative</b> HS KM HT	<b>Positive/Indicative</b> AP Micro P30	<b>Inconclusive</b> RSID
RDEWMY	<b>Negative</b> KM Micro	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Amylase
RFLZM4	<b>Negative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>
RQJ3R7	<b>Negative</b> Visual	<b>Positive/Indicative</b> ABAcad p30 ALS	<b>Not Tested</b>
RQWTP4	<b>Negative</b> KM	<b>Positive/Indicative</b> RSID-Semen PSA	<b>Not Tested</b> Laboratory only routinely examines for blood and semen in sexual assault cases.
RRR93Z	<b>Negative</b> KM	<b>Positive/Indicative</b> AP	<b>Not Tested</b>
T764WM	<b>Negative</b> Hemastix Luminol <u>Other Tests Performed</u> Epithelial skin cells - Not Tested	<b>Positive/Indicative</b> Brentamine	<b>Not Tested</b>

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
TK8D2W	<b>Negative</b> Hemastix test Luminol test	<b>Positive/Indicative</b> Brentamine test	<b>Not Tested</b>
TLZ47B	<b>Not Tested</b> Not red stained	<b>Positive/Indicative</b> Micro	<b>Not Tested</b>
TQD8L6	<b>Negative</b> KM	<b>Positive/Indicative</b> AP PSA Microscopic Slides for Sperm Cells	<b>Not Tested</b>
TYRWJD	<b>Negative</b> KM	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b> Sample collected from inner thigh - potential vaginal fluid present. Also, strong semen samples may give amylase positive results.
TYRWLY	<b>Positive/Indicative</b> Hemastix KM HemaTrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
U2EUK4	<b>Negative</b> LMG	<b>Positive/Indicative</b> AP PSA Microscopic examination	<b>Not Tested</b>
U2QQP9	<b>Negative</b> Phenolphthalein	<b>Positive/Indicative</b> AP P30 Microscope	<b>Not Tested</b>
U6QZMG	<b>Negative</b> OT	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID-amylase
U74A29	<b>Negative</b> O-tol	<b>Positive/Indicative</b> AP Micro	<b>Positive/Indicative</b> RSID - Saliva

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
UBXEHL	<b>Not Tested</b> No red/brown staining observed.	<b>Positive/Indicative</b> AP Micro	<b>Not Tested</b> Positive for Semen, didn't want to consume sample.
UCRBUL	<b>Not Tested</b> No visible blood detected hence no tests done for blood	<b>Positive/Indicative</b> Brentamine	<b>Not Tested</b> Test for saliva not done in our lab
UEFMR7	<b>Inconclusive</b> LMG HemaTrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b>
UFAADV	<b>Not Tested</b> Not tested - no visible RBS	<b>Positive/Indicative</b> AP Micro PSA	<b>Negative</b> RSID Saliva
UL2HUV	<b>Not Tested</b>	<b>Positive/Indicative</b> Brentamine (AP)	<b>Not Tested</b>
UMU9ZB	<b>Negative</b> KM	<b>Positive/Indicative</b> Micro	<b>Not Tested</b>
UVLQKX	<b>Negative</b> Phenolphthalein	<b>Positive/Indicative</b> Acid Phosphatase Microscopic	<b>Negative</b> RSID -saliva
V4EPPF	<b>Negative</b> Visual Exam Benzidine Test	<b>Positive/Indicative</b> AP (Acid Phosphatase) PSA Kit Microscopic Test	<b>Not Tested</b>
VCRDH6	<b>Negative</b> LMG  <u>Other Tests Performed</u> Body Fluid - Visual Exam	<b>Positive/Indicative</b> ALS AP Micro	<b>Not Tested</b> This test is not offered in our laboratory.

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
VPEL84	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID - Saliva
WGTNT	<b>Not Tested</b> no reddish staining observed	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
VZBMLU	<b>Not Tested</b> Staining not consistent with blood. Conserving sample.	<b>Positive/Indicative</b> AP P30 Micro	<b>Negative</b> RSID Saliva
W3DVDC	<b>Inconclusive</b> Kastle Meyer Hematrace	<b>Positive/Indicative</b> AP P30	<b>Not Tested</b> Saliva test not conducted at this Lab
W4AJJE	<b>Negative</b> LMG RSID-Blood  <u>Other Tests Performed</u> Urine - RSID-Urine	<b>Positive/Indicative</b> AP RSID-Semen Micro	RSID-Saliva
WLPTHU	<b>Negative</b> Human Blood	<b>Positive/Indicative</b> Christmas Tree PSA	<b>Not Tested</b> Our laboratory does not perform test to identify saliva
WUGAZW	<b>Inconclusive</b> Hemastix HemaTrace  <u>Other Tests Performed</u> alternate light source	Acid Phosphatase PSA Microscopic exam - sperm cells	<b>Negative</b> RSID-saliva
WYVLA7	<b>Negative</b> Visual KM	<b>Positive/Indicative</b> ALS AP PSA Micro	<b>Not Tested</b>

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
X3RUT8	<b>Negative</b> KM	<b>Positive/Indicative</b> PSA RSID-Semen	<b>Not Tested</b> Saliva not routinely tested in sexual assault cases unless specifically requested.
X4P4UN	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Positive/Indicative</b> RSID-Saliva
XARAGU	<b>Negative</b> Thevenon y Roland Immunochromatography	<b>Positive/Indicative</b> Christmas Tree Stain (Micro)	<b>Not Tested</b>
XBLXX4	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> SALlgAE
XCFPX2	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Not Tested</b> Oral assault not alleged in scenario and sperm more probative in finding suspect DNA on victim to prove CSC. Sperm would probably mask any oral DNA
XH66M9	<b>Negative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Phadebas Amylase Test
XUUC7H	<b>Negative</b> KM	<b>Positive/Indicative</b> AP RSID Micro	<b>Not Tested</b>
Y8KEBV	<b>Negative</b> KM	<b>Positive/Indicative</b> AP	<b>Not Tested</b>
YA4A2F	<b>Negative</b> KM	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> Amylase Radial diffusion Micro



Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
YHKTA9	<b>Inconclusive</b> KM Hematrace	<b>Positive/Indicative</b> AP PSA	<b>Not Tested</b> Tests are not performed at the lab.
YJA9MP	<b>Not Tested</b>	<b>Positive/Indicative</b> Brentamine	<b>Not Tested</b>
YK4YT4	<b>Negative</b> Phenolphthalein - KM	<b>Positive/Indicative</b> Microscopic exam	<b>Not Tested</b>
YKPATX	<b>Negative</b> KM	<b>Positive/Indicative</b> RSID-Semen PSA	<b>Not Tested</b>
YR66KY	<b>Negative</b> KM Visual examination	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Phadebas
YRNZ3Z	<b>Negative</b> TMB	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID saliva
YWLDZD	<b>Negative</b> KM Test	<b>Positive/Indicative</b> AP Test High Power Microscopy (microscopy of slides)	<b>Negative</b> Phadebas
Z6BNKR	<b>Negative</b> Thevenon Roland Piramidon Human Blood by immuno- chromatography[sic]	<b>Positive/Indicative</b> Micro	<b>Not Tested</b>
ZBJTNX	<b>Not Tested</b> Not indicated by scenario  <u>Other Tests Performed</u> ALS	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b> Not indicated by scenario
ZBXEXZ	<b>Not Tested</b>	<b>Positive/Indicative</b> AP Micro	<b>Not Tested</b>

Table 1 - Item 3

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
ZG3F7V	Negative LMG	Positive/Indicative AP PSA Micro	Not Tested
ZQAW7M	Negative KM	Positive/Indicative AP PSA Micro	Negative RSID saliva
ZTEKGX	Not Tested red-brown staining not observed on item swabs <u>Other Tests Performed</u> ALS	Positive/Indicative PSA Micro exam for sperm	Negative RSID
ZUCUFU	Positive/Indicative Hemastix KM HemaTrace	Positive/Indicative AP PSA Micro	Negative RSID

### Response Summary for Table 1 - Item 3

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	17	214	9
Negative	150	1	112
Inconclusive	10	0	4
Not Tested (NT)	38	0	89

# Screening Conclusions & Test(s) Performed

*Indicate the overall conclusion from the results of the screening tests performed.*

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
27VVBR	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> Acid Phosphatase	<b>Positive/Indicative</b> RSID saliva
27XMCV	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony	<b>Negative</b> AP	<b>Not Tested</b>
29T3ZY	<b>Positive/Indicative</b> Visual KM Hematrace - reported as most likely[sic] to be human blood	<b>Negative</b> AP	<b>Negative</b> Phadebas Forensic paper
2CNQHQ	<b>Positive/Indicative</b> O-tol.  <u>Other Tests Performed</u> Blood/Semen - ALS (see Additional Comments)	<b>Negative</b> AP	<b>Not Tested</b> Not trained to perform this test.
2VXXL8	<b>Positive/Indicative</b> O-tol Human Abacard	<b>Negative</b> AP Micro RSID Semen	<b>Negative</b> RSID Saliva
2WV7UQ	<b>Positive/Indicative</b> KM	<b>Not Tested</b>	<b>Not Tested</b>
2XRL7M	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID-Saliva
3B92LR	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> RSID
3M6XUL	<b>Positive/Indicative</b> LMG	<b>Negative</b> AP	<b>Negative</b> Amylase Diffusion

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
47A3JT	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony (human)	<b>Negative</b> AP	<b>Not Tested</b>
4PPCMF	<b>Positive/Indicative</b> H-six	<b>Not Tested</b> SOP refers to not testing swabs above the waist for semen	<b>Not Tested</b>
4TK8BT	<b>Positive/Indicative</b> KM Modified Takayama	<b>Negative</b> AP	<b>Negative</b> Phadebas
62WEWN	<b>Positive/Indicative</b> Micro KM	<b>Negative</b> FBB Micro	<b>Inconclusive</b> Amylase
634WHT	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> ALS AP PSA	<b>Not Tested</b>
66ET2C	KM	AP	
68HJGC	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP P30 Micro (sperm)	<b>Negative</b> ARD Micro (NEC)
6BYZLP	<b>Positive/Indicative</b> Phenolphthalein	<b>Negative</b> Acid Phosphatase alternate light source	<b>Not Tested</b>
6DN9VQ	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Negative</b> RSID-Semen PSA	<b>Not Tested</b> Saliva test not routinely conducted in sexual assault cases. Saliva test is only performed when specifically requested for by the client.

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
6ELHUM	<b>Positive/Indicative</b> TMB HemaTrace	<b>Negative</b> AP	<b>Not Tested</b> The presence of human blood was indicated
6JA3X3	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Not Tested</b>
6KBWTG	<b>Positive/Indicative</b> KM SERATEC Hemoglobin	<b>Negative</b> AP Micro SERATEC PSA	<b>Negative</b> Phadebas Amylase RSID Saliva
6LJAYB	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Not Tested</b>
6XCW7Q	<b>Positive/Indicative</b> visual LMG HemaTrace	<b>Negative</b> AP P30 Micro	<b>Negative</b> RSID -saliva
74EZWP	<b>Positive/Indicative</b> Phenolphthalein HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS RSID - saliva
78Y3PG	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> AP Micro	<b>Negative</b> Amylase Diffusion
7EEQFC	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID
7EXD8U	Occult blood Rapid Test (Cassette) immuno- chromatographic[sic]	(Micro) Christmas Tree PSA	<b>Not Tested</b>
7G4YMR	<b>Positive/Indicative</b> Visual Examination ABACard Hematrace	<b>Negative</b> ABACard p30 Alternate Light Source	<b>Not Tested</b>

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
7MQUMB	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Not Tested</b>
7R4Q4K	<b>Positive/Indicative</b> Thevenon Roland Test Occult Blood Cassette	<b>Negative</b> Christmas Tree PSA Test Cassette	<b>Not Tested</b>
7TY8FH	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> AP (Brentamine test)	<b>Not Tested</b>
826CWP	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> RSID
88XE3B	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b> Victim indicated she fought with suspect and a notation of possible saliva was not indicated.
8BDX6D	<b>Positive/Indicative</b> LMG Hema Trace	<b>Negative</b> AP P30	<b>Negative</b> gel diffusion
8GM26F	<b>Positive/Indicative</b> TMB HemDirect - Seratec	<b>Negative</b> AP PSA- Seratec Micro	<b>Negative</b> Amylase -Seratec
8JRL4L	<b>Positive/Indicative</b> KM	<b>Negative</b> BCIP	<b>Not Tested</b> with scenario and positive KM, would not test further.
8LF6YR	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID
8PXHML	<b>Positive/Indicative</b> Micro KM	<b>Negative</b> FBB Micro	<b>Positive/Indicative</b> Amylase

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
8QMXTM	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID
8XMEBV	<b>Positive/Indicative</b> Phenolphthalein HemaTrace	<b>Negative</b> AP p30/PSA Slide/Microscopic Exam	<b>Inconclusive</b> SALlgAE
8YHUNR	<b>Positive/Indicative</b> Occult blood immuno- cromatography[sic] (Orgenics)	<b>Negative</b> Christmas tree Stain PSA immuno- cromatography[sic] (Orgenics)	<b>Not Tested</b>
8YHUPD	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> Phadebas
93CD3V	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Negative</b> RSID-Semen PSA	<b>Not Tested</b> Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specified.
9AUMG6	<b>Positive/Indicative</b> LMG Ouchterlony	<b>Negative</b> AP PSA Micro	<b>Negative</b> Amylase Radial Diffusion Micro
9CXHZ9	<b>Positive/Indicative</b> KM	<b>Negative</b> AP Micro PSA	<b>Not Tested</b>
9PBC4L	<b>Positive/Indicative</b> LMG Hematrace	<b>Negative</b> AP 1-step AP 2-step micro PSA	<b>Negative</b> Amylase Diffusion
9YDVG	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
A3QZ8G	<b>Positive/Indicative</b> KM Hemastix Luminol	<b>Negative</b> AP	<b>Negative</b> RSID
A4QRLC	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> AP Micro	<b>Negative</b> Amylase diffusion
A9XMU6	<b>Positive/Indicative</b> Hemastix Luminol	<b>Not Tested</b>	<b>Not Tested</b>
ABK7ZH	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> RSID - Saliva
ACHAZK	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> Amylase Diffusion
AFZJ26	<b>Positive/Indicative</b> Item 4A: O-tol Item 4B: O-tol Item 4C: O-tol Item 4D: O-tol	<b>Negative</b> Item 4A: AP, Micro Item 4B: AP, Micro Item 4C: AP, Micro Item 4C: AP, Micro	<b>Negative</b> Item 4A: RSID Saliva Item 4B: RSID Saliva Item 4C: RSID Saliva Item 4D: RSID Saliva
AH64QQ	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID
AL6CXL	<b>Positive/Indicative</b> Phenolphthalein	<b>Negative</b> AP Micro	<b>Negative</b> RSID
ANBTEP	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID Saliva
AY83N8	<b>Positive/Indicative</b> Hemastix		



Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
C4F3X4	<b>Positive/Indicative</b> Hemastix Luminol	<b>Not Tested</b>	<b>Not Tested</b>
C74HEC	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID
C8ZN4H	<b>Positive/Indicative</b> LMG Hematrace	<b>Negative</b> AP Micro	<b>Negative</b> Amylase diffusion
CDMJUF	<b>Positive/Indicative</b> Thevenon and Roland (Piramidon) Occult Blood Card Test (Organics)	<b>Negative</b> Christmas Tree Stained Slide (micro) Prostate Antigen Specific PSA (organics)	<b>Not Tested</b>
CGPKWY	<b>Positive/Indicative</b> KM Hemoglobin Immunochromatography	<b>Negative</b> AP PSA Micro	<b>Negative</b> Phadebas Amylase Test
CGZN9A	<b>Positive/Indicative</b> Phenolphthalein HemaTrace <u>Other Tests Performed</u> Semen/saliva -ALS	<b>Negative</b> Acid Phosphatase	<b>Positive/Indicative</b> RSID saliva
CKKFHR	<b>Positive/Indicative</b> O-Tol HemaTrace	<b>Negative</b> ALS AP	<b>Not Tested</b> Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)
CLF29W	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> Phadebas
CM9PUD	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID saliva

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
CMBFVG	<b>Positive/Indicative</b> TMB HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> Radial Diffusion
CPDEWM	<b>Positive/Indicative</b> Visual LMG HemaTrace	<b>Negative</b> AP ABA P30 Micro	<b>Negative</b> RSID
CWFH8E	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP Micro	<b>Negative</b> Phadebas press
DLA4FD	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID
DLCUGG	<b>Positive/Indicative</b> KM (direct)	<b>Negative</b> AP (direct)	<b>Not Tested</b>
DTWPK7	<b>Positive/Indicative</b> Hstix	<b>Not Tested</b> All swabs taken above the hip area of a victim is not tested for semen	<b>Not Tested</b> No test for saliva at the lab. Swabs indicated to be bloody visibly
DYLCFJ	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID
E8AHM3	Hemastix	<b>Not Tested</b> The first swab tested positive for visible blood, the othe[sic] three were therefore not tested since there[sic] are duplicate with the first swab.	<b>Not Tested</b> test for saliva not done in our laboratory
E8AKBL	<b>Positive/Indicative</b> LMG ABA Hematrace	<b>Not Tested</b> Not performed due to case circumstances and collection site.	<b>Not Tested</b> This test is not offered by this laboratory.

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
EDDMD2	<b>Positive/Indicative</b> Hemastix	<b>Not Tested</b> Swabs were taken from the arm of the victim	
EDXAXP	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> ALS AP	<b>Not Tested</b> The case scenario does not indicate oral contact.
ELTADH	<b>Positive/Indicative</b> KM HT	<b>Negative</b> AP	<b>Negative</b> RSID
EMZK47	<b>Positive/Indicative</b> O-tolidine HemDirect	<b>Negative</b> Acid Phosphatase P30	<b>Negative</b> Amylase Diffusion
EP6DVK	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony	<b>Negative</b> AP PSA Micro	<b>Not Tested</b>
FKRYRY	<b>Positive/Indicative</b> LMG ABA HemaTrace	<b>Negative</b> AP PSA micro (spermatozoa)	<b>Inconclusive</b> amylase Radial Diffusion micro (NECs)
FVRLN3	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> AP	<b>Negative</b> RSID Saliva
FY6A8Z	<b>Positive/Indicative</b> KM	<b>Negative</b> AP MICRO	<b>Negative</b> AMYLASE
G2WMKP	<b>Positive/Indicative</b> KM Hematrace	<b>Negative</b> AP micro PSA	<b>Negative</b> Phadebas
G399G7	<b>Positive/Indicative</b> O-tol	<b>Negative</b> AP Micro	<b>Negative</b> RSID saliva

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
G436K7	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID Saliva
G6YEH	<b>Positive/Indicative</b> TMB	<b>Negative</b> Microscopy AP	<b>Negative</b> Phadebas
G8HHLU	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> AP Micro RSID	<b>Negative</b> RSID
GCCAVC	<b>Positive/Indicative</b> Hemastix KM HemaTrace <u>Other Tests Performed</u> various - ALS	<b>Negative</b> AP PSA Micro (sperm)	<b>Negative</b> RSID
GELEAZ	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Inconclusive</b> RSID-Saliva
GJBYBV	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> ALS AP Micro RSID - Semen	<b>Negative</b> ALS RSID - Saliva
GLJ93R	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> Micro RSID	<b>Positive/Indicative</b> RSID
GPJHB9	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID Saliva
GVATHD	<b>Positive/Indicative</b> KM Hema Trace	<b>Negative</b> AP RSID Semen	<b>Not Tested</b> Laboratory does not perform test on saliva per laboratory policy.

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
GVM6LW	<b>Positive/Indicative</b> O-tol Hematrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b>
H28WY9	<b>Positive/Indicative</b> Visual exam of swabs Microscopic exam of swabs KM	<b>Negative</b> AP X-Mas	<b>Negative</b> Amylase
H6P4AP	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP Micro PSA	<b>Not Tested</b>
HAP9CA	<b>Positive/Indicative</b> KM Takayama	<b>Negative</b> Micro seratec (p30)	<b>Not Tested</b>
HDLU4C	<b>Positive/Indicative</b> LMG Hematrace	<b>Negative</b> AP Micro PSA	<b>Negative</b> Amylase Diffusion
HFADXH	<b>Positive/Indicative</b> TMB Hemastix HemaTrace	<b>Negative</b> AP Seratec PSA Microscopic sperm search	<b>Negative</b> RSID saliva
HFWLA8	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID Saliva
HLZLH4	<b>Positive/Indicative</b> KM	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID saliva
HRH4MY	<b>Positive/Indicative</b> KM	<b>Negative</b> AP Micro	<b>Negative</b> Amylase Radial Diffusion

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
HTWKX6	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Not Tested</b> Not tested for saliva due to area of collection (arm). Also, dark red/brown color appears more consistent with neat bloodstain than mixed stain.
HXNZ7Y	<b>Positive/Indicative</b> KM TMB HemaTrace	<b>Not Tested</b>	<b>Not Tested</b>
JF9YZ4	<b>Positive/Indicative</b> Visual exam KM test of swab	<b>Negative</b> extraction - AP of supernatant microscopic exam	<b>Not Tested</b>
JNJYNX	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>
JPEGX2	<b>Positive/Indicative</b> Hemastix	Swabs taken above hip area of a female not tested for possible semen	<b>Not Tested</b> Saliva test not done at the laboratory and swabs had visible possible blood
JPQGJM	<b>Positive/Indicative</b> KM Modified Takayama	<b>Negative</b> AP	<b>Negative</b> Phadebas Amylase Test
JRZHPF	<b>Positive/Indicative</b> TMB HemaTrace	<b>Negative</b> AP Micro	<b>Not Tested</b> Saliva Test : "Not indicated by scenario Red brown staining interferes with spectrophotometry result
JX6BKX	<b>Positive/Indicative</b> Visual ALS LMG	<b>Negative</b> Visual ALS AP	<b>Not Tested</b> We do not test for this
K26P8Z	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> AP Micro	<b>Negative</b> Amylase Diffusion

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
K6MVGW	<b>Positive/Indicative</b> TMB HemaTrace	<b>Negative</b> AP Micro p-30	<b>Negative</b> Amylase Radial Diffusion
K8VYFD	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> Phadebas paper
KAE32P	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> Micro RSID	<b>Negative</b> RSID
KAJGJ7	<b>Positive/Indicative</b> THEVENON-ROLAND /PIRAMIDON OCCULT BLOOD-RAPIDSIGNAL	<b>Negative</b> MICROSCOPIC PSA-RAPIDSIGNAL	<b>Not Tested</b>
KERW62	<b>Positive/Indicative</b> LMG hematrace	<b>Negative</b> AcP PSA micro	<b>Negative</b> amylse[sic] diffusion
KLQNY4	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
KTAVMM	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> Micro RSID	<b>Negative</b> RSID
KVCUY2	<b>Positive/Indicative</b> KM HemaTrace Hemastix	<b>Negative</b> ALS AP	<b>Negative</b> ALS RSID
KVCWMK	<b>Positive/Indicative</b> Visual Exam KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
KZR8ZN	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> Micro RSID	<b>Negative</b> RSID
L3VGAW	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID Saliva
LAQJB9	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> AP Micro PSA	<b>Negative</b> RSID
LBK3EV	<b>Positive/Indicative</b> KM Hemastix	<b>Negative</b> AP	<b>Negative</b> RSID
LGC967	<b>Positive/Indicative</b> Immunochromatography for human blood	<b>Negative</b> Christmas tree stain Immunochromatography for Prostate Specific Antigen (PSA)	<b>Not Tested</b> Our laboratory not included[sic] in the portfolio of service testing for the presence of saliva
LN9AAB	<b>Positive/Indicative</b> KM Takayama <u>Other Tests Performed</u> Ouchterlony - 9 species (see Comments)	<b>Negative</b> AP	<b>Negative</b> Phadebas
LUTD4L	<b>Positive/Indicative</b> KM	<b>Negative</b> AP Micro	<b>Negative</b> Amylase
LZ2P8D	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> ALS AP	<b>Not Tested</b> Test not offered
M834UZ	<b>Positive/Indicative</b> o-tolidine hexagon OBTI	<b>Negative</b> ALS acid phosphatase	<b>Not Tested</b>



Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
M8KCJV	<b>Positive/Indicative</b> H/stix	<b>Not Tested</b> Swabs from above the waist are not tested for semen	<b>Not Tested</b> We don't have a test for saliva but saliva may not have had EV
MAQUQC	<b>Positive/Indicative</b> O-Tol HemaTrace	<b>Negative</b> AP Micro P30	<b>Negative</b> RSID
MJWKJ2	<b>Positive/Indicative</b> Hemastix Luminol	<b>Not Tested</b>	<b>Not Tested</b>
MK4W24	<b>Positive/Indicative</b> Occult Blood Cassette	<b>Negative</b> Christmas Tree Coloration PSA serum/plasma cassette	<b>Not Tested</b>
MLJZZA	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Positive/Indicative</b> RSID
MMRAT8	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID
MRN2YH	<b>Positive/Indicative</b> KM, Mod Taka	<b>Negative</b> AP, PSA (ABA P30), Micro	<b>Negative</b> Phadebas (α-Amylase)
MW4MTB	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> Microscopy AP	<b>Negative</b> RSID-saliva
MYLQFM	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> Micro RSID	<b>Negative</b> RSID
N9TM26	<b>Positive/Indicative</b> Hemastix HemaTrace PTMB <u>Other Tests Performed</u> ALS	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
NBJJG	<b>Positive/Indicative</b> Visual KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID
NLVDQ6	<b>Positive/Indicative</b> TMB Hematrace	<b>Negative</b> AP	<b>Negative</b> Amylase
NLWA22	<b>Positive/Indicative</b> Hem Lum	<b>Negative</b> Brent	<b>Not Tested</b>
NMQZ8F	<b>Positive/Indicative</b> KM	<b>Negative</b> Micro P30	<b>Not Tested</b>
NNKJB3	<b>Positive/Indicative</b> Thevenon Roland Test Occult Blood Cassette	<b>Negative</b> Christmas Tree PSA Test Cassette	<b>Not Tested</b>
NQNEU6	<b>Positive/Indicative</b> TMB HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> Amylase radial diffusion
NUDFBY	<b>Positive/Indicative</b> Item 4 AnB: O-tol Item 4 CnD: O-tol	<b>Negative</b> Item 4 AnB: AP, Micro Item 4 CnD: AP, Micro	<b>Negative</b> Item 4 AnB: RSID Item 4 CnD: RSID
NV8DEZ	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b> allegations did not support
NVMV7Y	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> AP (Brentamine)	<b>Not Tested</b>
P3LF9U	<b>Positive/Indicative</b> Hstix	<b>Not Tested</b> Swabs taken above hip area of female not tested for semen (possible semen)	<b>Not Tested</b> No presumptive test for saliva & swabs had visible blood on it

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
P8EKQQ	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP p-30 Microscopy - presence of sperm	<b>Negative</b> Amylase Radial Diffusion** [**see additional comments] Microscopy- presence of NEC
P8QFAW	<b>Positive/Indicative</b> Phenolphthalein Hemastix HemaTrace	<b>Negative</b> alternate light source AP	<b>Negative</b> alternate light source RSID saliva
PBB8JE	<b>Positive/Indicative</b> Visual Exam KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID
PCM4Q4	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> RSID - saliva
PGHXMK	<b>Positive/Indicative</b> O-ToI Hematrace	<b>Negative</b> AP Micro RSID	<b>Inconclusive</b> RSID
PUQFU3	<b>Positive/Indicative</b> RAPID SIGNAL OCCULT BLOOD THEVENON ROLAND-PIRAMIDON	<b>Negative</b> MICRO PSA	<b>Not Tested</b>
Q9JNQ8	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony-Human	<b>Negative</b> AP	<b>Not Tested</b>
QGVPDF	<b>Positive/Indicative</b> KM Takayama	<b>Negative</b> AP Micro PSA	<b>Negative</b> Phadebas-Amylase
QP6ABX	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
QPTEXQ	Positive/Indicative KM	Negative AP	Negative RSID
QTUEGW	Positive/Indicative LMG HemaTrace	Negative AP	Negative Amylase Diffusion
QU4KH4	Positive/Indicative LMG	Negative AP PSA Micro ALS	Negative amylase radial diffusion ALS
R3UDJ3	Positive/Indicative HS KM HT	Negative AP Micro P30	Negative RSID
RDEWMY	Positive/Indicative KM Micro	Negative AP Micro	Negative Amylase
RFLZM4	Positive/Indicative KM	Negative AP	Not Tested
RQJ3R7	Positive/Indicative ABAcad HemaTrace	Negative ABAcad p30 ALS	Not Tested
RQWTP4	Positive/Indicative KM Hexagon OBTI	Negative RSID-Semen PSA	Not Tested Laboratory only routinely examines for blood and semen in sexual assault cases.
RRR93Z	Positive/Indicative KM	Negative AP	Not Tested
T764WM	Positive/Indicative Hemastix Luminol <u>Other Tests Performed</u> Epithelial skin cells - Not Tested	Not Tested	Not Tested

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
TK8D2W	<b>Positive/Indicative</b> Hemastix test	N/A No evidential value	<b>Not Tested</b>
TLZ47B	<b>Positive/Indicative</b> KM	<b>Negative</b> Micro P30	<b>Not Tested</b>
TQD8L6	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>
TYRWJD	<b>Positive/Indicative</b> KM Modified Takayama	<b>Negative</b> AP	<b>Negative</b> Phadebas
TYRWLY	<b>Positive/Indicative</b> Hemastix KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID
U2EUK4	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony	<b>Negative</b> AP	<b>Not Tested</b>
U2QQP9	<b>Positive/Indicative</b> Phenolphthalein HemaTrace	<b>Negative</b> AP	<b>Not Tested</b>
U6QZMG	<b>Positive/Indicative</b> OT Hematrace	<b>Negative</b> ALS AP Micro RSID-semenogelin	<b>Negative</b> ALS RSID-amylase
U74A29	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> AP Micro RSID - Semen	<b>Negative</b> RSID - Saliva

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
UBXEHL	<b>Positive/Indicative</b> KM	<b>Negative</b> AP Micro	<b>Not Tested</b> Positive for phen, didn't want to consume sample.
UCRBUL	<b>Positive/Indicative</b> Hemastix	<b>Not Tested</b> Visible blood was detected, so Hemastix was used to test	<b>Not Tested</b> Test for saliva not done in our lab
UEFMR7	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> AP PSA Micro	<b>Not Tested</b>
UFAADV	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID Saliva
UL2HUV	<b>Positive/Indicative</b> Hemastix	<b>Not Tested</b>	<b>Not Tested</b>
UMU9ZB	<b>Positive/Indicative</b> KM	<b>Negative</b> Micro P30	<b>Not Tested</b>
UVLQKX	<b>Positive/Indicative</b> Phenolphthalein	<b>Negative</b> Acid Phosphatase Microscopic PSA/P30	<b>Negative</b> RSID- Saliva
V4EFPF	<b>Positive/Indicative</b> Visual Exam Benzidine Test Hemoglobin Kit	<b>Negative</b> AP (Acid Phosphatase) PSA Kit Microscopic Test	<b>Not Tested</b>
VCRDH6	<b>Positive/Indicative</b> LMG HemaTrace  <u>Other Tests Performed</u> Body Fluid - Visual Exam	<b>Negative</b> ALS AP Micro P30 card	<b>Not Tested</b> This test is not offered in our laboratory.

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
VPEL84	<b>Positive/Indicative</b> Phenolphthalein HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID - saliva
WGTNT	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID
VZBMLU	<b>Positive/Indicative</b> KM Hemastix	<b>Not Tested</b> Previous, more intimate sample, determined to have semen and would be sent forward for analysis before this sample. Conserving sample.	<b>Not Tested</b> Extraction type for saliva and blood samples are the same. Conserving sample.
W3DVDC	<b>Positive/Indicative</b> Kastle Meyer Hematrace	<b>Negative</b> AP	<b>Not Tested</b> Saliva test not conducted at this lab
W4AJJE	<b>Positive/Indicative</b> LMG RSID-Blood  <u>Other Tests Performed</u> Urine - RSID-Urine	<b>Negative</b> AP RSID-Semen Micro	<b>Negative</b> RSID-Saliva
WLPTHU	<b>Positive/Indicative</b> Human Blood	<b>Negative</b> Christmas Tree PSA	<b>Not Tested</b> Our laboratory does not perform test to identify saliva
WUGAZW	<b>Positive/Indicative</b> Hemastix HemaTrace  <u>Other Tests Performed</u> Alternate Light source	<b>Negative</b> Acid Phosphatase PSA Microscopic exam - sperm cells	<b>Negative</b> RSID-saliva
WYVLA7	<b>Positive/Indicative</b> Visual KM HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
X3RUT8	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Negative</b> PSA RSID-Semen	<b>Not Tested</b> Saliva not routinely tested in sexual assault cases unless specifically requested.
X4P4UN	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID-Saliva
XARAGU	<b>Positive/Indicative</b> Immunochromatography	<b>Positive/Indicative</b> Christmas Tree Stain (Micro)	<b>Not Tested</b>
XBLXX4	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Inconclusive</b> SALlgAE
XCFPX2	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Not Tested</b> Oral assault not alleged in scenario and this blood validates the scenario that vic injured the assailant. Blood would probably mask any oral DNA
XH66M9	<b>Positive/Indicative</b> KM Takayama	<b>Negative</b> AP	<b>Negative</b> Phadebas Amylase Test
XUUC7H	<b>Positive/Indicative</b> KM RSID	<b>Not Tested</b>	<b>Not Tested</b>
Y8KEBV	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>
YA4A2F	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> AP PSA Micro	<b>Inconclusive</b> Amylase Radial Diffusion Micro



Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
YHKTA9	<b>Positive/Indicative</b> KM Hematrace	<b>Negative</b> AP	<b>Not Tested</b> Tests are not performed at lab.
YJA9MP	<b>Positive/Indicative</b> Hematix[sic]	<b>Not Tested</b>	<b>Not Tested</b>
YK4YT4	<b>Positive/Indicative</b> Phenolphthalein - KM	<b>Negative</b> P30 Microscopic exam	<b>Not Tested</b>
YKPATX	<b>Positive/Indicative</b> KM Bluestar Hexagon OBTI	<b>Negative</b> RSID-Semen PSA	<b>Not Tested</b>
YR66KY	<b>Positive/Indicative</b> KM Visual examination	<b>Negative</b> AP	<b>Negative</b> Phadebas
YRNZ3Z	<b>Positive/Indicative</b> TMB HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID saliva
YWLDZD	<b>Positive/Indicative</b> KM Test	<b>Negative</b> AP Test	<b>Negative</b> Phadebas
Z6BNKR	<b>Positive/Indicative</b> Human Blood by Inmuno- chromatography[sic]	<b>Negative</b> Micro PSA	<b>Not Tested</b>
ZBJTNX	<b>Positive/Indicative</b> KM HemaTrace	<b>Not Tested</b> Not indicated by scenario	<b>Not Tested</b> Not indicated by scenario
ZBXEXZ	<b>Positive/Indicative</b> TMB HT	<b>Not Tested</b>	<b>Not Tested</b>

Table 1 - Item 4

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
ZG3F7V	Positive/Indicative LMG HemaTrace Ouchterlony	Negative AP	Not Tested
ZQAW7M	Positive/Indicative KM Hemastix HemaTrace	Negative AP	Negative RSID saliva
ZTEKGX	Positive/Indicative KM  <u>Other Tests Performed</u> ALS	Negative PSA	Negative RSID
ZUCUFU	Positive/Indicative Hemastix KM HemaTrace	Negative AP PSA Micro	Negative RSID

### Response Summary for Table 1 - Item 4

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	215	2	5
Negative	0	191	111
Inconclusive	0	0	7
Not Tested (NT)	0	20	92

# Screening Conclusions & Test(s) Performed

*Indicate the overall conclusion from the results of the screening tests performed.*

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
27VVBR	<b>Positive/Indicative</b> Hemastix HemaTrace <u>Other Tests Performed</u> ALS	<b>Negative</b> Acid Phosphatase	<b>Inconclusive</b> RSID
27XMCV	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony <u>Other Tests Performed</u> Biological Fluids - ALS	<b>Negative</b> AP	<b>Not Tested</b>
29T3ZY	<b>Positive/Indicative</b> Visual KM Hematrace - reported as most likely human blood	<b>Negative</b> AP	<b>Negative</b> Phadebas Forensic paper
2CNQHQ	<b>Positive/Indicative</b> O-tol. <u>Other Tests Performed</u> Blood/Semen - ALS (see Additional Comments)	<b>Negative</b> AP	<b>Not Tested</b> Not trained to perform this test.
2VXXL8	<b>Positive/Indicative</b> O-tol Human Abacard	<b>Negative</b> ALS AP	<b>Not Tested</b>
2WV7UQ	<b>Positive/Indicative</b> KM	<b>Not Tested</b>	<b>Not Tested</b>
2XRL7M	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID-Saliva
3B92LR	<b>Positive/Indicative</b> Hemastix HemaTrace ALS	<b>Negative</b> AP PSA ALS	<b>Negative</b> RSID ALS

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
3M6XUL	<b>Positive/Indicative</b> LMG	<b>Negative</b> ALS AP	<b>Negative</b> Amylase Diffusion
47A3JT	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony (human) <u>Other Tests Performed</u> Body Fluids - ALS	<b>Negative</b> AP	<b>Not Tested</b>
4PPCMF	<b>Positive/Indicative</b> H-six <u>Other Tests Performed</u> Poss Hair - Visual Inspection	<b>Negative</b> Brentamine/AP	<b>Not Tested</b>
4TK8BT	<b>Positive/Indicative</b> KM Modified Takayama	<b>Negative</b> AP	<b>Negative</b> Phadebas
62WEWN	<b>Positive/Indicative</b> Micro KM	<b>Negative</b> ALS FBB	<b>Inconclusive</b> ALS Amylase
634WHT	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> ALS AP PSA	<b>Not Tested</b>
66ET2C	KM	AP	
68HJGC	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP P30 micro (sperm) ALS	<b>Negative</b> ARD Micro (NEC)
6BYZLP	<b>Positive/Indicative</b> Phenolphthalein	<b>Negative</b> Acid Phosphatase alternate light source	<b>Not Tested</b>

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
6DN9VQ	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Negative</b> AP	<b>Not Tested</b> Saliva test not routinely conducted in sexual assault cases. Saliva test is only performed when specifically requested for by the client.
6ELHUM	<b>Positive/Indicative</b> TMB HemaTrace  <u>Other Tests Performed</u> Semen/saliva - ALS	<b>Not Tested</b> No apparent stains noted after visual examination with an alternate light source. Human blood indicated	<b>Not Tested</b> No apparent stains noted after visual examination with an alternate light source. Human blood was indicated
6JA3X3	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Not Tested</b>
6KBWTG	<b>Positive/Indicative</b> KM SERATEC Hemoglobin	<b>Negative</b> AP Micro SERATEC PSA	<b>Negative</b> Phadebas Amylase RSID Saliva
6LJAYB	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> ALS AP	<b>Not Tested</b>
6XCW7Q	<b>Positive/Indicative</b> Visual LMG HemaTrace	<b>Negative</b> ALS AP P30 Micro	<b>Negative</b> RSID saliva ALS
74EZWP	<b>Positive/Indicative</b> Phenolphthalein HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS RSID-saliva
78Y3PG	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> ALS AP Micro	<b>Negative</b> Amylase Diffusion

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
7EEQFC	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID
7EXD8U	Occult blood Rapid Test (Cassette immuno- chromatographic[sic])	Micro (Christmas Tree) PSA	<b>Not Tested</b>
7G4YMR	<b>Positive/Indicative</b> Visual Examination ABACard Hematrace	<b>Negative</b> ABACard p30 Alternate Light Source	<b>Not Tested</b>
7MQUMB	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP ALS (crime- lite)	<b>Not Tested</b>
7R4Q4K	<b>Positive/Indicative</b> Thevenon Roland Test Occult Blood Cassette	<b>Negative</b> Christmas Tree PSA Test Cassette	<b>Not Tested</b>
7TY8FH	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> AP (Brentamine test)	<b>Not Tested</b>
826CWP	<b>Positive/Indicative</b> ALS KM HemaTrace	<b>Negative</b> ALS AP PSA	<b>Negative</b> ALS RSID
88XE3B	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b> Victim indicated she fought with suspect and a notation of possible saliva was not indicated and no fluorescence was observed.
8BDX6D	<b>Positive/Indicative</b> LMG Hema Trace <u>Other Tests Performed</u> ALS	<b>Negative</b> AP AP Mapping	<b>Negative</b> gel diffusion amylase mapping

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
8GM26F	<b>Positive/Indicative</b> TMB HemDirect - Seratec	<b>Negative</b> AP PSA- Seratec Micro	<b>Negative</b> Amylase - Seratec
8JRL4L	<b>Positive/Indicative</b> KM	<b>Negative</b> BCIP	<b>Not Tested</b> with scenario and positive KM, would not test further.
8LF6YR	<b>Positive/Indicative</b> KM HemaTrace <u>Other Tests Performed</u> Semen/Saliva - ALS	<b>Negative</b> AP	<b>Negative</b> RSID
8PXHML	<b>Positive/Indicative</b> Micro KM	<b>Negative</b> ALS FBB Micro BCIP	<b>Negative</b> Amylase
8QMXTM	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS** **Due to scenario of case, saliva was not tested further.
8XMEBV	<b>Positive/Indicative</b> Phenolphthalein HemaTrace	<b>Negative</b> ALS AP p30/PSA Slide/Microscopic Exam	<b>Inconclusive</b> SALlgAE
8YHUNR	<b>Positive/Indicative</b> Occult blood immuno- cromatography[sic] (Orgenics)	<b>Negative</b> Christmas tree Stain PSA immuno- cromatography[sic] (Orgenics)	<b>Not Tested</b>
8YHUPD	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> Phadebas

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
93CD3V	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Negative</b> AP	<b>Not Tested</b> Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specified.
9AUMG6	<b>Positive/Indicative</b> LMG Ouchterlony	<b>Negative</b> AP PSA Micro	<b>Negative</b> Amylase Radial Diffusion Micro
9CXHZ9	<b>Positive/Indicative</b> KM	<b>Negative</b> AP Micro PSA	<b>Not Tested</b>
9PBC4L	<b>Positive/Indicative</b> LMG Hematrace	<b>Negative</b> ALS AP 1-step Micro PSA	<b>Negative</b> Amylase Diffusion
9YDVG	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b> Item examined with ALS but no fluorescence observed, no indicative stains observed during visual examination
A3QZ8G	<b>Positive/Indicative</b> KM Hemastix	<b>Negative</b> AP	<b>Negative</b> RSID
A4QRLC	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> ALS AP Micro	<b>Negative</b> Amylase diffusion
A9XMU6	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> Brentamine	<b>Not Tested</b>



Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
ABK7ZH	<b>Positive/Indicative</b> KM HemaTrace <u>Other Tests Performed</u> Non specific - alternate light source	<b>Negative</b> AP	<b>Negative</b> RSID - saliva
ACHAZK	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> ALS AP PSA	<b>Negative</b> Amylase Diffusion
AFZJ26	<b>Positive/Indicative</b> O-tol	<b>Not Tested</b> Not tested - did not perform AP/Micro testing based on case scenario	<b>Not Tested</b> Not tested - did not perform RSID Saliva testing based on case scenario
AH64QQ	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID
AL6CXL	<b>Positive/Indicative</b> Phenolphthalein <u>Other Tests Performed</u> semen/saliva - ALS	<b>Negative</b> AP	<b>Not Tested</b>
ANBTEP	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> RSID Saliva
AY83N8	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> Brentamine	<b>Not Tested</b> Not done in our lab
C4F3X4	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> Brentamine	
C74HEC	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
C8ZN4H	<b>Positive/Indicative</b> LMG Hematrace	<b>Negative</b> ALS AP Micro	<b>Negative</b> ALS Amyalse diffusion
CDMJUF	<b>Positive/Indicative</b> Thevenon and Roland (Piramidon) Occult Blood Card Test (Organics)	<b>Negative</b> Christmas Tree Stained Slide (micro) Prostate Antigen Specific PSA (organics)	<b>Not Tested</b>
CGPKWY	<b>Positive/Indicative</b> KM Hemoglobin Immunochromatography	<b>Negative</b> AP PSA Micro	<b>Negative</b> Phadebas Amylase Test
CGZN9A	<b>Positive/Indicative</b> Phenolphthalein HemaTrace <u>Other Tests Performed</u> Semen/saliva - ALS	<b>Negative</b> Acid Phosphatase	<b>Not Tested</b>
CKKFHR	<b>Positive/Indicative</b> O-Tol HemaTrace	<b>Negative</b> ALS AP	<b>Not Tested</b> Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)
CLF29W	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> Phadebas
CM9PUD	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b> no apparent staining consistent with saliva observed
CMBFVG	<b>Positive/Indicative</b> TMB HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> Radial Diffusion
CPDEWM	<b>Positive/Indicative</b> visual LMG HemaTrace	<b>Negative</b> ALS AP ABA P30 Micro	<b>Negative</b> ALS RSID

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
CWFH8E	Positive/Indicative KM HemaTrace	Negative AP	Negative Phadebas press
DLA4FD	Positive/Indicative KM	Negative AP	Negative RSID
DLCUGG	Positive/Indicative KM (indirect)	Negative AP (indirect) AP (direct) ALS	Not Tested
DTWPK7	Positive/Indicative Hstix  <u>Other Tests Performed</u> Examined exhibit for hair	Negative AP	Not Tested No testing is required on this exhibit
DYLCFJ	Positive/Indicative KM HemaTrace	Negative AP ALS	Not Tested N/A to scenario.
E8AHM3	Positive/Indicative Hemastix	Negative Brentamine	Not Tested test for saliva not done in our laboratory
E8AKBL	Positive/Indicative LMG ABA Hematrace <u>Other Tests Performed</u> ALS	Not Tested Not performed due to case circumstances.	Not Tested This test is not offered at this laboratory.
EDDMD2	Positive/Indicative Hemastix	Negative Brentamine	
EDXAXP	Positive/Indicative O-tol HemaTrace	Negative ALS AP	Not Tested The case scenario does not indicate oral contact.
ELTADH	Positive/Indicative KM HT <u>Other Tests Performed</u> ALS	Negative AP	Negative RSID

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
EMZK47	<b>Positive/Indicative</b> O-tolidine HemDirect	<b>Negative</b> Acid Phosphatase P30	<b>Negative</b> Amylase Diffusion
EP6DVK	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony <u>Other Tests Performed</u> Biological fluids - ALS	<b>Negative</b> AP PSA Micro	<b>Not Tested</b>
FKRYRY	<b>Positive/Indicative</b> LMG ABA HemaTrace	<b>Negative</b> ALS AP PSA micro (spermatozoa)	<b>Negative</b> ALS Amylase Radial Diffusion Micro (NECs)
FVRLN3	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> AP	<b>Negative</b> RSID Saliva
FY6A8Z	<b>Positive/Indicative</b> KM	<b>Negative</b> ALS AP	<b>Not Tested</b> Item belonged to victim, nowhere did it state that it came into contact with the suspect.
G2WMKP	<b>Positive/Indicative</b> KM Hematrace	<b>Negative</b> AP	<b>Negative</b> Phadebas
G399G7	<b>Positive/Indicative</b> O-tol	<b>Negative</b> AP Micro	<b>Negative</b> RSID saliva
G436K7	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID Saliva
G6YEYH	<b>Positive/Indicative</b> TMB	<b>Negative</b> AP	<b>Negative</b> Phadebas

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
G8HHLU	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> AP Micro RSID ALS	<b>Negative</b> RSID
GCCAVC	<b>Positive/Indicative</b> Hemastix KM HemaTrace <u>Other Tests Performed</u> Various - ALS	<b>Negative</b> AP PSA micro (sperm)	<b>Negative</b> RSID
GELEAZ	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Inconclusive</b> RSID-Saliva
GJBYBV	<b>Positive/Indicative</b> O-tol Hematrace	<b>Not Tested</b> Not Indicated	<b>Not Tested</b> Not Indicated
GLJ93R	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS
GPJHB9	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID Saliva
GVATHD	<b>Positive/Indicative</b> KM Hema Trace  <u>Other Tests Performed</u> Urine, Semen, Saliva - ALS	<b>Negative</b> AP RSID Semen	<b>Not Tested</b> Laboratory does not perform test on saliva per laboratory policy.
GVM6LW	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> ALS AP PSA Micro	<b>Not Tested</b>

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
H28WY9	<b>Positive/Indicative</b> Visual exam of item Microscopic exam of item KM	<b>Negative</b> AP X-Mas	<b>Negative</b> Amylase
H6P4AP	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP ALS	<b>Not Tested</b>
HAP9CA	<b>Positive/Indicative</b> KM Takayama	<b>Negative</b> BCIP/AP	<b>Not Tested</b>
HDLU4C	<b>Positive/Indicative</b> LMG Hematrace	<b>Negative</b> AP Micro ALS	<b>Negative</b> Amylase Diffusion
HFADXH	<b>Positive/Indicative</b> TMB HemaTrace <u>Other Tests Performed</u> Semen/Saliva - Alternate light source	<b>Negative</b> AP	<b>Negative</b> RSID saliva
HFWLA8	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>
HLZLH4	<b>Positive/Indicative</b> KM	<b>Negative</b> ALS	<b>Negative</b> ALS
HRH4MY	<b>Positive/Indicative</b> KM <u>Other Tests Performed</u> ALS	<b>Negative</b> AP	<b>Not Tested</b>
HTWKX6	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS
HXNZ7Y	<b>Positive/Indicative</b> KM TMB HemaTrace	<b>Not Tested</b>	<b>Not Tested</b>

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
JF9YZ4	<b>Positive/Indicative</b> Visual exam KM test - spot test	<b>Negative</b> AP press test	<b>Negative</b> Phadebas press test
JNJYNX	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b>
JPEGX2	<b>Positive/Indicative</b> Hemastix  <u>Other Tests Performed</u> Hair - Visual test: Examined to remove possible hair from exhibit	<b>Negative</b> Brentamine-AP	<b>Not Tested</b> Saliva test not done at the laboratory and saliva test not required
JPQGJM	<b>Positive/Indicative</b> KM Modified Takayama	<b>Negative</b> AP	<b>Negative</b> Phadebas Amylase Test
JRZHPF	<b>Positive/Indicative</b> TMB HemaTrace	<b>Negative</b> AP	<b>Negative</b> Phadebas amylase - paper
JX6BKX	<b>Positive/Indicative</b> Visual ALS LMG	<b>Negative</b> Visual ALS AP	<b>Not Tested</b> We do not test for this
K26P8Z	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> AP Micro PSA ALS	<b>Negative</b> Amylase Diffusion
K6MVGX	<b>Positive/Indicative</b> TMB HemaTrace	<b>Negative</b> AP Micro P-30	<b>Negative</b> Amylase Radial Diffusion
K8VYFD	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> Phadebas paper

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
KAE32P	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> ALS AP Micro RSID	<b>Negative</b> ALS RSID
KAJGJ7	<b>Positive/Indicative</b> THEVENON-ROLAND/ PIRAMIDON OCCULT BLOOD-RAPIDSIGNAL	<b>Negative</b> MICROSCOPIC PSA-RAPIDSIGNAL	<b>Not Tested</b>
KERW62	<b>Positive/Indicative</b> LMG hematrace	<b>Negative</b> AcP PSA Micro	<b>Negative</b> amylase diffusion
KLQNY4	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
KTAVMM	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Negative</b> Micro RSID ALS AP	<b>Negative</b> RSID
KVCUY2	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> ALS AP	<b>Inconclusive</b> ALS RSID**
KVCWMK	<b>Positive/Indicative</b> Visual Exam KM HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS RSID
KZR8ZN	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> ALS AP Micro RSID	<b>Negative</b> ALS RSID



Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
L3VGAW	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> AP	<b>Negative</b> RSID Saliva
LAQJB9	<b>Positive/Indicative</b> Hemastix HemaTrace  <u>Other Tests Performed</u> Miscellaneous - ALS	<b>Negative</b> AP Micro PSA	<b>Positive/Indicative</b> RSID
LBK3EV	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID
LGC967	<b>Positive/Indicative</b> Immunochromatography for human blood	<b>Negative</b> Christmas tree stain Immunochromatography for Prostate Specific Antigen (PSA)	<b>Not Tested</b> Our laboratory not included[sic] in the portfolio of service testing for the presence of saliva
LN9AAB	<b>Positive/Indicative</b> KM Takayama <u>Other Tests Performed</u> Ouchterlony - 9 species (see Comments)	<b>Negative</b> AP	<b>Negative</b> Phadebas
LUTD4L	<b>Positive/Indicative</b> KM	<b>Negative</b> ALS AP	<b>Not Tested</b>
LZ2P8D	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> ALS	<b>Not Tested</b> test not offered
M834UZ	<b>Positive/Indicative</b> o-tolidine hexagon OBTI	<b>Negative</b> ALS acid phosphatase	<b>Not Tested</b>
M8KCJV	<b>Positive/Indicative</b> H/stix <u>Other Tests Performed</u> Examine for visible hair	<b>Negative</b> Brentamine/AP	<b>Not Tested</b> No evidential value

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
MAQUQC	<b>Positive/Indicative</b> O-Tol HemaTrace	<b>Negative</b> AP P30 Micro	<b>Negative</b> RSID
MJWKJ2	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
MK4W24	<b>Positive/Indicative</b> Occult Blood Cassette	<b>Negative</b> Christmas Tree Coloration PSA serum/plasma cassette	<b>Not Tested</b>
MLJZZA	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS RSID
MMRAT8	<b>Positive/Indicative</b> KM	<b>Negative</b> ALS AP	<b>Negative</b> ALS RSID
MRN2YH	<b>Positive/Indicative</b> KM, Mod Taka	<b>Negative</b> AP	<b>Negative</b> Phadebas (α-Amylase)
MW4MTB	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> Microscopy AP	<b>Not Tested</b>
MYLQFM	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> AP ALS Micro RSID	<b>Negative</b> RSID
N9TM26	<b>Positive/Indicative</b> Hemastix HemaTrace PTMB <u>Other Tests Performed</u> ALS	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
NBJJG	<b>Positive/Indicative</b> Visual KM HemaTrace	<b>Negative</b> AP ALS	<b>Negative</b> RSID ALS
NLVDQ6	<b>Positive/Indicative</b> TMB Hematrace	<b>Negative</b> AP	<b>Negative</b> Amylase
NLWA22	<b>Positive/Indicative</b> Hem	<b>Negative</b> Brent	<b>Not Tested</b>
NMQZ8F	<b>Positive/Indicative</b> KM	<b>Negative</b> Micro ALS P30	<b>Not Tested</b>
NNKJB3	<b>Positive/Indicative</b> Thevenon Roland Test Occult Blood Cassette	<b>Negative</b> Christmas Tree PSA Test Cassette	<b>Not Tested</b>
NQNEU6	<b>Positive/Indicative</b> TMB HemaTrace	<b>Negative</b> AP PSA	<b>Negative</b> Amylase radial diffusion
NUDFBY	<b>Positive/Indicative</b> Item 5A: O-tol	<b>Negative</b> Item 5A: AP, Micro	<b>Not Tested</b> Not performed due to item and case scenario.
NV8DEZ	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b> allegations did not support
NVMV7Y	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> AP (Brentamine)	<b>Not Tested</b>
P3LF9U	<b>Positive/Indicative</b> Hstix	<b>Negative</b> AP	<b>Not Tested</b> No testing of saliva required. Saliva test not done at laboratory
	<b><u>Other Tests Performed</u></b> Examine exhibit for Hair - a visual test is done		

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
P8EKQQ	<b>Positive/Indicative</b> KM HemaTrace	<b>Negative</b> ALS AP	<b>Not Tested</b>
P8QFAW	<b>Positive/Indicative</b> Phenolphthalein Hemastix HemaTrace	<b>Negative</b> alternate light source AP	<b>Negative</b> alternate light source
PBB8JE	<b>Positive/Indicative</b> Visual Exam KM HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS RSID
PCM4Q4	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> ALS AP PSA	<b>Negative</b> ALS RSID - saliva
PGHXMK	<b>Positive/Indicative</b> O-Tol Hematrace	<b>Negative</b> ALS AP Micro RSID	<b>Negative</b> RSID
PUQFU3	<b>Positive/Indicative</b> RAPID SIGNAL OCCULT BLOOD THEVENON ROLAND-PIRAMIDON	<b>Negative</b> MICRO PSA	<b>Not Tested</b>
Q9JNQ8	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony-Human <u>Other Tests Performed</u> Biological Fluids - ALS	<b>Negative</b> AP	<b>Not Tested</b>
QGVPDF	<b>Positive/Indicative</b> KM Takayama	<b>Negative</b> AP Micro PSA	<b>Negative</b> Phadebas-Amylase

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
QP6ABX	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
QPTEXQ	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID
QTUEGW	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> Amylase Diffusion
QU4KH4	<b>Positive/Indicative</b> LMG	<b>Negative</b> AP PSA Micro ALS	<b>Negative</b> amylase radial diffusion ALS
R3UDJ3	<b>Positive/Indicative</b> HS HT  <u>Other Tests Performed</u> ALS	<b>Negative</b> AP Micro P30	<b>Negative</b> RSID
RDEWMY	<b>Positive/Indicative</b> KM Micro	<b>Negative</b> AP ALS Micro	<b>Negative</b> Amylase
RFLZM4	<b>Positive/Indicative</b> KM	<b>Negative</b> AP ALS	<b>Not Tested</b>
RQJ3R7	<b>Positive/Indicative</b> ABAcad HemaTrace	<b>Negative</b> ABAcad p30 ALS	<b>Not Tested</b>
RQWTP4	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Negative</b> AP	<b>Not Tested</b> Laboratory only routinely examines for blood and semen in sexual assault cases.

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
RRR93Z	Positive/Indicative KM	Negative AP ALS	Not Tested
T764WM	Positive/Indicative Hemastix Luminol <u>Other Tests Performed</u> Epithelial skin cells - removed	Negative Brentamine	Not Tested
TK8D2W	Positive/Indicative Hemastix test	Negative Brentamine test	Not Tested
TLZ47B	Positive/Indicative KM	Negative ALS Micro P30	Not Tested
TQD8L6	Positive/Indicative KM	Negative AP	Not Tested
TYRWJD	Positive/Indicative KM Modified Takayama	Negative AP	Negative Phadebas
TYRWLY	Positive/Indicative Hemastix HemaTrace <u>Other Tests Performed</u> ALS	Negative AP	Negative RSID
U2EUK4	Positive/Indicative LMG HemaTrace Ouchterlony <u>Other Tests Performed</u> Body Fluids - ALS	Negative AP	Not Tested
U2QQP9	Positive/Indicative Phenolphthalein HemaTrace	Negative ALS AP	Negative Saligae

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
U6QZMG	<b>Positive/Indicative</b> OT Hematrace	<b>Negative</b> ALS AP Micro RSID-semenogelin	<b>Negative</b> ALS RSID-amylase
U74A29	<b>Positive/Indicative</b> O-tol Hematrace	<b>Negative</b> ALS AP Micro RSID - Semen	<b>Negative</b> RSID - Saliva
UBXEHL	<b>Positive/Indicative</b> KM	<b>Negative</b> ALS	<b>Not Tested</b> Positive for KM, didn't want to consume sample.
UCRBUL	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> Brentamine	<b>Not Tested</b> tests for saliva are not done in our lab
UEFMR7	<b>Positive/Indicative</b> LMG HemaTrace	<b>Negative</b> ALS AP PSA Micro	<b>Not Tested</b>
UFAADV	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Not Tested</b> Not necessary per case circumstances
UL2HUV	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
UMU9ZB	<b>Positive/Indicative</b> KM	<b>Negative</b> ALS Micro P30	<b>Not Tested</b>
UVLQKX	<b>Positive/Indicative</b> Phenolphthalein <u>Other Tests Performed</u> Alternate light source	<b>Negative</b> Acid Phosphatase	<b>Negative</b> RSID - Saliva

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
V4EPPF	<b>Positive/Indicative</b> Visual Exam Benzidine Test Hemoglobin Kit	<b>Negative</b> AP (Acid Phosphatase) PSA Kit Microscopic Test	<b>Not Tested</b>
VCRDH6	<b>Positive/Indicative</b> LMG HemaTrace  <u>Other Tests Performed</u> Body Fluid - Visual Exam	<b>Negative</b> ALS AP Micro P30 card	<b>Not Tested</b> This test is not offered in our laboratory.
VPEL84	<b>Positive/Indicative</b> Phenolphthalein HemaTrace <u>Other Tests Performed</u> semen/saliva - ALS	<b>Negative</b> AP	<b>Negative</b> RSID -saliva
WGTNT	<b>Positive/Indicative</b> KM	<b>Negative</b> AP	<b>Negative</b> RSID
VZBMLU	<b>Positive/Indicative</b> KM Hemastix Luminol	<b>Negative</b> AP	<b>Not Tested</b> Extraction type for saliva and blood samples are the same. Conserving sample.
W3DVDC	<b>Positive/Indicative</b> Kastle Meyer Hematrace	<b>Negative</b> ALS AP P30	<b>Not Tested</b> Saliva test not conducted at this lab
W4AJJE	<b>Positive/Indicative</b> LMG RSID-Blood  <u>Other Tests Performed</u> Urine - RSID-Urine	<b>Negative</b> AP RSID-Semen Micro	<b>Negative</b> RSID-Saliva
WLPTHU	<b>Positive/Indicative</b> Human Blood	<b>Negative</b> Christmas Tree PSA	<b>Not Tested</b> Our laboratory does not perform test to identify saliva



Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
WUGAZW	<b>Positive/Indicative</b> Hemastix HemaTrace  <u>Other Tests Performed</u> alternate light source	<b>Negative</b> Acid Phosphatase PSA Microscopic exam- sperm cells	<b>Negative</b> RSID-saliva
WYVLA7	<b>Positive/Indicative</b> Visual KM HemaTrace	<b>Negative</b> ALS AP	<b>Negative</b> ALS
X3RUT8	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Negative</b> AP	<b>Not Tested</b> Saliva not routinely tested in sexual assault cases unless specifically requested.
X4P4UN	<b>Positive/Indicative</b> KM	<b>Negative</b> ALS AP	<b>Negative</b> ALS
XARAGU	<b>Positive/Indicative</b> Immunochromatography	<b>Negative</b> Christmas Tree Stain (Micro) PSA	<b>Not Tested</b>
XBLXX4	<b>Positive/Indicative</b> KM HemaTrace  <u>Other Tests Performed</u> Saliva - ALS	<b>Negative</b> AP ALS	<b>Not Tested</b> No Fluorescent staining observed. No saliva testing required per agency policy.
XCFPX2	<b>Positive/Indicative</b> KM HemaTrace <u>Other Tests Performed</u> Semen/Saliva - ALS	<b>Not Tested</b> ALS Negative	<b>Not Tested</b> ALS Negative
XH66M9	<b>Positive/Indicative</b> KM Takayama	<b>Negative</b> AP	<b>Negative</b> Phadebas Amylase Test

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
XUUC7H	<b>Positive/Indicative</b> KM RSID	<b>Not Tested</b>	<b>Not Tested</b>
Y8KEBV	<b>Positive/Indicative</b> KM	<b>Negative</b> AP ALS	<b>Not Tested</b>
YA4A2F	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> Amylase Radial Diffusion Micro
YHKA9	<b>Positive/Indicative</b> KM Hematrace	<b>Negative</b> ALS AP	<b>Not Tested</b> Tests are not performed at the lab.
YJA9MP	<b>Positive/Indicative</b> Hematix[sic]	<b>Negative</b> Brentamine	<b>Not Tested</b>
YK4YT4	<b>Positive/Indicative</b> Phenolphthalein - KM	<b>Negative</b> P30 Microscopic exam	<b>Not Tested</b>
YKPATX	<b>Positive/Indicative</b> KM Bluestar Hexagon OBTI	<b>Negative</b> AP	<b>Not Tested</b>
YR66KY	<b>Positive/Indicative</b> KM Visual examination	<b>Negative</b> AP	<b>Negative</b> Phadebas
YRNZ3Z	<b>Positive/Indicative</b> TMB HemaTrace <u>Other Tests Performed</u> Semen/Saliva - Alternate Light Source	<b>Negative</b> AP Micro	<b>Negative</b> RSID Saliva
YWLDZD	<b>Positive/Indicative</b> KM Test	<b>Negative</b> AP Test	<b>Negative</b> Phadebas

Table 1 - Item 5

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
Z6BNKR	<b>Positive/Indicative</b> Human Blood by Inmuno- chromatography[sic]	<b>Negative</b> Micro PSA	<b>Not Tested</b>
ZBJTNX	<b>Positive/Indicative</b> KM HemaTrace	<b>Not Tested</b> Not indicated by scenario	<b>Not Tested</b> Not indicated by scenario
ZBXEXZ	<b>Positive/Indicative</b> TMB HT <u>Other Tests Performed</u> Alternate Light Source	<b>Not Tested</b>	<b>Not Tested</b>
ZG3F7V	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony <u>Other Tests Performed</u> Biological fluids - ALS	<b>Negative</b> AP	<b>Not Tested</b>
ZQAW7M	<b>Positive/Indicative</b> KM Hemastix HemaTrace	<b>Negative</b> AP ALS	<b>Negative</b> RSID saliva
ZTEKGX	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> PSA Micro exam for sperm	<b>Negative</b> RSID
ZUCUFU	<b>Positive/Indicative</b> Hemastix KM HemaTrace	<b>Negative</b> AP PSA Micro	<b>Negative</b> RSID

**Response Summary for Table 1 - Item 5**

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	216	1	1
Negative	0	205	104
Inconclusive	0	0	5
Not Tested (NT)	0	10	105

# Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
27VVBR	Positive/Indicative Hemastix HemaTrace <u>Other Tests Performed</u> ALS	Positive/Indicative Acid Phosphatase Micro	Inconclusive RSID
27XMCV	Positive/Indicative LMG HemaTrace Ouchterlony <u>Other Tests Performed</u> Biological Fluids - ALS	Positive/Indicative AP PSA Micro	Not Tested
29T3ZY	Positive/Indicative Visual (low power microscopy) KM	Positive/Indicative AP Microscopy	Negative Phadebas Forensic paper
2CNQHQ	Positive/Indicative O-tol. <u>Other Tests Performed</u> Blood/Semen - ALS (see Additional Comments)	Positive/Indicative AP	Not Tested Not trained to perform this test.
2VXXL8	Positive/Indicative O-tol Human Abacard	Positive/Indicative ALS AP Micro	Negative RSID Saliva
2WV7UQ	Positive/Indicative Hemastix	Positive/Indicative AP Micro	Not Tested
2XRL7M	Positive/Indicative KM HemaTrace Luminol	Negative AP	Negative RSID-Saliva
3B92LR	Positive/Indicative Hemastix HemaTrace ALS	Positive/Indicative AP PSA Micro ALS	Negative RSID ALS

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
3M6XUL	<b>Positive/Indicative</b> LMG	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> Amylase Diffusion
47A3JT	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony (human) <u>Other Tests Performed</u> Body Fluids - ALS	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b>
4PPCMF	<b>Negative</b> Lum <u>Other Tests Performed</u> Poss High Friction - swabbed entire rag Poss Hair - visual inspection	<b>Positive/Indicative</b> Brent/AP	<b>Not Tested</b>
4TK8BT	<b>Positive/Indicative</b> KM Modified Takayama	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Phadebas
62WEWN	<b>Positive/Indicative</b> Micro KM	<b>Positive/Indicative</b> ALS FBB Micro	<b>Inconclusive</b> ALS Amylase
634WHT	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Positive/Indicative</b> ALS AP PSA	<b>Not Tested</b>
66ET2C	KM	AP	
68HJGC	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> AP P30 micro sperm ALS	
6BYZLP	<b>Positive/Indicative</b> Phenolphthalein	<b>Positive/Indicative</b> Acid Phosphatase alternate light source	<b>Not Tested</b>

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
6DN9VQ	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Positive/Indicative</b> AP RSID-Semen PSA	<b>Not Tested</b> Saliva test not routinely conducted in sexual assault cases. Saliva test is only performed when specifically requested for by the client.
6ELHUM	<b>Not Tested</b> No red/brown stains observed after visual examination  <u>Other Tests Performed</u> Blood/semen/saliva - Visual examination Semen/saliva - ALS	<b>Not Tested</b> No stains observed upon visual examination and with aid of alternate light source	<b>Not Tested</b> No stains observed upon visual examination and with aid of alternate light source
6JA3X3	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> AP Micro PSA	<b>Not Tested</b>
6KBWTG	<b>Positive/Indicative</b> KM SERATEC Hemoglobin  <u>Other Tests Performed</u> ALS	<b>Positive/Indicative</b> AP Micro SERATEC PSA	<b>Negative</b> RSID Saliva
6LJAYB	<b>Positive/Indicative</b> ALS (Infrared) KM HemaTrace	<b>Positive/Indicative</b> ALS AP Micro PSA	<b>Not Tested</b>
6XCW7Q	<b>Positive/Indicative</b> Visual LMG HemaTrace	<b>Positive/Indicative</b> ALS AP P30 Micro	<b>Negative</b> RSID saliva ALS
74EZWP	<b>Positive/Indicative</b> Phenolphthalein HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID-saliva

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
78Y3PG	<b>Positive/Indicative</b> LMG HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> Amylase Diffusion
7EEQFC	<b>Positive/Indicative</b> KM Luminol	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
7EXD8U	Occult blood Rapid Test (Cassette) immuno- chromatographic[sic]	Micro (Christmas Tree)	<b>Not Tested</b>
7G4YMR	<b>Positive/Indicative</b> Visual Examination ABACard Hematrace	<b>Positive/Indicative</b> ABACard p30 Alternate Light Source	<b>Not Tested</b>
7MQUMB	<b>Positive/Indicative</b> KM HemaTrace Crime -lite (IR)-> ALS	<b>Positive/Indicative</b> AP Micro PSA ALS (crime lite)	<b>Not Tested</b>
7R4Q4K	<b>Positive/Indicative</b> Thevenon Roland Test Occult Blood Cassette	<b>Positive/Indicative</b> Christmas Tree PSA Test Cassette	<b>Not Tested</b>
7TY8FH	<b>Negative</b> Luminol	<b>Negative</b> AP (Brentamine test)	<b>Not Tested</b>
826CWP	<b>Positive/Indicative</b> ALS KM HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID
88XE3B	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Not Tested</b> Case scenario indicated a sexual assault of the victim, semen was found on this item.

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
8BDX6D	<b>Positive/Indicative</b> LMG Hema Trace  <u>Other Tests Performed</u> ALS	<b>Positive/Indicative</b> AP AP Mapping Micro	<b>Negative</b> Gel diffusion amylase mapping
8GM26F	<b>Positive/Indicative</b> TMB HemDirect - Seratec	<b>Positive/Indicative</b> AP PSA - Seratec Micro	<b>Negative</b> Amylase - Seratec
8JRL4L	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> BCIP Micro	<b>Not Tested</b> Provided scenario and positive sperm search and KM, would not test further.
8LF6YR	<b>Positive/Indicative</b> KM HemaTrace  <u>Other Tests Performed</u> semen/saliva - ALS	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID
8PXHML	<b>Positive/Indicative</b> Micro KM	<b>Positive/Indicative</b> ALS FBB Micro	<b>Negative</b> Amylase
8QMXTM	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> ALS* *Fluorescence masked by blood AP Micro	<b>Negative</b> ALS** ** Due to scenario of case, saliva was not tested further
8XMEBV	<b>Negative</b> Phenolphthalein HemaTrace	<b>Negative</b> AP p30/PSA Slide/Microscopic Exam	<b>Negative</b> ALS SALIgAE
8YHUNR	<b>Positive/Indicative</b> Occult blood immunochromatography (Orgenics)	<b>Positive/Indicative</b> Christmas tree Stain	<b>Not Tested</b>



Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
8YHUPD	Positive/Indicative KM	Positive/Indicative AP	Negative Phadebas
93CD3V	Positive/Indicative KM Hexagon OBTI	Positive/Indicative AP RSID-Semen PSA	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specified.
9AUMG6	Positive/Indicative LMG Ouchterlony	Positive/Indicative AP Micro	Negative Amylase Radial Diffusion Micro
9CXHZ9	Positive/Indicative KM	Positive/Indicative AP Micro PSA	Not Tested
9PBC4L	Positive/Indicative LMG Hematrace	Positive/Indicative ALS AP 1-step Micro PSA AP Mapping	Negative Amylase Mapping
9YDWWG	Positive/Indicative KM	Positive/Indicative AP PSA Micro	Not Tested Item examined under ALS - one area of fluorescence that was AP positive, PSA positive, and Micro positive
A3QZ8G	Positive/Indicative KM Hemastix	Positive/Indicative AP PSA Micro	Negative RSID
A4QRLC	Positive/Indicative LMG HemaTrace	Positive/Indicative ALS AP Micro PSA AP Mapping	Negative Amylase diffusion Amylase mapping

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
A9XMU6	<b>Negative</b> Hemastix Luminol <u>Other Tests Performed</u> Possible Epithelial Cells - Removed	<b>Negative</b> Brentamine	<b>Not Tested</b>
ABK7ZH	<b>Positive/Indicative</b> KM HemaTrace <u>Other Tests Performed</u> Non specific - alternate light source	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID - saliva
ACHAZK	<b>Positive/Indicative</b> LMG HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> Amylase Diffusion
AFZJ26	<b>Positive/Indicative</b> O-tol	<b>Positive/Indicative</b> AP, Micro	<b>Negative</b> RSID Saliva
AH64QQ	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
AL6CXL	<b>Negative</b> Phenolphthalein <u>Other Tests Performed</u> semen/saliva - ALS	<b>Negative</b> AP	<b>Not Tested</b>
ANBTEP	<b>Positive/Indicative</b> O-Tol HemaTrace	<b>Positive/Indicative</b> AP Micro RSID Semen	<b>Negative</b> ALS RSID Saliva
AY83N8	<b>Positive/Indicative</b> Hemastix <u>Other Tests Performed</u> Presumable Sweat removed	<b>Positive/Indicative</b> Brentamine	<b>Not Tested</b> Not done in our lab
C4F3X4	<b>Negative</b> Hemastix Luminol <u>Other Tests Performed</u> Epithelial cells - removed	<b>Negative</b> Brentamine	<b>Not Tested</b>

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
C74HEC	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS
C8ZN4H	<b>Positive/Indicative</b> LMG Hematrace	<b>Positive/Indicative</b> ALS AP Mapping AP Micro	<b>Negative</b> ALS Amylase mapping Amylase diffusion
CDMJUF	<b>Positive/Indicative</b> Thevenon and Roland (Piramidon) Occult Blood Card Test (Organics)	<b>Positive/Indicative</b> Christmas Tree Stained Slide (micro) Prostate Antigen Specific PSA (organics)	<b>Not Tested</b>
CGPKWY	<b>Negative</b> KM Hemoglobin Immunochromatography	<b>Negative</b> AP PSA Micro	<b>Negative</b> Phadebas Amylase Test
CGZN9A	<b>Positive/Indicative</b> Phenolphthalein HemaTrace <u>Other Tests Performed</u> Semen/saliva - ALS	<b>Positive/Indicative</b> Acid Phosphatase Micro	<b>Not Tested</b>
CKKFHR	<b>Positive/Indicative</b> O-Tol HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Not Tested</b> Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)
CLF29W	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> Phadebas
CM9PUD	<b>Positive/Indicative</b> KM	<b>Not Tested</b> no apparent staining consistent with semen observed	<b>Not Tested</b> no apparent staining consistent with saliva observed

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
CMBFVG	<b>Positive/Indicative</b> TMB HemaTrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> Radial Diffusion
CPDEWM	<b>Positive/Indicative</b> Visual LMG HemaTrace	<b>Positive/Indicative</b> ALS AP ABA P30 Micro	<b>Negative</b> ALS RSID
CWFH8E	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> AP PSA	<b>Negative</b> Phadebas
DLA4FD	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> AP PSA (Abacus) Micro	<b>Negative</b> RSID
DLCUGG	<b>Positive/Indicative</b> KM (indirect)	<b>Positive/Indicative</b> AP (indirect) AP (direct) ALS	<b>Not Tested</b>
DTWPK7	<b>Negative</b> Luminol  <u>Other Tests Performed</u> Epithelial Cells - High Friction Examined Exhibit for Hair	<b>Positive/Indicative</b> AP	<b>Not Tested</b> No testing is required on this exhibit
DYLCFJ	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> ALS AP p30 Micro	<b>Not Tested</b> N/A to scenario.
E8AHM3	<b>Positive/Indicative</b> Hemastix	<b>Negative</b> Brentamine	<b>Not Tested</b> Saliva Tests not done in our laboratory.

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
E8AKBL	<b>Not Tested</b> Not performed due to no staining observed.  <u>Other Tests Performed</u> ALS	<b>Not Tested</b> Not performed due to no fluorescence/staining observed.	<b>Not Tested</b> This test is not offered at this laboratory.
EDDMD2	<b>Negative</b> Luminol  <u>Other Tests Performed</u> Sweat- Presumable sweat	<b>Positive/Indicative</b> Brentamine	
EDXAXP	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Not Tested</b> The case scenario does not indicate oral contact.
ELTADH	<b>Positive/Indicative</b> KM HT  <u>Other Tests Performed</u> ALS	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
EMZK47	<b>Positive/Indicative</b> O-tolidine HemDirect	<b>Positive/Indicative</b> Acid Phosphatase P30	<b>Negative</b> Amylase Diffusion
EP6DVK	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony <u>Other Tests Performed</u> Biological fluids - ALS	<b>Negative</b> AP	<b>Not Tested</b>
FKRYRY	<b>Positive/Indicative</b> ALS Stereomicroscope LMG ABA Hematrace	<b>Positive/Indicative</b> ALS AP PSA Micro (spermatozoa)	<b>Negative</b> ALS Amylase Radial Diffusion Micro (NECs)
FVRLN3	<b>Positive/Indicative</b> Hemastix Luminol	<b>Negative</b> AP	<b>Negative</b> RSID Saliva

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
FY6A8Z	Positive/Indicative KM	Positive/Indicative ALS AP MICRO	Negative AMYLASE
G2WMKP	Positive/Indicative KM Hematrace	Positive/Indicative AP micro PSA	Negative Phadebas
G399G7	Positive/Indicative O-tol	Positive/Indicative AP Micro	Negative RSID saliva
G436K7	Positive/Indicative KM	Positive/Indicative AP Microscopic	Negative RSID Saliva
G6YEH	Positive/Indicative TMB	Positive/Indicative AP Microscopy	Negative Phadebas
G8HHLU	Positive/Indicative O-tol HemaTrace	Positive/Indicative AP Micro ALS	Negative RSID
GCCAVC	Positive/Indicative Hemastix KM HemaTrace <u>Other Tests Performed</u> Various - ALS	Positive/Indicative AP PSA Micro (Sperm)	Negative RSID
GELEAZ	Positive/Indicative KM HemaTrace Luminol	Positive/Indicative AP PSA Micro	Negative RSID-Saliva
GJBYBV	Positive/Indicative O-tol Hematrace	Positive/Indicative ALS AP Micro	Negative ALS RSID - Saliva

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
GLJ93R	<b>Positive/Indicative</b> O-tol Hematrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID-saliva
GPJHB9	<b>Positive/Indicative</b> Luminol KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID Saliva
GVATHD	<b>Positive/Indicative</b> KM Hema Trace  <u>Other Tests Performed</u> Semen, Urine, Saliva - ALS	<b>Positive/Indicative</b> AP RSID Semen	<b>Not Tested</b> Laboratory does not perform test on saliva per laboratory policy.
GVM6LW	<b>Negative</b> O-tol	<b>Negative</b> ALS AP PSA Micro	<b>Not Tested</b>
H28WY9	<b>Positive/Indicative</b> Visual exam of item Microscopic exam of item KM	<b>Positive/Indicative</b> AP X-Mas	<b>Negative</b> Amylase
H6P4AP	<b>Positive/Indicative</b> KM HemaTrace Luminol	<b>Positive/Indicative</b> AP Micro ALS	<b>Not Tested</b>
HAP9CA	<b>Negative</b> KM	<b>Negative</b> BCIP/AP	<b>Not Tested</b>
HDLU4C	<b>Positive/Indicative</b> LMG Hematrace	<b>Positive/Indicative</b> AP Micro PSA ALS	<b>Negative</b> Amylase Diffusion

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
HFADXH	<b>Positive/Indicative</b> TMB HemaTrace <u>Other Tests Performed</u> Semen/Saliva - Alternate light source	<b>Positive/Indicative</b> AP Microscopic sperm search	<b>Not Tested</b>
HFWLAB	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Not Tested</b>
HLZLH4	<b>Negative</b> visual	<b>Negative</b> ALS	<b>Negative</b> ALS
HRH4MY	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Amylase Radial Diffusion
HTWKX6	<b>Positive/Indicative</b> KM Hemastix	<b>Positive/Indicative</b> AP Micro PSA ALS	<b>Negative</b> RSID ALS
HXNZ7Y	<b>Positive/Indicative</b> KM TMB HemaTrace	<b>Not Tested</b>	<b>Negative</b> Phadebas mapping
JF9YZ4	<b>Positive/Indicative</b> Visual exam KM test - spot test	<b>Positive/Indicative</b> AP press test Microscopic exam	<b>Negative</b> Phadebas tube test
JNJYNX	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> AP Micro Seratec PSA ABA p30	<b>Not Tested</b>



Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
JPEGX2	<b>Negative</b> Luminol	<b>Positive/Indicative</b> Brentamine - AP	<b>Not Tested</b> Saliva test not done at the laboratory and saliva tests not required for this exhibit.
<u>Other Tests Performed</u> Epithelial Cells - High friction from exhibit Hair - Visual test: Examined to remove possible hair from exhibit			
JPQGJM	<b>Positive/Indicative</b> KM Modified Takayama	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Phadebas Amylase Test
JRZHPF	<b>Positive/Indicative</b> TMB HemaTrace ALS Luminol	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> Phadebas amylase - paper
JX6BKX	<b>Positive/Indicative</b> Visual ALS LMG	<b>Positive/Indicative</b> Visual ALS AP	<b>Not Tested</b> We do not test for this
K26P8Z	<b>Positive/Indicative</b> LMG HemaTrace	<b>Positive/Indicative</b> AP Micro PSA ALS	<b>Negative</b> Amylase Diffusion
K6MVGV	<b>Positive/Indicative</b> TMB	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Amylase Radial Diffusion
K8VYFD	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> AP microscopy for sperm	<b>Negative</b> Phadebas paper
KAE32P	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
KAJGJ7	<b>Positive/Indicative</b> THEVENON-ROLAND/ PIRAMIDON OCCULT BLOOD-RAPIDSIGNAL	<b>Positive/Indicative</b> MICROSCOPIC PSA-RAPIDSIGNAL	<b>Not Tested</b>
KERW62	<b>Positive/Indicative</b> LMG hematrace	<b>Positive/Indicative</b> AcP PSA Micro	<b>Negative</b> amylase diffusion
KLQNY4	<b>Negative</b> Luminol	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
KTAVMM	<b>Positive/Indicative</b> O-tol HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> RSID
KVCUY2	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> ALS AP Micro PSA	<b>Negative</b> ALS RSID
KVCWMK	<b>Positive/Indicative</b> Visual Exam KM HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID
KZR8ZN	<b>Positive/Indicative</b> O-Tol Hematrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID
L3VGAW	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID Saliva

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
LAQJB9	<b>Positive/Indicative</b> Hemastix HemaTrace  <u>Other Tests Performed</u> Miscellaneous -ALS	<b>Negative</b> AP Micro PSA	<b>Negative</b> RSID
LBK3EV	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID
LGC967	<b>Positive/Indicative</b> Immunochromatography for human blood	<b>Positive/Indicative</b> Christmas tree stain	<b>Not Tested</b> Our laboratory not included[sic] in the portfolio of service testing for the presence of saliva
LN9AAB	<b>Positive/Indicative</b> KM Takayama <u>Other Tests Performed</u> Ouchterlony - 9 species (see Comments)	<b>Positive/Indicative</b> AP Micro - Christmas Tree Stain	<b>Negative</b> Phadebas
LUTD4L	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> Amylase
LZ2P8D	<b>Positive/Indicative</b> Visual (LED Light) ALS (Violet light) LMG HemaTrace	<b>Negative</b> ALS Microscopic examination P30	<b>Not Tested</b> Test not offered
M834UZ	<b>Negative</b> o-tolidine	<b>Negative</b> ALS acid phosphatase	<b>Not Tested</b>
M8KCJV	<b>Negative</b> Luminol <u>Other Tests Performed</u> Collected high friction	<b>Positive/Indicative</b> Brentamine/AP	<b>Not Tested</b> No evidential value

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
MAQUQC	<b>Negative</b> O-Tol HemaTrace	<b>Negative</b> AP P30 Micro	<b>Negative</b> RSID
MJWKJ2	<b>Positive/Indicative</b> Luminol	<b>Positive/Indicative</b> Brentamine (AP)	<b>Not Tested</b>
MK4W24	<b>Positive/Indicative</b> Occult Blood Casstte[sic]	<b>Positive/Indicative</b> Christmas Tree Coloration	<b>Not Tested</b>
MLJZZA	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID
MMRAT8	<b>Positive/Indicative</b> Luminol KM	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID
MRN2YH	<b>Positive/Indicative</b> KM, Mod Taka	<b>Positive/Indicative</b> AP, Micro	<b>Negative</b> Phadebas (α-Amylase)
MW4MTB	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Positive/Indicative</b> ALS (polilight) AP Microscopy	<b>Not Tested</b>
MYLQFM	<b>Positive/Indicative</b> O-tol Hematrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> RSID
N9TM26	<b>Positive/Indicative</b> Hemastix HemaTrace PTMB <u>Other Tests Performed</u> ALS	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> RSID

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
NBJJG	<b>Positive/Indicative</b> Visual KM HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID
NLVDQ6	<b>Positive/Indicative</b> TMB Hematrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> Amylase
NLWA22	<b>Negative</b> Lum	<b>Positive/Indicative</b> Brent	<b>Not Tested</b>
NMQZ8F	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> Micro ALS	<b>Not Tested</b>
NNKJB3	<b>Positive/Indicative</b> Thevenon Roland Test Occult Blood Cassette	<b>Positive/Indicative</b> Christmas Tree PSA Test Cassette	<b>Not Tested</b>
NQNEU6	<b>Positive/Indicative</b> TMD HemaTrace	<b>Positive/Indicative</b> AP PSA Microscopic	<b>Negative</b> Amylase radial diffusion
NUDFBY	<b>Positive/Indicative</b> Item 6A: O-tol	<b>Positive/Indicative</b> Item 6A: AP, Micro	<b>Negative</b> Item 6A: RSID
NV8DEZ	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b> allegations did not support
NVMV7Y	<b>Positive/Indicative</b> Luminol	<b>Positive/Indicative</b> AP (Brentamine)	<b>Not Tested</b>

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
P3LF9U	<b>Negative</b> Luminol  <u>Other Tests Performed</u> Epithelial cells - High Friction Exhibit examined for hair (a visual test is done)	<b>Positive/Indicative</b> AP	<b>Not Tested</b> No testing required on this exhibit (saliva test not done at the laboratory)
P8EKQQ	<b>Positive/Indicative</b> KM HemaTrace	<b>Positive/Indicative</b> AP P30 Microscopy ALS	<b>Not Tested</b>
P8QFAW	<b>Positive/Indicative</b> Phenolphthalein HemaTrace	<b>Positive/Indicative</b> alternate light source AP Micro PSA	<b>Negative</b> alternate light source RSID- saliva
PBB8JE	<b>Positive/Indicative</b> Visual Exam KM HemaTrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID
PCM4Q4	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Positive/Indicative</b> ALS AP Microscopic Exam PSA	<b>Negative</b> ALS RSID-saliva
PGHXMK	<b>Positive/Indicative</b> O-Tol Hematrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Positive/Indicative</b> RSID
PUQFU3	<b>Positive/Indicative</b> RAPID SIGNAL OCCULT BLOOD THEVENON ROLAND-PIRAMIDON	<b>Positive/Indicative</b> MICRO PSA	<b>Not Tested</b>

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
Q9JNQ8	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony-Human <u>Other Tests Performed</u> Biological Fluids - ALS	<b>Positive/Indicative</b> AP PSA Micro	<b>Not Tested</b>
QGVPDF	<b>Positive/Indicative</b> KM Takayama	<b>Positive/Indicative</b> AP Micro PSA	<b>Negative</b> Phadebas-Amylase
QP6ABX	<b>Negative</b> Luminol	<b>Negative</b> Brentamine (AP)	<b>Not Tested</b>
QPTEXQ	<b>Positive/Indicative</b> KM	<b>Positive/Indicative</b> AP PSA (ABACard p30) Micro	<b>Negative</b> RSID
QTUEGW	<b>Positive/Indicative</b> LMG HemaTrace	<b>Positive/Indicative</b> ALS AP Micro PSA	<b>Negative</b> Amylase Diffusion
QU4KH4	<b>Positive/Indicative</b> LMG	<b>Positive/Indicative</b> AP Micro ALS	<b>Negative</b> amylase radial diffusion ALS
R3UDJ3	<b>Positive/Indicative</b> HS HT  <u>Other Tests Performed</u> ALS	<b>Positive/Indicative</b> AP Micro P30	<b>Negative</b> RSID
RDEWMY	<b>Positive/Indicative</b> KM Micro	<b>Positive/Indicative</b> AP ALS Micro	<b>Negative</b> Amylase

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
RFLZM4	Positive/Indicative KM	Positive/Indicative AP ALS	Not Tested
RQJ3R7	Positive/Indicative ABACard HemaTrace	Positive/Indicative ABACard p30 ALS	Not Tested
RQWTP4	Positive/Indicative KM Hexagon OBTI	Positive/Indicative AP RSID-Semen PSA	Not Tested Laboratory only routinely examines for blood and semen in sexual assault cases.
RRR93Z	Positive/Indicative KM	Positive/Indicative AP ALS	Not Tested
T764WM	Negative Hemastix Luminol <u>Other Tests Performed</u> Epithelial skin cells - removed	Negative Brentamine	Not Tested
TK8D2W	Negative Luminol test <u>Other Tests Performed</u> Presumable - skin cells	Negative Brentamine test	Not Tested
TLZ47B	Positive/Indicative KM	Positive/Indicative ALS Micro	Not Tested
TQD8L6	Positive/Indicative KM	Positive/Indicative AP PSA Microscopic exam for Sperm Cells	Not Tested
TYRWJD	Positive/Indicative KM Modified Takayama	Positive/Indicative AP PSA Micro	Negative Phadebas



Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
TYRWLY	<b>Negative</b> Visual Exam	<b>Negative</b> AP Visual Exam	<b>Negative</b> ALS Visual Exam
U2EUK4	<b>Positive/Indicative</b> LMG HemaTrace Ouchterlony <u>Other Tests Performed</u> Bodily Fluids - ALS	<b>Positive/Indicative</b> AP PSA Microscopic examination	<b>Not Tested</b>
U2QQP9	<b>Negative</b> Phenolphthalein HemaTrace	<b>Negative</b> ALS AP P30	<b>Negative</b> Saligae
U6QZMG	<b>Positive/Indicative</b> OT Hematrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS RSID-amylase
U74A29	<b>Positive/Indicative</b> O-tol Hematrace	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> RSID - Saliva
UBXEHL	<b>Positive/Indicative</b> KM	<b>Negative</b> ALS	<b>Not Tested</b> Positive for KM, didn't want to consume sample.
UCRBUL	<b>Negative</b> Luminol  <u>Other Tests Performed</u> Presumable sweat	<b>Positive/Indicative</b> Brentamine	<b>Not Tested</b> Test for saliva not done in our lab
UEFMR7	<b>Positive/Indicative</b> LMG HemaTrace	<b>Positive/Indicative</b> ALS AP PSA Micro	<b>Not Tested</b>

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
UFAADV	Positive/Indicative KM	Positive/Indicative AP Micro PSA	Negative RSID Saliva
UL2HUV	Negative Luminol	Positive/Indicative Brentamine (AP)	Not Tested
UMU9ZB	Positive/Indicative KM	Positive/Indicative Micro ALS	Not Tested
UVLQKX	Positive/Indicative Phenolphthalein  <u>Other Tests Performed</u> alternate light source	Positive/Indicative Acid Phosphatase Microscopic	Negative RSID -Saliva
V4EPPF	Positive/Indicative Visual Exam Benzidine Test Hemoglobin Kit	Positive/Indicative AP (Acid Phosphatase) PSA Kit Microscopic Test	Not Tested
VCRDH6	Positive/Indicative LMG HemaTrace  <u>Other Tests Performed</u> Body Fluid - Visual Exam	Positive/Indicative ALS (very faint) AP Micro	Not Tested This test is not offered in our laboratory.
VPEL84	Positive/Indicative Phenolphthalein HemaTrace <u>Other Tests Performed</u> Semen/saliva - ALS	Positive/Indicative AP Micro	Negative RSID saliva
VWGTNT	Positive/Indicative KM  <u>Other Tests Performed</u> ALS	Positive/Indicative AP PSA Micro	Negative RSID

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
VZBMLU	<b>Positive/Indicative</b> KM Hemastix Luminol	<b>Positive/Indicative</b> AP P30 Micro	<b>Not Tested</b> Extraction type = differential. Conserving sample.
W3DVDC	<b>Positive/Indicative</b> Kastle Meyer Hematrace	<b>Positive/Indicative</b> ALS AP P30	<b>Not Tested</b> Saliva test is not conducted at this lab.
W4AJJE	<b>Negative</b> LMG RSID-Blood  <u>Other Tests Performed</u> Urine - RSID-Urine	<b>Negative</b> AP RSID-Semen Micro	<b>Negative</b> RSID-Saliva
WLPTHU	<b>Positive/Indicative</b> Human Blood	<b>Positive/Indicative</b> Christmas Tree PSA	<b>Not Tested</b> Our laboratory does not perform test to identify saliva
WUGAZW	<b>Positive/Indicative</b> Hemastix HemaTrace  <u>Other Tests Performed</u> alternate light source	<b>Positive/Indicative</b> Acid Phosphatase PSA Microscopic exam - sperm cells	<b>Negative</b> RSID - Saliva
WYVLA7	<b>Positive/Indicative</b> Visual KM HemaTrace	<b>Positive/Indicative</b> ALS AP PSA Micro	<b>Not Tested</b>
X3RUT8	<b>Positive/Indicative</b> KM Hexagon OBTI	<b>Positive/Indicative</b> AP PSA RSID-Semen	<b>Not Tested</b> Saliva not routinely tested in sexual assault cases unless specifically requested.
X4P4UN	<b>Positive/Indicative</b> Luminol KM	<b>Positive/Indicative</b> ALS AP Micro	<b>Negative</b> ALS

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
XARAGU	<b>Positive/Indicative</b> Immunochromatography	<b>Negative</b> Christmas Tree Stain (Micro) PSA	<b>Not Tested</b>
XBLXX4	<b>Not Tested</b> No staining (blood-like or otherwise) observed on item. No blood testing required per agency policy.  <u>Other Tests Performed</u> Semen - ALS Saliva - ALS	<b>Not Tested</b> No staining (semen-like, fluorescent, or otherwise) observed on item. No semen testing required per agency policy.	<b>Not Tested</b> No staining (saliva-like, fluorescent, or otherwise) observed on item. No saliva testing required per agency policy.
XCFPX2	<b>Positive/Indicative</b> Luminol KM HemaTrace <u>Other Tests Performed</u> Semen/Saliva - ALS	<b>Not Tested</b> ALS Negative	<b>Not Tested</b> ALS Negative
XH66M9	<b>Positive/Indicative</b> KM Takayama	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Phadebas Amylase Test
XUUC7H	<b>Positive/Indicative</b> KM RSID	<b>Positive/Indicative</b> AP RSID Micro	<b>Not Tested</b>
Y8KEBV	<b>Positive/Indicative</b> KM	<b>Negative</b> AP ALS	<b>Not Tested</b>
YA4A2F	<b>Positive/Indicative</b> Hemastix HemaTrace	<b>Positive/Indicative</b> AP PSA Micro	<b>Negative</b> Amylase Radial Diffusion Micro
YHKTA9	<b>Positive/Indicative</b> KM Hematrace	<b>Positive/Indicative</b> ALS AP PSA	<b>Not Tested</b> Tests are not performed at the lab.

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
YJA9MP	<b>Positive/Indicative</b> Luminol	<b>Positive/Indicative</b> Brentamine	<b>Not Tested</b>
YK4YT4	<b>Positive/Indicative</b> Phenolphthalein-KM	<b>Positive/Indicative</b> Microscopic exam	<b>Not Tested</b>
YKPATX	<b>Positive/Indicative</b> KM Bluestar Hexagon OBTI	<b>Positive/Indicative</b> AP RSID-Semen PSA	<b>Not Tested</b>
YR66KY	<b>Negative</b> KM Visual examination	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> Phadebas
YRNZ3Z	<b>Positive/Indicative</b> TMB HemaTrace <u>Other Tests Performed</u> Semen/Saliva - Alternate light source	<b>Positive/Indicative</b> AP Micro	<b>Negative</b> RSID saliva
YWLDZD	<b>Positive/Indicative</b> KM Test	<b>Positive/Indicative</b> AP Test High Power Microscopy of slide	<b>Negative</b> Phadebas
Z6BNKR	<b>Positive/Indicative</b> Human Blood by Inmuno- chromatography[sic]	<b>Positive/Indicative</b> Micro	<b>Not Tested</b>
ZBJTNX	<b>Positive/Indicative</b> KM HemaTrace Luminol <u>Other Tests Performed</u> ALS	<b>Not Tested</b> Not indicated by scenario	<b>Not Tested</b> Not indicated by scenario
ZBXEXZ	<b>Positive/Indicative</b> Luminol TMB HT <u>Other Tests Performed</u> Alternate Light Source	<b>Not Tested</b>	<b>Not Tested</b>

Table 1 - Item 6

<b>Webcode</b>	<b>Blood Conclusion Tests Performed</b>	<b>Semen Conclusion Tests Performed</b>	<b>Saliva Conclusion Tests Performed</b>
ZG3F7V	Positive/Indicative LMG HemaTrace Ouchterlony <u>Other Tests Performed</u> Biological Fluids - ALS	Positive/Indicative AP PSA Micro	Not Tested
ZQAW7M	Positive/Indicative KM Hemastix HemaTrace Luminol	Positive/Indicative AP PSA Micro ALS	Negative RSID saliva
ZTEKGX	Positive/Indicative KM	Positive/Indicative PSA Micro exam for sperm	Negative RSID
ZUCUFU	Positive/Indicative Hemastix KM HemaTrace	Positive/Indicative AP PSA Micro	Negative RSID

**Response Summary for Table 1 - Item 6**

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	185	181	1
Negative	28	27	113
Inconclusive	0	0	2
Not Tested (NT)	3	8	99

# Serology Screening Results

Indicate the results of any screening tests performed on each Item.

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	Hemastix	Negative	6BYZLP	No visible red stain	
	HemaTrace	Negative	6DN9VQ	KM	Negative
	Phenolphthalein	Negative	6ELHUM	TMB	Negative
27XMCV	LMG	Negative		Hemastix	Negative
29T3ZY	Visual - reported as "no blood was observed"	Negative		HemaTrace	Negative
2CNQHQ	O-tol.	Negative		Luminol	Negative
2VXL8	O-tol	Negative	6JA3X3	KM	Negative
2WV7UQ	KM	Negative	6KBWTG	KM	Negative
	Hemastix	Negative		SERATEC Hemoglobin	Negative
	HemaTrace	Negative	6LJAYB	KM	Negative
2XRL7M	KM	Negative	6XCW7Q	Visual	Negative
	Hemastix	Negative	74EZWP	Phenolphthalein	Negative
	HemaTrace	Negative		HemaTrace (see comments section)	Pos./Ind.
	Luminol	Negative	78Y3PG	No red/brown discoloration observed	
3B92LR	Hemastix	Negative	7EEQFC	HemaTrace	Negative
	HemaTrace	Negative		TMB (Hemastix)	Negative
3M6XUL	LMG	Negative		KM	Negative
47A3JT	LMG	Negative		Luminol	Negative
4PPCMF	H-stix	Negative	7EXD8U	Thevenon-Roland (Piramidón)	Negative
	Luminol	Negative	7G4YMR	Visual Examination	Negative
4TK8BT	KM	Negative	7MQUMB	KM	Negative
62WEWN	Micro	Negative	7R4Q4K	Thevenon Roland Test	Negative
	KM	Negative		Occult blood Cassette	Negative
634WHT	O-tol	Negative	7TY8FH	Hem.	Negative
	HemaTrace	Negative		Luminol	Negative
66ET2C	KM	Negative	826CWP	KM	Negative
68HJGC	Swabs were not red in color				

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
88XE3B	Luminol	Negative		HemaTrace	Negative
	Hemastix	Negative		Luminol	Negative
	KM	Negative	A3QZ8G	KM	Negative
	HemaTrace	Pos./Ind.		Hemastix	Negative
8BDX6D	No color/staining seen	Negative		HemaTrace	Pos./Ind.
8GM26F	TMB	Negative		Luminol	Negative
	HemDirect - Seratec	Negative	A4QRLC	LMG	Negative
8JRL4L	KM	Negative	A9XMU6	Hemastix	Negative
8LF6YR	KM	Negative		Luminol	Negative
	Hemastix	Negative	ABK7ZH	KM	Negative
	HemaTrace	Pos./Ind.		Hemastix (see add'l comments)	Inconclusive
	Luminol	Negative		HemaTrace	Pos./Ind.
8PXHML	Micro	Negative	ACHAZK	No visible discoloration	Negative
	KM	Negative	AFZJ26	Not tested - swabs did not display the characteristic reddish-brown color associated with blood.	
8QMXTM	KM	Negative	AH64QQ	KM	Negative
	Hemastix	Negative		TMB (Hemastix)	Negative
	HemaTrace	Negative		Luminol	Negative
8XMEBV	Phenolphthalein	Negative		HemaTrace	Negative
	HemaTrace	Negative	AL6CXL	Phenolphthalein	Negative
8YHUNR	Occult blood immuno- chromatography[sic] (Orgenics)	Negative		Hemastix	Negative
	Thevenon Roland Piramidon	Negative		HemaTrace	Negative
8YHUPD	KM	Negative	ANBTEP	Hemastix	Negative
93CD3V	KM	Negative	AY83N8	Hemastix	Negative
9AUMG6	Swabs did not have any color indicating the presence of blood.			Luminol	Negative
9CXHZ9	KM	Negative	C4F3X4	Hemastix	Negative
9PBC4L	LMG	Negative		Luminol	Negative
9YDWG	KM	Negative			
	Hemastix	Negative			



TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
C74HEC	Hemastix	Negative	E8AKBL	LMG	Negative
	KM	Negative		ABA Hematrace	Negative
	HemaTrace	Negative	EDDMD2	Luminol	Negative
C8ZN4H	No visible stain observed			Hemastix	Negative
CDMJUF	Thevenon and Roland (Piramidon)	Negative	EDXAXP	O-tol	Negative
	Occult Blood Card Test (Organics)	Negative	ELTADH	KM	Negative
CGPKWY	KM	Negative	EMZK47	O-tolidine	Negative
	Hemoglobin Immunochromatography	Negative		Hem-Direct	Negative
CGZN9A	Phenolphthalein	Negative	EP6DVK	LMG	Negative
	Hemastix	Negative	FKRYRY	LMG	Negative
	HemaTrace	Pos./Ind.	FVRLN3	Hemastix	Negative
CKKFHR	O-Tol	Negative		KM	Negative
CLF29W	KM	Negative		HemaTrace	Pos./Ind.
CM9PUD	KM	Negative		Luminol	Negative
	Hemastix	Negative	FY6A8Z	KM	Negative
	HemaTrace	Negative	G2WMKP	KM	Negative
	Luminol	Negative	G399G7	No reddish/brown stain observed during visual inspection	
CPDEWM	Visual	Negative	G436K7	Luminol	Negative
CWFH8E	KM	Negative		Hemastix	Negative
DLA4FD	KM	Negative		KM	Negative
	Hemastix	Negative		HemaTrace	Negative
	HemaTrace	Pos./Ind.	G6YEYH	TMB test for blood not performed as no visible staining	
	Luminol	Negative	G8HHLU	O-tol	Negative
DLCUGG	KM (direct)	Negative	GCCAVC	Hemastix	Negative
DTWPK7	H-stix	Negative		KM	Negative
	Luminol	Negative		HemaTrace	Negative
DYLCFJ	KM	Negative			
E8AHM3	Hemastix	Negative			
	Luminol	Negative			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GELEAZ	KM	Negative		HemaTrace	Negative
	Hemastix	Negative	JF9YZ4	Visual test	Negative
	HemaTrace	Negative		KM test of supernatant	Negative
	Luminol	Negative	JNJYNX	KM	Negative
GJBYBV	O-tol	Negative		Hemastix	Negative
GLJ93R	O-tol	Negative		HemaTrace	Negative
GPJHB9	KM	Negative		Luminol	Negative
	Hemastix	Negative	JPEGX2	Hemastix	Negative
	HemaTrace	Negative		Luminol	Negative
	Luminol	Negative	JPQGJM	KM	Negative
GVATHD	KM	Negative	JRZHPF	TMB	Negative
GVM6LW	O-tol	Negative	JX6BKX	Visual	Negative
H28WY9	Visual exam of swabs	Negative		ALS	Negative
	Microscopic exam of swabs	Negative		LMG	Negative
	KM	Negative	K26P8Z	No visible blood	
H6P4AP	KM	Negative	K6MVGW	Swabs do not have reddish-brown stain; Lack visual appearance of blood	
HDLU4C	visibly unstained		K8VYFD	KM	Negative
HFADXH	TMB	Negative	KAE32P	Swabs had no visible stains	
	Hemastix	Negative	KAJGJ7	THEVENON-ROLAND/ PIRAMIDON	Negative
	HemaTrace	Negative		OCCULT BLOOD RAPID SIGNAL	Negative
	Luminol, Leucocrystal Violet	Negative	KERW62	no visable[sic] stain	
HFWLA8	KM	Negative	KLQNY4	Hemastix	Negative
	Hemastix	Negative		Luminol	Negative
	Luminol	Negative	KTAVMM	O-tol	Negative
	HemaTrace	Pos./Ind.	KVCUY2	KM	Negative
HLZLH4	visual examination	Negative		Hemastix	Negative
HRH4MY	KM	Negative		HemaTrace	Negative
HTWKX6	KM	Negative			
	Hemastix	Negative			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
KVCWMK	Visual Exam	Negative		HemaTrace	Pos./Ind.
KZR8ZN	O-tol	Negative	MMRAT8	Hemastix	Negative
L3VGAW	KM	Negative		KM	Negative
	Hemastix	Negative		HemaTrace	Negative
	HemaTrace	Pos./Ind.	MRN2YH	KM	Negative
	Luminol	Negative	MW4MTB	Hemastix	Negative
LAQJB9	Hemastix	Pos./Ind.	MYLQFM	no visible stains	
	KM	Negative	N9TM26	Hemastix	Negative
	HemaTrace	Negative		HemaTrace	Negative
LBK3EV	KM	Negative		PTMB	Negative
	Hemastix	Negative	NBJUJG	Visual	Negative
	HemaTrace	Negative	NLVDQ6	TMB	Negative
	Luminol	Negative	NLWA22	Hem	Negative
LGC967	Immunochromatography for human blood	Negative		Lum	Negative
	Thevenon and Roland Pyramidon[sic]	Negative	NMQZ8F	White swabs	
LN9AAB	KM	Negative	NNKJB3	Thevenon Roland Test	Negative
LZ2P8D	LMG	Negative		Occult blood Casstte[sic]	Negative
	HemaTrace	Negative	NQNEU6	TMB	Negative
M834UZ	o-tolidine	Negative	NUDFBY	No test performed due to no reddish-brown color.	
M8KCJV	H/stix	Negative	NV8DEZ	KM	Negative
	Luminol	Negative		Hemastix	Negative
MAQUQC	O-Tol	Negative		HemaTrace	Negative
	HemaTrace	Negative		Luminol	Negative
MJWKJ2	Hemastix	Negative	NVMV7Y	Luminol	Negative
	Luminol	Negative		Hemastix	Negative
MK4W24	Ocultt[sic] Blood Casstte[sic]	Negative	P3LF9U	Hstix	Negative
	Thevenon and Roland Piramidon	Negative		Luminol	Negative
MLJZZA	KM	Negative	P8EKQQ	Swab did not have red-brown color stain	
	Hemastix	Negative			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
P8QFAW	Phenolphthalein	Negative	RRR93Z	Swab's overall appearance was no color stain on it - did not appear to have presence of blood on it	
	Hemastix	Negative			
	HemaTrace	Negative			
PBB8JE	Visual Exam	Negative	T764WM	Hemastix	Negative
PCM4Q4	Hemastix	Negative		Luminol	Negative
	HemaTrace	Negative	TK8D2W	Hemastix test	Negative
PGHXMK	O-Tol	Negative		Luminol test	Negative
PUQFU3	RAPID SIGNAL OCCULT BLOOD	Negative	TLZ47B	Not red stained	
	THEVENON ROLAND - PIRAMIDON	Negative	TQD8L6	KM	Negative
Q9JNQ8	LMG	Negative	TYRWJD	KM	Negative
QGVPDF	KM	Negative	TYRWLY	Hemastix	Negative
QP6ABX	Hemastix	Negative		KM	Negative
	Luminol	Negative		HemaTrace	Negative
QPTEXQ	HemaTrace	Pos./Ind.	U2EUK4	LMG	Negative
	Hemastix	Negative	U2QQP9	Phenolphthalein	Negative
	KM	Negative		HemaTrace	Negative
	Luminol	Negative	U6QZMG	O-tol	Negative
QTUEGW	LMG	Negative	U74A29	O-tol	Negative
QU4KH4	LMG	Negative	UBXEHL	No visible red/brown staining observed	
R3UDJ3	HS	Negative	UCRBUL	Hemastix	Negative
	KM	Negative		Luminol	Negative
	HT	Negative	UEFMR7	LMG	Negative
RDEWMY	KM	Negative		HemaTrace	Pos./Ind.
	Micro	Negative	UFAADV	KM	Negative
RFLZM4	KM	Negative		Luminol	Negative
RQJ3R7	Visual	Negative		Hemastix	Negative
RQWTP4	KM	Negative		HemaTrace	Negative
			UL2HUV	Hemastix	Negative
				Luminol	Negative

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
UVLQKX	Phenolphthalein	Negative		Hemastix	Negative
	Hemastix	Pos./Ind.		HemaTrace	Negative
	HemaTrace	Pos./Ind.		Luminol	Negative
V4EPPF	Visual Exam	Negative	XARAGU	Thevenon y Roland	Negative
	Benzidine Test	Negative		Immunochromatography	Negative
VCRDH6	LMG	Negative	XBLXX4	No staining (blood-like or otherwise) observe on swabs. No blood testing required per agency policy.	
	HemaTrace	Negative			
VPEL84	Hemastix	Negative	XCFPX2	KM	Negative
	Phenolphthalein	Negative		Hemastix	Negative
	HemaTrace	Pos./Ind.		HemaTrace	Inconclusive
	Luminol	Negative		Luminol	Negative
WGTNT	KM	Negative	XH66M9	KM	Negative
	HemaTrace	Negative	XUUC7H	Not Tested: No red-brown staining observed on the items.	
	Hemastix	Negative	Y8KEBV	no stains consistent with visible blood for testing - this decision made after AP test showed negative	
VZBMLU	KM	Negative	YA4A2F	KM	Negative
	Hemastix	Negative	YHKTA9	KM	Negative
	Luminol	Negative	YJA9MP	Hematix[sic]	Negative
	HemaTrace	Negative		Luminol	Negative
W3DVDC	Kastle Meyer	Negative	YK4YT4	Phenolphthalein - KM	Negative
W4AJJE	LMG	Negative	YKPATX	KM	Negative
	RSID-Blood	Negative	YR66KY	KM	Negative
WLPTHU	Human Blood	Negative		Visual examination	Negative
	Thevenon Roland Piramidon	Negative	YRNZ3Z	TMB	Negative
WUGAZW	Hemastix	Negative		Hemastix	Negative
	HemaTrace	Negative		HemaTrace	Negative
	Phenolphthalein	Negative		Luminol	Negative
	LCV	Negative			
WYVLA7	Visual	Negative	YWLDZD	KM Test	Negative
X3RUT8	KM	Negative			
X4P4UN	KM	Negative			

TABLE 2 - Item 1

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
Z6BNKR	Thevenon Roland Piramidon	Negative			
	Human Blood by Immuno- chromatography[sic]	Negative			
ZBJTNX	KM	Negative			
	Hemastix (TMB)	Negative			
	Luminol	Negative			
	HemaTrace	Negative			
ZBXEXZ	Hemastix	Negative			
	TMB	Negative			
	HemaTrace	Negative			
	Luminol, LCV	Negative			
ZG3F7V	LMG	Negative			
ZQAW7M	KM	Negative			
	Hemastix	Negative			
	HemaTrace	Negative			
	Luminol	Negative			
ZTEKGX	red-brown staining was not observed on item swabs				
ZUCUFU	Hemastix	Negative			
	KM	Negative			
	HemaTrace	Negative			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VWBR	Acid Phosphatase	Negative	68HJGC	AP	Negative
	PSA	Negative		P30	Negative
	Micro	Negative		micro (sperm)	Negative
27XMCV	AP	Negative	6BYZLP	Acid Phosphatase	Negative
29T3ZY	AP	Negative		Alternate light source	Negative
2CNQHQ	AP	Negative	6DN9VQ	RSID-Semen	Negative
2VXXL8	AP	Negative		PSA	Negative
	Micro	Negative	6ELHUM	AP	Negative
	RSID Semen	Negative		Micro	Negative
2WV7UQ	AP	Negative		PSA	Negative
	PSA	Negative	6JA3X3	AP	Negative
	Micro	Negative	6KBWTG	AP	Negative
2XRL7M	AP	Negative		Micro	Negative
	Micro	Negative		SERATEC PSA	Negative
	PSA	Negative	6LJAYB	AP	Negative
3B92LR	ALS	Pos./Ind.	6XCW7Q	AP	Negative
	AP	Negative	74EZWP	ALS	Pos./Ind.
	PSA	Negative		AP	Negative
	Micro	Negative		Micro	Negative
3M6XUL	AP	Negative		PSA	Negative
	PSA	Negative	78Y3PG	AP	Negative
47A3JT	AP	Negative		Micro	Negative
4PPCMF	Brentamine/AP	Negative	7EEQFC	AP	Negative
4TK8BT	AP	Negative		PSA	Negative
62WEWN	FBB	Negative		Micro	Negative
	Micro	Negative	7EXD8U	Micro (Christmas Tree)	Negative
634WHT	ALS	Negative		PSA	Negative
	AP	Negative	7G4YMR	ABACard p30	Negative
	PSA	Negative		Alternate Light Source	Inconclusive
66ET2C	AP	Negative	7MQUMB	AP	Negative

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
7R4Q4K	Christmas Tree	Negative	9AUMG6	AP	Negative
	PSA Test Cassette	Negative		PSA	Negative
7TY8FH	AP (Brentamine test)	Negative		Micro	Negative
826CWP	AP	Negative	9CXHZ9	AP	Negative
	PSA	Negative		Micro	Negative
88XE3B	AP	Negative		PSA	Negative
	PSA	Negative	9PBC4L	AP 1-step	Negative
	Micro	Negative		AP 2-step	Negative
8BDX6D	AP	Negative		micro	Negative
8GM26F	AP	Negative	9YDWG	AP	Negative
	PSA - Seratec	Negative		PSA	Negative
	Micro	Negative		Micro	Negative
8JRL4L	BCIP	Negative	A3QZ8G	AP	Negative
8LF6YR	AP	Negative		PSA	Negative
	Micro	Negative		P30	Negative
	PSA	Negative		Micro	Negative
8PXHML	FBB	Negative	A4QRLC	AP	Negative
	Micro	Negative		Micro	Negative
8QMXTM	AP	Negative	A9XMU6	Brentamine	Negative
	PSA	Negative	ABK7ZH	AP	Negative
	Micro	Negative		PSA	Negative
8XMEBV	AP	Negative		Micro (see add'l comments)	Pos./Ind.
	p30/PSA	Negative	ACHAZK	AP	Negative
	Slide/Microscopic Exam	Negative		PSA	Negative
8YHUNR	Christmas tree Stain	Negative	AFZJ26	Item 1A: AP, Micro	Negative
	PSA immunochromatography (Organics)	Negative		Item 1B: AP, Micro	Negative
8YHUPD	AP	Negative		Item 1C: AP, Micro	Negative
93CD3V	RSID-Semen	Negative		Item 1D: AP, Micro	Negative
	PSA	Negative			



TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
AH64QQ	AP	Negative		PSA	Negative
	PSA	Negative	CMBFVG	AP	Negative
	Micro	Negative		PSA	Negative
AL6CXL	AP	Negative	CPDEWM	AP	Negative
	Micro	Negative	CWFH8E	AP	Negative
	PSA	Negative		Micro	Negative
ANBTEP	AP	Negative	DLA4FD	AP	Negative
AY83N8	Brentamine	Negative		PSA (Abacus)	Negative
C4F3X4	Brentamine	Negative		PSA (Seratec)	Negative
C74HEC	AP	Negative		Micro	Negative
	Micro	Negative	DLCUGG	AP (direct)	Negative
	PSA	Negative	DTWPK7	AP	Negative
C8ZN4H	AP	Negative	DYLCFJ	AP	Negative
	Micro	Negative	E8AHM3	Brentamine	Negative
CDMJUF	Christmas Tree Stained Slide (micro)	Negative	E8AKBL	ALS	Pos./Ind.
	Prostate Antigen Specific PSA (organics)	Negative		AP	Negative
CGPKWY	AP	Negative		Microscope	Negative
	PSA	Negative		ABA P30	Negative
	Micro	Negative	EDDMD2	Brentamine	Negative
CGZN9A	Acid Phosphatase	Negative	EDXXP	ALS	Pos./Ind.
	Micro	Negative		AP	Negative
	PSA	Negative	ELTADH	AP	Negative
CKKFHR	ALS	Pos./Ind.	EMZK47	Acid Phosphatase	Negative
	AP	Negative		P30	Negative
CLF29W	AP	Negative	EP6DVK	AP	Negative
	PSA	Negative	FKRYRY	AP	Negative
	Micro	Negative		PSA	Negative
CM9PUD	AP	Negative		Micro (spermatozoa)	Negative
	Micro	Negative			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
FVRLN3	AP	Negative		RSID	Negative
	P30	Negative	GPJHB9	AP	Negative
	PSA	Negative		ABAcad P30	Negative
	Micro	Negative		Seratec PSA	Negative
FY6A8Z	AP	Negative		Micro	Negative
	MICRO	Negative	GVATHD	AP	Negative
G2WMKP	AP	Negative		RSID SEMEN	Negative
	micro	Negative	GVM6LW	AP	Negative
	PSA	Negative		PSA	Negative
G399G7	AP	Negative		Micro	Negative
	Micro	Negative	H28WY9	AP	Negative
G436K7	AP	Negative		X-Mas	Negative
	ABA PSA	Negative	H6P4AP	AP	Negative
	Microscopic	Negative		Micro	Negative
G6YEYH	Microscopy	Negative	HAP9CA	Micro	Negative
	AP	Negative		seratec (p30)	Negative
G8HHLU	AP	Negative	HDLU4C	AP	Negative
	Micro	Negative		Micro	Negative
	RSID	Negative	HFADXH	AP	Negative
GCCAVC	AP	Negative		Seratec Prostate Specific Antigen	Negative
	PSA	Negative		Microscopic sperm search	Negative
	Micro (sperm)	Negative	HFWLA8	AP	Negative
GELEAZ	AP	Negative		PSA (Abacus)	Negative
	PSA	Negative		PSA (Seratec)	Negative
	Micro	Negative		Micro	Negative
GJBYBV	ALS	Pos./Ind.			
	AP	Negative	HLZLH4	AP	Negative
	Micro	Negative		PSA	Negative
	RSID - Semen	Negative		Micro	Negative
GLJ93R	Micro	Negative			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
HRH4MY	AP	Negative		PSA-RAPID SIGNAL	Negative
	Micro	Negative	KERW62	AcP	Negative
HTWKX6	AP	Negative		PSA	Negative
	Micro	Negative		micro	Negative
	PSA	Negative	KLQNY4	Brentamine (AP)	Negative
HXNZ7Y	AP Spot test	Negative	KTAVMM	Micro	Negative
	ABACard p30	Negative		RSID	Negative
	Microscopic	Negative	KVCUY2	AP	Negative
JF9YZ4	extraction and AP of supernatant	Negative		Micro	Negative
	microscopic exam	Negative		PSA	Negative
JNJYNX	AP	Negative		ALS	Pos./Ind.
	Micro	Negative	KVCWMK	AP	Negative
	Seratec PSA	Negative	KZR8ZN	Micro	Negative
	ABA p30	Negative		RSID	Negative
JPEGX2	Brentamine - AP	Negative	L3VGAW	AP	Negative
JPQGJM	AP	Negative		Micro	Negative
JRZHPF	AP	Negative		Seratec PSA	Negative
	Micro	Negative		Abacus PSA	Negative
JX6BKX	Visual	Negative	LAQJB9	AP	Negative
	ALS	Pos./Ind.		Micro	Negative
	AP	Negative		PSA	Negative
K26P8Z	AP	Negative	LBK3EV	AP	Negative
	Micro	Negative		PSA	Negative
K6MVGW	AP	Negative		Micro	Negative
	Micro	Negative	LGC967	Christmas tree stain	Negative
	p-30	Negative		Immunochromatography for Prostate Specific Antigen (PSA)	Negative
K8VYFD	AP	Negative	LN9AAB	AP	Negative
KAE32P	Micro	Negative	LUTD4L	AP	Negative
	RSID	Pos./Ind.		Micro	Negative
KAJGJ7	MICROSCOPIC	Negative			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LZ2P8D	ALS	Negative	NBJUJG	AP	Negative
	AP	Negative	NLVDQ6	AP	Negative
	Microscopic examination	Negative	NLWA22	Brent	Negative
	P30	Negative	NMQZ8F	Micro	Negative
M834UZ	ALS	Negative		P30	Negative
	acid phosphatase	Negative	NNKJB3	Christmas Tree	Negative
M8KCJV	Brentamine/AP	Negative		PSA Test Cassette	Negative
MAQUQC	AP	Negative	NQNEU6	AP	Negative
	Micro	Negative		PSA	Negative
	P30	Negative	NUDFBY	Item 1 AnB:AP,Micro	Negative
MJWKJ2	Brentamine (AP)	Negative		Item 1 CnD:AP,Micro	Negative
MK4W24	Christmas tree Coloration	Negative	NV8DEZ	AP	Negative
	PSA serum/plasma casstte[sic]	Negative		PSA	Negative
MLJZZA	ALS	Pos./Ind.	NVMV7Y	AP (Brentamine)	Negative
	AP	Negative	P3LF9U	AP	Negative
	Micro	Negative	P8EKQQ	AP	Negative
	PSA	Negative		p-30	Negative
MMRAT8	AP	Negative		microscopy-presence of sperm	Negative
	PSA	Negative	P8QFAW	alternate light source	Pos./Ind.
	Micro	Negative		AP	Negative
MRN2YH	AP, PSA (ABA P30), Micro	Negative		Micro	Negative
MW4MTB	Microscopy	Negative		PSA	Negative
	AP	Negative	PBB8JE	AP	Negative
	PSA	Negative	PCM4Q4	AP	Negative
MYLQFM	Micro	Negative		Microscopic exam	Negative
	RSID	Negative		PSA	Negative
N9TM26	AP	Negative	PGHXMK	AP	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative		RSID	Negative

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
PUQFU3	MICRO	Negative	TQD8L6	AP	Negative
	PSA	Negative		PSA	Negative
Q9JNQ8	AP	Negative		Microscopic Slides for Sperm Cells	Negative
QGVPDF	AP	Negative	TYRWJD	AP	Negative
	Micro	Negative		PSA	Negative
	PSA	Negative		Micro	Negative
QP6ABX	Brentamine (AP)	Negative	TYRWLY	AP	Negative
QPTEXQ	AP	Negative		PSA	Negative
	PSA (ABAcad p30)	Negative		Micro	Negative
	Micro	Negative	U2EUK4	AP	Negative
QTUEGW	AP	Negative	U2QQP9	ALS	Negative
QU4KH4	AP	Negative		Acid Phosphatase	Negative
	PSA	Negative		P30	Negative
	Micro	Negative	U6QZMG	ALS	Pos./Ind.
	ALS	Negative		AP	Negative
R3UDJ3	AP	Negative		Micro	Negative
	Micro	Negative		RSID-semenogelin	Negative
	P30	Negative	U74A29	AP	Negative
RDEWMY	AP	Negative		Micro	Negative
	Micro	Negative		RSID - Semen	Negative
RFLZM4	AP	Negative	UBXEHL	AP	Negative
RQJ3R7	ABAcad p30	Negative		Micro	Negative
	ALS	Inconclusive	UCRBUL	Brentamine	Negative
RQWTP4	RSID-Semen	Negative	UEFMR7	AP	Negative
	PSA	Negative		PSA	Negative
RRR93Z	AP	Negative		Micro	Negative
T764WM	Brentamine	Negative	UFAADV	AP	Negative
TK8D2W	Brentamine test	Negative		Micro	Negative
TLZ47B	Micro	Negative		PSA	Negative
	P30	Negative	UL2HUV	Brentamine (AP)	Negative

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
UMU9ZB	Micro	Negative	WYVLA7	ALS	Pos./Ind.
	P30	Negative		AP	Negative
UVLQKX	Acid Phosphatase	Negative	X3RUT8	PSA	Negative
	Microscopic	Negative		RSID-Semen	Negative
	PSA/P30	Negative	X4P4UN	AP	Negative
V4EEPF	AP (Acid Phosphatase)	Negative	XARAGU	PSA	Negative
	PSA Kit	Negative		Micro	Negative
	Microscopic Test	Negative		Christmas Tree Stain (Micro)	Negative
VCRDH6	ALS	Negative	XBLXX4	PSA	Negative
	AP	Negative		AP	Negative
	P30 card	Negative		PSA	Negative
	Micro	Negative		Micro	Negative
VPEL84	AP	Negative	XCFPX2	AP	Negative
	PSA (Seratec)	Negative		Micro	Negative
	Micro	Negative		PSA(seratec)	Negative
WGTNT	AP	Negative	XH66M9	AP	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative		XUUC7H	AP
VZBMLU	AP	Negative	Y8KEBV	AP	Negative
	P30	Negative	YA4A2F	AP	Negative
	Micro	Negative		PSA	Negative
W3DVDC	AP	Negative		Micro	Negative
W4AJJE	AP	Negative	YHKTA9	AP	Negative
	RSID-Semen	Negative	YJA9MP	Brentamine	Negative
	Micro	Negative	YK4YT4	P30	Negative
WLPTHU	Christmas tree	Negative		Microscopic exam	Negative
	PSA	Negative	YKPATX	RSID-Semen	Negative
WUGAZW	Acid Phosphatase	Negative		PSA	Negative
	PSA	Negative	YR66KY	AP	Negative
	Microscopic Exam -sperm cells	Negative			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
YRNZ3Z	AP	Negative			
	PSA	Negative			
	Micro	Negative			
YWLDZD	AP Test	Negative			
Z6BNKR	Micro	Negative			
	PSA	Negative			
ZBJTNX	AP	Negative			
	PSA	Negative			
	Micro	Negative			
ZBXEXZ	AP	Negative			
	Micro	Negative			
	seratec PSA	Negative			
ZG3F7V	AP	Negative			
ZQAW7M	AP	Negative			
	PSA	Negative			
	Micro	Negative			
ZTEKGX	PSA	Negative			
ZUCUFU	AP	Negative			
	PSA	Negative			
	Micro	Negative			

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	RSID saliva	Pos./Ind.	8LF6YR	RSID	Pos./Ind.
29T3ZY	Phadebas Forensic paper- reported as "saliva was probably present"	Pos./Ind.	8PXHML	Amylase	Pos./Ind.
2CNQHQ	Not trained to perform this test.		8QMXTM	RSID	Pos./Ind.
2VXXL8	RSID Saliva	Pos./Ind.	8XMEBV	SALlgAE	Pos./Ind.
2WV7UQ	RSID	Pos./Ind.	8YHUPD	Phadebas	Pos./Ind.
2XRL7M	RSID-Saliva	Pos./Ind.	93CD3V	Amylase	Pos./Ind.
3B92LR	ALS	Pos./Ind.	9AUMG6	Amylase Radial Diffusion	Pos./Ind.
	RSID	Pos./Ind.		Micro	Pos./Ind.
3M6XUL	Amylase Diffusion	Pos./Ind.	9PBC4L	Amylase diffusion	Pos./Ind.
4TK8BT	Phadebas	Pos./Ind.	9YDWG	RSID	Pos./Ind.
62WEWN	Amylase	Pos./Ind.	A3QZ8G	RSID	Pos./Ind.
68HJGC	Amylase Radial Diffusion (ARD)	Pos./Ind.	A4QRLC	Amylase diffusion	Pos./Ind.
	micro (nucleated epithelial cells) (NEC)	Pos./Ind.	ABK7ZH	RSID - saliva	Pos./Ind.
6DN9VQ	Amylase	Pos./Ind.	ACHAZK	Amylase diffusion	Pos./Ind.
6ELHUM	RSID -saliva	Pos./Ind.	AFZJ26	Item 1A: RSID Saliva	Pos./Ind.
6KBWTG	Phadebas Amylase	Pos./Ind.		Item 1B: RSID Saliva	Pos./Ind.
	RSID Saliva	Pos./Ind.		Item 1C: RSID Saliva	Pos./Ind.
6XCW7Q	RSID- Saliva	Pos./Ind.		Item 1D: RSID Saliva	Pos./Ind.
74EZWP	ALS	Pos./Ind.	AH64QQ	RSID	Pos./Ind.
	RSID - saliva	Pos./Ind.	AL6CXL	RSID	Pos./Ind.
78Y3PG	Amylase Diffusion	Pos./Ind.	ANBTEP	RSID Saliva	Pos./Ind.
7EEQFC	RSID	Pos./Ind.	AY83N8	Only three tests are performed in our lab, i.e., Hemastix, Luminol and Brentamine	
826CWP	RSID	Pos./Ind.	C74HEC	RSID	Pos./Ind.
88XE3B	RSID	Pos./Ind.	C8ZN4H	Amylase diffusion	Pos./Ind.
8BDX6D	gel diffusion	Pos./Ind.	CGPKWY	Phadebas Amylase Test	Pos./Ind.
8GM26F	Amylase - Seratec	Pos./Ind.	CGZN9A	RSID-saliva	Pos./Ind.
8JRL4L	Amylase Diffusion Plate	Pos./Ind.	CKKFHR	ALS	Pos./Ind.
				RSID	Pos./Ind.



TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CLF29W	Phadebas	Pos./Ind.	GLJ93R	RSID	Pos./Ind.
CM9PUD	RSID saliva	Pos./Ind.	GPJHB9	RSID Saliva	Pos./Ind.
CMBFVG	Radial Diffusion	Pos./Ind.	GVATHD	Laboratory does not perform test on saliva per laboratory policy.	
CPDEWM	RSID	Pos./Ind.	H28WY9	Amylase	Pos./Ind.
CWFH8E	phadebas press	Pos./Ind.	HDLU4C	Amylase Diffusion	Pos./Ind.
DLA4FD	RSID	Pos./Ind.	HFADXH	RSID saliva	Pos./Ind.
DTWPK7	Saliva test not performed at lab		HFWLA8	RSID Saliva	Pos./Ind.
DYLCFJ	RSID	Pos./Ind.	HLZLH4	RSID saliva	Pos./Ind.
E8AHM3	We only perform three tests in our laboratory i.e. Hemastix and Luminol for blood and Brentamine for Semen		HRH4MY	Amylase Radial Diffusion	Pos./Ind.
E8AKBL	This test is not offered at this laboratory.		HTWKX6	RSID	Pos./Ind.
EDDMD2	Our laboratory does not perform saliva test		HXNZ7Y	RSID-Saliva	Pos./Ind.
EDXAXP	RSID	Pos./Ind.	JF9YZ4	Phadebas tube test	Pos./Ind.
ELTADH	RSID	Pos./Ind.	JNJYNX	RSID saliva	Pos./Ind.
EMZK47	amylase diffusion	Pos./Ind.	JPEGX2	Saliva test not done at the laboratory.	
FKRYRY	Amylase Radial Diffusion	Pos./Ind.	JPQGJM	Phadebas Amylase Test	Pos./Ind.
	Micro (NEC's)	Pos./Ind.	JRZHPF	phadebas amylase -tube micro	Pos./Ind.
FVRLN3	RSID Saliva	Pos./Ind.	JX6BKX	We do not test for this	
FY6A8Z	AMYLASE	Pos./Ind.	K26P8Z	Amylase Diffusion micro	Pos./Ind.
G2WMKP	Phadebas	Pos./Ind.	K6MVGW	Amylase Radial Diffusion	Pos./Ind.
G399G7	RSID saliva	Pos./Ind.	K8VYFD	Phadebas test (paper)	Pos./Ind.
G436K7	RSID Saliva	Pos./Ind.	KAE32P	RSID	Pos./Ind.
G6YEYH	Phadebas	Pos./Ind.	KERW62	amylase diffusion	Pos./Ind.
G8HHLU	RSID	Pos./Ind.	KTAVMM	RSID	Pos./Ind.
GCCAVC	RSID	Pos./Ind.	KVCUY2	RSID	Pos./Ind.
GELEAZ	RSID-Saliva	Pos./Ind.		ALS	Pos./Ind.
GJBYBV	ALS	Pos./Ind.	KVCWMK	RSID	Pos./Ind.
	RSID - Saliva	Pos./Ind.	KZR8ZN	RSID	Pos./Ind.

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
L3VGAW	RSID Saliva	Pos./Ind.		RSID saliva	Pos./Ind.
LAQJB9	RSID	Pos./Ind.	PBB8JE	RSID	Pos./Ind.
LBK3EV	RSID	Pos./Ind.	PCM4Q4	RSID - saliva	Pos./Ind.
LGC967	Our laboratory not included[sic] in the portfolio of service testing for the presence of saliva		PGHXMK	RSID	Pos./Ind.
LN9AAB	Phadebas	Pos./Ind.	QGVPDF	Phadebas-Amylase	Pos./Ind.
LUTD4L	Amylase	Pos./Ind.	QPTEXQ	RSID	Pos./Ind.
LZ2P8D	Test not offered		QTUEGW	Amylase Diffusion	Pos./Ind.
M8KCJV	We don't have a test for saliva		QU4KH4	amylase radial diffusion	Pos./Ind.
MAQUQC	RSID	Pos./Ind.		ALS	Negative
MLJZZA	ALS	Pos./Ind.	R3UDJ3	RSID	Pos./Ind.
	RSID	Pos./Ind.	RDEWMY	Amylase	Pos./Ind.
MMRAT8	RSID	Pos./Ind.	RQWTP4	Amylase	Pos./Ind.
MRN2YH	Phadebas (α-Amylase)	Pos./Ind.	TQD8L6	Amylase Diffusion	Pos./Ind.
MW4MTB	RSID-saliva	Pos./Ind.	TYRWJD	Phadebas	Pos./Ind.
MYLQFM	RSID	Pos./Ind.	TYRWLY	RSID	Pos./Ind.
N9TM26	RSID	Pos./Ind.	U2QQP9	Saligae	Pos./Ind.
NBJUJG	RSID	Pos./Ind.	U6QZMG	ALS	Pos./Ind.
NLVDQ6	Amylase	Pos./Ind.		RSID-amylase	Pos./Ind.
NQNEU6	Amylase radial diffusion	Pos./Ind.	U74A29	RSID - Saliva	Pos./Ind.
NUDFBY	Item 1 AnB:RSID	Pos./Ind.	UBXEHL	Radial Diffusion	Pos./Ind.
	Item 1 CnD:RSID	Pos./Ind.	UCRBUL	Fourth swab was not tested as only three prelim tests are done in our lab.	
NV8DEZ	RSID-Saliva	Pos./Ind.	UFAADV	RSID Saliva	Pos./Ind.
P3LF9U	No saliva test perform at the lab		UVLQKX	RSID saliva	Pos./Ind.
P8EKQQ	Amylase Radial Diffusion	Pos./Ind.	VCRDH6	This test is not offered in our laboratory.	
	Microscopy-presence of nucleated epithelial cells (NEC)	Pos./Ind.	VPEL84	RSID - saliva	Pos./Ind.
P8QFAW	Alternate light source	Pos./Ind.	VGTNT	RSID	Pos./Ind.
			VZBMLU	RSID	Pos./Ind.
			W3DVDC	Saliva test not conducted at this Lab	

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
W4AJJE	RSID-Saliva	Pos./Ind.			
WLPTHU	Our laboratory does not perform test to identify saliva				
WUGAZW	RSID-saliva	Pos./Ind.			
WYVLA7	ALS	Pos./Ind.			
	SaligAE	Pos./Ind.			
X3RUT8	Amylase	Pos./Ind.			
X4P4UN	RSID-saliva	Pos./Ind.			
XBLXX4	SALigAE	Pos./Ind.			
XCFPX2	RSID	Pos./Ind.			
XH66M9	Phadebas Amylase Test	Pos./Ind.			
XUUC7H	RSID	Pos./Ind.			
YA4A2F	Amylase Radial Diffusion	Pos./Ind.			
	Micro	Pos./Ind.			
YHKTA9	Tests are not performed at the lab.				
YKPATX	Amylase	Pos./Ind.			
YR66KY	Phadebas	Pos./Ind.			
YRNZ3Z	RSID saliva	Pos./Ind.			
YWLDZD	Phadebas (press test)	Pos./Ind.			
ZBJTNX	RSID	Pos./Ind.			
ZBXEXZ	RSID	Pos./Ind.			
ZQAW7M	RSID saliva	Pos./Ind.			
	ALS	Pos./Ind.			
ZTEKGX	RSID	Pos./Ind.			
ZUCUFU	RSID	Pos./Ind.			

TABLE 2 - Item 1

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
2CNQHQ	Blood/Semen - ALS (see Additional Comments)	Pos./Ind.	QGVPDF	Creatinine	Negative
4TK8BT	Urine- Creatinine	Negative		DMAC	Negative
	Fecal Material- Urobilinogen	Negative		Urea	Negative
6ELHUM	Semen/saliva - ALS	Negative		Urobilinogen	Negative
	Blood - Leucocrystal Violet	Inconclusive	T764WM	Epithelial skin cells - Not Tested	
A9XMU6	Possible Epithelial cells - Not Tested		TK8D2W	Presumable - skin cells	
C4F3X4	Epithelial cells - removed		TYRWJD	Urine - Creatinine	Negative
CGZN9A	Semen/saliva - ALS	Pos./Ind.		Feces - Urobilinogen	Negative
E8AKBL	Microscope- epithelial cells	Pos./Ind.	VCRDH6	Body Fluid - Visual Exam	Negative
GCCAVC	Various - ALS	Pos./Ind.	W4AJJE	Urine - RSID-Urine	Negative
HFADXH	Fecal matter - Urobilinogen	Negative	WUGAZW	alternate light source	Pos./Ind.
	Urine - Creatinine	Negative	X4P4UN	Blood- Leucocrystal violet	Inconclusive
	Semen/Saliva/Urine - ALS	Pos./Ind.	XH66M9	Urine - Creatinine	Negative
HLZLH4	Urine - Urease	Negative		Feces - Urobilinogen	Negative
JF9YZ4	Urine - DMAC	Negative	YRNZ3Z	Blood - Leucocrystalviolet	Negative
JPQGJM	Urine - Creatinine	Negative		Feces - Urobilinogen	Negative
	Feces - Urobilinogen	Negative	ZBJTNX	Urine - Creatinine	Negative
JRZHPF	Urine - RSID Urine	Negative	ZBXEXZ	Alternate light source	Pos./Ind.
K6MVGV	Urine - Jaffe for Creatinine	Negative	ZTEKGX	ALS	Pos./Ind.
	Urine - DMAC for Urea	Negative			
LN9AAB	urine - creatinine	Negative			
	urine - DMAC	Negative			
	fecal material - Urobilinogen	Negative			
MRN2YH	Urine - Creatinine, DMAC, Urea	Negative			
	Fecal Material - Urobilinogen	Negative			
N9TM26	ALS	Negative			

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	Hemastix	Pos./Ind.	62WEWN	Micro	Pos./Ind.
	HemaTrace	Pos./Ind.		KM	Pos./Ind.
	Phenolphthalein	Pos./Ind.	634WHT	O-tol	Pos./Ind.
27XMCV	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	66ET2C	KM	Pos./Ind.
	Ouchterlony	Pos./Ind.	68HJGC	KM	Pos./Ind.
29T3ZY	Visual	Pos./Ind.		HemaTrace	Pos./Ind.
	KM	Pos./Ind.	6BYZLP	Phenolphthalein	Pos./Ind.
	Hematrace - reported as most likely to be human blood	Pos./Ind.	6DN9VQ	KM	Pos./Ind.
2CNQHQ	O-tol.	Pos./Ind.		Hexagon OBTI	Pos./Ind.
2VXL8	O-tol	Pos./Ind.	6ELHUM	TMB	Pos./Ind.
	Human Abacard	Pos./Ind.		Hemastix	Pos./Ind.
2WV7UQ	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Hemastix	Pos./Ind.		Luminol	Pos./Ind.
	HemaTrace	Pos./Ind.	6JA3X3	KM	Pos./Ind.
2XRL7M	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Hemastix	Pos./Ind.	6KBWTG	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		SERATEC Hemoglobin	Pos./Ind.
	Luminol	Pos./Ind.	6LJAYB	KM	Pos./Ind.
3B92LR	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	6XCW7Q	Visual	Pos./Ind.
3M6XUL	LMG	Pos./Ind.		LMG	Pos./Ind.
47A3JT	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	74EZWP	Phenolphthalein	Pos./Ind.
	Ouchterlony (human)	Pos./Ind.		HemaTrace	Pos./Ind.
4PPCMF	H-stix	Pos./Ind.	78Y3PG	LMG	Pos./Ind.
	Luminol	Pos./Ind.		HemaTrace	Pos./Ind.
4TK8BT	KM	Pos./Ind.			
	Modified Takayama	Pos./Ind.			

TABLE 2 - Item 2

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
7EEQFC	HemaTrace	Pos./Ind.	8PXHML	Micro	Pos./Ind.
	TMB (Hemastix)	Pos./Ind.		KM	Pos./Ind.
	KM	Pos./Ind.	8QMXTM	KM	Pos./Ind.
	Luminol	Pos./Ind.		Hemastix	Pos./Ind.
7EXD8U	Occult blood Rapid Test (Cassette ) immuno-chromatographic[sic]	Pos./Ind.		HemaTrace	Pos./Ind.
7G4YMR	Visual Examination	Pos./Ind.	8XMEBV	Phenolphthalein	Pos./Ind.
	ABACard Hematrace	Pos./Ind.		HemaTrace	Pos./Ind.
7MQUMB	KM	Pos./Ind.	8YHUNR	Occult blood immunochromatography (Orgenics)	Pos./Ind.
	HemaTrace	Pos./Ind.	8YHUPD	KM	Pos./Ind.
7R4Q4K	Thevenon Roland Test	Pos./Ind.	93CD3V	KM	Pos./Ind.
	Occult Blood Cassette	Pos./Ind.		Hexagon OBTI	Pos./Ind.
7TY8FH	Hemastix	Pos./Ind.	9AUMG6	LMG	Pos./Ind.
	Luminol	Pos./Ind.		Ouchterlony	Pos./Ind.
826CWP	KM	Pos./Ind.	9CXHZ9	KM	Pos./Ind.
	HemaTrace	Pos./Ind.	9PBC4L	LMG	Pos./Ind.
88XE3B	Luminol	Pos./Ind.		Hematrace	Pos./Ind.
	KM	Pos./Ind.	9YDVG	KM	Pos./Ind.
	Hemastix	Pos./Ind.		Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
8BDX6D	LMG	Pos./Ind.		Luminol	Pos./Ind.
	Hema Trace	Pos./Ind.	A3QZ8G	KM	Pos./Ind.
8GM26F	TMB	Pos./Ind.		Hemastix	Pos./Ind.
	HemDirect - Seratec	Pos./Ind.		HemaTrace	Pos./Ind.
8JRL4L	KM	Pos./Ind.		Luminol	Pos./Ind.
	Hematrace	Pos./Ind.	A4QRLC	LMG	Pos./Ind.
8LF6YR	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Hemastix	Pos./Ind.	A9XMU6	Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.		Luminol	Pos./Ind.
	Luminol	Pos./Ind.			

TABLE 2 - Item 2

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
ABK7ZH	KM	Pos./Ind.	CGPKWY	KM	Pos./Ind.
	Hemastix	Pos./Ind.		Hemoglobin Immunochemistry	Pos./Ind.
	HemaTrace	Pos./Ind.	CGZN9A	Phenolphthalein	Pos./Ind.
ACHAZK	LMG	Pos./Ind.		Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
AFZJ26	Item 2A: O-tol	Pos./Ind.	CKKFHR	O-Tol	Pos./Ind.
	Item 2B: O-tol	Pos./Ind.		HemaTrace	Pos./Ind.
	Item 2C: O-tol	Pos./Ind.	CLF29W	KM	Pos./Ind.
	Item 2D: O-tol	Pos./Ind.		HemaTrace	Pos./Ind.
AH64QQ	KM	Pos./Ind.	CM9PUD	KM	Pos./Ind.
	TMB (Hemastix)	Pos./Ind.		Hemastix	Pos./Ind.
	Luminol	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.		Luminol	Pos./Ind.
AL6CXL	Phenolphthalein	Pos./Ind.	CMBFVG	TMB	Pos./Ind.
	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	CPDEWM	Visual	Pos./Ind.
ANBTEP	Hemastix	Pos./Ind.		LMG	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
AY83N8	Hemastix	Pos./Ind.	CWFH8E	KM	Pos./Ind.
	Luminol	Pos./Ind.		HemaTrace	Pos./Ind.
C4F3X4	Hemastix	Pos./Ind.	DLA4FD	KM	Pos./Ind.
	Luminol	Pos./Ind.		Hemastix	Pos./Ind.
C74HEC	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	KM	Pos./Ind.		Luminol	Pos./Ind.
	HemaTrace	Pos./Ind.	DLCUGG	KM (indirect)	Pos./Ind.
C8ZN4H	LMG	Pos./Ind.	DTWPK7	H-stix	Pos./Ind.
	Hematrace	Pos./Ind.		Luminol	Pos./Ind.
CDMJUF	Thevenon and Roland (Piramidon)	Pos./Ind.	DYLCFJ	KM	Pos./Ind.
	Occult Blood Card Test (Organics)	Pos./Ind.		HemaTrace	Pos./Ind.

TABLE 2 - Item 2

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
E8AHM3	Hemastix	Pos./Ind.	G8HHLU	O-tol	Pos./Ind.
	Luminol	Pos./Ind.		HemaTrace	Pos./Ind.
E8AKBL	LMG	Pos./Ind.	GCCAVC	Hemastix	Pos./Ind.
	ABA Hematrace	Pos./Ind.		KM	Pos./Ind.
EDDMD2	Luminol	Pos./Ind.		HemaTrace	Pos./Ind.
	Hemastix	Pos./Ind.	GELEAZ	KM	Pos./Ind.
EDXAXP	O-tol	Pos./Ind.		Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
ELTADH	KM	Pos./Ind.		Luminol	Pos./Ind.
	HT	Pos./Ind.	GJBYBV	O-tol	Pos./Ind.
EMZK47	O-tolidine	Pos./Ind.		Hematrace	Pos./Ind.
	HemDirect	Pos./Ind.	GLJ93R	O-tol	Pos./Ind.
EP6DVK	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	GPJHB9	KM	Pos./Ind.
	Ouchterlony	Pos./Ind.		Hemastix	Pos./Ind.
FKRYRY	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
	ABA HemaTrace	Pos./Ind.		Luminol	Pos./Ind.
FVRLN3	Hemastix	Pos./Ind.	GVATHD	KM	Pos./Ind.
	KM	Pos./Ind.		Hema Trace	Pos./Ind.
	HemaTrace	Pos./Ind.	GVM6LW	O-tol	Pos./Ind.
	Luminol	Pos./Ind.		Hematrace	Pos./Ind.
FY6A8Z	KM	Pos./Ind.	H28WY9	Visual exam of swabs	Pos./Ind.
G2WMKP	KM	Pos./Ind.		Microscopic exam of swabs	Pos./Ind.
	Hematrace	Pos./Ind.		KM	Pos./Ind.
G399G7	O-tol	Pos./Ind.	H6P4AP	KM	Pos./Ind.
G436K7	Luminol	Pos./Ind.		HemaTrace	Pos./Ind.
	KM	Pos./Ind.	HAP9CA	KM	Pos./Ind.
	Hemastix	Pos./Ind.		Takayama	Pos./Ind.
	HemaTrace	Pos./Ind.	HDLU4C	LMG	Pos./Ind.
G6YEYH	TMB	Pos./Ind.		Hematrace	Pos./Ind.



TABLE 2 - Item 2

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
HFADXH	TMB	Pos./Ind.	JX6BKX	Visual	Pos./Ind.
	Hemastix	Pos./Ind.		ALS	Pos./Ind.
	HemaTrace	Pos./Ind.		LMG	Pos./Ind.
	Luminol, Leucocrystal violet	Pos./Ind.	K26P8Z	LMG	Pos./Ind.
HFWLA8	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Hemastix	Pos./Ind.	K6MVGX	TMB	Pos./Ind.
	Luminol	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	K8VYFD	KM	Pos./Ind.
HLZLH4	KM	Pos./Ind.		HemaTrace	Pos./Ind.
HRH4MY	KM	Pos./Ind.	KAE32P	O-tol	Pos./Ind.
HTWKX6	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Hemastix	Pos./Ind.	KAJGJ7	OCCULT-BLOOD-RAPID SIGNAL	Pos./Ind.
	HemaTrace	Pos./Ind.		THEVENON-ROLAND / PIRAMIDON	Pos./Ind.
HXNZ7Y	Kastle-Meyer (KM)	Pos./Ind.	KERW62	LMG	Pos./Ind.
	Tetramethylbenzidine (TMB)	Pos./Ind.		Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.	KLQNY4	Hemastix	Pos./Ind.
JF9YZ4	visual exam	Pos./Ind.		Luminol	Pos./Ind.
	KM test of supernatant	Pos./Ind.	KTAVMM	O-tol	Pos./Ind.
JNJYNX	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Hemastix	Pos./Ind.	KVCUY2	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		Hemastix	Pos./Ind.
	Luminol	Pos./Ind.		HemaTrace	Pos./Ind.
JPEGX2	Hemastix	Pos./Ind.	KVCWMK	Visual Exam	Pos./Ind.
	Luminol	Pos./Ind.		KM	Pos./Ind.
JPQGJM	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Modified Takayama	Pos./Ind.	KZR8ZN	O-tol	Pos./Ind.
JRZHPF	TMB	Pos./Ind.		Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.		Hemastix	Pos./Ind.
	haemochromogen	Pos./Ind.		Hemastix	Pos./Ind.

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
L3VGAW	KM	Pos./Ind.		KM	Pos./Ind.
	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	MRN2YH	KM, Mod Taka	Pos./Ind.
	Luminol	Pos./Ind.	MW4MTB	Hemastix	Pos./Ind.
LAQJB9	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	KM	Pos./Ind.	MYLQFM	O-tol	Pos./Ind.
	HemaTrace	Pos./Ind.		Hematrace	Pos./Ind.
LBK3EV	KM	Pos./Ind.	N9TM26	Hemastix	Pos./Ind.
	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.		PTMB	Pos./Ind.
	Luminol	Pos./Ind.	NBJUJG	Visual	Pos./Ind.
LGC967	Immunochromatography for human blood	Pos./Ind.		KM	Pos./Ind.
LN9AAB	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Takayama	Pos./Ind.	NLVDQ6	TMB	Pos./Ind.
LUTD4L	KM	Pos./Ind.		Hematrace	Pos./Ind.
LZ2P8D	LMG	Pos./Ind.	NLWA22	Hem	Pos./Ind.
	HemaTrace	Pos./Ind.		Lum	Pos./Ind.
M834UZ	o-tolidine	Pos./Ind.	NMQZ8F	KM	Pos./Ind.
	hexagon OBTI	Pos./Ind.	NNKJB3	Thevenon Roland Test	Pos./Ind.
M8KCJV	H/stix	Pos./Ind.		Occult Blood Cassette	Pos./Ind.
	Luminol	Pos./Ind.	NQNEU6	TMB	Pos./Ind.
MAQUQC	O-Tol	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	NUDFBY	Item 2 AnB:O-tol	Pos./Ind.
MJWKJ2	Hemastix	Pos./Ind.		Item 2 CnD: O-tol	Pos./Ind.
	Luminol	Pos./Ind.	NV8DEZ	KM	Pos./Ind.
MK4W24	Occult Blood Casstte[sic]	Pos./Ind.		Hemastix	Pos./Ind.
MLJZZA	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Hemastix	Pos./Ind.		Luminol	Pos./Ind.
	HemaTrace	Pos./Ind.	NVMV7Y	Luminol	Pos./Ind.
MMRAT8	Hemastix	Pos./Ind.		Hemastix	Pos./Ind.

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
P3LF9U	Hstix	Pos./Ind.	QU4KH4	LMG	Pos./Ind.
	Luminol	Pos./Ind.	R3UDJ3	HS	Pos./Ind.
P8EKQQ	KM	Pos./Ind.		KM	Pos./Ind.
	HemaTrace	Pos./Ind.		HT	Pos./Ind.
P8QFAW	Phenolphthalein	Pos./Ind.	RDEWMY	KM	Pos./Ind.
	Hemastix	Pos./Ind.		Micro	Pos./Ind.
	HemaTrace	Pos./Ind.	RFLZM4	KM	Pos./Ind.
PBB8JE	Visual Exam	Pos./Ind.	RQJ3R7	ABACard HemaTrace	Pos./Ind.
	KM	Pos./Ind.	RQWTP4	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		Hexagon OBTI	Pos./Ind.
PCM4Q4	Hemastix	Pos./Ind.	RRR93Z	KM	Pos./Ind.
	HemaTrace	Pos./Ind.	T764WM	Hstix	Pos./Ind.
PGHXMK	O-Tol	Pos./Ind.		Luminol	Pos./Ind.
	Hematrace	Pos./Ind.	TK8D2W	Hemastix test	Pos./Ind.
PUQFU3	RAPID SIGNAL OCCULT BLOOD	Pos./Ind.		Lumninol[sic] test	Pos./Ind.
	THEVENON ROLAND - PIRAMIDON	Pos./Ind.	TLZ47B	KM	Pos./Ind.
Q9JNQ8	LMG	Pos./Ind.	TQD8L6	KM	Pos./Ind.
	HemaTrace	Pos./Ind.	TYRWJD	KM	Pos./Ind.
	Ouchterlony-Human	Pos./Ind.		Modified Takayama	Pos./Ind.
QGVPDF	KM	Pos./Ind.		Species - Ouch (Cat, Cow, Chicken, Dog, Deer, Horse, Pig, Rabbit, Sheep)	Negative
	Takayama	Pos./Ind.	TYRWLY	Hemastix	Pos./Ind.
QP6ABX	Hemastix	Pos./Ind.		KM	Pos./Ind.
	Luminol	Pos./Ind.		HemaTrace	Pos./Ind.
QPTEXQ	HemaTrace	Pos./Ind.	U2EUK4	LMG	Pos./Ind.
	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	KM	Pos./Ind.		Ouchterlony	Pos./Ind.
	Luminol	Pos./Ind.	U2QQP9	Phenolphthalein	Pos./Ind.
QTUEGW	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.			

TABLE 2 - Item 2

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
U6QZMG	O-tol	Pos./Ind.		Hemastix	Pos./Ind.
	Hematrace	Pos./Ind.	VZBMLU	KM	Pos./Ind.
U74A29	O-tol	Pos./Ind.		Hemastix	Pos./Ind.
	Hematrace	Pos./Ind.		Luminol	Pos./Ind.
UBXEHL	KM	Pos./Ind.		HemaTrace	Pos./Ind.
UCRBUL	Hemastix	Pos./Ind.	W3DVDC	Kastle Meyer	Pos./Ind.
	Luminol	Pos./Ind.		Hematrace	Pos./Ind.
UEFMR7	LMG	Pos./Ind.	W4AJJE	LMG	Pos./Ind.
	HemaTrace	Pos./Ind.		RSID-Blood	Pos./Ind.
UFAADV	KM	Pos./Ind.	WLPTHU	Human Blood	Pos./Ind.
	Luminol	Pos./Ind.	WUGAZW	Hemastix	Pos./Ind.
	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.		Phenolphthalein	Pos./Ind.
UL2HUV	Hemastix	Pos./Ind.		LCV	Pos./Ind.
	Luminol	Pos./Ind.	WYVLA7	Visual	Pos./Ind.
UMU9ZB	KM	Pos./Ind.		KM	Pos./Ind.
UVLQKX	Phenolphthalein	Pos./Ind.		HemaTrace	Pos./Ind.
	Hemastix	Pos./Ind.	X3RUT8	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		Hexagon OBTI	Pos./Ind.
V4EEPF	Visual Exam	Pos./Ind.	X4P4UN	KM	Pos./Ind.
	Benzidine Test	Pos./Ind.		Hemastix	Pos./Ind.
	Hemoglobin Kit	Pos./Ind.		HemaTrace	Pos./Ind.
VCRDH6	LMG	Pos./Ind.		Luminol	Pos./Ind.
	HemaTrace	Pos./Ind.	XARAGU	Immunochromatography	Pos./Ind.
VPEL84	Hemastix	Pos./Ind.	XBLXX4	KM	Pos./Ind.
	Phenolphthalein	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	XCFPX2	KM	Pos./Ind.
	Luminol	Pos./Ind.		Hemastix	Pos./Ind.
WGTNT	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.		Luminol	Pos./Ind.

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
XH66M9	KM	Pos./Ind.	ZBXEXZ	Hemastix	Pos./Ind.
	Takayama	Pos./Ind.		TMB	Pos./Ind.
XUUC7H	KM	Pos./Ind.		HT	Pos./Ind.
	RSID	Pos./Ind.		Luminol, LCV	Pos./Ind.
Y8KEBV	KM	Pos./Ind.	ZG3F7V	LMG	Pos./Ind.
YA4A2F	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.		Ouchterlony	Pos./Ind.
YHKTA9	KM	Pos./Ind.	ZQAW7M	KM	Pos./Ind.
	Hematrace	Pos./Ind.		Hemastix	Pos./Ind.
YJA9MP	Hematix[sic]	Pos./Ind.		HemaTrace	Pos./Ind.
	Luminol	Pos./Ind.		Luminol	Pos./Ind.
YK4YT4	Phenolphthalein - KM	Pos./Ind.	ZTEKGX	KM	Pos./Ind.
YKPATX	KM	Pos./Ind.	ZUCUFU	Hemastix	Pos./Ind.
	Bluestar Hexagon OBTI	Pos./Ind.		KM	Pos./Ind.
YR66KY	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Hematrace	Pos./Ind.			
	Visual examination	Pos./Ind.			
YRNZ3Z	TMB	Pos./Ind.			
	Hemastix	Pos./Ind.			
	HemaTrace	Pos./Ind.			
	Luminol	Pos./Ind.			
YWLDZD	KM Test	Pos./Ind.			
	Hematrace	Pos./Ind.			
	Notes - of human origin (excl:primates/ferret)				
Z6BNKR	Human Blood by Immuno- chromatography[sic]	Pos./Ind.			
ZBJTNX	KM	Pos./Ind.			
	Hemastix (TMB)	Pos./Ind.			
	Luminol	Pos./Ind.			
	HemaTrace	Pos./Ind.			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	Acid Phosphatase	Negative		P30	Negative
	PSA	Negative		micro (sperm)	Negative
	Micro	Negative	6BYZLP	Acid Phosphatase	Negative
27XMCV	AP	Negative		alternate light source	Negative
29T3ZY	AP	Negative	6DN9VQ	RSID-Semen	Negative
2CNQHQ	AP	Negative		PSA	Negative
2VXXL8	AP	Negative	6ELHUM	AP	Negative
	Micro	Negative		Micro	Negative
	RSID Semen	Negative		PSA	Negative
2WV7UQ	AP	Negative	6JA3X3	AP	Negative
	PSA	Negative	6KBWTG	AP	Negative
	Micro	Negative		Micro	Negative
2XRL7M	AP	Negative		SERATEC PSA	Negative
	Micro	Negative	6LJAYB	AP	Negative
	PSA	Negative	6XCW7Q	AP	Negative
3B92LR	ALS	Pos./Ind.		P30	Negative
	AP	Negative		Micro	Negative
	PSA	Negative	74EZWP	ALS	Negative
	Micro	Negative		AP	Negative
3M6XUL	AP	Negative		Micro	Negative
47A3JT	AP	Negative		PSA	Negative
4PPCMF	Brent/AP	Negative	78Y3PG	AP	Negative
4TK8BT	AP	Negative		Micro	Negative
62WEWN	FBB	Negative	7EEQFC	AP	Negative
	Micro	Negative		PSA	Negative
634WHT	ALS	Negative		Micro	Negative
	AP	Negative	7EXD8U	Micro (Christmas Tree)	Negative
	PSA	Negative		PSA	Negative
66ET2C	AP	Negative	7G4YMR	ABACard p30	Negative
68HJGC	AP	Negative		Alternate Light Source	Inconclusive

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
7MQUMB	AP	Negative	93CD3V	RSID-Semen	Negative
7R4Q4K	Christmas Tree	Negative		PSA	Negative
	PSA Test Cassette	Negative	9AUMG6	AP	Negative
7TY8FH	AP (Brentamine test)	Negative		PSA	Negative
826CWP	AP	Negative		Micro	Negative
	PSA	Negative	9CXHZ9	AP	Negative
88XE3B	AP	Negative		Micro	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative	9PBC4L	AP 1-Step	Inconclusive
8BDX6D	AP	Negative		AP 2-Step	Inconclusive
	P30	Negative		Micro	Negative
8GM26F	AP	Negative		PSA	Negative
	PSA - Seratec	Negative	9YDWG	AP	Negative
	Micro	Negative		PSA	Negative
8JRL4L	BCIP	Negative		Micro	Negative
8LF6YR	AP	Negative	A3QZ8G	AP	Negative
	Micro	Negative		PSA	Negative
	PSA	Negative		P30	Negative
8PXHML	FBB	Negative		Micro	Negative
	Micro	Negative	A4QRLC	AP	Negative
8QMXTM	AP	Negative		Micro	Negative
	PSA	Negative	ABK7ZH	AP	Negative
	Micro	Negative		PSA	Negative
8XMEBV	AP	Negative		Micro	Negative
	p30/PSA	Negative	ACHAZK	AP	Negative
	Slide/Microscopic Exam	Negative		PSA	Negative
8YHUNR	Christmas tree Stain	Negative	AFZJ26	Item 2A: AP, Micro	Negative
	PSA immuno- cromatography[sic] (Orgenics)	Negative		Item 2B: AP, Micro	Negative
				Item 2C: AP, Micro	Negative
8YHUPD	AP	Negative		Item 2D: AP, Micro	Negative

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
AH64QQ	AP	Negative	CMBFVG	AP	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative		CPDEWM	AP
AL6CXL	AP	Negative	ABA p30		Negative
	Micro	Negative	Micro		Negative
	PSA	Negative	CWFH8E	AP	Negative
ANBTEP	AP	Negative		Micro	Negative
AY83N8	Brentamine	Negative		DLA4FD	AP
C74HEC	AP	Negative	PSA (Abacus)		Negative
	Micro	Negative	PSA (Seratec)		Negative
	PSA	Negative	Micro	Negative	
C8ZN4H	AP	Negative	DLCUGG	AP(indirect)	Negative
	Micro	Negative		AP (direct)	Negative
CDMJUF	Christmas Tree Stained Slide (micro)	Negative	DTWPK7	AP	Negative
	Prostate Antigen Specific PSA (orgenics)	Negative	DYLCFJ	AP	Negative
CGPKWY	AP	Negative	E8AHM3	Brentamine	Negative
	PSA	Negative	E8AKBL	ALS	Negative
	Micro	Negative		AP	Negative
CGZN9A	Acid Phosphatase	Negative		Microscope	Negative
	Micro	Negative	ABA P30	Negative	
	PSA	Negative	EDDMD2	Brentamine	
CKKFHR	ALS	Inconclusive	EDXXP	ALS	Inconclusive
	AP	Negative		AP	Negative
CLF29W	AP	Negative	ELTADH	AP	Negative
	PSA	Negative	EMZK47	Acid Phosphatase	Negative
	Micro	Negative		P30	Negative
CM9PUD	AP	Negative		EP6DVK	AP
	PSA	Negative		PSA	Negative
	Micro	Negative		Micro	Negative



TABLE 2 - Item 2

Semen						
Webcode	Test Performed	Results	Webcode	Test Performed	Results	
FKRYRY	AP	Negative		Micro	Negative	
	PSA	Negative		RSID - Semen	Negative	
	Micro (spermatozoa)	Negative		GLJ93R	Micro	Negative
FVRLN3	AP	Negative		RSID	Negative	
	P30	Negative		GPJHB9	AP	Negative
	PSA	Negative		ABAcad P30		Negative
	Micro	Negative		Seratec PSA		Negative
FY6A8Z	AP	Negative		Micro	Negative	
	MICRO	Negative		GVATHD	AP	Negative
G2WMKP	AP	Negative		RSID Semen	Negative	
	micro	Negative		GVM6LW	AP	Negative
	PSA	Negative		PSA		Negative
G399G7	AP	Negative		Micro	Negative	
	Micro	Negative		H28WY9	AP	Negative
G436K7	AP	Negative		X-Mas	Negative	
	ABA PSA	Negative		H6P4AP	AP	Negative
	Microscopic	Negative		Micro		Negative
G6YEYH	Microscopy	Negative		HAP9CA	Micro	
	AP	Negative		seratec (p30)		Negative
G8HHLU	AP	Negative		HDLU4C	AP	
	Micro	Negative		Micro		Negative
	RSID	Negative		HFADXH	AP	Negative
GCCAVC	AP	Negative		Seratec PSA		
	PSA	Negative		Microscopic sperm search		Negative
	Micro (sperm)	Negative		HFWLA8	AP	Negative
GELEAZ	AP	Negative		PSA (Abacus)	Negative	
	PSA	Negative		PSA (Seratec)		Negative
	Micro	Negative		Micro		Negative
GJBYBV	ALS	Negative				
	AP	Negative				

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
HLZLH4	AP	Negative		RSID	Negative
	PSA	Negative	KAJGJ7	MICROSCOPIC	Negative
	Micro	Negative		PSA-RAPID SIGNAL	Negative
HRH4MY	AP	Negative	KERW62	AcP	Negative
	Micro	Negative		PSA	Negative
HTWKX6	AP	Negative		Micro	Negative
	Micro	Negative	KLQNY4	Brentamine (AP)	Negative
	PSA	Negative	KTAVMM	Micro	Negative
HXNZ7Y	AP Spot	Negative		RSID	Negative
	ABACard p30	Negative	KVCUY2	ALS	Pos./Ind.
	Microscopic	Negative		AP	Negative
JF9YZ4	Extraction - AP of supernatant	Negative		Micro	Negative
	Microscopic exam	Negative		PSA	Negative
JNJYNX	AP	Negative	KVCWMK	AP	Negative
	Micro	Negative	KZR8ZN	Micro	Negative
	Seratec PSA	Negative		RSID	Negative
	ABA p30	Negative	L3VGAW	AP	Negative
JPEGX2	Brentamine - AP	Negative		Micro	Negative
JPQGJM	AP	Negative		Seratec PSA	Negative
JRZHPF	AP	Negative		Abacus PSA	Negative
JX6BKX	Visual	Negative	LAQJB9	AP	Negative
	ALS	Negative		Micro	Negative
	AP	Negative		PSA	Negative
K26P8Z	AP	Negative	LBK3EV	AP	Negative
	Micro	Negative		PSA	Negative
K6MVGv	AP	Negative		Micro	Negative
	Micro	Negative	LGC967	Christmas tree stain	Negative
	P-30	Negative		Immunochromatography for Prostate Specific Antigen (PSA)	Negative
K8VYFD	AP	Negative	LN9AAB	AP	Negative
KAE32P	Micro	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LUTD4L	AP	Negative		PSA	Negative
	Micro	Negative		Micro	Negative
LZ2P8D	ALS	Negative	NBJUJG	AP	Negative
	AP	Negative	NLVDQ6	AP	Negative
	Microscopic examination	Negative	NLWA22	Brent	Negative
	P30	Negative	NMQZ8F	Micro	Negative
M834UZ	ALS	Negative		P30	Negative
	acid phosphatase	Negative	NNKJB3	Christmas Tree	Negative
M8KCJV	Brentamine/AP	Negative		PSA Test Cassette	Negative
MAQUQC	AP	Negative	NQNEU6	AP	Negative
	Micro	Negative		PSA	Negative
	P30	Negative	NUDFBY	Item 2 AnB: AP, Micro	Negative
MJWKJ2	Brentamine (AP)	Pos./Ind.		Item CnD: AP, Micro	Negative
MK4W24	Christmas Tree coloration	Negative	NV8DEZ	AP	Negative
	PSA serum/plasma casstte[sic]	Negative		PSA	Negative
MLJZZA	ALS	Inconclusive		Micro	Negative
	AP	Negative	P3LF9U	AP	Negative
	Micro	Negative	P8EKQQ	AP	Negative
	PSA	Negative		P30	Negative
MMRAT8	AP	Negative		Microscopy-presence of sperm	Negative
	PSA	Negative	P8QFAW	alternate light source	Negative
	Micro	Negative		AP	Negative
MRN2YH	AP, PSA (ABA P30), Micro	Negative		Micro	Negative
MW4MTB	Microscopy	Negative		PSA	Negative
	AP	Negative	PBB8JE	AP	Negative
	PSA	Negative	PCM4Q4	AP	Negative
MYLQFM	Micro	Negative		Microscopic exam	Negative
	RSID	Negative		PSA	Negative
N9TM26	AP	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
PGHXMK	AP	Negative	TK8D2W	Brentamine (bloody). Swab bloody not tested in our lab	
	Micro	Negative			
	RSID	Negative	TLZ47B	Micro	Negative
PUQFU3	MICRO	Negative		P30	Negative
	PSA	Negative	TQD8L6	AP	Negative
Q9JNQ8	AP	Negative		PSA	Negative
QGVPDF	AP	Inconclusive		Microscopic Slides for Sperm Cells	Negative
	Micro	Negative	TYRWJD	AP	Negative
	PSA	Negative		PSA	Negative
QP6ABX	Brentamine (AP)	Negative		Micro	Negative
QPTEXQ	AP	Negative	TYRWLY	AP	Negative
	PSA (ABAcad p30)	Negative		PSA	Negative
	Micro	Negative		Micro	Negative
QTUEGW	AP	Negative	U2EUK4	AP	Negative
QU4KH4	AP	Negative	U2QQP9	ALS	Negative
	Micro	Negative		AP	Negative
	PSA	Negative		P30	Negative
	ALS	Negative	U6QZMG	ALS	Negative
R3UDJ3	AP	Negative		AP	Negative
	Micro	Negative		Micro	Negative
	P30	Negative		RSID-semenogelin	Negative
RDEWMY	AP	Negative	U74A29	AP	Negative
	Micro	Negative		Micro	Negative
RFLZM4	AP	Negative		RSID - Semen	Negative
RQJ3R7	ABAcad p30	Negative	UBXEHL	AP	Negative
	ALS	Negative		Micro	Negative
RQWTP4	RSID-Semen	Negative	UCRBUL	Brentamine	Negative
	PSA	Negative	UEFMR7	AP	Negative
RRR93Z	AP	Negative		PSA	Negative
				Micro	Negative

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
UFAADV	AP	Negative		PSA	Negative
	Micro	Negative	WUGAZW	Acid Phosphatase	Negative
	PSA	Negative		PSA	Negative
UL2HUV	Brentamine (AP)	Negative		Microscopic exam - sperm cells	Negative
UMU9ZB	Micro	Negative	WYVLA7	ALS	Negative
	P30	Negative		AP	Negative
UVLQKX	Acid Phosphatase	Negative	X3RUT8	PSA	Negative
	Microscopic	Negative		RSID-Semen	Negative
	PSA/P30	Negative	X4P4UN	AP	Negative
V4EEPF	AP (Acid Phosphatase)	Negative		PSA	Negative
	PSA Kit	Negative		Micro	Negative
	Microscopic Test	Negative	XARAGU	Christmas Tree Stain (Micro)	Negative
VCRDH6	ALS	Negative		PSA	Negative
	AP	Negative	XBLXX4	AP	Negative
	P30 card	Negative		PSA	Negative
	Micro	Negative		Micro	Negative
VPEL84	AP	Negative	XCFPX2	AP	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative		PSA (seratec)	Negative
WGTNT	AP	Negative	XH66M9	AP	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative	XUUC7H	AP	Negative
VZBMLU	AP	Negative	Y8KEBV	AP	Negative
	P30	Negative	YA4A2F	AP	Negative
	Micro	Negative		PSA	Negative
W3DVDC	AP	Negative		Micro	Negative
W4AJJE	AP	Negative	YHKTA9	AP	Negative
	RSID-Semen	Negative	YJA9MP	Brentamine	Negative
	Micro	Negative			
WLPTHU	Christmas Tree	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
YK4YT4	P30	Negative			
	Microscopic exam	Negative			
YKPATX	RSID-Semen	Negative			
	PSA	Negative			
YR66KY	AP	Negative			
YRNZ3Z	AP	Negative			
	PSA	Negative			
	Micro	Negative			
YWLDZD	AP Test	Negative			
Z6BNKR	Micro	Negative			
	PSA	Negative			
ZBJTNX	AP	Negative			
	PSA	Negative			
	Micro	Negative			
ZBXEXZ	AP	Negative			
	Micro	Negative			
	PSA	Negative			
ZG3F7V	AP	Negative			
ZQAW7M	AP	Negative			
	PSA	Negative			
	Micro	Negative			
ZTEKGX	PSA	Negative			
ZUCUFU	AP	Negative			
	PSA	Negative			
	Micro	Negative			

TABLE 2 - Item 2

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	RSID saliva	Negative	8LF6YR	RSID	Negative
29T3ZY	Phadebas Forensic Paper	Negative	8PXHML	Amylase	Pos./Ind.
2CNQHQ	Not trained to perform this test.		8QMXTM	RSID	Negative
2VXL8	RSID Saliva	Negative	8XMEBV	SALlgAE	Inconclusive
2WV7UQ	RSID	Negative	8YHUPD	Phadebas	Negative
2XRL7M	RSID-Saliva	Negative	93CD3V	Testing for saliva is generally not done when item is positive for blood or semen.	
3B92LR	ALS	Pos./Ind.	9AUMG6	Amylase Radial Diffusion	Negative
	RSID	Negative		Micro	Inconclusive
3M6XUL	Amylase Diffusion	Negative	9PBC4L	Amylase Diffusion	Negative
4TK8BT	Phadebas	Negative	9YDWG	RSID	Negative
62WEWN	Amylase	Inconclusive	A3QZ8G	RSID	Negative
68HJGC	ARD	Negative	A4QRLC	Amylase diffusion	Negative
	Micro (NEC)	Negative	ABK7ZH	RSID - Saliva	Negative
6DN9VQ	Saliva test is not done if item is tested positive for either blood or semen. Item 2 is tested positive for blood, thus no saliva test was performed.		ACHAZK	Amylase Diffusion	Negative
6ELHUM	RSID-Saliva	Negative	AFZJ26	Item 2A: RSID Saliva	Negative
6KBWGT	Phadebas Amylase	Negative		Item 2B: RSID Saliva	Negative
	RSID Saliva	Negative		Item 2C: RSID Saliva	Negative
6XCW7Q	RSID - Saliva	Negative		Item 2D: RSID Saliva	Negative
74EZWP	ALS	Negative	AH64QQ	RSID	Negative
	RSID- saliva	Negative	AL6CXL	RSID	Negative
78Y3PG	Amylase Diffusion	Negative	ANBTEP	RSID Saliva	Negative
7EEQFC	RSID	Negative	AY83N8	Only three tests are performed in our lab, i.e., Hemastix, Luminol and Brentamine	
826CWP	RSID	Negative	C74HEC	RSID	Negative
88XE3B	RSID	Negative	C8ZN4H	Amylase diffusion	Negative
8BDX6D	gel diffusion	Negative	CGPKWY	Phadebas Amylase Test	Negative
8GM26F	Amylase - Seratec	Negative	CGZN9A	RSID saliva	Pos./Ind.
8JRL4L	Amylase Diffusion	Inconclusive			

TABLE 2 - Item 2

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CKKFHR	ALS	Inconclusive	GJBYBV	ALS	Negative
	RSID	Negative		RSID - Saliva	Negative
CLF29W	Phadebas	Negative	GLJ93R	RSID	Pos./Ind.
CM9PUD	RSID saliva	Negative	GPJHB9	RSID Saliva	Negative
CMBFVG	Radial Diffusion	Negative	GVATHD	Laboratory does not perform test on saliva per laboratory policy.	
CPDEWM	RSID	Negative	H28WY9	Amylase	Negative
CWFH8E	Phadebas press	Negative	HDLU4C	Amylase Diffusion	Negative
DLA4FD	RSID	Negative	HFADXH	RSID saliva	Negative
DTWPK7	Saliva testing not performed at lab		HFWLA8	RSID Saliva	Negative
DYLCFJ	RSID	Negative	HLZLH4	RSID saliva	Negative
E8AHM3	We only perform three tests in our laboratory i.e. Hemastix and Luminol for blood and Brentamine for Semen		HRH4MY	Amylase Radial Diffusion	Negative
E8AKBL	This test is not offered at this laboratory.		HTWKX6	RSID	Negative
EDDMD2	Our laboratory does not test for saliva		HXNZ7Y	RSID-Saliva	Negative
EDXAXP	RSID	Negative	JF9YZ4	Phadebas tube test	Negative
ELTADH	RSID	Negative	JNJYNX	RSID saliva	Negative
EMZK47	Amylase Diffusion	Negative	JPEGX2	Saliva test not done at the laboratory.	
FKRYRY	Amylase Radial Diffusion	Pos./Ind.	JPQGJM	Phadebas Amylase Test	Negative
	Micro (NECs)	Negative	JRZHPF	Red-brown stain interferes with ability to obtain a reliable[sic] result using spectrophotometry	
FVRLN3	RSID Saliva	Negative	JX6BKX	We do not test for this	
FY6A8Z	AMYLASE	Negative	K26P8Z	Amylase Diffusion	Negative
G2WMKP	Phadebas	Negative	K6MVGW	Amylase Radial Diffusion	Negative
G399G7	RSID saliva	Negative	K8VYFD	Phadebas paper	Negative
G436K7	RSID Saliva	Negative	KAE32P	RSID	Negative
G6YEYH	Phadebas	Negative	KERW62	Amylase diffusion	Negative
G8HHLU	RSID	Negative	KTAVMM	RSID	Negative
GCCAVC	RSID	Negative	KVCUY2	ALS	Pos./Ind.
GELEAZ	RSID-Saliva	Pos./Ind.		RSID	Negative



TABLE 2 - Item 2

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
KVCWMK	RSID	Negative		microscopy -presence of NEC	Negative
KZR8ZN	RSID	Negative	P8QFAW	alternate light source	Negative
L3VGAW	RSID Saliva	Negative		RSID saliva	Negative
LAQJB9	RSID	Pos./Ind.	PBB8JE	RSID	Negative
LBK3EV	RSID	Negative	PCM4Q4	RSID - saliva	Negative
LGC967	Our laboratory not included[sic] in the portfolio of service testing for the presence of saliva		PGHXMK	RSID	Negative
LN9AAB	Phadebas	Negative	QGVPDF	Phadebas-Amylase	Negative
LUTD4L	Amylase	Negative	QPTXQ	RSID	Negative
LZ2P8D	Test not offered		QTUEGW	Amylase Diffusion	Negative
M8KCJV	We don't have a test for saliva		QU4KH4	amylase radial diffusion	Negative
MAQUQC	RSID	Negative		ALS	Negative
MLJZZA	ALS	Inconclusive	R3UDJ3	RSID	Negative
	RSID	Pos./Ind.	RDEWMY	Amylase	Negative
MMRAT8	RSID	Negative	RQWTP4	Laboratory only examines for saliva if blood and semen are not detected.	
MRN2YH	Phadebas (α-Amylase)	Negative	TQD8L6	Amylase Diffusion	Negative
MW4MTB	RSID-saliva	Negative	TYRWJD	Phadebas	Negative
MYLQFM	RSID	Negative	TYRWLY	RSID	Negative
N9TM26	RSID	Negative	U2QQP9	Saligae	Pos./Ind.
NBJUJG	RSID	Negative	U6QZMG	ALS	Negative
NLVDQ6	Amylase	Negative		RSID-amylase	Negative
NQNEU6	Amylase radial diffusion	Negative	U74A29	RSID - Saliva	Negative
NUDFBY	Item 2 AnB: RSID	Negative	UBXEHL	Positive for KM, didn't want to consume sample.	
	Item 2 CnD: RSID	Negative	UCRBUL	Fourth swab not tested as only three tests are done in our lab.	
NV8DEZ	RSID-Saliva	Negative	UFAADV	RSID Saliva	Negative
P3LF9U	No saliva test performed at the lab		UVLQKX	RSID Saliva	Pos./Ind.
P8EKQQ	Amylase Radial Diffusion** [**See additional comments]	Inconclusive	VCRDH6	This test is not offered in our laboratory.	
			VPCL84	RSID - saliva	Negative

TABLE 2 - Item 2

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
WGTNT	RSID	Negative			
VZBMLU	RSID Saliva	Negative			
W3DVDC	Saliva test not conducted at this Lab				
W4AJJE	RSID-Saliva	Negative			
WLPTHU	Our laboratory does not perform test to identify saliva				
WUGAZW	RSID-saliva	Negative			
WYVLA7	ALS	Negative			
X3RUT8	Lab only tests for saliva if blood and semen not detected.				
X4P4UN	RSID-saliva	Negative			
XBLXX4	SALlgAE	Inconclusive			
XCFPX2	RSID	Negative			
XH66M9	Phadebas Amylase Test	Negative			
XUUC7H	RSID	Negative			
YA4A2F	Amylase Radial Diffusion	Pos./Ind.			
	Micro	Negative			
YHKTA9	Tests are not performed at the lab[sic]				
YKPATX	Lab only test for saliva if blood and semen are not detected				
YR66KY	Phadebas	Negative			
YRNZ3Z	RSID saliva	Negative			
YWLDZD	Phadebas	Negative			
ZBJTNX	RSID	Negative			
ZBEXEZ	RSID	Pos./Ind.			
ZQAW7M	RSID saliva	Negative			
	ALS	Negative			
ZTEKGX	RSID	Negative			
ZUCUFU	RSID	Negative			

TABLE 2 - Item 2

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
2CNQHQ	Blood/Semen - ALS (see Additional Comments)	Pos./Ind.		Fecal Material - Urobilinogen	Negative
4TK8BT	Urine- Creatinine	Negative	N9TM26	ALS	Negative
	Fecal Material- Urobilinogen	Negative	QGVPDF	Creatinine	Negative
	Ouchterlony- 9 animal species	Negative		DMAC	Negative
6ELHUM	semen/saliva - ALS	Negative		Urea	Negative
	Blood - Leucocrystal violet	Pos./Ind.		Urobilinogen	Negative
CGZN9A	semen/saliva- ALS	Negative		Ouchterlony-9 animal species see comments	Negative
E8AKBL	Microscope- epithelial cells	Negative	T764WM	Epithelial skin cells - Not Tested	
GCCAVC	Various - ALS	Negative	TYRWJD	Urine - Creatinine	Negative
HFADXH	Fecal matter - Urobilinogen	Negative		Feces - Urobilinogen	Negative
	Urine - Creatinine	Negative	VCRDH6	Body Fluid - Visual Exam	Pos./Ind.
	Semen/Saliva/Urine - ALS	Negative	W4AJJE	Urine - RSID-Urine	Negative
HLZLH4	Urine - Urease	Negative	WUGAZW	Alternate light source	Negative
JF9YZ4	Urine - DMAC	Negative	X4P4UN	Blood - Leucocrystal violet	Pos./Ind.
JPQGJM	Species - Ouchterlony (Bovine/Cat/Chicken/Deer/Dog/Swine/Horse/Sheep/Rabbit)	Negative	XH66M9	Urine - Creatinine	Negative
	Urine - Creatinine	Negative		Feces - Urobilinogen	Negative
	Feces - Urobilinogen	Negative		Species - Ouchterlony (bovine, cat, chicken, deer, dog, swine, horse, sheep, rabbit)	Negative
JRZHPF	urine - RSID urine	Negative	YRNZ3Z	Blood - Leucocrystalviolet	Pos./Ind.
K6MVGW	Urine - Jaffe for Creatinine	Negative		Feces - Urobilinogen	Negative
	Urine - DMAC for Urea	Negative		Urine - Creatinine	Negative
LN9AAB	urine - Creatinine	Negative	ZBJTNX	ALS	Negative
	urine - DMAC	Negative	ZBEXEZ	Alternate Light Source	Negative
	fecal material - Urobilinogen	Negative			
	Ouchterlony - 9 animal species (see Comments)	Negative			
MRN2YH	Urine - Creatinine, DMAC, Urea	Negative			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	Hemastix	Pos./Ind.	78Y3PG	LMG	Negative
	HemaTrace	Pos./Ind.	7EEQFC	KM	Negative
27XMCV	LMG	Negative	7EXD8U	Thevenon-Roland Piramidon	Negative
29T3ZY	Visual	Inconclusive	7G4YMR	Visual Examination	Negative
	KM	Negative	7MQUMB	KM	Pos./Ind.
2CNQHQ	O-tol.	Negative		HemaTrace	Pos./Ind.
2VXXL8	O-tol	Negative	7R4Q4K	Thevenon Roland Test	Negative
2XRL7M	KM	Negative		Occult Blood Cassette	Negative
3B92LR	Hemastix	Pos./Ind.	7TY8FH	Hemastix	Negative
	HemaTrace	Pos./Ind.		Luminol	Negative
3M6XUL	LMG	Negative	826CWP	HemaTrace	Pos./Ind.
47A3JT	LMG	Negative	88XE3B	KM	Negative
4PPCMF	no evidential value		8BDX6D	LMG	Negative
4TK8BT	KM	Negative	8GM26F	TMB	Pos./Ind.
62WEWN	Micro	Negative		HemDirect - Seratec	Pos./Ind.
	KM	Negative	8JRL4L	KM	Negative
634WHT	O-tol	Negative	8LF6YR	KM	Negative
	HemaTrace	Pos./Ind.	8PXHML	Micro	Negative
66ET2C	KM	Negative		KM	Negative
68HJGC	KM	Negative	8QMXTM	No red/brown staining, inner thigh is probable for semen testing.	
6BYZLP	No visible red stain		8XMEBV	Phenolphthalein	Negative
6DN9VQ	KM	Negative		HemaTrace	Pos./Ind.
6ELHUM	TMB	Negative	8YHUNR	Occult blood immunochromatography (Organics)	Negative
6JA3X3	KM	Negative		Thevenon Roland Piramidon	Negative
6KBWTG	KM	Negative	8YHUPD	KM	Negative
	SERATEC Hemoglobin	Negative	93CD3V	KM	Negative
6LJAYB	KM	Negative	9AUMG6	LMG	Negative
6XCW7Q	Visual	Pos./Ind.			
	LMG	Negative			
74EZWP	Phenolphthalein	Negative			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
9CXHZ9	KM	Negative	CLF29W	KM	Negative
9PBC4L	LMG	Negative	CM9PUD	KM	Negative
9YDWG	KM	Negative	CMBFVG	TMB	Inconclusive
A3QZ8G	KM	Negative		HemaTrace	Pos./Ind.
	Hemastix	Pos./Ind.	CPDEWM	Visual	Pos./Ind.
	HemaTrace	Pos./Ind.		LMG	Negative
A4QRLC	LMG	Negative	CWFH8E	KM	Negative
A9XMU6	Hemastix	Negative	DLA4FD	KM	Negative
	Luminol	Negative	DLCUGG	KM (direct)	Negative
ABK7ZH	KM	Negative	DTWPK7	Swabs taken from below the hips of the victim is only tested for possible semen	
	Hemastix	Pos./Ind.	DYLCFJ	KM	Negative
	HemaTrace	Pos./Ind.	E8AHM3	The first swab tested positive for semen, the other three were therefore not tested for blood since there[sic] are duplicate with the first swab	
ACHAZK	No visible red discoloration		E8AKBL	Not performed due to case circumstances and collection site.	
AFZJ26	Not tested - swabs did not display the characteristic reddish-brown color associated with blood.		EDDMD2	Swabs were duplicated, so they will contain some Body Fluid.	
AH64QQ	KM	Negative	EDXAXP	O-tol	Negative
AL6CXL	Phenolphthalein	Negative	ELTADH	KM	Negative
ANBTEP	Hemastix	Negative	EMZK47	O-tolidine	Inconclusive
C4F3X4	Hemastix	Negative		HemDirect	Negative
	Luminol	Negative	EP6DVK	LMG	Negative
C74HEC	KM	Negative	FKRYRY	LMG	Pos./Ind.
C8ZN4H	LMG			ABA HemaTrace	Pos./Ind.
CDMJUF	Thevenon and Roland (Piramidon)	Negative	FVRLN3	Hemastix	Negative
	Occult Blood[sic] Card Test (Organics)	Negative	FY6A8Z	KM	Negative
CGPKWY	KM	Negative			
	Hemoglobin Immunochromatography	Negative			
CGZN9A	Phenolphthalein	Negative			
CKKFHR	O-Tol	Negative			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
G2WMKP	KM	Negative	HTWKX6	Not tested for blood due to color of swab (light beige).	
G399G7	O-tol	Negative	JF9YZ4	visual exam	Negative
G436K7	No Reddish Brown Staining			KM test of swab	Negative
G6YEYH	TMB test for blood not performed as no visible staining		JNJYNX	KM	Negative
G8HHLU	O-tol	Negative	JPEGX2	Swabs taken below hip area of female, not tested for blood	
GCCAVC	Hemastix	Negative	JPQGJM	KM	Negative
	KM	Negative	JRZHPF	TMB	Negative
	HemaTrace	Negative	JX6BKX	Visual	Negative
GELEAZ	Hemastix	Pos./Ind.		ALS	Negative
	KM	Negative		LMG	Negative
GJBYBV	O-tol	Negative	K26P8Z	LMG	Negative
GLJ93R	O-tol	Negative	K6MVGX	TMB	Negative
GPJHB9	KM	Negative	K8VYFD	KM	Negative
GVATHD	KM		KAE32P	O-tol	Negative
GVM6LW	O-tol	Pos./Ind.	KAJGJ7	THEVENON-ROLAND / PIRAMIDON	Negative
	Hematrace	Pos./Ind.		OCCULT BLOOD-RAPID SIGNAL	Negative
H28WY9	Visual exam of swabs	Negative	KERW62	LMG	Negative
	Microscopic exam of swabs	Negative	KLQNY4	Hemastix	Negative
	KM	Negative		Luminol	Negative
H6P4AP	KM	Negative	KTAVMM	O-tol	Negative
HDLU4C	LMG	Negative	KVCUY2	KM	Negative
HFADXH	TMB	Negative	KVCWMK	Visual Exam	Negative
	Hemastix	Negative	KZR8ZN	O-tol	Negative
	HemaTrace	Negative	L3VGAW	Hemastix	Negative
HFWLA8	KM	Negative	LAQJB9	Hemastix	Pos./Ind.
HLZLH4	KM	Negative		KM	Negative
HRH4MY	KM	Negative		HemaTrace	Pos./Ind.

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LBK3EV	KM	Negative		Occult Blood Cassette	Negative
	Hemastix	Negative	NQNEU6	TMB	Inconclusive
LGC967	Immunochematography for human blood	Negative		HemaTrace	Pos./Ind.
	Thevenon and Roland Pyramidon[sic]	Negative	NUDFBY	No test performed due to no reddish-brown color.	
LN9AAB	KM	Negative	NV8DEZ	no reddish brown staining observed	
LZ2P8D	not tested based on case circumstances		NVMV7Y	Luminol	Negative
M834UZ	o-tolidine	Negative		Hemastix	Negative
M8KCJV	Not tested as it was not evidential value. Only test swabs for semen		P3LF9U	Swabs taken below hip area of a female is not tested for blood.	
MAQUQC	O-Tol	Negative	P8EKQQ	Swab did not have red-brown color stain	
	HemaTrace	Pos./Ind.	P8QFAW	This item was not tested for blood based on the scenario given and lack of visible staining	
MK4W24	Occult Blood Cassette	Negative	PBB8JE	Visual Exam	Pos./Ind.
	Thevenon and roland Piramidon	Negative		KM	Negative
MLJZZA	No apparent bloodstains noted		PCM4Q4	Hemastix	Negative
MMRAT8	KM	Negative		HemaTrace	Pos./Ind.
MRN2YH	KM	Negative	PGHXMK	O-Tol	Negative
MW4MTB	Hemastix	Negative	PUQFU3	RAPID SIGNAL OCCULT BLOOD	Negative
MYLQFM	O-tol	Negative		THEVENON ROLAND-PIRAMIDON	Negative
N9TM26	Hemastix	Pos./Ind.	Q9JNQ8	LMG	Negative
	HemaTrace	Pos./Ind.	QGVPDF	KM	Negative
	PTMB	Negative	QP6ABX	Hemastix	Negative
NBJUJG	Visual	Negative	QPTEXQ	KM	Negative
NLVDQ6	TMB	Inconclusive	QTUEGW	LMG	Negative
	Hematrace	Pos./Ind.	QU4KH4	LMG	Negative
NLWA22	Hem	Negative	R3UDJ3	HS	Inconclusive
	Lum	Negative		KM	Negative
NMQZ8F	Light orange stained swabs			HT	Pos./Ind.
NNKJB3	Thevenon Roland Test	Negative			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
RDEWMY	KM	Negative		Benzidine Test	Negative
	Micro	Negative	VCRDH6	LMG	Negative
RFLZM4	KM	Negative	VPEL84	Hemastix	Pos./Ind.
RQJ3R7	Visual	Negative		HemaTrace	Pos./Ind.
RQWTP4	KM	Negative	WGTNT	no reddish staining observed	
RRR93Z	KM	Negative	VZBMLU	Staining not consistent with blood. Conserving sample.	
T764WM	Hemastix	Negative	W3DVDC	Kastle Meyer	Negative
	Luminol	Negative		Hematrace	Pos./Ind.
TK8D2W	Hemastix test	Negative	W4AJJE	LMG	Negative
	Luminol test	Negative		RSID-Blood	Negative
TLZ47B	Not red stained		WLPTHU	Human Blood	Negative
TQD8L6	KM	Negative	WUGAZW	Hemastix	Negative
TYRWJD	KM	Negative		HemaTrace	Pos./Ind.
TYRWLY	Hemastix	Inconclusive	WYVLA7	Visual	Negative
	KM	Negative		KM	Negative
	HemaTrace	Pos./Ind.	X3RUT8	KM	Negative
U2EUK4	LMG	Negative	X4P4UN	KM	Negative
U2QQP9	Phenolphthalein	Negative	XARAGU	Thevenon y Roland	Negative
U6QZMG	OT	Negative		Immunochromatography	Negative
U74A29	O-tol	Negative	XBLXX4	KM	Negative
UBXEHL	No red/brown staining observed.			HemaTrace	Pos./Ind.
UCRBUL	No visible blood detected hence no tests done for blood		XCFPX2	KM	Negative
UEFMR7	LMG	Negative	XH66M9	KM	Negative
	HemaTrace	Pos./Ind.	XUUC7H	KM	Negative
UFAADV	Not tested - no visible RBS		Y8KEBV	KM	Negative
UMU9ZB	KM	Negative	YA4A2F	KM	Negative
UVLQKX	Phenolphthalein	Negative	YHKTA9	KM	Negative
V4EEPF	Visual Exam	Negative		Hematrace	Pos./Ind.
			YK4YT4	Phenolphthalein - KM	Negative



TABLE 2 - Item 3

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
YKPATX	KM	Negative			
YR66KY	KM	Negative			
	Visual examination	Negative			
YRNZ3Z	TMB	Negative			
YWLDZD	KM Test	Negative			
Z6BNKR	Thevenon Roland Piramidon	Negative			
	Human Blood by immuno- chromatography[sic]	Negative			
ZBJTNX	Not indicated by scenario				
ZG3F7V	LMG	Negative			
ZQAW7M	KM	Negative			
ZTEKGX	red-brown staining not observed on item swabs				
ZUCUFU	Hemastix	Inconclusive			
	KM	Negative			
	HemaTrace	Pos./Ind.			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	Acid Phosphatase	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.	66ET2C	AP	Pos./Ind.
	Micro	Pos./Ind.	68HJGC	AP	Pos./Ind.
27XMCV	AP	Pos./Ind.		P30	Pos./Ind.
	PSA	Pos./Ind.		micro (sperm)	Pos./Ind.
	Micro	Pos./Ind.	6BYZLP	Acid Phosphatase	Pos./Ind.
29T3ZY	AP	Pos./Ind.		alternate light source	Pos./Ind.
	Microscopy	Pos./Ind.	6DN9VQ	RSID-Semen	Pos./Ind.
2CNQHQ	AP	Pos./Ind.		PSA	Pos./Ind.
2VXL8	Ap	Pos./Ind.	6ELHUM	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
2WV7UQ	AP	Pos./Ind.	6JA3X3	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
2XRL7M	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	6KBWTG	AP	Pos./Ind.
3B92LR	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.		SERATEC PSA	Pos./Ind.
	Micro	Pos./Ind.	6LJAYB	AP	Pos./Ind.
3M6XUL	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
47A3JT	AP	Pos./Ind.	6XCW7Q	AP	Pos./Ind.
	PSA	Pos./Ind.		P30	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
4PPCMF	Brentamine/AP	Pos./Ind.	74EZWP	ALS	Pos./Ind.
4TK8BT	AP	Pos./Ind.		AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
62WEWN	FBB	Pos./Ind.	78Y3PG	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
634WHT	ALS	Pos./Ind.		PSA	Pos./Ind.
	AP	Pos./Ind.			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
7EEQFC	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	8XMEBV	AP	Pos./Ind.
	Micro	Pos./Ind.		p30/PSA	Pos./Ind.
7EXD8U	Micro (Christmas Tree)	Pos./Ind.		Slide/Microscopic Exam	Pos./Ind.
7G4YMR	ABACard p30	Pos./Ind.	8YHUNR	Christmas tree Stain	Pos./Ind.
	Alternate Light Source	Pos./Ind.	8YHUPD	AP	Pos./Ind.
7MQUMB	AP	Pos./Ind.	93CD3V	RSID-Semen	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.	9AUMG6	AP	Pos./Ind.
7R4Q4K	Christmas Tree	Pos./Ind.		Micro	Pos./Ind.
	PSA Test Cassette	Pos./Ind.	9CXHZ9	AP	Pos./Ind.
7TY8FH	AP (Brentamine test)	Pos./Ind.		Micro	Pos./Ind.
826CWP	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	9PBC4L	AP 1-step	Pos./Ind.
88XE3B	AP	Pos./Ind.		AP 2-step	Pos./Ind.
	PSA	Pos./Ind.		micro	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
8BDX6D	AP	Pos./Ind.	9YDWG	AP	Pos./Ind.
	P30	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
8GM26F	AP	Pos./Ind.	A3QZ8G	AP	Pos./Ind.
	PSA - Seratec	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
8JRL4L	BCIP	Pos./Ind.	A4QRLC	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
8LF6YR	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	A9XMU6	Brentamine	Pos./Ind.
8PXHML	FBB	Pos./Ind.	ABK7ZH	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
8QMXTM	AP	Pos./Ind.			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
ACHAZK	AP	Pos./Ind.		AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
AFZJ26	Item 3A: AP, Micro	Pos./Ind.	CLF29W	AP	Pos./Ind.
	Item 3B: AP, Micro	Pos./Ind.		PSA	Pos./Ind.
	Item 3C: AP, Micro	Pos./Ind.		Micro	Pos./Ind.
	Item 3D: AP, Micro	Pos./Ind.		CM9PUD	AP
AH64QQ	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	CMBFVG	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
AL6CXL	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	CPDEWM	AP	Pos./Ind.
ANBTEP	AP	Pos./Ind.		ABA P30	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
	RSID Semen	Pos./Ind.	CWFH8E	AP	Pos./Ind.
AY83N8	Brentamine	Pos./Ind.		PSA	Pos./Ind.
C4F3X4	Brentamine	Pos./Ind.	DLA4FD	AP	Pos./Ind.
C74HEC	AP	Pos./Ind.		PSA (Abacus)	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
C8ZN4H	AP	Pos./Ind.	DLCUGG	AP (direct)	Pos./Ind.
	Micro	Pos./Ind.	DTWPK7	AP	Pos./Ind.
	P30	Pos./Ind.	DYLCFJ	AP	Pos./Ind.
CDMJUF	Christmas Tree Stained Slide (micro)	Pos./Ind.		p30	Pos./Ind.
	Prostate Antigen Specific PSA (organics)	Pos./Ind.		Micro	Pos./Ind.
CGPKWY	AP	Pos./Ind.	E8AHM3	Brentamine	Pos./Ind.
	PSA	Pos./Ind.	E8AKBL	ALS	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
CGZN9A	Acid Phosphatase	Pos./Ind.		Microscope	Pos./Ind.
	Micro	Pos./Ind.		ABA P30- not performed due to microscopic results	
CKKFHR	ALS	Pos./Ind.	EDDMD2	Brentamine	Pos./Ind.

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
EDXAXP	ALS	Pos./Ind.		Micro (sperm)	Pos./Ind.
	AP	Pos./Ind.	GELEAZ	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
ELTADH	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	GJBYBV	ALS	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
EMZK47	Acid Phosphatase	Pos./Ind.		Micro	Pos./Ind.
	P30	Pos./Ind.	GLJ93R	Micro	Pos./Ind.
EP6DVK	AP	Pos./Ind.	GPJHB9	AP	Pos./Ind.
	PSA	Pos./Ind.		ABAcad P30	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
FKRYRY	AP	Pos./Ind.	GVATHD	AP	Pos./Ind.
	PSA	Pos./Ind.		RSID Semen	Pos./Ind.
	micro (spermatozoa)	Pos./Ind.	GVM6LW	AP	Pos./Ind.
FVRLN3	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
FY6A8Z	AP	Pos./Ind.	H28WY9	AP	Pos./Ind.
	MICRO	Pos./Ind.		X-Mas	Pos./Ind.
G2WMKP	AP	Pos./Ind.	H6P4AP	AP	Pos./Ind.
	micro	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
G399G7	AP	Pos./Ind.	HAP9CA	Micro	Pos./Ind.
	Micro	Pos./Ind.	HDLU4C	AP	Pos./Ind.
G436K7	AP	Pos./Ind.		Micro	Pos./Ind.
	Microscopic	Pos./Ind.	HFADXH	AP	Pos./Ind.
G6YEYH	Microscopy	Pos./Ind.		Seratec Prostate Specific Antigen	Pos./Ind.
G8HHLU	AP	Pos./Ind.		Microscopic sperm search	Pos./Ind.
	Micro	Pos./Ind.	HFVLA8	AP	Pos./Ind.
GCCAVC	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
HLZLH4	AP	Pos./Ind.		microscopy for sperm	Pos./Ind.
	PSA	Pos./Ind.	KAE32P	Micro	Pos./Ind.
	Micro	Pos./Ind.	KAJGJ7	MICROSCOPIC	Pos./Ind.
HRH4MY	AP	Pos./Ind.		PSA-RAPIDSIGNAL	Pos./Ind.
	Micro	Pos./Ind.	KERW62	AcP	Pos./Ind.
HTWKX6	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		micro	Pos./Ind.
HXNZ7Y	AP Spot test	Pos./Ind.	KLQNY4	Brentamine (AP)	Pos./Ind.
	ABACard p30	Pos./Ind.	KTAVMM	Micro	Pos./Ind.
	Microscopic	Pos./Ind.	KVCUY2	ALS	Pos./Ind.
JF9YZ4	extraction - AP of supernatant	Pos./Ind.		AP	Pos./Ind.
	microscopic exam	Pos./Ind.		Micro	Pos./Ind.
JNJYNX	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	KVCWMK	AP	Pos./Ind.
	Seratec PSA	Pos./Ind.		Micro	Pos./Ind.
	ABA p30	Pos./Ind.	KZR8ZN	Micro	Pos./Ind.
JPEGX2	Brentamine-AP	Pos./Ind.	L3VGAW	AP	Pos./Ind.
JPQGJM	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	LAQJB9	AP	Pos./Ind.
JRZHPF	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	LBK3EV	AP	Pos./Ind.
JX6BKX	Visual	Pos./Ind.		PSA	Pos./Ind.
	ALS	Pos./Ind.		Micro	Pos./Ind.
	AP	Pos./Ind.	LGC967	Christmas tree stain	Pos./Ind.
K26P8Z	AP	Pos./Ind.	LN9AAB	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro - Christmas Tree Stain	Pos./Ind.
K6MVGV	AP	Pos./Ind.	LUTD4L	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
K8VYFD	AP	Pos./Ind.			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LZ2P8D	ALS	Pos./Ind.		PSA Test Cassette	Pos./Ind.
	AP	Pos./Ind.	NQNEU6	AP	Pos./Ind.
	Microscopic	Pos./Ind.		PSA	Pos./Ind.
	p30	Pos./Ind.		Microscopic	Pos./Ind.
M834UZ	ALS	Pos./Ind.	NUDFBY	Item 3 AnB: AP, Micro	Pos./Ind.
	acid phosphatase	Pos./Ind.		Item 3 CnD: AP, Micro	Pos./Ind.
M8KCJV	Brentamine/AP	Pos./Ind.	NV8DEZ	AP	Pos./Ind.
MAQUQC	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
	P30	Pos./Ind.	NVMV7Y	AP (Brentamine)	Pos./Ind.
MJWKJ2	Brentamine (AP)	Pos./Ind.	P3LF9U	AP	Pos./Ind.
MK4W24	Christmas Tree Coloration	Pos./Ind.	P8EKQQ	AP	Pos./Ind.
MLJZZA	AP	Pos./Ind.		P30	Pos./Ind.
	Micro	Pos./Ind.		Microscopy - presence of sperm	Pos./Ind.
MMRAT8	AP	Pos./Ind.	P8QFAW	alternate light source	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
MRN2YH	AP, Micro	Pos./Ind.		Micro	Pos./Ind.
MW4MTB	Microscopy	Pos./Ind.		PSA	Pos./Ind.
MYLQFM	Micro	Pos./Ind.	PBB8JE	AP	Pos./Ind.
N9TM26	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	PCM4Q4	AP	Pos./Ind.
	Micro	Pos./Ind.		Microscopic exam	Pos./Ind.
NBJUJG	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	PGHXMK	AP	Pos./Ind.
NLVDQ6	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	PUQFU3	MICRO	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
NLWA22	Brent	Pos./Ind.	Q9JNQ8	AP	Pos./Ind.
NMQZ8F	Micro	Pos./Ind.		PSA	Pos./Ind.
NNKJB3	Christmas Tree	Pos./Ind.		Micro	Pos./Ind.

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
QGVPDF	AP	Pos./Ind.	TYRWJD	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
QP6ABX	Brentamine (AP)	Pos./Ind.	TYRWLY	AP	Pos./Ind.
QPTEXQ	AP	Pos./Ind.		PSA	Pos./Ind.
	PSA (ABAcad p30)	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	U2EUK4	AP	Pos./Ind.
QTUEGW	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Microscopic examination	Pos./Ind.
	PSA	Pos./Ind.	U2QQP9	AP	Pos./Ind.
QU4KH4	AP	Pos./Ind.		P30	Pos./Ind.
	Micro	Pos./Ind.		Microscope	Pos./Ind.
	ALS	Pos./Ind.	U6QZMG	ALS	Pos./Ind.
R3UDJ3	AP	Pos./Ind.		AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
	P30	Pos./Ind.	U74A29	AP	Pos./Ind.
RDEWMY	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	UBXEHL	AP	Pos./Ind.
RFLZM4	AP	Negative		Micro	Pos./Ind.
RQJ3R7	ABAcad p30	Pos./Ind.	UCRBUL	Brentamine	Pos./Ind.
	ALS	Pos./Ind.	UEFMR7	AP	Pos./Ind.
RQWTP4	RSID-Semen	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
RRR93Z	AP	Pos./Ind.	UFAADV	AP	Pos./Ind.
T764WM	Brentamine	Pos./Ind.		Micro	Pos./Ind.
TK8D2W	Brentamine test	Pos./Ind.		PSA	Pos./Ind.
TLZ47B	Micro	Pos./Ind.	UL2HUV	Brentamine (AP)	Pos./Ind.
TQD8L6	AP	Pos./Ind.	UMU9ZB	Micro	Pos./Ind.
	PSA	Pos./Ind.	UVLQKX	Acid Phosphatase	Pos./Ind.
	Microscopic Slides for Sperm Cells	Pos./Ind.		Microscopic	Pos./Ind.



TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
V4EEPF	AP (Acid Phosphatase)	Pos./Ind.	X4P4UN	AP	Pos./Ind.
	PSA Kit	Pos./Ind.		Micro	Pos./Ind.
	Microscopic Test	Pos./Ind.	XARAGU	Christmas Tree Stain (Micro)	Pos./Ind.
VCRDH6	ALS	Pos./Ind.	XBLXX4	AP	Pos./Ind.
	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
VPCL84	AP	Pos./Ind.	XCFPX2	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
WGTNT	AP	Pos./Ind.	XH66M9	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	XUUC7H	AP	Pos./Ind.
VZBMLU	AP	Pos./Ind.		RSID	Pos./Ind.
	P30	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	Y8KEBV	AP	Pos./Ind.
W3DVDC	AP	Pos./Ind.	YA4A2F	AP	Pos./Ind.
	P30	Pos./Ind.		PSA	Pos./Ind.
W4AJJE	AP	Pos./Ind.		Micro	Pos./Ind.
	RSID-Semen	Pos./Ind.	YHKTA9	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
WLPTHU	Christmas Tree	Pos./Ind.	YJA9MP	Brentamine	Pos./Ind.
	PSA	Pos./Ind.	YK4YT4	Microscopic exam	Pos./Ind.
WUGAZW	Acid Phosphatase	Pos./Ind.	YKPATX	RSID-Semen	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
	Microscopic exam - sperm cells	Pos./Ind.	YR66KY	AP	Pos./Ind.
WYVLA7	ALS	Pos./Ind.		Micro	Pos./Ind.
	AP	Pos./Ind.	YRNZ3Z	AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	YWLDZD	AP Test	Pos./Ind.
X3RUT8	PSA	Pos./Ind.		High Power Microscopy (microscopy of slides)	Pos./Ind.
	RSID-Semen	Pos./Ind.			

TABLE 2 - Item 3

<b>Semen</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
Z6BNKR	Micro	Pos./Ind.			
ZBJTNX	AP	Pos./Ind.			
	PSA	Pos./Ind.			
	Micro	Pos./Ind.			
ZBXEXZ	AP	Pos./Ind.			
	Micro	Pos./Ind.			
ZG3F7V	AP	Pos./Ind.			
	PSA	Pos./Ind.			
	Micro	Pos./Ind.			
ZQAW7M	AP	Pos./Ind.			
	PSA	Pos./Ind.			
	Micro	Pos./Ind.			
ZTEKGX	PSA	Pos./Ind.			
	Micro exam for sperm	Pos./Ind.			
ZUCUFU	AP	Pos./Ind.			
	PSA	Pos./Ind.			
	Micro	Pos./Ind.			

TABLE 2 - Item 3

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	RSID- saliva	Pos./Ind.	8LF6YR	RSID	Negative
29T3ZY	Phadebas Forensic paper	Negative	8PXHML	Amylase	Negative
2CNQHQ	Not trained to perform this test.		8QMXTM	RSID	Negative
2VXXL8	RSID Saliva	Negative	8XMEBV	SALlgAE	Negative
2XRL7M	RSID-Saliva	Negative	8YHUPD	Phadebas	Negative
3B92LR	RSID	Negative	93CD3V	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specified.	
3M6XUL	Amylase Diffusion	Negative	9AUMG6	Amylase Radial Diffusion	Negative
4TK8BT	Phadebas	Negative		Micro	Inconclusive
62WEWN	Amylase	Negative	9PBC4L	Amylase Diffusion	Negative
68HJGC	ARD	Negative	9YDWG	RSID	Negative
	Micro (NEC)	Negative	A3QZ8G	RSID	Negative
6DN9VQ	Saliva test not routinely conducted in sexual assault cases. Saliva test is only performed when specifically requested for by the client.		A4QRLC	Amylase diffusion	Negative
6ELHUM	Confirmed the presence of semen on item		ABK7ZH	RSID - Saliva	Negative
6KBWTG	RSID Saliva	Negative	ACHAZK	Amylase Diffusion	Negative
6XCW7Q	RSID- saliva	Negative	AFZJ26	Item 3A: RSID Saliva	Negative
74EZWP	ALS	Pos./Ind.		Item 3B: RSID Saliva	Negative
	RSID-saliva	Negative		Item 3C: RSID Saliva	Negative
78Y3PG	Amylase Diffusion	Negative		Item 3D: RSID Saliva	Negative
7EEQFC	RSID	Negative	AH64QQ	RSID	Negative
826CWP	RSID	Negative	AL6CXL	RSID	Negative
88XE3B	case scenario indicated a sexual assault of the victim and item tested positive for semen.		ANBTEP	RSID Saliva	Negative
8BDX6D	gel diffusion	Negative	C74HEC	RSID	Negative
8GM26F	Amylase - Seratec	Negative	C8ZN4H	Amylase diffusion	Negative
8JRL4L	with positive sperm search and scenario provided, would not test further.		CGPKWY	Phadebas Amylase Test	Negative
			CGZN9A	RSID Saliva	Negative
			CKKFHR	Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)	

TABLE 2 - Item 3

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CLF29W	Phadebas	Negative	GPJHB9	RSID Saliva	Negative
CM9PUD	RSID saliva	Negative	GVATHD	Laboratory does not perform test on saliva per laboratory policy.	
CMBFVG	Radial Diffusion	Negative	H28WY9	Amylase	Negative
CPDEWM	RSID	Negative	HDLU4C	Amylase Diffusion	Negative
CWFH8E	Phadebas press	Negative	HFADXH	RSID saliva	Negative
DLA4FD	RSID	Negative	HFWLA8	RSID Saliva	Negative
DTWPK7	Swabs taken from below the hips of the victim is only tested for possible semen. No saliva testing performed at the lab		HLZLH4	RSID saliva	Negative
DYLCFJ	RSID	Negative	HRH4MY	Amylase Radial Diffusion	Negative
E8AHM3	test for saliva not done in our laboratory		HTWKX6	RSID	Negative
E8AKBL	This test is not offered at this laboratory.		JF9YZ4	Phadebas tube test	Pos./Ind.
EDXXP	The case scenario does not indicate oral contact.		JNJYNX	RSID saliva	Negative
ELTADH	RSID	Negative	JPEGX2	Saliva test not done at the laboratory and swabs taken below hip area of female not tested for saliva	
EMZK47	Amylase diffusion	Negative	JPQGJM	Phadebas Amylase Test	Negative
FKRYRY	Amylase Radial Diffusion	Negative	JRZHPF	Phadebas amylase -tube	Negative
	Micro (NECs)	Negative	JX6BKX	We do not test for this	
FVRLN3	RSID Saliva	Negative	K26P8Z	Amylase Diffusion	Negative
FY6A8Z	AMYLASE	Negative	K6MVGV	Amylase Radial Diffusion	Negative
G2WMKP	Phadebas	Negative	K8VYFD	Phadebas paper	Negative
G399G7	RSID saliva	Negative	KAE32P	RSID	Negative
G436K7	RSID Saliva	Negative	KERW62	amylase diffusion	Negative
G6YEYH	Phadebas	Negative	KTAVMM	RSID	Inconclusive
G8HHLU	RSID	Negative	KVCUY2	RSID**	Inconclusive
GCCAVC	RSID	Pos./Ind.		ALS	Pos./Ind.
GELEAZ	RSID-Saliva	Pos./Ind.	KVCWMK	RSID	Negative
GJBYBV	ALS	Pos./Ind.	KZR8ZN	RSID	Negative
	RSID - Saliva	Negative	L3VGAW	RSID Saliva	Pos./Ind.
GLJ93R	RSID	Pos./Ind.	LAQJB9	RSID	Negative

TABLE 2 - Item 3

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LBK3EV	RSID	Negative	PCM4Q4	RSID-saliva	Pos./Ind.
LGC967	Our laboratory not included[sic] in the portfolio of service testing for the presence of saliva		PGHXMK	RSID	Negative
LN9AAB	Phadebas	Negative	QGVPDF	Phadebas-Amylase	Negative
LUTD4L	Amylase	Negative	QPTEXQ	RSID	Negative
LZ2P8D	Test not offered		QTUEGW	Amylase Diffusion	Negative
M8KCJV	No evidential value		QU4KH4	amylase radial diffusion	Negative
MAQUQC	RSID	Negative	ALS		Pos./Ind.
MLJZZA	RSID	Pos./Ind.	R3UDJ3	RSID	Inconclusive
MMRAT8	RSID	Negative	RDEWMY	Amylase	Negative
MRN2YH	Phadebas (α-Amylase)	Negative	RQWTP4	Laboratory only routinely examines for blood and semen in sexual assault cases.	
MW4MTB	RSID-saliva	Negative	TYRWJD	Sample collected from inner thigh - potential vaginal fluid present. Also, strong semen samples may give amylase positive results.	
MYLQFM	RSID	Negative	TYRWLY	RSID	
N9TM26	RSID	Negative	U6QZMG	ALS	Pos./Ind.
NBJUJG	RSID	Negative	RSID-amylase		Negative
NLVDQ6	Amylase	Negative	U74A29	RSID - Saliva	Pos./Ind.
NQNEU6	Amylase radial diffusion	Negative	UBXEHL	Positive for Semen, didn't want to consume sample.	
NUDFBY	Item 3 AnB: RSID	Negative	UCRBUL	Test for saliva not done in our lab	
	Item 3 CnD: RSID	Negative	UFAADV	RSID Saliva	Negative
NV8DEZ	allegations did not support		UVLQKX	RSID -saliva	Negative
P3LF9U	Saliva test not performed at the lab & swabs taken below hip area of a female is not tested		VCRDH6	This test is not offered in our laboratory.	
P8EKQQ	Amylase Radial Diffusion** [**See additional comments]	Inconclusive	VP84	RSID - Saliva	Negative
	Microscopy-presence of NEC	Negative	VGTNT	RSID	Negative
P8QFAW	alternate light source	Pos./Ind.	VZBMLU	RSID Saliva	Negative
	RSID saliva	Negative	W3DVDC	Saliva test not conducted at this Lab	
PBB8JE	RSID	Negative			

TABLE 2 - Item 3

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
W4AJJE	RSID-Saliva	Negative			
WLPTHU	Our laboratory does not perform test to identify saliva				
WUGAZW	RSID-saliva	Negative			
X3RUT8	Saliva not routinely tested in sexual assault cases unless specifically requested.				
X4P4UN	RSID-Saliva	Pos./Ind.			
XBLXX4	SALlgAE	Negative			
XCFPX2	Oral assault not alleged in scenario and sperm more probative in finding suspect DNA on victim to prove CSC. Sperm would probably mask any oral DNA				
XH66M9	Phadebas Amylase Test	Negative			
YA4A2F	Amylase Radial diffusion	Inconclusive			
	Micro	Negative			
YHKTA9	Tests are not performed at the lab.				
YR66KY	Phadebas	Negative			
YRNZ3Z	RSID saliva	Negative			
YWLDZD	Phadebas	Negative			
ZBJTNX	Not indicated by scenario				
ZQAW7M	RSID saliva	Negative			
ZTEKGX	RSID	Negative			
ZUCUFU	RSID	Negative			

TABLE 2 - Item 3

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
2CNQHQ	Blood/Semen - ALS (see Additional Comments)	Pos./Ind.			
CGZN9A	Semen/Saliva - ALS	Pos./Ind.			
GCCAVC	Various- ALS	Inconclusive			
HLZLH4	Urine -Urease	Negative			
JRZHPF	Urine - RSID Urine	Negative			
K6MVGW	Urine - Jaffe for Creatinine	Negative			
	Urine - DMAC for Urea	Negative			
N9TM26	ALS	Pos./Ind.			
T764WM	Epithelial skin cells - Not Tested				
VCRDH6	Body Fluid - Visual Exam	Pos./Ind.			
W4AJJE	Urine - RSID-Urine	Negative			
WUGAZW	alternate light source	Pos./Ind.			
ZBJTNX	ALS	Pos./Ind.			
ZTEKGX	ALS	Pos./Ind.			

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VVR	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	6BYZLP	Phenolphthalein	Pos./Ind.
27XMCV	LMG	Pos./Ind.	6DN9VQ	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		Hexagon OBTI	Pos./Ind.
	Ouchterlony	Pos./Ind.	6ELHUM	TMB	Pos./Ind.
29T3ZY	Visual	Pos./Ind.		HemaTrace	Pos./Ind.
	KM	Pos./Ind.	6JA3X3	KM	Pos./Ind.
	Hematrace - reported as most likely[sic] to be human blood	Pos./Ind.		HemaTrace	Pos./Ind.
2CNQHQ	O-tol.	Pos./Ind.	6KBWTG	KM	Pos./Ind.
2VXXL8	O-tol	Pos./Ind.		SERATEC Hemoglobin	Pos./Ind.
	Human Abacard	Pos./Ind.	6LJAYB	KM	Pos./Ind.
2WV7UQ	KM	Pos./Ind.		HemaTrace	Pos./Ind.
2XRL7M	KM	Pos./Ind.	6XCW7Q	visual	Pos./Ind.
	HemaTrace	Pos./Ind.		LMG	Pos./Ind.
3B92LR	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	74EZWP	Phenolphthalein	Pos./Ind.
3M6XUL	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
47A3JT	LMG	Pos./Ind.	78Y3PG	LMG	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
	Ouchterlony (human)	Pos./Ind.	7EEQFC	KM	Pos./Ind.
4PPCMF	H-stix	Pos./Ind.	7EXD8U	Occult blood Rapid Test (Cassette) immuno-chromatographic[sic]	Pos./Ind.
4TK8BT	KM	Pos./Ind.	7G4YMR	Visual Examination	Pos./Ind.
	Modified Takayama	Pos./Ind.		ABACard Hematrace	Pos./Ind.
62WEWN	Micro	Pos./Ind.	7MQUMB	KM	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
634WHT	O-tol	Pos./Ind.	7R4Q4K	Thevenon Roland Test	Pos./Ind.
	HemaTrace	Pos./Ind.		Occult Blood Cassette	Pos./Ind.
66ET2C	KM	Pos./Ind.	7TY8FH	Hemastix	Pos./Ind.
68HJGC	KM	Pos./Ind.		Luminol	Pos./Ind.



TABLE 2 - Item 4

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
826CWP	KM	Pos./Ind.	A4QRLC	LMG	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
88XE3B	KM	Pos./Ind.	A9XMU6	Hemastix	Pos./Ind.
8BDX6D	LMG	Pos./Ind.		Luminol	Pos./Ind.
	Hema Trace	Pos./Ind.	ABK7ZH	KM	Pos./Ind.
8GM26F	TMB	Pos./Ind.		HemaTrace	Pos./Ind.
	HemDirect - Seratec	Pos./Ind.	ACHAZK	LMG	Pos./Ind.
8JRL4L	KM	Pos./Ind.		HemaTrace	Pos./Ind.
8LF6YR	KM	Pos./Ind.	AFZJ26	Item 4A: O-tol	Pos./Ind.
	HemaTrace	Pos./Ind.		Item 4B: O-tol	Pos./Ind.
8PXHML	Micro	Pos./Ind.		Item 4C: O-tol	Pos./Ind.
	KM	Pos./Ind.		Item 4D: O-tol	Pos./Ind.
8QMXTM	KM	Pos./Ind.	AH64QQ	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
8XMEBV	Phenolphthalein	Pos./Ind.	AL6CXL	Phenolphthalein	Pos./Ind.
	HemaTrace	Pos./Ind.	ANBTEP	Hemastix	Pos./Ind.
8YHUNR	Occult blood immuno- chromatography[sic] (Orgenics)	Pos./Ind.		HemaTrace	Pos./Ind.
8YHUPD	KM	Pos./Ind.	AY83N8	Hemastix	Pos./Ind.
93CD3V	KM	Pos./Ind.	C4F3X4	Hemastix	Pos./Ind.
	Hexagon OBTI	Pos./Ind.		Luminol	Pos./Ind.
9AUMG6	LMG	Pos./Ind.	C74HEC	KM	Pos./Ind.
	Ouchterlony	Pos./Ind.		HemaTrace	Pos./Ind.
9CXHZ9	KM	Pos./Ind.	C8ZN4H	LMG	Pos./Ind.
9PBC4L	LMG	Pos./Ind.		Hematrace	Pos./Ind.
	Hematrace	Pos./Ind.	CDMJUF	Thevenon and Roland (Piramidon)	Pos./Ind.
9YDWG	KM	Pos./Ind.		Occult Blood Card Test (Orgenics)	Pos./Ind.
A3QZ8G	KM	Pos./Ind.	CGPKWY	KM	Pos./Ind.
	Hemastix	Pos./Ind.		Hemoglobin Immunochromatography	Pos./Ind.
	Luminol	Pos./Ind.			

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CGZN9A	Phenolphthalein	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.		Ouchterlony	Pos./Ind.
CKKFHR	O-Tol	Pos./Ind.	FKRYRY	LMG	Pos./Ind.
	HemaTrace	Pos./Ind.		ABA HemaTrace	Pos./Ind.
CLF29W	KM	Pos./Ind.	FVRLN3	Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.	FY6A8Z	KM	Pos./Ind.
CM9PUD	KM	Pos./Ind.	G2WMKP	KM	Pos./Ind.
CMBFVG	TMB	Pos./Ind.		Hematrace	Pos./Ind.
	HemaTrace	Pos./Ind.	G399G7	O-tol	Pos./Ind.
CPDEWM	Visual	Pos./Ind.	G436K7	KM	Pos./Ind.
	LMG	Pos./Ind.	G6YEYH	TMB	Pos./Ind.
	HemaTrace	Pos./Ind.	G8HHLU	O-tol	Pos./Ind.
CWFH8E	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	GCCAVC	Hemastix	Pos./Ind.
DLA4FD	KM	Pos./Ind.		KM	Pos./Ind.
DLCUGG	KM (direct)	Pos./Ind.		HemaTrace	Pos./Ind.
DTWPK7	Hstix	Pos./Ind.	GELEAZ	KM	Pos./Ind.
DYLCFJ	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	GJBYBV	O-tol	Pos./Ind.
E8AHM3	Hemastix	Pos./Ind.		Hematrace	Pos./Ind.
E8AKBL	LMG	Pos./Ind.	GLJ93R	O-tol	Pos./Ind.
	ABA Hematrace	Pos./Ind.		HemaTrace	Pos./Ind.
EDDMD2	Hemastix	Pos./Ind.	GPJHB9	KM	Pos./Ind.
EDXAXP	O-tol	Pos./Ind.	GVATHD	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		Hema Trace	Pos./Ind.
ELTADH	KM	Pos./Ind.	GVM6LW	O-tol	Pos./Ind.
	HT	Pos./Ind.		Hematrace	Pos./Ind.
EMZK47	O-tolidine	Pos./Ind.	H28WY9	Visual exam of swabs	Pos./Ind.
	HemDirect	Pos./Ind.		Microscopic exam of swabs	Pos./Ind.
EP6DVK	LMG	Pos./Ind.		KM	Pos./Ind.

TABLE 2 - Item 4

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
H6P4AP	KM	Pos./Ind.	K6MVGV	TMB	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
HAP9CA	KM	Pos./Ind.	K8VYFD	KM	Pos./Ind.
	Takayama	Pos./Ind.		HemaTrace	Pos./Ind.
HDLU4C	LMG	Pos./Ind.	KAE32P	O-tol	Pos./Ind.
	Hematrace	Pos./Ind.		HemaTrace	Pos./Ind.
HFADXH	TMB	Pos./Ind.	KAJGJ7	THEVENON-ROLAND /PIRAMIDON	Pos./Ind.
	Hemastix	Pos./Ind.		OCCULT BLOOD-RAPIDSIGNAL	Pos./Ind.
	HemaTrace	Pos./Ind.			
HFWLA8	KM	Pos./Ind.	KERW62	LMG	Pos./Ind.
HLZLH4	KM	Pos./Ind.		hematrace	Pos./Ind.
HRH4MY	KM	Pos./Ind.	KLQNY4	Hemastix	Pos./Ind.
HTWKX6	KM	Pos./Ind.	KTAVMM	O-tol	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
HXNZ7Y	KM	Pos./Ind.	KVCUY2	KM	Pos./Ind.
	TMB	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.		Hemastix	Pos./Ind.
JF9YZ4	Visual exam	Pos./Ind.	KVCWMK	Visual Exam	Pos./Ind.
	KM test of swab	Pos./Ind.		KM	Pos./Ind.
JNJYNX	KM	Pos./Ind.		HemaTrace	Pos./Ind.
JPEGX2	Hemastix	Pos./Ind.	KZR8ZN	O-tol	Pos./Ind.
JPQGJM	KM	Pos./Ind.		Hematrace	Pos./Ind.
	Modified Takayama	Pos./Ind.	L3VGAW	KM	Pos./Ind.
JRZHPF	TMB	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	LAQJB9	Hemastix	Pos./Ind.
JX6BKX	Visual	Pos./Ind.		HemaTrace	Pos./Ind.
	ALS	Pos./Ind.	LBK3EV	KM	Pos./Ind.
	LMG	Pos./Ind.		Hemastix	Pos./Ind.
K26P8Z	LMG	Pos./Ind.	LGC967	Immunochromatography for human blood	Pos./Ind.
	HemaTrace	Pos./Ind.			

TABLE 2 - Item 4

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
LN9AAB	KM	Pos./Ind.		Lum	Pos./Ind.
	Takayama	Pos./Ind.	NMQZ8F	KM	Pos./Ind.
LUTD4L	KM	Pos./Ind.	NNKJB3	Thevenon Roland Test	Pos./Ind.
LZ2P8D	LMG	Pos./Ind.		Occult Blood Cassette	Pos./Ind.
	HemaTrace	Pos./Ind.	NQNEU6	TMB	Pos./Ind.
M834UZ	o-tolidine	Pos./Ind.		HemaTrace	Pos./Ind.
	hexagon OBTI	Pos./Ind.	NUDFBY	Item 4 AnB: O-tol	Pos./Ind.
M8KCJV	H/stix	Pos./Ind.		Item 4 CnD: O-tol	Pos./Ind.
MAQUQC	O-Tol	Pos./Ind.	NV8DEZ	KM	Pos./Ind.
	HemaTrace	Pos./Ind.	NVMV7Y	Hemastix	Pos./Ind.
MJWKJ2	Hemastix	Pos./Ind.	P3LF9U	Hstix	Pos./Ind.
	Luminol	Pos./Ind.	P8EKQQ	KM	Pos./Ind.
MK4W24	Occult Blood Cassette	Pos./Ind.		HemaTrace	Pos./Ind.
MLJZZA	KM	Pos./Ind.	P8QFAW	Phenolphthalein	Pos./Ind.
	HemaTrace	Pos./Ind.		Hemastix	Pos./Ind.
MMRAT8	KM	Pos./Ind.		HemaTrace	Pos./Ind.
MRN2YH	KM, Mod Taka	Pos./Ind.	PBB8JE	Visual Exam	Pos./Ind.
MW4MTB	Hemastix	Pos./Ind.		KM	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
MYLQFM	O-tol	Pos./Ind.	PCM4Q4	Hemastix	Pos./Ind.
	Hematrace	Pos./Ind.		HemaTrace	Pos./Ind.
N9TM26	Hemastix	Pos./Ind.	PGHXMK	O-Tol	Pos./Ind.
	HemaTrace	Pos./Ind.		Hematrace	Pos./Ind.
	PTMB	Pos./Ind.	PUQFU3	RAPID SIGNAL OCCULT BLOOD	Pos./Ind.
NBJUJG	Visual	Pos./Ind.		THEVENON ROLAND-PIRAMIDON	Pos./Ind.
	KM	Pos./Ind.	Q9JNQ8	LMG	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
NLVDQ6	TMB	Pos./Ind.		Ouchterlony-Human	Pos./Ind.
	Hematrace	Pos./Ind.			
NLWA22	Hem	Pos./Ind.			

TABLE 2 - Item 4

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
QGVPDF	KM	Pos./Ind.	U2QQP9	Phenolphthalein	Pos./Ind.
	Takayama	Pos./Ind.		HemaTrace	Pos./Ind.
QP6ABX	Hemastix	Pos./Ind.	U6QZMG	OT	Pos./Ind.
QPTEXQ	KM	Pos./Ind.		Hematrace	Pos./Ind.
QTUEGW	LMG	Pos./Ind.	U74A29	O-tol	Pos./Ind.
	HemaTrace	Pos./Ind.		Hematrace	Pos./Ind.
QU4KH4	LMG	Pos./Ind.	UBXEHL	KM	Pos./Ind.
R3UDJ3	HS	Pos./Ind.	UCRBUL	Hemastix	Pos./Ind.
	KM	Pos./Ind.	UEFMR7	LMG	Pos./Ind.
	HT	Pos./Ind.		HemaTrace	Pos./Ind.
RDEWMY	KM	Pos./Ind.	UFAADV	KM	Pos./Ind.
	Micro	Pos./Ind.	UL2HUV	Hemastix	Pos./Ind.
RFLZM4	KM	Pos./Ind.	UMU9ZB	KM	Pos./Ind.
RQJ3R7	ABACard HemaTrace	Pos./Ind.	UVLQKX	Phenolphthalein	Pos./Ind.
RQWTP4	KM	Pos./Ind.	V4EEPF	Visual Exam	Pos./Ind.
	Hexagon OBTI	Pos./Ind.		Benzidine Test	Pos./Ind.
RRR93Z	KM	Pos./Ind.		Hemoglobin Kit	Pos./Ind.
T764WM	Hemastix	Pos./Ind.	VCRDH6	LMG	Pos./Ind.
	Luminol	Pos./Ind.		HemaTrace	Pos./Ind.
TK8D2W	Hemastix test	Pos./Ind.	VPEL84	Phenolphthalein	Pos./Ind.
TLZ47B	KM	Pos./Ind.		HemaTrace	Pos./Ind.
TQD8L6	KM	Pos./Ind.	VVGTNT	KM	Pos./Ind.
TYRWJD	KM	Pos./Ind.	VZBMLU	KM	Pos./Ind.
	Modified Takayama	Pos./Ind.		Hemastix	Pos./Ind.
TYRWLY	Hemastix	Pos./Ind.	W3DVDC	Kastle Meyer	Pos./Ind.
	KM	Pos./Ind.		Hematrace	Pos./Ind.
	HemaTrace	Pos./Ind.	W4AJJE	LMG	Pos./Ind.
U2EUK4	LMG	Pos./Ind.		RSID-Blood	Pos./Ind.
	HemaTrace	Pos./Ind.	WLPTHU	Human Blood	Pos./Ind.
	Ouchterlony	Pos./Ind.			

TABLE 2 - Item 4

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
WUGAZW	Hemastix	Pos./Ind.	YWLDZD	KM Test	Pos./Ind.
	HemaTrace	Pos./Ind.	Z6BNKR	Human Blood by Immuno- chromatography[sic]	Pos./Ind.
WYVLA7	Visual	Pos./Ind.	ZBJTNX	KM	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	ZBXEXZ	TMB	Pos./Ind.
X3RUT8	KM	Pos./Ind.		HT	Pos./Ind.
	Hexagon OBTI	Pos./Ind.	ZG3F7V	LMG	Pos./Ind.
X4P4UN	KM	Pos./Ind.		HemaTrace	Pos./Ind.
XARAGU	Immunochromatography	Pos./Ind.		Ouchterlony	Pos./Ind.
XBLXX4	KM	Pos./Ind.	ZQAW7M	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		Hemastix	Pos./Ind.
XCFPX2	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	ZTEKGX	KM	
XH66M9	KM	Pos./Ind.	ZUCUFU	Hemastix	Pos./Ind.
	Takayama	Pos./Ind.		KM	Pos./Ind.
XUUC7H	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	RSID	Pos./Ind.			
Y8KEBV	KM	Pos./Ind.			
YA4A2F	Hemastix	Pos./Ind.			
	HemaTrace	Pos./Ind.			
YHKTA9	KM	Pos./Ind.			
	Hematrace	Pos./Ind.			
YJA9MP	Hematix[sic]	Pos./Ind.			
YK4YT4	Phenolphthalein - KM	Pos./Ind.			
YKPATX	KM	Pos./Ind.			
	Bluestar Hexagon OBTI	Pos./Ind.			
YR66KY	KM	Pos./Ind.			
	Visual examination	Pos./Ind.			
YRNZ3Z	TMB	Pos./Ind.			
	HemaTrace	Pos./Ind.			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	Acid Phosphatase	Negative	6KBWTG	AP	Negative
27XMCV	AP	Negative		Micro	Negative
29T3ZY	AP	Negative		SERATEC PSA	Negative
2CNQHQ	AP	Negative	6LJAYB	AP	Negative
2VXXL8	AP	Negative	6XCW7Q	AP	Negative
	Micro	Negative		P30	Negative
	RSID Semen	Negative		Micro	Negative
2XRL7M	AP	Negative	74EZWP	ALS	Negative
3B92LR	AP	Negative		AP	Negative
	PSA	Negative	78Y3PG	AP	Negative
3M6XUL	AP	Negative		Micro	Negative
47A3JT	AP	Negative	7EEQFC	AP	Negative
4PPCMF	SOP refers to not testing swabs above the waist for semen		7EXD8U	(Micro) Christmas Tree	Negative
				PSA	Negative
4TK8BT	AP	Negative	7G4YMR	ABACard p30	Negative
62WEWN	FBB	Negative		Alternate Light Source	Inconclusive
	Micro	Negative	7MQUMB	AP	Negative
634WHT	ALS	Inconclusive	7R4Q4K	Christmas Tree	Negative
	AP	Negative		PSA Test Cassette	Negative
	PSA	Negative	7TY8FH	AP (Brentamine test)	Negative
66ET2C	AP	Negative	826CWP	AP	Negative
68HJGC	AP	Negative		PSA	Negative
	P30	Negative	88XE3B	AP	Negative
	Micro (sperm)	Negative	8BDX6D	AP	Negative
6BYZLP	Acid Phosphatase	Negative		P30	Negative
	alternate light source	Inconclusive	8GM26F	AP	Negative
6DN9VQ	RSID-Semen	Negative		PSA- Seratec	Negative
	PSA	Negative		Micro	Negative
6ELHUM	AP	Negative	8JRL4L	BCIP	Negative
6JA3X3	AP	Negative	8LF6YR	AP	Negative

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
8PXHML	FBB	Negative	AFZJ26	Item 4A: AP, Micro	Negative
	Micro	Negative		Item 4B: AP, Micro	Negative
8QMXTM	AP	Negative		Item 4C: AP, Micro	Negative
8XMEBV	AP	Negative		Item 4C: AP, Micro	Negative
	p30/PSA	Negative	AH64QQ	AP	Negative
	Slide/Microscopic Exam	Negative	AL6CXL	AP	Negative
8YHUNR	Christmas tree Stain	Negative		Micro	Negative
	PSA immuno- chromatography[sic] (Organics)	Negative	ANBTEP	AP	Negative
8YHUPD	AP	Negative	C74HEC	AP	Negative
93CD3V	RSID-Semen	Negative	C8ZN4H	AP	Negative
	PSA	Negative		Micro	Negative
9AUMG6	AP	Negative	CDMJUF	Christmas Tree Stained Slide (micro)	Negative
	PSA	Negative		Prostate Antigen Specific PSA (organics)	Negative
	Micro	Negative	CGPKWY	AP	Negative
9CXHZ9	AP	Negative		PSA	Negative
	Micro	Negative		Micro	Negative
	PSA	Negative	CGZN9A	Acid Phosphatase	Negative
9PBC4L	AP 1-step	Inconclusive	CKKFHR	ALS	Pos./Ind.
	AP 2-step	Inconclusive		AP	Negative
	micro	Negative	CLF29W	AP	Negative
	PSA	Negative		PSA	Negative
9YDWG	AP	Negative		Micro	Negative
A3QZ8G	AP	Negative	CM9PUD	AP	Negative
A4QRLC	AP	Negative	CMBFVG	AP	Negative
	Micro	Negative		PSA	Negative
ABK7ZH	AP	Negative	CPDEWM	AP	Negative
	PSA	Negative		ABA P30	Negative
ACHAZK	AP	Negative		Micro	Negative
	PSA	Negative			



TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CWFH8E	AP	Negative		PSA	Negative
	Micro	Negative	G399G7	AP	Negative
DLA4FD	AP	Negative		Micro	Negative
DLCUGG	AP (direct)	Negative	G436K7	AP	Negative
DTWPK7	All swabs taken above the hip area of a victim is not tested for semen		G6YEYH	Microscopy	Negative
				AP	Negative
DYLCFJ	AP	Negative	G8HHLU	AP	Negative
E8AHM3	The first swab tested positive for visible blood, the othe[sic] three were therefore not tested since there[sic] are duplicate with the first swab.			Micro	Negative
				RSID	Negative
			GCCAVC	AP	Negative
				PSA	Negative
E8AKBL	Not performed due to case circumstances and collection site.			Micro (sperm)	Negative
			GELEAZ	AP	Negative
EDDMD2	Swabs were taken from the arm of the victim		GJBYBV	ALS	Pos./Ind.
EDXAXP	ALS	Pos./Ind.		AP	Negative
	AP	Negative		Micro	Negative
ELTADH	AP	Negative		RSID - Semen	Negative
EMZK47	Acid Phosphatase	Negative	GLJ93R	Micro	Negative
	P30	Negative		RSID	Negative
EP6DVK	AP	Negative	GPJHB9	AP	Negative
	PSA	Negative	GVATHD	AP	Negative
	Micro	Negative		RSID Semen	Negative
FKRYRY	AP	Negative	GVM6LW	AP	Negative
	PSA	Negative		PSA	Negative
	micro (spermatozoa)	Negative		Micro	Pos./Ind.
FVRLN3	AP	Negative	H28WY9	AP	Negative
FY6A8Z	AP	Negative		X-Mas	Negative
	MICRO	Negative	H6P4AP	AP	Negative
G2WMKP	AP	Negative		Micro	Negative
	micro	Negative		PSA	Negative

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
HAP9CA	Micro	Negative		Micro	Negative
	seratec (p30)	Negative		p-30	Negative
HDLU4C	AP	Negative	K8VYFD	AP	Negative
	Micro	Negative	KAE32P	Micro	Negative
	PSA	Negative		RSID	Negative
HFADXH	AP	Negative	KAJGJ7	MICROSCOPIC	Negative
	Seratec PSA	Negative		PSA-RAPIDSIGNAL	Negative
	Microscopic sperm search	Negative	KERW62	AcP	Negative
HFWLA8	AP	Negative		PSA	Negative
HLZLH4	AP	Negative		micro	Negative
	PSA	Negative	KLQNY4	Brentamine (AP)	Negative
	Micro	Negative	KTAVMM	Micro	Negative
HRH4MY	AP	Negative		RSID	Negative
	Micro	Negative	KVCUY2	ALS	Pos./Ind.
HTWKX6	AP	Negative		AP	Negative
JF9YZ4	extraction - AP of supernatant	Negative	KVCWMK	AP	Negative
	microscopic exam	Negative	KZR8ZN	Micro	Negative
JNJYNX	AP	Negative		RSID	Negative
JPEGX2	Swabs taken above hip area of a female not tested for possible semen		L3VGAW	AP	Negative
JPQGJM	AP	Negative	LAQJB9	AP	Negative
JRZHPF	AP	Negative		Micro	Negative
	Micro	Negative		PSA	Negative
JX6BKX	Visual	Negative	LBK3EV	AP	Negative
	ALS	Negative	LGC967	Christmas tree stain	Negative
	AP	Negative		Immunochromatography for Prostate Specific Antigen (PSA)	Negative
K26P8Z	AP	Negative	LN9AAB	AP	Negative
	Micro	Negative	LUTD4L	AP	Negative
K6MVGV	AP	Negative		Micro	Negative

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LZ2P8D	ALS	Negative		PSA	Negative
	AP	Negative	NUDFBY	Item 4 AnB: AP, Micro	Negative
M834UZ	ALS	Negative		Item 4 CnD: AP, Micro	Negative
	acid phosphatase	Negative	NV8DEZ	AP	Negative
M8KCJV	Swabs from above the waist are not tested for semen		NVMV7Y	AP (Brentamine)	Negative
MAQUQC	AP	Negative	P3LF9U	Swabs taken above hip area of female not tested for semen (possible semen)	
	Micro	Negative	P8EKQQ	AP	Negative
	P30	Negative		p-30	Negative
MK4W24	Christmas Tree Coloration	Negative		Microscopy - presence of sperm	Negative
	PSA serum/plasma cassette	Negative	P8QFAW	alternate light source	Pos./Ind.
MLJZZA	AP	Negative		AP	Negative
MMRAT8	AP	Negative	PBB8JE	AP	Negative
MRN2YH	AP, PSA (ABA P30), Micro	Negative	PCM4Q4	AP	Negative
MW4MTB	Microscopy	Negative		PSA	Negative
	AP	Negative	PGHXMK	AP	Negative
MYLQFM	Micro	Negative		Micro	Negative
	RSID	Negative		RSID	Negative
N9TM26	AP	Negative	PUQFU3	MICRO	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative	Q9JNQ8	AP	Negative
NBJUJG	AP	Negative	QGVPDF	AP	Inconclusive
NLVDQ6	AP	Negative		Micro	Negative
NLWA22	Brent	Negative		PSA	Negative
NMQZ8F	Micro	Negative	QP6ABX	Brentamine (AP)	Negative
	P30	Negative	QPTEXQ	AP	Negative
NNKJB3	Christmas Tree	Negative	QTUEGW	AP	Negative
	PSA Test Cassette	Negative			
NQNEU6	AP	Negative			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
QU4KH4	AP	Negative		Micro	Negative
	PSA	Negative		RSID - Semen	Negative
	Micro	Negative	UBXEHL	AP	Negative
	ALS	Negative		Micro	Negative
R3UDJ3	AP	Negative	UCRBUL	Visible blood was detected, so Hemastix was used to test	
	Micro	Negative			
	P30	Negative	UEFMR7	AP	Negative
RDEWMY	AP	Negative		PSA	Negative
	Micro	Negative		Micro	Negative
RFLZM4	AP	Negative	UFAADV	AP	Negative
RQJ3R7	ABAcad p30	Negative	UMU9ZB	Micro	Negative
	ALS	Inconclusive		P30	Negative
RQWTP4	RSID-Semen	Negative	UVLQKX	Acid Phosphatase	Negative
	PSA	Negative		Microscopic	Negative
RRR93Z	AP	Negative		PSA/P30	Negative
TK8D2W	N/A No evidential value		V4EEPF	AP (Acid Phosphatase)	Negative
TLZ47B	Micro	Negative		PSA Kit	Negative
	P30	Negative		Microscopic Test	Negative
TQD8L6	AP	Negative	VCRDH6	ALS	Negative
TYRWJD	AP	Negative		AP	Negative
TYRWLY	AP	Negative		Micro	Negative
	PSA	Negative		P30 card	Negative
	Micro	Negative	VPEL84	AP	Negative
U2EUK4	AP	Negative	VGTNT	AP	Negative
U2QQP9	AP	Negative	VZBMLU	Previous, more intimate sample, determined to have semen and would be sent forward for analysis before this sample. Conserving sample.	
U6QZMG	ALS	Negative			
	AP	Negative			
	Micro	Negative			
	RSID-semenogelin	Negative	W3DVDC	AP	Negative
U74A29	AP	Negative			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
W4AJJE	AP	Negative	YRNZ3Z	AP	Negative
	RSID-Semen	Negative	YWLDZD	AP Test	Negative
	Micro	Negative	Z6BNKR	Micro	Negative
WLPTHU	Christmas Tree	Negative		PSA	Negative
	PSA	Negative	ZBJTNX	Not indicated by scenario	
WUGAZW	Acid Phosphatase	Negative	ZG3F7V	AP	Negative
	PSA	Negative	ZQAW7M	AP	Negative
	Microscopic exam - sperm cells	Negative	ZTEKGX	PSA	Negative
WYVLA7	ALS	Negative	ZUCUFU	AP	Negative
	AP	Negative		PSA	Negative
X3RUT8	PSA	Negative		Micro	Negative
	RSID-Semen	Negative			
X4P4UN	AP	Negative			
XARAGU	Christmas Tree Stain (Micro)	Pos./Ind.			
XBLXX4	AP	Negative			
	PSA	Negative			
	Micro	Negative			
XCFPX2	AP	Negative			
XH66M9	AP	Negative			
Y8KEBV	AP	Negative			
YA4A2F	AP	Negative			
	PSA	Negative			
	Micro	Negative			
YHKTA9	AP	Negative			
YK4YT4	P30	Negative			
	Microscopic exam	Negative			
YKPATX	RSID-Semen	Negative			
	PSA	Negative			
YR66KY	AP	Negative			

TABLE 2 - Item 4

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	RSID saliva	Pos./Ind.	8JRL4L	with scenario and positive KM, would not test further.	
29T3ZY	Phadebas Forensic paper	Negative	8LF6YR	RSID	Negative
2CNQHQ	Not trained to perform this test.		8PXHML	Amylase	Pos./Ind.
2VXXL8	RSID Saliva	Negative	8QMXTM	RSID	Negative
2XRL7M	RSID-Saliva	Negative	8XMEBV	SALlgAE	Inconclusive
3B92LR	RSID	Negative	8YHUPD	Phadebas	Negative
3M6XUL	Amylase Diffusion	Negative	93CD3V	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specified.	
4TK8BT	Phadebas	Negative	9AUMG6	Amylase Radial Diffusion	Negative
62WEWN	Amylase	Inconclusive		Micro	Negative
68HJGC	ARD	Negative	9PBC4L	Amylase Diffusion	Negative
	Micro (NEC)	Negative	9YDWG	RSID	Negative
6DN9VQ	Saliva test not routinely conducted in sexual assault cases. Saliva test is only performed when specifically requested for by the client.		A3QZ8G	RSID	Negative
6ELHUM	The presence of human blood was indicated		A4QRLC	Amylase diffusion	Negative
6KBWGT	Phadebas Amylase	Negative	ABK7ZH	RSID - Saliva	Negative
	RSID Saliva	Negative	ACHAZK	Amylase Diffusion	Negative
6XCW7Q	RSID -saliva	Negative	AFZJ26	Item 4A: RSID Saliva	Negative
74EZWP	ALS	Negative		Item 4B: RSID Saliva	Negative
	RSID - saliva	Negative		Item 4C: RSID Saliva	Negative
78Y3PG	Amylase Diffusion	Negative		Item 4D: RSID Saliva	Negative
7EEQFC	RSID	Negative	AH64QQ	RSID	Negative
826CWP	RSID	Negative	AL6CXL	RSID	Negative
88XE3B	Victim indicated she fought with suspect and a notation of possible saliva was not indicated.		ANBTEP	RSID Saliva	Negative
8BDX6D	gel diffusion	Negative	C74HEC	RSID	Negative
8GM26F	Amylase -Seratec	Negative	C8ZN4H	Amylase diffusion	Negative
			CGPKWY	Phadebas Amylase Test	Negative
			CGZN9A	RSID saliva	Pos./Ind.

TABLE 2 - Item 4

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CKKFHR	Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)		GLJ93R	RSID	Pos./Ind.
CLF29W	Phadebas	Negative	GPJHB9	RSID Saliva	Negative
CM9PUD	RSID saliva	Negative	GVATHD	Laboratory does not perform test on saliva per laboratory policy.	
CMBFVG	Radial Diffusion	Negative	H28WY9	Amylase	Negative
CPDEWM	RSID	Negative	HDLU4C	Amylase Diffusion	Negative
CWFH8E	Phadebas press	Negative	HFADXH	RSID saliva	Negative
DLA4FD	RSID	Negative	HFWLA8	RSID Saliva	Negative
DTWPK7	No test for saliva at the lab. Swabs indicated to be bloody visibly		HLZLH4	RSID saliva	Negative
DYLCFJ	RSID	Negative	HRH4MY	Amylase Radial Diffusion	Negative
E8AHM3	test for saliva not done in our laboratory		HTWKX6	Not tested for saliva due to area of collection (arm). Also, dark red/brown color appears more consistent with neat bloodstain than mixed stain.	
E8AKBL	This test is not offered by this laboratory.		JPEGX2	Saliva test not done at the laboratory and swabs had visible possible blood	
EDXAXP	The case scenario does not indicate oral contact.		JPQGJM	Phadebas Amylase Test	Negative
ELTADH	RSID	Negative	JRZHPF	Saliva Test : "Not indicated by scenario Red brown staining interferes with spectrophotometry result	
EMZK47	Amylase Diffusion	Negative	JX6BKX	We do not test for this	
FKRYRY	amylase Radial Diffusion micro (NECs)	Pos./Ind. Negative	K26P8Z	Amylase Diffusion	Negative
FVRLN3	RSID Saliva	Negative	K6MVGV	Amylase Radial Diffusion	Negative
FY6A8Z	AMYLASE	Negative	K8VYFD	Phadebas paper	Negative
G2WMKP	Phadebas	Negative	KAE32P	RSID	Negative
G399G7	RSID saliva	Negative	KERW62	amylse[sic] diffusion	Negative
G436K7	RSID Saliva	Negative	KTAVMM	RSID	Negative
G6YEYH	Phadebas	Negative	KVCUY2	ALS	Pos./Ind.
G8HHLU	RSID	Negative		RSID	Negative
GCCAVC	RSID	Negative			
GELEAZ	RSID-Saliva	Inconclusive			
GJBYBV	ALS	Pos./Ind.			
	RSID - Saliva	Negative			

TABLE 2 - Item 4

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
KVCWMK	RSID	Negative		Microscopy- presence of NEC	Negative
KZR8ZN	RSID	Negative	P8QFAW	alternate light source	Pos./Ind.
L3VGAW	RSID Saliva	Negative		RSID saliva	Negative
LAQJB9	RSID	Negative	PBB8JE	RSID	Negative
LBK3EV	RSID	Negative	PCM4Q4	RSID - saliva	Negative
LGC967	Our laboratory not included[sic] in the portfolio of service testing for the presence of saliva		PGHXMK	RSID	Inconclusive
LN9AAB	Phadebas	Negative	QGVPDF	Phadebas-Amylase	Negative
LUTD4L	Amylase	Negative	QPTXQ	RSID	Negative
LZ2P8D	Test not offered		QTUEGW	Amylase Diffusion	Negative
M8KCJV	We don't have a test for saliva but saliva may not have had EV		QU4KH4	amylase radial diffusion	Negative
MAQUQC	RSID	Negative		ALS	Negative
MLJZZA	RSID	Pos./Ind.	R3UDJ3	RSID	Negative
MMRAT8	RSID	Negative	RDEWMY	Amylase	Negative
MRN2YH	Phadebas (α-Amylase)	Negative	RQWTP4	Laboratory only routinely examines for blood and semen in sexual assault cases.	
MW4MTB	RSID-saliva	Negative	TYRWJD	Phadebas	Negative
MYLQFM	RSID	Negative	TYRWLY	RSID	Negative
N9TM26	RSID	Negative	U6QZMG	ALS	Negative
NBJUJG	RSID	Negative		RSID-amylase	Negative
NLVDQ6	Amylase	Negative	U74A29	RSID - Saliva	Negative
NQNEU6	Amylase radial diffusion	Negative	UBXEHL	Positive for phen, didn't want to consume sample.	
NUDFBY	Item 4 AnB: RSID	Negative	UCRBUL	Test for saliva not done in our lab	
	Item 4 CnD: RSID	Negative	UFAADV	RSID Saliva	Negative
NV8DEZ	allegations did not support		UVLQKX	RSID- Saliva	Negative
P3LF9U	No presumptive test for saliva & swabs had visible blood on it		VCRDH6	This test is not offered in our laboratory.	
P8EKQQ	Amylase Radial Diffusion**[**see additional comments]	Inconclusive	VPEL84	RSID - saliva	Negative
			WGTNT	RSID	Negative



TABLE 2 - Item 4

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
VZBMLU	Extraction type for saliva and blood samples are the same. Conserving sample.				
W3DVDC	Saliva test not conducted at this lab				
W4AJJE	RSID-Saliva	Negative			
WLPTHU	Our laboratory does not perform test to identify saliva				
WUGAZW	RSID-saliva	Negative			
WYVLA7	ALS	Negative			
X3RUT8	Saliva not routinely tested in sexual assault cases unless specifically requested.				
X4P4UN	RSID-Saliva	Negative			
XBLXX4	SALlgAE	Inconclusive			
XCFPX2	Oral assault not alleged in scenario and this blood validates the scenario that vic injured the assailant. Blood would probably mask any oral DNA				
XH66M9	Phadebas Amylase Test	Negative			
YA4A2F	Amylase Radial Diffusion	Pos./Ind.			
	Micro	Negative			
YHKTA9	Tests are not performed at lab.				
YR66KY	Phadebas	Negative			
YRNZ3Z	RSID saliva	Negative			
YWLDZD	Phadebas	Negative			
ZBJTNX	Not indicated by scenario				
ZQAW7M	RSID saliva	Negative			
ZTEKGX	RSID	Negative			
ZUCUFU	RSID	Negative			

TABLE 2 - Item 4

<b>Other Body Fluid Types</b>					
<b>Webcode</b>	<b>Body Fluid Type - Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Body Fluid Type - Test Performed</b>	<b>Results</b>
2CNQHQ	Blood/Semen - ALS (see Additional Comments)	Pos./Ind.			
CGZN9A	Semen/saliva -ALS	Negative			
GCCAVC	various - ALS	Negative			
LN9AAB	Ouchterlony - 9 species (see Comments)	Negative			
N9TM26	ALS	Negative			
T764WM	Epithelial skin cells - Not Tested				
VCRDH6	Body Fluid - Visual Exam	Pos./Ind.			
W4AJJE	Urine - RSID-Urine	Negative			
WUGAZW	Alternate Light source	Negative			
ZTEKGX	ALS	Pos./Ind.			

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	6BYZLP	Phenolphthalein	Pos./Ind.
27XMCV	LMG	Pos./Ind.	6DN9VQ	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		Hexagon OBTI	Pos./Ind.
	Ouchterlony	Pos./Ind.	6ELHUM	TMB	Pos./Ind.
29T3ZY	Visual	Pos./Ind.		HemaTrace	Pos./Ind.
	KM	Pos./Ind.	6JA3X3	KM	Pos./Ind.
	Hematrace - reported as most likely human blood	Pos./Ind.		HemaTrace	Pos./Ind.
2CNQHQ	O-tol.	Pos./Ind.	6KBWTG	KM	Pos./Ind.
2VXL8	O-tol	Pos./Ind.		SERATEC Hemoglobin	Pos./Ind.
	Human Abacard	Pos./Ind.	6LJAYB	KM	Pos./Ind.
2WV7UQ	KM	Pos./Ind.		HemaTrace	Pos./Ind.
2XRL7M	KM	Pos./Ind.	6XCW7Q	Visual	Pos./Ind.
	HemaTrace	Pos./Ind.		LMG	Pos./Ind.
3B92LR	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	74EZWP	Phenolphthalein	Pos./Ind.
	ALS	Pos./Ind.		HemaTrace	Pos./Ind.
3M6XUL	LMG	Pos./Ind.	78Y3PG	LMG	Pos./Ind.
47A3JT	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	7EEQFC	KM	Pos./Ind.
	Ouchterlony (human)	Pos./Ind.	7EXD8U	Occult blood Rapid Test (Cassette immunochromatographic[sic])	Pos./Ind.
4PPCMF	H-stix	Pos./Ind.	7G4YMR	Visual Examination	Pos./Ind.
4TK8BT	KM	Pos./Ind.		ABACard Hematrace	Pos./Ind.
	Modified Takayama	Pos./Ind.	7MQUMB	KM	Pos./Ind.
62WEWN	Micro	Pos./Ind.		HemaTrace	Pos./Ind.
	KM	Pos./Ind.	7R4Q4K	Thevenon Roland Test	Pos./Ind.
634WHT	O-tol	Pos./Ind.		Occult Blood Cassette	Pos./Ind.
	HemaTrace	Pos./Ind.	7TY8FH	Hemastix	Pos./Ind.
66ET2C	KM	Pos./Ind.			
68HJGC	KM	Pos./Ind.			

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
826CWP	ALS	Inconclusive	A4QRLC	LMG	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	A9XMU6	Hemastix	Pos./Ind.
88XE3B	KM	Pos./Ind.		Luminol	Pos./Ind.
8BDX6D	LMG	Pos./Ind.	ABK7ZH	KM	Pos./Ind.
	Hema Trace	Pos./Ind.		HemaTrace	Pos./Ind.
8GM26F	TMB	Pos./Ind.	ACHAZK	LMG	Pos./Ind.
	HemDirect - Seratec	Pos./Ind.		HemaTrace	Pos./Ind.
8JRL4L	KM	Pos./Ind.	AFZJ26	O-tol	Pos./Ind.
8LF6YR	KM	Pos./Ind.	AH64QQ	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
8PXHML	Micro	Pos./Ind.	AL6CXL	Phenolphthalein	Pos./Ind.
	KM	Pos./Ind.	ANBTEP	Hemastix	Pos./Ind.
8QMXTM	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	AY83N8	Hemastix	Pos./Ind.
8XMEBV	Phenolphthalein	Pos./Ind.	C4F3X4	Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.		Luminol	
8YHUNR	Occult blood immuno- chromatography[sic] (Orgenics)	Pos./Ind.	C74HEC	KM	Pos./Ind.
				HemaTrace	Pos./Ind.
8YHUPD	KM	Pos./Ind.	C8ZN4H	LMG	Pos./Ind.
93CD3V	KM	Pos./Ind.		Hematrace	Pos./Ind.
	Hexagon OBTI	Pos./Ind.	CDMJUF	Thevenon and Roland (Piramidon)	Pos./Ind.
9AUMG6	LMG	Pos./Ind.		Occult Blood Card Test (Orgenics)	Pos./Ind.
	Ouchterlony	Pos./Ind.	CGPKWY	KM	Pos./Ind.
9CXHZ9	KM	Pos./Ind.		Hemoglobin Immuno-chromatography	Pos./Ind.
9PBC4L	LMG	Pos./Ind.	CGZN9A	Phenolphthalein	Pos./Ind.
	Hematrace	Pos./Ind.		HemaTrace	Pos./Ind.
9YDVG	KM	Pos./Ind.			
A3QZ8G	KM	Pos./Ind.	CKKFHR	O-Tol	Pos./Ind.
	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.

TABLE 2 - Item 5

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
CLF29W	KM	Pos./Ind.	FVRLN3	Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.	FY6A8Z	KM	Pos./Ind.
CM9PUD	KM	Pos./Ind.	G2WMKP	KM	Pos./Ind.
CMBFVG	TMB	Pos./Ind.		Hematrace	Pos./Ind.
	HemaTrace	Pos./Ind.	G399G7	O-tol	Pos./Ind.
CPDEWM	visual	Pos./Ind.	G436K7	KM	Pos./Ind.
	LMG	Pos./Ind.	G6YEYH	TMB	Pos./Ind.
	HemaTrace	Pos./Ind.	G8HHLU	O-tol	Pos./Ind.
CWFH8E	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	GCCAVC	Hemastix	Pos./Ind.
DLA4FD	KM	Pos./Ind.		KM	Pos./Ind.
DLCUGG	KM (indirect)	Pos./Ind.		HemaTrace	Pos./Ind.
DTWPK7	Hstix	Pos./Ind.	GELEAZ	KM	Pos./Ind.
DYLCFJ	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	GJBYBV	O-tol	Pos./Ind.
E8AHM3	Hemastix	Pos./Ind.		Hematrace	Pos./Ind.
E8AKBL	LMG	Pos./Ind.	GLJ93R	O-tol	Pos./Ind.
	ABA Hematrace	Pos./Ind.		Hematrace	Pos./Ind.
EDDMD2	Hemastix	Pos./Ind.	GPJHB9	KM	Pos./Ind.
EDXAXP	O-tol	Pos./Ind.	GVATHD	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		Hema Trace	Pos./Ind.
ELTADH	KM	Pos./Ind.	GVM6LW	O-tol	Pos./Ind.
	HT	Pos./Ind.		Hematrace	Pos./Ind.
EMZK47	O-tolidine	Pos./Ind.	H28WY9	Visual exam of item	Pos./Ind.
	HemDirect	Pos./Ind.		Microscopic exam of item	Pos./Ind.
EP6DVK	LMG	Pos./Ind.		KM	Pos./Ind.
	HemaTrace	Pos./Ind.	H6P4AP	KM	Pos./Ind.
	Ouchterlony	Pos./Ind.		HemaTrace	Pos./Ind.
FKRYRY	LMG	Pos./Ind.	HAP9CA	KM	Pos./Ind.
	ABA HemaTrace	Pos./Ind.		Takayama	Pos./Ind.

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
HDLU4C	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
	Hematrace	Pos./Ind.	KAJGJ7	THEVENON-ROLAND/ PIRAMIDON	Pos./Ind.
HFADXH	TMB	Pos./Ind.		OCCULT BLOOD-RAPIDSIGNAL	Pos./Ind.
	HemaTrace	Pos./Ind.	KERW62	LMG	Pos./Ind.
HFWLA8	KM	Pos./Ind.		hematrace	Pos./Ind.
HLZLH4	KM	Pos./Ind.	KLQNY4	Hemastix	Pos./Ind.
HRH4MY	KM	Pos./Ind.	KTAVMM	O-tol	Pos./Ind.
HTWKX6	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	KVCUY2	KM	Pos./Ind.
HXNZ7Y	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	TMB	Pos./Ind.	KVCWMK	Visual Exam	Pos./Ind.
	HemaTrace	Pos./Ind.		KM	Pos./Ind.
JF9YZ4	Visual exam	Pos./Ind.		HemaTrace	Pos./Ind.
	KM test - spot test	Pos./Ind.	KZR8ZN	O-tol	Pos./Ind.
JNJYNX	KM	Pos./Ind.		Hematrace	Pos./Ind.
JPEGX2	Hemastix	Pos./Ind.	L3VGAW	KM	Pos./Ind.
JPQGJM	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Modified Takayama	Pos./Ind.	LAQJB9	Hemastix	Pos./Ind.
JRZHPF	TMB	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	LBK3EV	KM	Pos./Ind.
JX6BKX	Visual	Pos./Ind.	LGC967	Immunochromatography for human blood	Pos./Ind.
	ALS	Pos./Ind.	LN9AAB	KM	Pos./Ind.
	LMG	Pos./Ind.		Takayama	Pos./Ind.
K26P8Z	LMG	Pos./Ind.	LUTD4L	KM	Pos./Ind.
	HemaTrace	Pos./Ind.	LZ2P8D	LMG	Pos./Ind.
K6MVGW	TMB	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	M834UZ	o-tolidine	Pos./Ind.
K8VYFD	KM	Pos./Ind.		hexagon OBTI	Pos./Ind.
	HemaTrace	Pos./Ind.	M8KCJV	H/stix	Pos./Ind.
KAE32P	O-tol	Pos./Ind.			

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
MAQUQC	O-Tol	Pos./Ind.	P3LF9U	Hstix	Pos./Ind.
	HemaTrace	Pos./Ind.	P8EKQQ	KM	Pos./Ind.
MJWKJ2	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	Luminol	Pos./Ind.	P8QFAW	Phenolphthalein	Pos./Ind.
MK4W24	Occult Blood Cassette	Pos./Ind.		Hemastix	Pos./Ind.
MLJZZA	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	PBB8JE	Visual Exam	Pos./Ind.
MMRAT8	KM	Pos./Ind.		KM	Pos./Ind.
MRN2YH	KM, Mod Taka	Pos./Ind.		HemaTrace	Pos./Ind.
MW4MTB	Hemastix	Pos./Ind.	PCM4Q4	Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
MYLQFM	O-tol	Pos./Ind.	PGHXMK	O-Tol	Pos./Ind.
	Hematrace	Pos./Ind.		Hematrace	Pos./Ind.
N9TM26	Hemastix	Pos./Ind.	PUQFU3	RAPID SIGNAL OCCULT BLOOD	Pos./Ind.
	HemaTrace	Pos./Ind.		THEVENON ROLAND-PIRAMIDON	Pos./Ind.
	PTMB	Pos./Ind.	Q9JNQ8	LMG	Pos./Ind.
NBJUJG	Visual	Pos./Ind.		HemaTrace	Pos./Ind.
	KM	Pos./Ind.		Ouchterlony-Human	Pos./Ind.
	HemaTrace	Pos./Ind.	QGVPDF	KM	Pos./Ind.
NLVDQ6	TMB	Pos./Ind.		Takayama	Pos./Ind.
	Hematrace	Pos./Ind.	QP6ABX	Hemastix	Pos./Ind.
NLWA22	Hem	Pos./Ind.	QPTEXQ	KM	Pos./Ind.
NMQZ8F	KM	Pos./Ind.	QTUEGW	LMG	Pos./Ind.
NNKJB3	Thevenon Roland Test	Pos./Ind.		HemaTrace	Pos./Ind.
	Occult Blood Cassette	Pos./Ind.	QU4KH4	LMG	Pos./Ind.
NQNEU6	TMB	Pos./Ind.	R3UDJ3	HS	Pos./Ind.
	HemaTrace	Pos./Ind.		HT	Pos./Ind.
NUDFBY	Item 5A: O-tol	Pos./Ind.	RDEWMY	KM	Pos./Ind.
NV8DEZ	KM	Pos./Ind.		Micro	Pos./Ind.
NVMV7Y	Hemastix	Pos./Ind.			

TABLE 2 - Item 5

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
RFLZM4	KM	Pos./Ind.	UVLQKX	Phenolphthalein	Pos./Ind.
RQJ3R7	ABACard HemaTrace	Pos./Ind.	V4EPPF	Visual Exam	Pos./Ind.
RQWTP4	KM	Pos./Ind.		Benzidine Test	Pos./Ind.
	Hexagon OBTI	Pos./Ind.		Hemoglobin Kit	Pos./Ind.
RRR93Z	KM	Pos./Ind.	VCRDH6	LMG	Pos./Ind.
T764WM	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	Luminol	Pos./Ind.	VPEL84	Phenolphthalein	Pos./Ind.
TK8D2W	Hemastix test	Pos./Ind.		HemaTrace	Pos./Ind.
TLZ47B	KM	Pos./Ind.	VVGTNT	KM	Pos./Ind.
TQD8L6	KM	Pos./Ind.	VZBMLU	KM	Pos./Ind.
TYRWJD	KM	Pos./Ind.		Hemastix	Pos./Ind.
	Modified Takayama	Pos./Ind.		Luminol	Pos./Ind.
TYRWLY	Hemastix	Pos./Ind.	W3DVDC	Kastle Meyer	Pos./Ind.
	HemaTrace	Pos./Ind.		Hematrace	Pos./Ind.
U2EUK4	LMG	Pos./Ind.	W4AJJE	LMG	Pos./Ind.
	HemaTrace	Pos./Ind.		RSID-Blood	Pos./Ind.
	Ouchterlony	Pos./Ind.	WLPTHU	Human Blood	Pos./Ind.
U2QQP9	Phenolphthalein	Pos./Ind.	WUGAZW	Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
U6QZMG	OT	Pos./Ind.	WYVLA7	Visual	Pos./Ind.
	Hematrace	Pos./Ind.		KM	Pos./Ind.
U74A29	O-tol	Pos./Ind.		HemaTrace	Pos./Ind.
	Hematrace	Pos./Ind.	X3RUT8	KM	Pos./Ind.
UBXEHL	KM	Pos./Ind.		Hexagon OBTI	Pos./Ind.
UCRBUL	Hemastix	Pos./Ind.	X4P4UN	KM	Pos./Ind.
UEFMR7	LMG	Pos./Ind.	XARAGU	Immunochromatography	Pos./Ind.
	HemaTrace	Pos./Ind.	XBLXX4	KM	Pos./Ind.
UFAADV	KM	Pos./Ind.		HemaTrace	Pos./Ind.
UL2HUV	Hemastix	Pos./Ind.	XCFPX2	KM	Pos./Ind.
UMU9ZB	KM	Pos./Ind.		HemaTrace	Pos./Ind.



TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
XH66M9	KM	Pos./Ind.	ZTEKGX	KM	Pos./Ind.
	Takayama	Pos./Ind.	ZUCUFU	Hemastix	Pos./Ind.
XUUC7H	KM	Pos./Ind.		KM	Pos./Ind.
	RSID	Pos./Ind.		HemaTrace	Pos./Ind.
Y8KEBV	KM	Pos./Ind.			
YA4A2F	Hemastix	Pos./Ind.			
	HemaTrace	Pos./Ind.			
YHKTA9	KM	Pos./Ind.			
	Hematrace	Pos./Ind.			
YJA9MP	Hematix[sic]	Pos./Ind.			
YK4YT4	Phenolphthalein - KM	Pos./Ind.			
YKPATX	KM	Pos./Ind.			
	Bluestar Hexagon OBTI	Pos./Ind.			
YR66KY	KM	Pos./Ind.			
	Visual examination	Pos./Ind.			
YRNZ3Z	TMB	Pos./Ind.			
	HemaTrace	Pos./Ind.			
YWLDZD	KM Test	Pos./Ind.			
Z6BNKR	Human Blood by Immuno- chromatography[sic]	Pos./Ind.			
ZBJTNX	KM	Pos./Ind.			
	HemaTrace	Pos./Ind.			
ZBXEXZ	TMB	Pos./Ind.			
	HT	Pos./Ind.			
ZG3F7V	LMG	Pos./Ind.			
	HemaTrace	Pos./Ind.			
	Ouchterlony	Pos./Ind.			
ZQAW7M	KM	Pos./Ind.			
	Hemastix	Pos./Ind.			
	HemaTrace	Pos./Ind.			

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	Acid Phosphatase	Negative	6ELHUM	No apparent stains noted after visual examination with an alternate light source. Human blood indicated	
27XMCV	AP	Negative			
29T3ZY	AP	Negative			
2CNQHQ	AP	Negative	6JA3X3	AP	Negative
2VXXL8	ALS	Negative	6KBWTG	AP	Negative
	AP	Negative		Micro	Negative
2XRL7M	AP	Negative		SERATEC PSA	Negative
3B92LR	AP	Negative	6LJAYB	ALS	Negative
	PSA	Negative		AP	Negative
	ALS	Pos./Ind.	6XCW7Q	ALS	Negative
3M6XUL	ALS	Negative		AP	Negative
	AP	Negative		P30	Negative
47A3JT	AP	Negative		Micro	Negative
4PPCMF	Brentamine/AP	Negative	74EZWP	ALS	Negative
4TK8BT	AP	Negative		AP	Negative
62WEWN	ALS	Negative	78Y3PG	ALS	Negative
	FBB	Negative		AP	Negative
634WHT	ALS	Negative		Micro	Negative
	AP	Negative	7EEQFC	AP	Negative
	PSA	Negative	7EXD8U	Micro (Christmas Tree)	Negative
66ET2C	AP	Negative		PSA	Negative
68HJGC	AP	Negative	7G4YMR	ABACard p30	Negative
	P30	Negative		Alternate Light Source	Inconclusive
	micro (sperm)	Negative	7MQUMB	AP	Negative
	ALS	Negative		ALS (crime- lite)	Negative
6BYZLP	Acid Phosphatase	Negative	7R4Q4K	Christmas Tree	Negative
	alternate light source	Negative		PSA Test Cassette	Negative
6DN9VQ	AP	Negative	7TY8FH	AP (Brentamine test)	Negative

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
826CWP	ALS	Inconclusive		Micro	Negative
	AP	Negative		PSA	Negative
	PSA	Negative	9PBC4L	ALS	Negative
88XE3B	AP	Negative		AP 1-step	Inconclusive
8BDX6D	AP	Negative		Micro	Negative
	AP Mapping	Negative		PSA	Negative
8GM26F	AP	Negative	9YDWG	AP	Negative
	PSA- Seratec	Negative	A3QZ8G	AP	Negative
	Micro	Negative	A4QRLC	ALS	Negative
8JRL4L	BCIP	Negative		AP	Negative
8LF6YR	AP	Negative		Micro	Negative
8PXHML	ALS	Negative	A9XMU6	Brentamine	Negative
	FBB	Negative	ABK7ZH	AP	Negative
	Micro	Negative	ACHAZK	ALS	Negative
	BCIP	Negative		AP	Negative
8QMXTM	ALS	Negative		PSA	Negative
	AP	Negative	AFZJ26	Not tested - did not perform AP/Micro testing based on case scenario	
8XMEBV	ALS	Negative	AH64QQ	AP	Negative
	AP	Negative	AL6CXL	AP	Negative
	p30/PSA	Negative	ANBTEP	ALS	Negative
	Slide/Microscopic Exam	Negative		AP	Negative
8YHUNR	Christmas tree Stain	Negative	AY83N8	Brentamine	Negative
	PSA immuno-cromatography[sic] (Organics)	Negative	C4F3X4	Brentamine	Negative
8YHUPD	AP	Negative	C74HEC	ALS	Negative
93CD3V	AP	Negative		AP	Negative
9AUMG6	AP	Negative	C8ZN4H	ALS	Negative
	PSA	Negative		AP	Negative
	Micro	Negative		Micro	Negative
9CXHZ9	AP	Negative			

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CDMJUF	Christmas Tree Stained Slide (micro)	Negative	ELTADH	AP	Negative
	Prostate Antigen Specific PSA (orogenics)	Negative	EMZK47	Acid Phosphatase	Negative
CGPKWY	AP	Negative		P30	Negative
	PSA	Negative	EP6DVK	AP	Negative
	Micro	Negative		PSA	Negative
CGZN9A	Acid Phosphatase	Negative		Micro	Negative
CKKFHR	ALS	Inconclusive	FKRYRY	ALS	Negative
	AP	Negative		AP	Negative
CLF29W	AP	Negative		PSA	Negative
CM9PUD	AP	Negative		micro (spermatozoa)	Negative
CMBFVG	AP	Negative	FVRLN3	AP	Negative
	PSA	Negative	FY6A8Z	ALS	Negative
CPDEWM	ALS	Pos./Ind.		AP	Negative
	AP	Negative	G2WMKP	AP	Negative
	ABA P30	Negative	G399G7	AP	Negative
	Micro	Negative		Micro	Negative
CWFH8E	AP	Negative	G436K7	AP	Negative
DLA4FD	AP	Negative	G6YEYH	AP	Negative
DLCUGG	AP (indirect)	Negative	G8HHLU	AP	Negative
	AP (direct)	Negative		Micro	Negative
	ALS	Negative		RSID	Negative
DTWPK7	AP	Negative		ALS	Negative
DYLCFJ	AP	Negative	GCCAVC	AP	Negative
	ALS	Negative		PSA	Negative
E8AHM3	Brentamine	Negative		micro (sperm)	Negative
E8AKBL	Not performed due to case circumstances.		GELEAZ	AP	Negative
EDDMD2	Brentamine	Negative	GJBYBV	Not Indicated	
EDXAXP	ALS	Inconclusive	GLJ93R	ALS	Negative
	AP	Negative		AP	Negative
			GPJHB9	AP	Negative

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GVATHD	AP	Negative		PSA	Negative
	RSID Semen	Negative		ALS	Negative
GVM6LW	ALS	Negative	K6MVGW	AP	Negative
	AP	Negative		Micro	Negative
	PSA	Negative		P-30	Negative
	Micro	Negative	K8VYFD	AP	Negative
H28WY9	AP	Negative	KAE32P	ALS	Negative
	X-Mas	Negative		AP	Negative
H6P4AP	AP	Negative		Micro	Negative
	ALS	Negative		RSID	Negative
HAP9CA	BCIP/AP	Negative	KAJGJ7	MICROSCOPIC	Negative
HDLU4C	AP	Negative		PSA-RAPIDSIGNAL	Negative
	Micro	Negative	KERW62	AcP	Negative
	ALS	Negative		PSA	Negative
HFADXH	AP	Negative		Micro	Negative
HFWLA8	AP	Negative	KLQNY4	Brentamine (AP)	Negative
HLZLH4	ALS	Negative	KTAVMM	Micro	Negative
HRH4MY	AP	Negative		RSID	Negative
HTWKX6	ALS	Negative		ALS	Negative
	AP	Negative		AP	Negative
JF9YZ4	AP press test	Negative	KVCUY2	ALS	Negative
JNJYNX	AP	Negative		AP	Negative
JPEGX2	Brentamine-AP	Negative	KVCWMK	ALS	Negative
JPQGJM	AP	Negative		AP	Negative
JRZHPF	AP	Negative	KZR8ZN	ALS	Negative
JX6BKX	Visual	Negative		AP	Negative
	ALS	Negative		Micro	Negative
	AP	Negative		RSID	Negative
K26P8Z	AP	Negative	L3VGAW	AP	Negative
	Micro	Negative			

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LAQJB9	AP	Negative		Micro	Negative
	Micro	Negative		RSID	Negative
	PSA	Negative	N9TM26	AP	Negative
LBK3EV	AP	Negative		PSA	Negative
LGC967	Christmas tree stain	Negative		Micro	Negative
	Immunochromatography for Prostate Specific Antigen (PSA)	Negative	NBJUJG	AP	Negative
				ALS	Negative
LN9AAB	AP	Negative	NLVDQ6	AP	Negative
LUTD4L	ALS	Negative	NLWA22	Brent	Negative
	AP	Negative	NMQZ8F	Micro	Negative
LZ2P8D	ALS	Negative		ALS	Negative
M834UZ	ALS	Negative		P30	Negative
	acid phosphatase	Negative	NNKJB3	Christmas Tree	Negative
M8KCJV	Brentamine/AP	Negative		PSA Test Cassette	Negative
MAQUQC	AP	Negative	NQNEU6	AP	Negative
	P30	Negative		PSA	Negative
	Micro	Negative	NUDFBY	Item 5A: AP, Micro	Negative
MJWKJ2	Brentamine (AP)	Negative	NV8DEZ	AP	Negative
MK4W24	Christmas Tree Coloration	Negative	NVMV7Y	AP (Brentamine)	Negative
	PSA serum/plasma cassette	Negative	P3LF9U	AP	Negative
MLJZZA	ALS	Negative	P8EKQQ	ALS	Negative
	AP	Negative		AP	Negative
MMRAT8	ALS	Negative	P8QFAW	alternate light source	Negative
	AP	Negative		AP	Negative
MRN2YH	AP	Negative	PBB8JE	ALS	Negative
MW4MTB	Microscopy	Negative		AP	Negative
	AP	Negative	PCM4Q4	ALS	Negative
MYLQFM	AP	Negative		AP	Negative
	ALS	Negative		PSA	Negative

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
PGHXMK	ALS	Negative		ALS	Negative
	AP	Negative	T764WM	Brentamine	Negative
	Micro	Negative	TK8D2W	Brentamine test	Negative
	RSID	Negative	TLZ47B	ALS	Negative
PUQFU3	MICRO	Negative		Micro	Negative
	PSA	Negative		P30	Negative
Q9JNQ8	AP	Negative	TQD8L6	AP	Negative
QGVPDF	AP	Inconclusive	TYRWJD	AP	Negative
	Micro	Negative	TYRWLY	AP	Negative
	PSA	Negative	U2EUK4	AP	Negative
QP6ABX	Brentamine (AP)	Negative	U2QQP9	ALS	Negative
QPTEXQ	AP	Negative		AP	Negative
QTUEGW	ALS	Negative	U6QZMG	ALS	Negative
	AP	Negative		AP	Negative
QU4KH4	AP	Negative		Micro	Negative
	PSA	Negative		RSID-semenogelin	Negative
	Micro	Negative	U74A29	ALS	Negative
	ALS	Negative		AP	Negative
R3UDJ3	AP	Negative		Micro	Negative
	Micro	Negative		RSID - Semen	Negative
	P30	Negative	UBXEHL	ALS	Negative
RDEWMY	AP	Negative	UCRBUL	Brentamine	Negative
	ALS	Negative	UEFMR7	ALS	Pos./Ind.
	Micro	Negative		AP	Negative
RFLZM4	AP	Negative		PSA	Negative
	ALS	Negative		Micro	Negative
RQJ3R7	ABAcad p30	Negative	UFAADV	AP	Negative
	ALS	Inconclusive	UL2HUV	Brentamine (AP)	Negative
RQWTP4	AP	Negative			
RRR93Z	AP	Negative			

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
UMU9ZB	ALS	Negative	XARAGU	Christmas Tree Stain (Micro)	Negative
	Micro	Negative		PSA	Negative
	P30	Negative	XBLXX4	AP	Negative
UVLQKX	Acid Phosphatase	Negative		ALS	Negative
V4EPPF	AP (Acid Phosphatase)	Negative	XCFPX2	ALS Negative	
	PSA Kit	Negative	XH66M9	AP	Negative
	Microscopic Test	Negative	Y8KEBV	AP	Negative
VCRDH6	ALS	Negative		ALS	Negative
	AP	Negative	YA4A2F	AP	Negative
	Micro	Negative		PSA	Negative
	P30 card	Negative		Micro	Negative
VPEL84	AP	Negative	YHKTA9	ALS	Negative
WGTNT	AP	Negative		AP	Negative
VZBMLU	AP	Negative	YJA9MP	Brentamine	Negative
W3DVDC	ALS	Negative	YK4YT4	P30	Negative
	AP	Negative		Microscopic exam	Negative
	P30	Negative	YKPATX	AP	Negative
W4AJJE	AP	Negative	YR66KY	AP	Negative
	RSID-Semen	Negative	YRNZ3Z	AP	Negative
	Micro	Negative		Micro	Negative
WLPTHU	Christmas Tree	Negative	YWLDZD	AP Test	Negative
	PSA	Negative	Z6BNKR	Micro	Negative
WUGAZW	Acid Phosphatase	Negative		PSA	Negative
	PSA	Negative	ZBJTNX	Not indicated by scenario	
	Microscopic exam-sperm cells	Negative	ZG3F7V	AP	Negative
WYVLA7	ALS	Negative	ZQAW7M	AP	Negative
	AP	Negative		ALS	Negative
X3RUT8	AP	Negative	ZTEKGX	PSA	Pos./Ind.
X4P4UN	ALS	Negative		Micro exam for sperm	Pos./Ind.
	AP	Negative			



TABLE 2 - Item 5

<b>Semen</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
ZUCUFU	AP	Negative			
	PSA	Negative			
	Micro	Negative			

TABLE 2 - Item 5

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VBR	RSID	Inconclusive	88XE3B	Victim indicated she fought with suspect and a notation of possible saliva was not indicated and no fluorescence was observed.	
29T3ZY	Phadebas Forensic paper	Negative			
2CNQHQ	Not trained to perform this test.				
2XRL7M	RSID-Saliva	Negative	8BDX6D	gel diffusion	Negative
3B92LR	RSID	Negative		amylase mapping	Negative
	ALS	Pos./Ind.	8GM26F	Amylase - Seratec	Negative
3M6XUL	Amylase Diffusion	Negative	8JRL4L	with scenario and positive KM, would not test further.	
4TK8BT	Phadebas	Negative	8LF6YR	RSID	Negative
62WEWN	ALS	Negative	8PXHML	Amylase	Negative
	Amylase	Inconclusive	8QMXTM	ALS** **Due to scenario of case, saliva was not tested further.	Negative
68HJGC	ARD	Negative	8XMEBV	SALlgAE	Inconclusive
	Micro (NEC)	Negative	8YHUPD	Phadebas	Negative
6DN9VQ	Saliva test not routinely conducted in sexual assault cases. Saliva test is only performed when specifically requested for by the client.		93CD3V	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specified.	
6ELHUM	No apparent stains noted after visual examination with an alternate light source. Human blood was indicated		9AUMG6	Amylase Radial Diffusion	Negative
6KBWTG	Phadebas Amylase	Negative		Micro	Inconclusive
	RSID Saliva	Negative	9PBC4L	Amylase Diffusion	Negative
6XCW7Q	RSID saliva	Negative	9YDWG	Item examined with ALS but no fluorescence observed, no indicative stains observed during visual examination	
	ALS	Negative	A3QZ8G	RSID	Negative
74EZWP	ALS	Negative	A4QRLC	Amylase diffusion	Negative
	RSID-saliva	Negative	ABK7ZH	RSID - saliva	Negative
78Y3PG	Amylase Diffusion	Negative	ACHAZK	Amylase Diffusion	Negative
7EEQFC	RSID	Negative	AFZJ26	Not tested - did not perform RSID Saliva testing based on case scenario	
826CWP	ALS	Inconclusive			
	RSID	Negative			

TABLE 2 - Item 5

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
AH64QQ	RSID	Negative	FY6A8Z	Item belonged to victim, nowhere did it state that it came into contact with the suspect.	
ANBTEP	RSID Saliva	Negative			
AY83N8	Not done in our lab		G2WMKP	Phadebas	Negative
C74HEC	ALS	Negative	G399G7	RSID saliva	Negative
C8ZN4H	ALS	Negative	G436K7	RSID Saliva	Negative
	Amyalse diffusion	Negative	G6YEYH	Phadebas	Negative
CGPKWY	Phadebas Amylase Test	Negative	G8HHLU	RSID	Negative
CKKFHR	Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)		GCCAVC	RSID	Negative
CLF29W	Phadebas	Negative	GELEAZ	RSID-Saliva	Inconclusive
CM9PUD	no apparent staining consistent with saliva observed		GJBYBV	Not Indicated	
CMBFVG	Radial Diffusion	Negative	GLJ93R	ALS	Negative
CPDEWM	ALS	Pos./Ind.	GPJHB9	RSID Saliva	Negative
	RSID	Negative	GVATHD	Laboratory does not perform test on saliva per laboratory policy.	
CWFH8E	Phadebas press	Negative	H28WY9	Amylase	Negative
DLA4FD	RSID	Negative	HDLU4C	Amylase Diffusion	Negative
DTWPK7	No testing is required on this exhibit		HFADXH	RSID saliva	Negative
DYLCFJ	N/A to scenario.		HLZLH4	ALS	Negative
E8AHM3	test for saliva not done in our laboratory		HTWKX6	ALS	Negative
E8AKBL	This test is not offered at this laboratory.		JF9YZ4	Phadebas press test	Negative
EDXAXP	The case scenario does not indicate oral contact.		JPEGX2	Saliva test not done at the laboratory and saliva test not required	
ELTADH	RSID	Negative	JPQGJM	Phadebas Amylase Test	Negative
EMZK47	Amylase Diffusion	Negative	JRZHPF	Phadebas amylase - paper	Negative
FKRYRY	ALS	Negative	JX6BKX	We do not test for this	
	Amylase Radial Diffusion	Negative	K26P8Z	Amylase Diffusion	Negative
	Micro (NECs)	Negative	K6MVGV	Amylase Radial Diffusion	Negative
FVRLN3	RSID Saliva	Negative	K8VYFD	Phadebas paper	Negative

TABLE 2 - Item 5

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
KAE32P	ALS	Negative	NQNEU6	Amylase radial diffusion	Negative
	RSID	Negative	NUDFBY	Not performed due to item and case scenario.	
KERW62	amylase diffusion	Negative	NV8DEZ	allegations did not support	
KTAVMM	RSID	Negative	P3LF9U	No testing of saliva required. Saliva test not done at laboratory	
KVCUY2	ALS	Negative	P8QFAW	alternate light source	Negative
	RSID**	Inconclusive	PBB8JE	ALS	Negative
KVCWMK	ALS	Negative		RSID	Negative
	RSID	Negative	PCM4Q4	ALS	Negative
KZR8ZN	ALS	Negative		RSID - saliva	Negative
	RSID	Negative	PGHXMK	RSID	Negative
L3VGAW	RSID Saliva	Negative	QGVPDF	Phadebas-Amylase	Negative
LAQJB9	RSID	Pos./Ind.	QPTEXQ	RSID	Negative
LBK3EV	RSID	Negative	QTUEGW	Amylase Diffusion	Negative
LGC967	Our laboratory not included[sic] in the portfolio of service testing for the presence of saliva		QU4KH4	amylase radial diffusion	Negative
				ALS	Negative
LN9AAB	Phadebas	Negative	R3UDJ3	RSID	Negative
LZ2P8D	test not offered		RDEWMY	Amylase	Negative
M8KCJV	No evidential value		RQWTP4	Laboratory only routinely examines for blood and semen in sexual assault cases.	
MAQUQC	RSID	Negative	TYRWJD	Phadebas	Negative
MLJZZA	ALS	Negative	TYRWLY	RSID	Negative
	RSID	Negative	U2QQP9	Saligae	Negative
MMRAT8	ALS	Negative	U6QZMG	ALS	Negative
	RSID	Negative		RSID-amylase	Negative
MRN2YH	Phadebas ( $\alpha$ -Amylase)	Negative	U74A29	RSID - Saliva	Negative
MYLQFM	RSID	Negative	UBXEH	Positive for KM, didn't want to consume sample.	
N9TM26	RSID	Negative	UCRBUL	tests for saliva are not done in our lab	
NBJUJG	RSID	Negative			
	ALS	Negative			
NLVDQ6	Amylase	Negative			

TABLE 2 - Item 5

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
UFAADV	Not necessary per case circumstances		ZQAW7M	RSID saliva	Negative
UVLQKX	RSID - Saliva	Negative	ZTEKGX	RSID	Negative
VCRDH6	This test is not offered in our laboratory.		ZUCUFU	RSID	Negative
VPEL84	RSID -saliva	Negative			
WGTNT	RSID	Negative			
VZBMLU	Extraction type for saliva and blood samples are the same. Conserving sample.				
W3DVDC	Saliva test not conducted at this lab				
W4AJJE	RSID-Saliva	Negative			
WLPTHU	Our laboratory does not perform test to identify saliva				
WUGAZW	RSID-saliva	Negative			
WYVLA7	ALS	Negative			
X3RUT8	Saliva not routinely tested in sexual assault cases unless specifically requested.				
X4P4UN	ALS	Negative			
XBLXX4	No Fluorescent staining observed. No saliva testing required per agency policy.				
XCFPX2	ALS Negative				
XH66M9	Phadebas Amylase Test	Negative			
YA4A2F	Amylase Radial Diffusion	Inconclusive			
	Micro	Negative			
YHKTA9	Tests are not performed at the lab.				
YR66KY	Phadebas	Negative			
YRNZ3Z	RSID Saliva	Negative			
YWLDZD	Phadebas	Negative			
ZBJTNX	Not indicated by scenario				

TABLE 2 - Item 5

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
27VBR	ALS	Negative	T764WM	Epithelial skin cells - removed	
27XMCV	Biological Fluids - ALS	Negative	TYRWLY	ALS	Negative
2CNQHQQ	Blood/Semen - ALS (see Additional Comments)	Negative	U2EUK4	Body Fluids - ALS	Negative
47A3JT	Body Fluids - ALS	Negative	UVLQKX	Alternate light source	Negative
4PPCMF	Poss Hair - Visual Inspection	Negative	VCRDH6	Body Fluid - Visual Exam	Pos./Ind.
6ELHUM	Semen/saliva - ALS	Negative	VPEL84	semen/saliva - ALS	Negative
8BDX6D	ALS	Negative	W4AJJE	Urine - RSID-Urine	Negative
8LF6YR	Semen/Saliva - ALS	Negative	WUGAZW	alternate light source	Negative
ABK7ZH	Non specific - alternate light source	Negative	XBLXX4	Saliva - ALS	Negative
AL6CXL	semen/saliva - ALS	Negative	XCFPX2	Semen/Saliva - ALS	Negative
CGZN9A	Semen/saliva - ALS	Negative	YRNZ3Z	Semen/Saliva - Alternate Light Source	Negative
DTWPK7	Examined exhibit for hair	Negative	ZBXEXZ	Alternate Light Source	Negative
E8AKBL	ALS	Negative	ZG3F7V	Biological fluids - ALS	Negative
ELTADH	ALS	Negative			
EP6DVK	Biological fluids - ALS	Negative			
GCCAVC	Various - ALS	Negative			
GVATHD	Urine, Semen, Saliva - ALS	Pos./Ind.			
HFADXH	Semen/Saliva - Alternate light source	Negative			
HRH4MY	ALS	Negative			
JPEGX2	Hair - Visual test: Examined to remove possible hair from exhibit	Negative			
LAQJB9	Miscellaneous - ALS	Negative			
LN9AAB	Ouchterlony - 9 species (see Comments)	Negative			
M8KCJV	Examine for visible hair	Negative			
N9TM26	ALS	Negative			
P3LF9U	Examine exhibit for Hair - a visual test is done	Negative			
Q9JNQ8	Biological Fluids - ALS	Negative			
R3UDJ3	ALS	Negative			

TABLE 2 - Item 6

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
27VBR	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	6BYZLP	Phenolphthalein	Pos./Ind.
27XMCV	LMG	Pos./Ind.	6DN9VQ	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		Hexagon OBTI	Pos./Ind.
	Ouchterlony	Pos./Ind.	6ELHUM	No red/brown stains observed after visual examination	
29T3ZY	Visual (low power microscopy)	Pos./Ind.	6JA3X3	KM	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
2CNQHQ	O-tol.	Pos./Ind.	6KBWTG	KM	Pos./Ind.
2VXL8	O-tol	Pos./Ind.		SERATEC Hemoglobin	Pos./Ind.
	Human Abacard	Pos./Ind.	6LJAYB	ALS (Infrared)	Inconclusive
2WV7UQ	Hemastix	Pos./Ind.		KM	Pos./Ind.
2XRL7M	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	6XCW7Q	Visual	Negative
	Luminol	Pos./Ind.		LMG	Pos./Ind.
3B92LR	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	74EZWP	Phenolphthalein	Pos./Ind.
	ALS	Pos./Ind.		HemaTrace	Pos./Ind.
3M6XUL	LMG	Pos./Ind.	78Y3PG	LMG	Pos./Ind.
47A3JT	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	7EEQFC	KM	Pos./Ind.
	Ouchterlony (human)	Pos./Ind.		Luminol	Pos./Ind.
4PPCMF	Lum	Negative	7EXD8U	Occult blood Rapid Test (Cassette) immuno-chromatographic[sic]	Pos./Ind.
4TK8BT	KM	Pos./Ind.	7G4YMR	Visual Examination	Inconclusive
	Modified Takayama	Pos./Ind.		ABACard Hematrace	Pos./Ind.
62WEWN	Micro	Inconclusive	7MQUMB	KM	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
634WHT	O-tol	Pos./Ind.		Crime -lite (IR)-> ALS	Negative
	HemaTrace	Pos./Ind.			
66ET2C	KM	Negative			
68HJGC	KM	Pos./Ind.			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
7R4Q4K	Thevenon Roland Test	Pos./Ind.	9YDVG	KM	Pos./Ind.
	Occult Blood Cassette	Pos./Ind.	A3QZ8G	KM	Pos./Ind.
7TY8FH	Luminol	Negative		Hemastix	Pos./Ind.
826CWP	ALS	Inconclusive	A4QRLC	LMG	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	A9XMU6	Hemastix	Negative
88XE3B	KM	Pos./Ind.		Luminol	Negative
8BDX6D	LMG	Pos./Ind.	ABK7ZH	KM	Pos./Ind.
	Hema Trace	Pos./Ind.		HemaTrace	Pos./Ind.
8GM26F	TMB	Pos./Ind.	ACHAZK	LMG	Pos./Ind.
	HemDirect - Seratec	Pos./Ind.		HemaTrace	Pos./Ind.
8JRL4L	KM	Pos./Ind.	AFZJ26	O-tol	Pos./Ind.
8LF6YR	KM	Pos./Ind.	AH64QQ	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		HemaTrace	Pos./Ind.
8PXHML	Micro	Inconclusive	AL6CXL	Phenolphthalein	Negative
	KM	Pos./Ind.	ANBTEP	O-Tol	Pos./Ind.
8QMXTM	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	AY83N8	Hemastix	Pos./Ind.
8XMEBV	Phenolphthalein	Negative	C4F3X4	Hemastix	Negative
	HemaTrace	Negative		Luminol	Negative
8YHUNR	Occult blood immunochromatography (Organics)	Pos./Ind.	C74HEC	KM	Pos./Ind.
				HemaTrace	Pos./Ind.
8YHUPD	KM	Pos./Ind.	C8ZN4H	LMG	Pos./Ind.
93CD3V	KM	Pos./Ind.		Hematrace	Pos./Ind.
	Hexagon OBTI	Pos./Ind.	CDMJUF	Thevenon and Roland (Piramidon)	Pos./Ind.
9AUMG6	LMG	Pos./Ind.		Occult Blood Card Test (Organics)	Pos./Ind.
	Ouchterlony	Pos./Ind.	CGPKWY	KM	Negative
9CXHZ9	KM	Pos./Ind.		Hemoglobin Immunochromatography	Negative
9PBC4L	LMG	Pos./Ind.			
	Hematrace	Pos./Ind.			



TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CGZN9A	Phenolphthalein	Pos./Ind.		Ouchterlony	Pos./Ind.
	HemaTrace	Pos./Ind.	FKRYRY	ALS	Negative
CKKFHR	O-Tol	Pos./Ind.		Stereomicroscope	Pos./Ind.
	HemaTrace	Pos./Ind.		LMG	Pos./Ind.
CLF29W	KM	Pos./Ind.		ABA Hematrace	Pos./Ind.
	HemaTrace	Pos./Ind.	FVRLN3	Hemastix	Pos./Ind.
CM9PUD	KM	Pos./Ind.		Luminol	Pos./Ind.
CMBFVG	TMB	Pos./Ind.	FY6A8Z	KM	Pos./Ind.
	HemaTrace	Pos./Ind.	G2WMKP	KM	Pos./Ind.
CPDEWM	Visual	Pos./Ind.		Hematrace	Pos./Ind.
	LMG	Pos./Ind.	G399G7	O-tol	Pos./Ind.
	HemaTrace	Pos./Ind.	G436K7	KM	Pos./Ind.
CWFH8E	KM	Pos./Ind.	G6YEYH	TMB	Pos./Ind.
	HemaTrace	Pos./Ind.	G8HHLU	O-tol	Pos./Ind.
DLA4FD	KM	Pos./Ind.		HemaTrace	Pos./Ind.
DLCUGG	KM (indirect)	Pos./Ind.	GCCAVC	Hemastix	Pos./Ind.
DTWPK7	Luminol	Negative		KM	Pos./Ind.
DYLCFJ	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	GELEAZ	KM	Pos./Ind.
E8AHM3	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
E8AKBL	Not performed due to no staining observed.			Luminol	Pos./Ind.
EDDMD2	Luminol	Negative	GJBYBV	O-tol	Pos./Ind.
EDXXP	O-tol	Pos./Ind.		Hematrace	Pos./Ind.
	HemaTrace	Pos./Ind.	GLJ93R	O-tol	Pos./Ind.
ELTADH	KM	Pos./Ind.		Hematrace	Pos./Ind.
	HT	Pos./Ind.	GPJHB9	Luminol	Pos./Ind.
EMZK47	O-tolidine	Pos./Ind.		KM	Pos./Ind.
	HemDirect	Pos./Ind.	GVATHD	KM	Pos./Ind.
EP6DVK	LMG	Pos./Ind.		Hema Trace	Pos./Ind.
	HemaTrace	Pos./Ind.	GVM6LW	O-tol	Negative

TABLE 2 - Item 6

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
H28WY9	Visual exam of item	Inconclusive		ALS	Negative
	Microscopic exam of item	Pos./Ind.		LMG	Pos./Ind.
	KM	Pos./Ind.	K26P8Z	LMG	Pos./Ind.
H6P4AP	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	K6MVGV	TMB	Pos./Ind.
	Luminol	Pos./Ind.	K8VYFD	KM	Pos./Ind.
HAP9CA	KM	Negative		HemaTrace	Pos./Ind.
HDLU4C	LMG	Pos./Ind.	KAE32P	O-tol	Pos./Ind.
	Hematrace	Pos./Ind.		HemaTrace	Pos./Ind.
HFADXH	TMB	Pos./Ind.	KAJGJ7	THEVENON-ROLAND/ PIRAMIDON	Pos./Ind.
	HemaTrace	Pos./Ind.		OCCULT BLOOD-RAPIDSIGNAL	Pos./Ind.
HFWLA8	KM	Pos./Ind.	KERW62	LMG	Pos./Ind.
HLZLH4	visual	Negative		hematrace	Pos./Ind.
HRH4MY	KM	Pos./Ind.	KLQNY4	Luminol	Negative
HTWKX6	KM	Pos./Ind.	KTAVMM	O-tol	Pos./Ind.
	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
HXNZ7Y	KM	Pos./Ind.	KVCUY2	KM	Pos./Ind.
	TMB	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	KVCWMK	Visual Exam	Pos./Ind.
JF9YZ4	Visual exam	Pos./Ind.		KM	Pos./Ind.
	KM test - spot test	Pos./Ind.		HemaTrace	Pos./Ind.
JNJYNX	KM	Pos./Ind.	KZR8ZN	O-Tol	Pos./Ind.
JPEGX2	Luminol	Negative		Hematrace	Pos./Ind.
JPQGJM	KM	Pos./Ind.	L3VGAW	KM	Pos./Ind.
	Modified Takayama	Pos./Ind.	LAQJB9	Hemastix	Pos./Ind.
JRZHPF	TMB	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	LBK3EV	KM	Pos./Ind.
	ALS	Negative	LGC967	Immunochromatography for human blood	Pos./Ind.
	Luminol	Pos./Ind.			
JX6BKX	Visual	Negative			

TABLE 2 - Item 6

<b>Blood</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
LN9AAB	KM	Pos./Ind.	NLWA22	Lum	Negative
	Takayama	Pos./Ind.	NMQZ8F	KM	Pos./Ind.
LUTD4L	KM	Pos./Ind.	NNKJB3	Thevenon Roland Test	Pos./Ind.
LZ2P8D	Visual (LED Light)	Pos./Ind.		Occult Blood Cassette	Pos./Ind.
	ALS (Violet light)	Negative	NQNEU6	TMD	Pos./Ind.
	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	NUDFBY	Item 6A: O-tol	Pos./Ind.
M834UZ	o-tolidine	Negative	NV8DEZ	KM	Pos./Ind.
M8KCJV	Luminol	Negative	NVMV7Y	Luminol	Pos./Ind.
MAQUQC	O-Tol	Negative	P3LF9U	Luminol	Negative
	HemaTrace	Negative	P8EKQQ	KM	Pos./Ind.
MJWKJ2	Luminol	Pos./Ind.		HemaTrace	Pos./Ind.
MK4W24	Occult Blood Casstte[sic]	Pos./Ind.	P8QFAW	Phenolphthalein	Pos./Ind.
MLJZZA	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	PBB8JE	Visual Exam	Pos./Ind.
MMRAT8	Luminol	Pos./Ind.		KM	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
MRN2YH	KM, Mod Taka	Pos./Ind.	PCM4Q4	Hemastix	Pos./Ind.
MW4MTB	Hemastix	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.	PGHXMK	O-Tol	Pos./Ind.
MYLQFM	O-tol	Pos./Ind.		Hematrace	Pos./Ind.
	Hematrace	Pos./Ind.	PUQFU3	RAPID SIGNAL OCCULT BLOOD	Pos./Ind.
N9TM26	Hemastix	Pos./Ind.		THEVENON ROLAND-PIRAMIDON	Pos./Ind.
	HemaTrace	Pos./Ind.	Q9JNQ8	LMG	Pos./Ind.
	PTMB	Pos./Ind.		HemaTrace	Pos./Ind.
NBJUJG	Visual	Pos./Ind.		Ouchterlony-Human	Pos./Ind.
	KM	Pos./Ind.	QGVPDF	KM	Pos./Ind.
	HemaTrace	Pos./Ind.		Takayama	Pos./Ind.
NLVDQ6	TMB	Pos./Ind.	QP6ABX	Luminol	Negative
	Hematrace	Pos./Ind.			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
QPTEXQ	KM	Pos./Ind.	UBXEHL	KM	Pos./Ind.
QTUEGW	LMG	Pos./Ind.	UCRBUL	Luminol	Negative
	HemaTrace	Pos./Ind.	UEFMR7	LMG	Pos./Ind.
QU4KH4	LMG	Pos./Ind.		HemaTrace	Pos./Ind.
R3UDJ3	HS	Pos./Ind.	UFAADV	KM	Pos./Ind.
	HT	Pos./Ind.	UL2HUV	Luminol	Negative
RDEWMY	KM	Pos./Ind.	UMU9ZB	KM	Pos./Ind.
	Micro	Inconclusive	UVLQKX	Phenolphthalein	Pos./Ind.
RFLZM4	KM	Pos./Ind.	V4EEPF	Visual Exam	Pos./Ind.
RQJ3R7	ABACard HemaTrace	Pos./Ind.		Benzidine Test	Pos./Ind.
RQWTP4	KM	Pos./Ind.		Hemoglobin Kit	Pos./Ind.
	Hexagon OBTI	Pos./Ind.	VCRDH6	LMG	Pos./Ind.
RRR93Z	KM	Pos./Ind.		HemaTrace	Pos./Ind.
T764WM	Hemastix	Negative	VPEL84	Phenolphthalein	Pos./Ind.
	Luminol	Negative		HemaTrace	Pos./Ind.
TK8D2W	Luminol test	Negative	WGTNT	KM	Pos./Ind.
TLZ47B	KM	Pos./Ind.	VZBMLU	KM	Pos./Ind.
TQD8L6	KM	Pos./Ind.		Hemastix	Pos./Ind.
TYRWJD	KM	Pos./Ind.		Luminol	Pos./Ind.
	Modified Takayama	Pos./Ind.	W3DVDC	Kastle Meyer	Pos./Ind.
TYRWLY	Visual Exam	Negative		Hematrace	Pos./Ind.
U2EUK4	LMG	Pos./Ind.	W4AJJE	LMG	Negative
	HemaTrace	Pos./Ind.		RSID-Blood	Negative
	Ouchterlony	Pos./Ind.	WLPTHU	Human Blood	Pos./Ind.
U2QQP9	Phenolphthalein	Inconclusive	WUGAZW	Hemastix	Pos./Ind.
	HemaTrace	Negative		HemaTrace	Pos./Ind.
U6QZMG	OT	Pos./Ind.	WYVLA7	Visual	Inconclusive
	Hematrace	Pos./Ind.		KM	Pos./Ind.
U74A29	O-tol	Pos./Ind.		HemaTrace	Pos./Ind.
	Hematrace	Pos./Ind.			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
X3RUT8	KM	Pos./Ind.	Z6BNKR	Human Blood by Immuno- chromatography[sic]	Pos./Ind.
	Hexagon OBTI	Pos./Ind.			
X4P4UN	Luminol	Pos./Ind.	ZBJTNX	KM	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
XARAGU	Immunochemistry	Pos./Ind.		Luminol	Pos./Ind.
XBLXX4	No staining (blood-like or otherwise) observed on item. No blood testing required per agency policy.		ZBXEXZ	Luminol	Pos./Ind.
				TMB	Pos./Ind.
				HT	Pos./Ind.
XCFPX2	Luminol	Negative	ZG3F7V	LMG	Pos./Ind.
	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	HemaTrace	Pos./Ind.		Ouchterlony	Pos./Ind.
XH66M9	KM	Pos./Ind.	ZQAW7M	KM	Pos./Ind.
	Takayama	Pos./Ind.		Hemastix	Pos./Ind.
XUUC7H	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	RSID	Pos./Ind.		Luminol	Pos./Ind.
Y8KEBV	KM	Pos./Ind.	ZTEKGX	KM	Pos./Ind.
YA4A2F	Hemastix	Pos./Ind.	ZUCUFU	Hemastix	Pos./Ind.
	HemaTrace	Pos./Ind.		KM	Pos./Ind.
YHKTA9	KM	Pos./Ind.		HemaTrace	Pos./Ind.
	Hematrace	Pos./Ind.			
YJA9MP	Luminol	Pos./Ind.			
YK4YT4	Phenolphthalein-KM	Pos./Ind.			
YKPATX	KM	Pos./Ind.			
	Bluestar Hexagon OBTI	Pos./Ind.			
YR66KY	KM	Negative			
	Visual examination	Negative			
YRNZ3Z	TMB	Pos./Ind.			
	HemaTrace	Pos./Ind.			
YWLDZD	KM Test	Pos./Ind.			

TABLE 2 - Item 6

Semen						
Webcode	Test Performed	Results	Webcode	Test Performed	Results	
27VBR	Acid Phosphatase	Pos./Ind.	634WHT	ALS	Negative	
	Micro	Pos./Ind.		AP	Pos./Ind.	
27XMCV	AP	Pos./Ind.	66ET2C	PSA	Pos./Ind.	
	PSA	Pos./Ind.		AP	Negative	
	Micro	Pos./Ind.		68HJGC	AP	Pos./Ind.
29T3ZY	AP	Pos./Ind.		P30	Pos./Ind.	
	Microscopy	Pos./Ind.		micro sperm	Pos./Ind.	
2CNQHQ	AP	Pos./Ind.		ALS	Negative	
2VXL8	ALS	Negative	6BYZLP	Acid Phosphatase	Pos./Ind.	
	AP	Pos./Ind.		alternate light source	Negative	
	Micro	Pos./Ind.		6DN9VQ	AP	Pos./Ind.
2WV7UQ	AP	Pos./Ind.		RSID-Semen	Pos./Ind.	
	Micro	Pos./Ind.		PSA	Pos./Ind.	
2XRL7M	AP	Negative	6ELHUM	No stains observed upon visual examination and with aid of alternate light source		
3B92LR	AP	Pos./Ind.		6JA3X3	AP	Pos./Ind.
	PSA	Pos./Ind.			Micro	Pos./Ind.
	Micro	Pos./Ind.	PSA		Pos./Ind.	
3M6XUL	ALS	Inconclusive	6KBWTG	AP	Pos./Ind.	
	AP	Pos./Ind.		Micro	Pos./Ind.	
	Micro	Pos./Ind.		SERATEC PSA	Pos./Ind.	
47A3JT	AP	Pos./Ind.	6LJAYB	ALS	Negative	
	PSA	Pos./Ind.		AP	Pos./Ind.	
	Micro	Pos./Ind.		Micro	Pos./Ind.	
4PPCMF	Brent/AP	Pos./Ind.		PSA	Pos./Ind.	
4TK8BT	AP	Pos./Ind.	6XCW7Q	ALS	Negative	
	Micro	Pos./Ind.		AP	Pos./Ind.	
62WEWN	ALS	Pos./Ind.		P30	Pos./Ind.	
	FBB	Pos./Ind.		Micro	Pos./Ind.	
	Micro	Pos./Ind.				

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
74EZWP	ALS	Negative		Micro	Pos./Ind.
	AP	Pos./Ind.	8LF6YR	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
78Y3PG	ALS	Negative	8PXHML	ALS	Negative
	AP	Pos./Ind.		FBB	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
7EEQFC	AP	Pos./Ind.	8QMXTM	ALS* *Fluorescence masked by blood	Negative
	Micro	Pos./Ind.		AP	Pos./Ind.
7EXD8U	Micro (Christmas Tree)	Pos./Ind.		Micro	Pos./Ind.
7G4YMR	ABACard p30	Pos./Ind.	8XMEBV	AP	Negative
	Alternate Light Source	Inconclusive		p30/PSA	Negative
7MQUMB	AP	Pos./Ind.		Slide/Microscopic Exam	Negative
	Micro	Pos./Ind.	8YHUNR	Christmas tree Stain	Pos./Ind.
	PSA	Pos./Ind.	8YHUPD	AP	Pos./Ind.
	ALS (crime lite)	Negative	93CD3V	AP	Pos./Ind.
7R4Q4K	Christmas Tree	Pos./Ind.		RSID-Semen	Pos./Ind.
	PSA Test Cassette	Pos./Ind.		PSA	Pos./Ind.
7TY8FH	AP (Brentamine test)	Negative	9AUMG6	AP	Pos./Ind.
826CWP	ALS	Inconclusive		Micro	Pos./Ind.
	AP	Pos./Ind.	9CXHZ9	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
88XE3B	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	9PBC4L	ALS	Negative
8BDX6D	AP	Pos./Ind.		AP 1-step	Pos./Ind.
	AP Mapping	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
8GM26F	AP	Pos./Ind.		AP Mapping	Pos./Ind.
	PSA - Seratec	Pos./Ind.	9YDWG	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
8JRL4L	BCIP	Pos./Ind.		Micro	Pos./Ind.

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
A3QZ8G	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	CDMJUF	Christmas Tree Stained Slide (micro)	Pos./Ind.
	Micro	Pos./Ind.		Prostate Antigen Specific PSA (organics)	Pos./Ind.
A4QRLC	ALS	Negative	CGPKWY	AP	Negative
	AP	Pos./Ind.		PSA	Negative
	Micro	Pos./Ind.		Micro	Negative
	PSA	Pos./Ind.	CGZN9A	Acid Phosphatase	Pos./Ind.
	AP Mapping	Pos./Ind.		Micro	Pos./Ind.
A9XMU6	Brentamine	Negative	CKKFHR	ALS	Inconclusive
ABK7ZH	AP	Pos./Ind.		AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
ACHAZK	ALS	Negative	CLF29W	AP	Pos./Ind.
	AP	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
AFZJ26	AP, Micro	Pos./Ind.	CM9PUD	no apparent staining consistent with semen observed	
AH64QQ	AP	Pos./Ind.	CMBFVG	AP	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
AL6CXL	AP	Negative	CPDEWM	ALS	Pos./Ind.
ANBTEP	AP	Pos./Ind.		AP	Pos./Ind.
	Micro	Pos./Ind.		ABA P30	Pos./Ind.
	RSID Semen	Pos./Ind.		Micro	Pos./Ind.
AY83N8	Brentamine	Pos./Ind.	CWFH8E	AP	Pos./Ind.
C4F3X4	Brentamine	Negative		PSA	Pos./Ind.
C74HEC	ALS	Negative	DLA4FD	AP	Pos./Ind.
	AP	Pos./Ind.		PSA (Abacus)	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
C8ZN4H	ALS	Negative			
	AP Mapping	Pos./Ind.			
	AP	Pos./Ind.			



TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
DLCUGG	AP (indirect)	Inconclusive		micro	Pos./Ind.
	AP (direct)	Pos./Ind.		PSA	Pos./Ind.
	ALS	Inconclusive		G399G7	AP
DTWPK7	AP	Pos./Ind.		Micro	Pos./Ind.
DYLCFJ	ALS	Negative	G436K7	AP	Pos./Ind.
	AP	Pos./Ind.		Microscopic	Pos./Ind.
	p30	Pos./Ind.		G6YEYH	AP
	Micro	Pos./Ind.		Microscopy	Pos./Ind.
E8AHM3	Brentamine	Negative	G8HHLU	AP	Pos./Ind.
E8AKBL	Not performed due to no fluorescence/staining observed.			Micro	Pos./Ind.
				ALS	Pos./Ind.
EDDMD2	Brentamine	Pos./Ind.	GCCAVC	AP	Pos./Ind.
EDXAXP	ALS	Inconclusive		PSA	Negative
	AP	Pos./Ind.		Micro (Sperm)	Pos./Ind.
	Micro	Pos./Ind.	GELEAZ	AP	Pos./Ind.
ELTADH	AP	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	GJBYBV	ALS	Negative
EMZK47	Acid Phosphatase	Pos./Ind.		AP	Pos./Ind.
	P30	Pos./Ind.		Micro	Pos./Ind.
EP6DVK	AP	Negative	GLJ93R	ALS	Negative
FKRYRY	ALS	Negative		AP	Pos./Ind.
	AP	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.	GPJHB9	AP	Pos./Ind.
	Micro (spermatozoa)	Pos./Ind.		Micro	Pos./Ind.
FVRLN3	AP	Negative	GVATHD	AP	Pos./Ind.
FY6A8Z	ALS	Negative		RSID Semen	Pos./Ind.
	AP	Pos./Ind.			
	MICRO	Pos./Ind.			
G2WMKP	AP	Pos./Ind.			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GVM6LW	ALS	Negative		ABA p30	Pos./Ind.
	AP	Negative	JPEGX2	Brentamine - AP	Pos./Ind.
	PSA	Negative	JPQGJM	AP	Pos./Ind.
	Micro	Negative		Micro	Pos./Ind.
H28WY9	AP	Pos./Ind.	JRZHPF	AP	Pos./Ind.
	X-Mas	Pos./Ind.		PSA	Pos./Ind.
H6P4AP	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	JX6BKX	Visual	Negative
	ALS	Negative		ALS	Negative
HAP9CA	BCIP/AP	Negative		AP	Pos./Ind.
HDLU4C	AP	Pos./Ind.	K26P8Z	AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
	PSA	Pos./Ind.		PSA	Pos./Ind.
	ALS	Negative		ALS	Pos./Ind.
HFADXH	AP	Pos./Ind.	K6MVGW	AP	Pos./Ind.
	Micrscopic sperm search	Pos./Ind.		Micro	Pos./Ind.
HFVLA8	AP	Pos./Ind.	K8VYFD	AP	Pos./Ind.
	Micro	Pos./Ind.		microscopy for sperm	Pos./Ind.
HLZLH4	ALS	Negative	KAE32P	ALS	Negative
HRH4MY	AP	Pos./Ind.		AP	Pos./Ind.
	Micro	Pos./Ind.		Micro	Pos./Ind.
HTWKX6	AP	Pos./Ind.	KAJGJ7	MICROSCOPIC	Pos./Ind.
	Micro	Pos./Ind.		PSA-RAPIDSIGNAL	Pos./Ind.
	PSA	Pos./Ind.	KERW62	AcP	Pos./Ind.
	ALS	Negative		PSA	Pos./Ind.
JF9YZ4	AP press test	Pos./Ind.		Micro	Pos./Ind.
	Microscopic exam	Pos./Ind.	KLQNY4	Brentamine (AP)	Negative
JNJYNX	AP	Pos./Ind.	KTAVMM	ALS	Pos./Ind.
	Micro	Pos./Ind.		AP	Pos./Ind.
	Seratec PSA	Pos./Ind.		Micro	Pos./Ind.

TABLE 2 - Item 6

Semen						
Webcode	Test Performed	Results	Webcode	Test Performed	Results	
KVCUY2	ALS	Negative	MAQUQC	AP	Negative	
	AP	Pos./Ind.		P30	Negative	
	Micro	Pos./Ind.		Micro	Negative	
	PSA	Pos./Ind.		MJWKJ2	Brentamine (AP)	Pos./Ind.
KVCWMK	ALS	Negative	MK4W24	Christmas Tree Coloration	Pos./Ind.	
	AP	Pos./Ind.		MLJZZA	ALS	Negative
	Micro	Pos./Ind.			AP	Pos./Ind.
KZR8ZN	ALS	Negative	MMRAT8	Micro	Pos./Ind.	
	AP	Pos./Ind.		ALS	Negative	
	Micro	Pos./Ind.		AP	Pos./Ind.	
L3VGAW	AP	Pos./Ind.	MRN2YH	Micro	Pos./Ind.	
	Micro	Pos./Ind.		AP, Micro	Pos./Ind.	
LAQJB9	AP	Negative	MW4MTB	ALS (polilight)	Pos./Ind.	
	Micro	Negative		AP	Pos./Ind.	
	PSA	Negative		Microscopy	Pos./Ind.	
LBK3EV	AP	Pos./Ind.	MYLQFM	ALS	Negative	
	PSA	Pos./Ind.		AP	Pos./Ind.	
	Micro	Pos./Ind.		Micro	Pos./Ind.	
LGC967	Christmas tree stain	Pos./Ind.	N9TM26	AP	Pos./Ind.	
LN9AAB	AP	Pos./Ind.		PSA	Pos./Ind.	
	Micro - Christmas Tree Stain	Pos./Ind.		Micro	Pos./Ind.	
LUTD4L	ALS	Negative	NBJUJG	ALS	Pos./Ind.	
	AP	Pos./Ind.		AP	Pos./Ind.	
	Micro	Pos./Ind.		Micro	Pos./Ind.	
LZ2P8D	ALS	Negative	NLVDQ6	AP	Pos./Ind.	
	Microscopic examination	Negative		PSA	Pos./Ind.	
	P30	Negative		Micro	Pos./Ind.	
M834UZ	ALS	Negative	NLWA22	Brent	Pos./Ind.	
	acid phosphatase	Negative		NMQZ8F	Micro	Pos./Ind.
M8KCJV	Brentamine/AP	Pos./Ind.		ALS	Negative	

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
NNKJB3	Christmas Tree	Pos./Ind.		PSA	Pos./Ind.
	PSA Test Cassette	Pos./Ind.	Q9JNQ8	AP	Pos./Ind.
NQNEU6	AP	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
	Microscopic	Pos./Ind.	QGVPDF	AP	Pos./Ind.
NUDFBY	Item 6A: AP, Micro	Pos./Ind.		Micro	Pos./Ind.
NV8DEZ	AP	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.	QP6ABX	Brentamine (AP)	Negative
	Micro	Pos./Ind.	QPTEXQ	AP	Pos./Ind.
NVMV7Y	AP (Brentamine)	Pos./Ind.		PSA (ABAcad p30)	Pos./Ind.
P3LF9U	AP	Pos./Ind.		Micro	Pos./Ind.
P8EKQQ	AP	Pos./Ind.	QTUEGW	ALS	Pos./Ind.
	P30	Pos./Ind.		AP	Pos./Ind.
	Microscopy	Pos./Ind.		Micro	Pos./Ind.
	ALS	Negative		PSA	Pos./Ind.
P8QFAW	alternate light source	Pos./Ind.	QU4KH4	AP	Pos./Ind.
	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.		ALS	Pos./Ind.
	PSA	Pos./Ind.	R3UDJ3	AP	Pos./Ind.
PBB8JE	ALS	Pos./Ind.		Micro	Pos./Ind.
	AP	Pos./Ind.		P30	Pos./Ind.
	Micro	Pos./Ind.	RDEWMY	AP	Negative
PCM4Q4	ALS	Negative		ALS	Negative
	AP	Pos./Ind.		Micro	Pos./Ind.
	Microscopic Exam	Pos./Ind.	RFLZM4	AP	Pos./Ind.
	PSA	Pos./Ind.		ALS	Negative
PGHXMK	ALS	Pos./Ind.	RQJ3R7	ABAcad p30	Pos./Ind.
	AP	Pos./Ind.		ALS	Inconclusive
	Micro	Pos./Ind.			
PUQFU3	MICRO	Pos./Ind.			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
RQWTP4	AP	Pos./Ind.	UCRBUL	Brentamine	Pos./Ind.
	RSID-Semen	Pos./Ind.	UEFMR7	ALS	Negative
	PSA	Pos./Ind.		AP	Pos./Ind.
RRR93Z	AP	Pos./Ind.		PSA	Pos./Ind.
	ALS	Inconclusive		Micro	Pos./Ind.
T764WM	Brentamine	Negative	UFAADV	AP	Pos./Ind.
TK8D2W	Brentamine test	Negative		Micro	Pos./Ind.
TLZ47B	ALS	Pos./Ind.		PSA	Pos./Ind.
	Micro	Pos./Ind.	UL2HUV	Brentamine (AP)	Pos./Ind.
TQD8L6	AP	Pos./Ind.	UMU9ZB	Micro	Pos./Ind.
	PSA	Pos./Ind.		ALS	Negative
	Microscopic exam for Sperm Cells	Pos./Ind.	UVLQKX	Acid Phosphatase	Pos./Ind.
TYRWJD	AP	Pos./Ind.		Microscopic	Pos./Ind.
	PSA	Pos./Ind.	V4EEPF	AP (Acid Phosphatase)	Pos./Ind.
	Micro	Pos./Ind.		PSA Kit	Pos./Ind.
TYRWLY	AP	Negative		Microscopic Test	Pos./Ind.
	Visual Exam	Negative	VCRDH6	ALS (very faint)	Pos./Ind.
U2EUK4	AP	Pos./Ind.		AP	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
	Microscopic examination	Pos./Ind.	VPEL84	AP	Pos./Ind.
U2QQP9	ALS	Negative		Micro	Pos./Ind.
	AP	Inconclusive	VGTNT	AP	Pos./Ind.
	P30	Negative		PSA	Pos./Ind.
U6QZMG	ALS	Negative		Micro	Pos./Ind.
	AP	Pos./Ind.	VZBMLU	AP	Pos./Ind.
	Micro	Pos./Ind.		P30	Pos./Ind.
U74A29	ALS	Negative		Micro	Pos./Ind.
	AP	Pos./Ind.	W3DVDC	ALS	Inconclusive
	Micro	Pos./Ind.		AP	Pos./Ind.
UBXEHL	ALS	Negative		P30	Pos./Ind.

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
W4AJJE	AP	Negative	Y8KEBV	AP	Negative
	RSID-Semen	Negative		ALS	Negative
	Micro	Negative	YA4A2F	AP	Pos./Ind.
WLPTHU	Christmas Tree	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.		Micro	Pos./Ind.
WUGAZW	Acid Phosphatase	Pos./Ind.	YHKTA9	ALS	Negative
	PSA	Pos./Ind.		AP	Pos./Ind.
	Microscopic exam - sperm cells	Pos./Ind.		PSA	Pos./Ind.
WYVLA7	ALS	Inconclusive	YJA9MP	Brentamine	Pos./Ind.
	AP	Pos./Ind.	YK4YT4	Microscopic exam	Pos./Ind.
	PSA	Pos./Ind.	YKPATX	AP	Pos./Ind.
	Micro	Pos./Ind.		RSID-Semen	Pos./Ind.
X3RUT8	AP	Pos./Ind.		PSA	Pos./Ind.
	PSA	Pos./Ind.	YR66KY	AP	Pos./Ind.
	RSID-Semen	Pos./Ind.		Micro	Pos./Ind.
X4P4UN	ALS	Negative	YRNZ3Z	AP	Pos./Ind.
	AP	Pos./Ind.		Micro	Pos./Ind.
	Micro	Pos./Ind.	YWLDZD	AP Test	Pos./Ind.
XARAGU	Christmas Tree Stain (Micro)	Negative		High Power Microscopy of slide	Pos./Ind.
	PSA	Negative	Z6BNKR	Micro	Pos./Ind.
XBLXX4	No staining (semen-like, fluorescent, or otherwise) observed on item. No semen testing required per agency policy.		ZBJTNX	Not indicated by scenario	
XCFPX2	ALS Negative		ZG3F7V	AP	Pos./Ind.
				PSA	Pos./Ind.
				Micro	Pos./Ind.
XH66M9	AP	Pos./Ind.	ZQAW7M	AP	Pos./Ind.
	Micro	Pos./Ind.		PSA	Pos./Ind.
XUUC7H	AP	Pos./Ind.		Micro	Pos./Ind.
	RSID	Pos./Ind.		ALS	Negative
	Micro	Pos./Ind.			

TABLE 2 - Item 6

<b>Semen</b>					
<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>	<b>Webcode</b>	<b>Test Performed</b>	<b>Results</b>
ZTEKGX	PSA	Pos./Ind.			
	Micro exam for sperm	Pos./Ind.			
ZUCUFU	AP	Pos./Ind.			
	PSA	Pos./Ind.			
	Micro	Pos./Ind.			

TABLE 2 - Item 6

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
27VVBR	RSID	Inconclusive		amylase mapping	Negative
29T3ZY	Phadebas Forensic paper	Negative	8GM26F	Amylase - Seratec	Negative
2CNQHQ	Not trained to perform this test.		8JRL4L	Provided scenario and positive sperm search and KM, would not test further.	
2VXXL8	RSID Saliva	Negative	8LF6YR	RSID	Negative
2XRL7M	RSID-Saliva	Negative	8PXHML	Amylase	Negative
3B92LR	RSID	Negative	8QMXTM	ALS** ** Due to scenario of case, saliva was not tested further	Negative
	ALS	Pos./Ind.	8XMEBV	ALS	Negative
3M6XUL	Amylase Diffusion	Negative		SALlgAE	Negative
4TK8BT	Phadebas	Negative	8YHUPD	Phadebas	Negative
62WEWN	ALS	Pos./Ind.	93CD3V	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specified.	
	Amylase	Inconclusive	9AUMG6	Amylase Radial Diffusion	Negative
6DN9VQ	Saliva test not routinely conducted in sexual assault cases. Saliva test is only performed when specifically requested for by the client.			Micro	Inconclusive
6ELHUM	No stains observed upon visual examination and with aid of alternate light source		9PBC4L	Amylase Mapping	Negative
6KBWTG	RSID Saliva	Negative	9YDWG	Item examined under ALS - one area of fluorescence that was AP positive, PSA positive, and Micro positive	
6XCW7Q	RSID saliva	Negative	A3QZ8G	RSID	Negative
	ALS	Negative	A4QRLC	Amylase diffusion	Negative
74EZWP	ALS	Negative		Amylase mapping	Negative
	RSID-saliva	Negative	ABK7ZH	RSID - saliva	Negative
78Y3PG	Amylase Diffusion	Negative	ACHAZK	Amylase Diffusion	Negative
7EEQFC	RSID	Negative	AFZJ26	RSID Saliva	Negative
826CWP	ALS	Inconclusive	AH64QQ	RSID	Negative
	RSID	Negative	ANBTEP	ALS	Pos./Ind.
88XE3B	Case scenario indicated a sexual assault of the victim, semen was found on this item.			RSID Saliva	Negative
8BDX6D	Gel diffusion	Negative			



TABLE 2 - Item 6

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
AY83N8	Not done in our lab		G2WMKP	Phadebas	Negative
C74HEC	ALS	Negative	G399G7	RSID saliva	Negative
C8ZN4H	ALS	Negative	G436K7	RSID Saliva	Negative
	Amylase mapping	Negative	G6YEYH	Phadebas	Negative
	Amylase diffusion	Negative	G8HHLU	RSID	Negative
CGPKWY	Phadebas Amylase Test	Negative	GCCAVC	RSID	Negative
CKKFHR	Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)		GELEAZ	RSID-Saliva	Negative
CLF29W	Phadebas	Negative	GJBYBV	ALS	Negative
CM9PUD	no apparent staining consistent with saliva observed			RSID - Saliva	Negative
			GLJ93R	ALS	Negative
				RSID-saliva	Negative
CMBFVG	Radial Diffusion	Negative	GPJHB9	RSID Saliva	Negative
CPDEWM	ALS	Pos./Ind.	GVATHD	Laboratory does not perform test on saliva per laboratory policy.	
	RSID	Negative	H28WY9	Amylase	Negative
CWFH8E	Phadebas	Negative	HDLU4C	Amylase Diffusion	Negative
DLA4FD	RSID	Negative	HLZLH4	ALS	Negative
DTWPK7	No testing is required on this exhibit		HRH4MY	Amylase Radial Diffusion	Negative
DYLCFJ	N/A to scenario.		HTWKX6	RSID	Negative
E8AHM3	Saliva Tests not done in our laboratory.			ALS	Negative
E8AKBL	This test is not offered at this laboratory.		HXNZ7Y	Phadebas mapping	Negative
EDXAXP	The case scenario does not indicate oral contact.		JF9YZ4	Phadebas tube test	Negative
ELTADH	RSID	Negative	JPEGX2	Saliva test not done at the laboratory and saliva tests not required for this exhibit.	
EMZK47	Amylase Diffusion	Negative	JPQGJM	Phadebas Amylase Test	Negative
FKRYRY	ALS	Negative	JRZHPF	Phadebas amylase - paper	Negative
	Amylase Radial Diffusion	Negative	JX6BKX	We do not test for this	
	Micro (NECs)	Negative	K26P8Z	Amylase Diffusion	Negative
FVRLN3	RSID Saliva	Negative	K6MVGX	Amylase Radial Diffusion	Negative
FY6A8Z	AMYLASE	Negative			

TABLE 2 - Item 6

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
K8VYFD	Phadebas paper	Negative		RSID	Negative
KAE32P	ALS	Negative	NLVDQ6	Amylase	Negative
	RSID	Negative	NQNEU6	Amylase radial diffusion	Negative
KERW62	amylase diffusion	Negative	NUDFBY	Item 6A: RSID	Negative
KTAVMM	RSID	Negative	NV8DEZ	allegations did not support	
KVCUY2	ALS	Negative	P3LF9U	No testing required on this exhibit (saliva test not done at the laboratory)	
	RSID	Negative	P8QFAW	alternate light source	Pos./Ind.
KVCWMK	ALS	Negative		RSID- saliva	Negative
	RSID	Negative	PBB8JE	ALS	Pos./Ind.
KZR8ZN	ALS	Negative		RSID	Negative
	RSID	Negative	PCM4Q4	ALS	Negative
L3VGAW	RSID Saliva	Negative		RSID-saliva	Negative
LAQJB9	RSID	Negative	PGHXMK	RSID	Pos./Ind.
LBK3EV	RSID	Negative	QGVPDF	Phadebas-Amylase	Negative
LGC967	Our laboratory not included[sic] in the portfolio of service testing for the presence of saliva		QPTExQ	RSID	Negative
LN9AAB	Phadebas	Negative	QTUEGW	Amylase Diffusion	Negative
LUTD4L	Amylase	Negative	QU4KH4	amylase radial diffusion	Negative
LZ2P8D	Test not offered			ALS	Pos./Ind.
M8KCJV	No evidential value		R3UDJ3	RSID	Negative
MAQUQC	RSID	Negative	RDEWMY	Amylase	Negative
MLJZZA	ALS	Negative	RQWTP4	Laboratory only routinely examines for blood and semen in sexual assault cases.	
	RSID	Negative	TYRWJD	Phadebas	Negative
MMRAT8	ALS	Negative	TYRWLY	ALS	Negative
	RSID	Negative		Visual Exam	Negative
MRN2YH	Phadebas (α-Amylase)	Negative	U2QQP9	Saligae	Negative
MYLQFM	RSID	Negative	U6QZMG	ALS	Negative
N9TM26	RSID	Negative		RSID-amylase	Negative
NBJUJG	ALS	Pos./Ind.			

TABLE 2 - Item 6

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
U74A29	RSID - Saliva	Negative	YRNZ3Z	RSID saliva	Negative
UBXEHL	Positive for KM, didn't want to consume sample.		YWLDZD	Phadebas	Negative
UCRBUL	Test for saliva not done in our lab		ZBJTNX	Not indicated by scenario	
UFAADV	RSID Saliva	Negative	ZQAW7M	RSID saliva	Negative
UVLQKX	RSID -Saliva	Negative	ZTEKGX	RSID	Negative
VCRDH6	This test is not offered in our laboratory.		ZUCUFU	RSID	Negative
VPEL84	RSID saliva	Negative			
WGTNT	RSID	Negative			
VZBMLU	Extraction type = differential. Conserving sample.				
W3DVDC	Saliva test is not conducted at this lab.				
W4AJJE	RSID-Saliva	Negative			
WLPTHU	Our laboratory does not perform test to identify saliva				
WUGAZW	RSID - Saliva	Negative			
X3RUT8	Saliva not routinely tested in sexual assault cases unless specifically requested.				
X4P4UN	ALS	Negative			
XBLXX4	No staining (saliva-like, fluorescent, or otherwise) observed on item. No saliva testing required per agency policy.				
XCFPX2	ALS Negative				
XH66M9	Phadebas Amylase Test	Negative			
YA4A2F	Amylase Radial Diffusion	Inconclusive			
	Micro	Negative			
YHKTA9	Tests are not performed at the lab.				
YR66KY	Phadebas	Negative			

TABLE 2 - Item 6

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
27VBR	ALS	Negative	JPEGX2	Epithelial Cells - High friction from exhibit	Pos./Ind.
27XMCV	Biological Fluids - ALS	Negative		Hair - Visual test: Examined to remove possible hair from exhibit	Negative
2CNQHQ	Blood/Semen - ALS (see Additional Comments)	Pos./Ind.	LAQJB9	Miscellaneous -ALS	Negative
47A3JT	Body Fluids - ALS	Negative	LN9AAB	Ouchterlony - 9 species (see Comments)	Negative
4PPCMF	Poss High Friction - swabbed entire rag	Pos./Ind.	M8KCJV	Collected high friction	Pos./Ind.
	Poss Hair - visual inspection	Negative	N9TM26	ALS	Pos./Ind.
6ELHUM	Blood/semen/saliva - Visual examination	Negative	P3LF9U	Epithelial cells - High Friction	Pos./Ind.
	Semen/saliva - ALS	Negative		Exhibit examined for hair (a visual test is done)	Negative
6KBWTG	ALS	Pos./Ind.	Q9JNQ8	Biological Fluids - ALS	Pos./Ind.
8BDX6D	ALS	Negative	R3UDJ3	ALS	Pos./Ind.
8LF6YR	semen/saliva - ALS	Negative	T764WM	Epithelial skin cells - removed	
A9XMU6	Possible Epithelial Cells - Removed		TK8D2W	Presumable - skin cells	
ABK7ZH	Non specific - alternate light source	Negative	U2EUK4	Bodily Fluids - ALS	Negative
AL6CXL	semen/saliva - ALS	Negative	UCRBUL	Presumable sweat	
AY83N8	Presumable Sweat removed		UVLQKX	alternate light source	Negative
C4F3X4	Epithelial cells - removed		VCRDH6	Body Fluid - Visual Exam	Pos./Ind.
CGZN9A	Semen/saliva - ALS	Negative	VPCL84	Semen/saliva - ALS	Pos./Ind.
DTWPK7	Epithelial Cells - High Friction	Pos./Ind.	WGTNT	ALS	Negative
	Examined Exhibit for Hair	Negative	W4AJJE	Urine - RSID-Urine	Negative
E8AKBL	ALS	Negative	WUGAZW	alternate light source	Negative
EDDMD2	Sweat- Presumable sweat		XBLXX4	Semen - ALS	Negative
ELTADH	ALS	Negative		Saliva - ALS	Negative
EP6DVK	Biological fluids - ALS	Negative	XCFPX2	Semen/Saliva - ALS	Negative
GCCAVC	Various - ALS	Negative	YRNZ3Z	Semen/Saliva - Alternate light source	Negative
GVATHD	Semen, Urine, Saliva - ALS	Pos./Ind.	ZBJTNX	ALS	Negative
HFADXH	Semen/Saliva - Alternate light source	Negative	ZBXEXZ	Alternate Light Source	Negative
			ZG3F7V	Biological Fluids - ALS	Negative

# Additional Comments

TABLE 3

WebCode	Additional Comments
27XMCV	Saliva testing was not performed on any items because the laboratory does not offer a test for saliva.
29T3ZY	Item 6 - the position of the bloodstaining and the semen staining corresponded on the black rag. Therefore I would add a sentence[sic] to state that "the corresponding position of the blood staining and semen staining is consistent with these being deposited as a mixture." Item 6 - no hemtrace[sic] analysis was undertaken on the bloodstain to preserve material for any subsequent DNA analysis.
2CNQHQ	Item 1: Marked as positive/indicative for fluorescence which was observed under ALS. Item 2: Marked as positive/indicative for fluorescent flecks which were observed under ALS. Item 3: Marked as positive/indicative for fluorescence which was observed under ALS. Item 4: Marked as positive/indicative for fluorescence which was observed under ALS. Item 5: No fluorescence was observed under ALS. Item 6: Marked as positive/indicative for faint fluorescence which was observed under ALS.
3B92LR	Item 3: Positive Hematrax results were obtained from this sample. However, the Hemastix positive results was delayed. Hematrax cards can cross react with the trace amount of hemoglobin found in other body fluids.
47A3JT	Lab does not conduct saliva testing.
4PPCMF	[From Table 2 - Items 3 - 6, Saliva Tests: "Biting/licking not mentioned - no evidential value".]
4TK8BT	Item 2: Ouchterlony- 9 animal species- bovine, cat, chicken, deer, dog, horse, rabbit, sheep, swine
634WHT	This laboratory does not confirm the presence of saliva. Item 3: The HemaTrace card is more sensitive than O-tolidine, and can detect hemoglobin in semen and other body fluids. I am reporting the results no blood detected due to this, even though the presumptive and the confirmatory conflict.
6BYZLP	[From table 2 - Items 1 - 6, Saliva Tests: "Test not done in this lab"]
6JA3X3	[From Table 2 - Saliva Tests: "Lab does not conduct saliva testing"]
6LJAYB	Item 6: An ALS using infrared illumination, was used as a pre-presumptive screening tool for blood. As per laboratory procedure, the background should "drop-out" in order to call a result as + or negative for illumination. "Drop-out" = dark color material will appear as white or light colored when subjected to infrared illumination allowing for possible blood stains to be viewed. Due to the nature of the material of item 6, infrared illumination for an area/stain was deemed inconclusive due to incomplete drop-out of the background. [From Table 2 - Saliva Tests: "Lab does not test for saliva."]
6XCW7Q	No hairs were observed on the submitted items. Area 1 on Item 6 (washcloth) was located using tactile examination.
74EZWP	An overall conclusion of inconclusive for blood was reported for Item 1 due to the fact that negative Phenolphthalein results were obtained, yet positive Hematrax results were also then obtained. The Hematrax product insert states under the limitations section that, "Due to the extreme sensitivity of the test, trace levels of hemoglobin might be detected occasionally in body fluid samples other than blood (e.g. urine, semen, stool, saliva, vaginal fluid, perspiration)".
7G4YMR	Our laboratory does not offer saliva testing services.
7MQUMB	Saliva tests are not performed at this laboratory.
7R4Q4K	ITEM 1: Four Swabs is NEGATIVE for Semen and Blood. ITEM 2: Four Swabs is NEGATIVE for Semen and POSITIVE for Blood. ITEM 3: Four Swabs is POSITIVE for Semen and NEGATIVE for Blood. ITEM 4: Four Swabs is NEGATIVE for Semen and POSITIVE Blood. ITEM 5: One purple wrist sweatband is NEGATIVE for Semen and POSITIVE for Blood. ITEM 6: One black rag is POSITIVE for Semen and Blood.
7TY8FH	We do not test for saliva in the laboratory, hence item 1-6 were not tested for saliva. Items 3-4 were tested for both semen and blood, mainly because the victim assume she might have injured the

TABLE 3

WebCode	Additional Comments
	assailant. It is possible that any body fluids (semen or blood) of the assailant could be on any part of the victim's body. Control swabs were tested for Brentamine (AP) and blood respectively, in order to determine if the reagents were pure.
88XE3B	Item 1: An inconclusive result for blood was given due to the negative presumptive test results and the positive immunological test result. Our procedures state we should give a final conclusion of inconclusive when a sample has these results as hemoglobin can be present in other biological fluids besides blood.
8BDX6D	CONCLUSIONS: Item #1: Possible saliva. Item #2: Apparent blood, indicative of human origin. Item #3: Semen with spermatozoa. Item #4: Apparent blood, indicative of human origin. Item #5: Apparent blood, indicative of human origin. Item #6: Semen with spermatozoa mixed with apparent blood (indicative of human origin).
8LF6YR	Item #1 per our procedure policy: 1.3.5.6 (Results and Interpretation), ". . . On occasion, a positive HemaTrace reaction may be observed even when the presumptive tests are negative. These results must be interpreted with caution. Hemoglobin may be present in body fluids other than blood in low concentrations and should be reported as inconclusive when presumptive tests for blood are negative. . . ." Item #5 RSID, See OR for pictures [Not Provided by Participant.]. Performed RSID a total of four times. The first two times I obtained a partial line in the testing window, I deemed both of these tests as failing. The third time I performed the test I used an RSID test from a different box but had the same lot number. The third test was negative, I used a different lot number for the fourth test which was also negative. I used the same extract on all four tests. Overall, RSID negative for item #5. I performed extra testing because the scenario given was vague. In normal casework I would have called the OIC to obtain further case details.
8PXHML	Did not test control swabs due to case circumstances indicating that these swabs were "unused."
8XMEBV	Items 2, 4, and 5 - Saliva/SALlgAE inconclusive results were reported as such because a color change in the liquid of the SALlgAE test vial could not be discerned due to the heavy reddish brown staining of the items.
9CXHZ9	* My laboratory does not perform screening tests for saliva. I used the ALS on items 5 and 6 as a screening tool to locate potential stains. My laboratory does not use the ALS as a test with a recorded result.
9YDWG	[From Table 2 - Item 5, Saliva Tests: "Item examined with ALS but no fluorescence observed, no indicative stains observed during visual examination". From Table 2 - Item 6, Saliva Tests: "Item examined under ALS - one area of fluorescence that was AP positive, PSA positive, and Micro positive"]
A3QZ8G	Item 1 (cotton tipped swabs with white plastic handles) was inconclusive for the possible presence of blood because the presumptive tests were negative while HemaTrace was positive. Item 3 (swabs from victim's inner thigh) was inconclusive for the possible presence of blood because one presumptive test was negative while another was positive.
A9XMU6	Item 2: According to our standard operation procedure: BIO 0013P, paragraph 7.2.2, bloody swabs are not tested with Brentamine and they are treated as Brentamine positive. Item 4: Is taken from the arm, presumable semen has no evidential value, it is not tested. Saliva is not tested in our laboratory, presumable saliva is sent to a DNA analysis lab.
ABK7ZH	Item 1: Inconsistent Hemastix results - I performed Hemastix 6 times on this item and had 3 positive results & 3 negative results. I made 3 smears (2 were from the same extract) and on all 3 I observed one sperm cell on each (each sperm cell verified by a second analyst - following lab policy). Item 6: Stain was very difficult to see - found with aid of a stereoscope. [From Table 2 - Item 1, Screening Conclusions & Test(s) Performed; Semen Conclusion, Pos./Ind.: "(sperm cells only)".]
AFZJ26	Item 6: The surface of the item was also swabbed using 2 sterile wet/dry swabs. Approximately half of each swab was sampled, combined, and saved for possible future DNA analysis. In addition, a water control swab was prepared, and approximately half sampled and saved.
AL6CXL	[From Table 2 - Items 5 & 6, Saliva test: "none - ALS negative"]

TABLE 3

WebCode	Additional Comments
ANBTEP	Item 7: Control Swab Negative result for the following tests: Hemastix, o-Tol, HemaTrace, AP, RSID Semen, RSID Saliva.
AY83N8	Item 3: Routinely we do not test swabs from unknown body fluids, however, in this case we did because all four swabs are duplicates; therefore, no loss of important evidential material due to incorrect testing. More over, in the absence of vaginal swabs, inner thigh swab had to be tested. Item 4: One swab was tested for possible blood and was Hemastix positive (Hem Pos). The reason behind this testing was to further more try to link the suspect to the victim, as she had said she might have injured her assailant; hence the blood on her arm has ownership in question. Item 5: The reasons behind testing for semen: (i) optimal testing and (ii) there could maybe have been more semen as the victim stated she might have injured her assailant and possibly there was a struggle during the incident. Item 6: Optimal testing had to be done because the ownership was in question. Presumable sweat had to be removed (to link suspect to the scene and prove ownership of the rag); blood had to be tested and semen. Reference: BIO0008P and BIO0013P.
C4F3X4	Item 2: According to our SOP BIO0013P, bloody swabs are not tested for semen. Item 4: Not tested for presumable semen because of the location it was collected from. It does not have evidential value. Saliva tests are not done at our laboratory they are sent to DNA Analysis laboratory.
CDMJUF	ITEM No1: Four Swabs NEGATIVE for SEMEN and BLOOD. ITEM No2: Four Swabs POSITIVE for BLOOD. ITEM No3: Four Swabs POSITIVE for SEMEN. ITEM No4: Four Swabs POSITIVE for BLOOD. ITEM No5: Purple wrist Sweatband POSITIVE for BLOOD. ITEM No6: Black Rag POSITIVE for SEMEN and BLOOD.
CGZN9A	Item 1 - Hematrace positive; per limitations #4 of product insert "trace levels of hemoglobin might be detected occasionally in body fluid samples other than blood". Due to this fact I determined overall blood to be inconclusive. In normal casework practice the Hematrace test would not have been performed due to negative presumptive chemical testing; however, per our procedure manual, if a chemical presumptive test is negative and the Hematrace test yields a positive result it should be reported out as inconclusive. Item 2 - RSID weak positive/faint line at 10 minutes; therefore reported as a positive result. There was no indication of the alleged act(s) of the assault, therefore, I tested for presence of saliva on items 3 and 4. Item 4 - RSID weak positive/faint line at 10 minutes; therefore reported as a positive result. Item 4 - Hematrace weak positive/faint line at 10 minutes; therefore reported as a positive result. Item 6 - 1 area fluoresced a bright neon orange color which is not consistent with bodily fluids, therefore I reported as a negative result. [From Table 2 - Items 5 & 6, Saliva Tests: "no areas of fluorescence observed"]
CKKFHR	Latent stains may be visualized using an alternate light source and/or optical filters. Presumptive chemical testing for the presence of blood is done with ortho- Tolidine. A positive presumptive chemical test result does not confirm the presence of blood. Testing for the presence of human blood is done with the ABACard HemaTrace test kit. This kit is known to cross-react with some species of the Mustelidae family and with higher primates. Presumptive chemical testing for the presence of seminal fluid/semen is done by the Modified Walker Acid Phosphatase test. A positive presumptive chemical test result does not confirm the presence of seminal fluid/semen. Testing for the presence of prostate specific antigen (PSA), a component of seminal fluid, is done with the ABACard p30 test kit. This kit may yield positive results with male urine. Sperm cell identification is done by microscopic examination of stained (nuclear fast red/picroindigocarmine) slides. Testing for the presence of alpha-amylase, an enzyme found in human saliva, is done with the Rapid Stain Identification-Saliva test kit (RSID-Saliva). This kit is known to yield weakly positive results with breastmilk and fecal samples.
CPDEWM	No hairs observed on item 5 or item 6. Sealed envelope labeled "Control swabs" not opened or examined.
DLCUGG	Results are from the predistribution test completed on 2/26/15. [From Table 2 - Items 1 - 6, Saliva Tests: "This lab does not test for saliva".]
DTWPK7	Item 6: The Black Rag was found on the scene. Thus, no ownership was established and therefore possible epithelial cells were collected from the exhibit.

TABLE 3

WebCode	Additional Comments
DYLCFJ	Please provide a more detailed scenario describing specific acts that transpired during the event in question.
E8AKBL	For items 1 and 2 this laboratory would not accept swabs for which the laboratory did not know the source or type of body fluid needing to be tested nor would this laboratory perform all tests, presumptive and confirmatory, for every body fluid for which we have a screening test. For item 4 ABA Hematrace, confirmatory testing for blood, was performed only on swab A in order to conserve the sample for future analysis. Item 6 was swabbed for the possible presence of epithelial cells (A, B). Microscopic examination was not performed on swabs A and B in order to conserve the sample for future analysis.
EDXAXP	Presumptive chemical testing for the presence of blood is done with ortho- Tolidine. A positive presumptive chemical test result does not confirm the presence of blood. Testing for the presence of human blood is done with the ABACard HemaTrace test kit. This kit is known to cross react with some species of the Mustelidae family and with higher primates. Latent stains may be visualized using an alternate light source and / or optical filters. Presumptive chemical testing for the presence of seminal fluid / semen is done by the Modified Walker Acid Phosphatase test. A positive presumptive chemical test result does not confirm the presence of seminal fluid / semen. Testing for the presence of PSA is done with the ABACard p30 test kit. This kit may yield positive results with male urine. Sperm cell identification is done by microscopic examination of stained (nuclear fast red / picroindigocarmine) slides. Testing for the presence of alpha-amylase (an enzyme found in human saliva) is done with the Rapid Stain Identification-Saliva test kit (RSID-Saliva). This kit is known to yield weakly positive results with breastmilk and fecal samples.
ELTADH	No fluorescence was detected on Items 5 & 6, so ALS results were marked as Negative.
EP6DVK	Saliva testing not performed at our laboratory.
FKRYRY	Amylase activity was detected in the extracts from one of the swabs from Item 2 and one of the swabs from Item 4. This is inconclusive for the presence of saliva. Amylase is present in high concentrations in saliva and at lower levels in other body fluids such as semen, vaginal fluid, urine, sweat, and fecal materials.
FVRLN3	HemaTrace test for item 1 resulted in a faint line indicating a positive result. Both ABACard p30 test and Seratec PSA test were performed for items 1 and 2.
GELEAZ	Overall conclusion for blood for Item 3 reported as positive (despite being KM negative) because Hemasix test is more sensitive to minute amounts of possible blood/hemoglobin. The RSID-Saliva test was performed twice for items 2, 3, 4 and 5 due to the observation of a very weak positive line at the test position of each cassette at the completion of the first test. Items 2 and 3 each had a faint pink line at the test position of the cassette at the completion of the second test and were interpreted as positive (overall conclusion for RSID-Saliva was positive for items 2 and 3). Item 4 had what appeared to be a possible shadow band (interpreted as a negative result) at the test position of the cassette at the completion of the second test. Therefore, overall RSID-Saliva conclusions for Item 4 were interpreted as inconclusive. For Item 5, a line was not observed at the test position of the cassette at the completion of the second test and was interpreted as negative. However, due to the very weak positive line from the first test, the overall RSID-Saliva conclusion for Item 5 was interpreted as inconclusive.
GJBYBV	Item 5 was only tested for blood because that was the only indication of biological fluids that may be present. Item 5 belongs to the victim and it was indicated that the victim may have injured the suspect. There was no indication that there would be other biological fluids present belonging to the suspect besides blood. Also, the swabs collected from the victims arm (Item 4) were tested for biological fluids and only came back positive for blood.
GVM6LW	Item 4: According to our technical procedures, this item would normally be reported as "spermatozoa were observed; however, no seminal fluid was detected." Saliva tests are not performed at this laboratory. A DNA analyst performs saliva testing at a different laboratory.
H6P4AP	[From Table 2 - Saliva Tests: "Lab does not conduct saliva testing"]



TABLE 3

WebCode	Additional Comments
HFWLA8	Item 1: A weak positive HemaTrace result was obtained from item 1. However, negative results were obtained with the KM, Hemastix, and Luminol tests, and the item did not support staining that was visually consistent with blood. Per laboratory procedures, due to the conflicting presumptive test results and HemaTrace results, the overall blood conclusion is inconclusive. A positive RSID Saliva result was obtained from item 1; it is not unexpected to observe trace amounts of hemoglobin in saliva. [From Table 2 - Items 5 & 6, Saliva Tests: "Not a swab from victim's skin; when screened with an ALS, no areas of fluorescence consistent with possible saliva were observed."]
HTWKX6	RSID (amylase) not done on red/brown stain from item 5 because of location of wear (arm) and the dark red/brown appearance looked more consistent with neat bloodstain than a mixed stain.
HXNZ7Y	The bloodstain on Item 6 was extremely difficult to visualize/locate.
JNJYNX	RSID was not performed on items 4-6 because case facts did not indicate that there was a possible presence of saliva.
JPEGX2	Item 6: Black Rag was found on the scene and therefore ownership of exhibit was in question and possible epithelial cells (High Friction) was collected from exhibit. All tests performed on exhibits are done according to the laboratory Standing Operating Procedures.
K8VYFD	(In information provided in scenario, it does not say whether the complainant was injured/bleeding or not. This information would be important in real casework). Re: Hematrace: - "This species identification test gives positive results for human blood, but also for blood from higher primates and members of the Mustelidae family". Re: Saliva Testing: - "Biological fluids other than saliva may produce positive results in this test, particularly vaginal fluid." Positive results are reported as "probable saliva stains". Re: Item 6: - The test results indicate the blood and semen may have been applied to the item as a mixture, rather than as two separate fluids.
KLQNY4	Items 1 to 6 were not tested for saliva because the laboratory does not do saliva tests.
KTAVMM	When running RSID Saliva cards for 1-2 through 1-6 a faint line was seen at 10 minutes, but the color of the line was not able to be determined. A 1:4 dilution was done for samples with a potential background interference (1-2, 1-4 1-5) and a 1:2 dilution was done for samples without a significant background (1-3, 1-6); the samples were rerun. Upon being rerun, 1-3 still had a faint line at 10 minutes that the color could not be determined; therefore, this sample was called inconclusive.
KVCUY2	** RSID inconclusive: Items 3 and 5 both had a very faint line at the 10 minute mark. Difficult to determine if this is a true positive or just a shadow of the band where the positive line would occur. In casework this item would be reported as inconclusive and sent forward for DNA testing.
KVCWMK	The positive RSID result from the Item 1 swabs is indicative for the presence of human saliva. This RSID test may also react with human breast milk, menstrual blood, and fecal material. The positive HemaTrace result from the Item 2 swabs, Item 4 swabs, Item 5 stain, and Item 6 stain is indicative for the presence of human blood. This HemaTrace test may cross-react with ferret and higher primate blood. The negative ALS result for semen from the Item 6 stain may be due to quenching of fluorescence from blood within this same stain.
KZR8ZN	RSID Amylase for Item 1-4 was inconclusive due to red-brown background. Sample was re-run using a 2:1 dilution with negative results.
L3VGAW	Item 1 resulted in KM (phenolphthalein) negative, Hemastix negative, Luminol negative and HemaTrace positive. These results are conflicting. According to [State] Police serology procedures, the combination of these results is to be reported as inconclusive for the presence of blood.
LGC967	1. According to the analysis method propose by our laboratory when detected in blood of human origin immunochromatography test and for sperm are observed in Christmas tree stain, no proof thevenon and Roland Pyramidon is made or test immunochromatography is performed for presence of Prostate Specific Antigen(PSA) respectively. 2. In the item 1, not semen and blood was detected. 3. In the item 2, blood of human origin was detected, no semen was detected. 4. In the item 3 were observed forty (40) to sixty (60) spermatozoa per field and not detected blood. 5. In the item 4, the human blood was detected, no semen was detected. 6. In the item 5, the human blood was detected,

TABLE 3

WebCode	Additional Comments
	no semen was detected. 7. In the item 6, were observed fifteen (15) to twenty (20) spermatozoa per field and the human blood was detected. 8. In white pattern swabs or no semen and blood was detected.
LN9AAB	Species testing via Ouchterlony was performed on Items 2, 4, 5, and 6. Nine species were tested for: bovine, cat, chicken, deer, dog, swine, horse, sheep, and rabbit.
LZ2P8D	"For items 1 and 2 this laboratory would not accept swabs for which the laboratory did not know the source or type of body fluid needed to be tested nor would this laboratory perform all tests, presumptive and confirmatory, for every body fluid for which we have a screening test." "For semen testing in this laboratory, we report seminal fluid and semen results separately. No overall conclusion about semen is provided."
M834UZ	Using ALS, searching for both blood and semen on Item 6 had a negative result. Under normal casework we would not test this item further. For this purposes of this test, the entire item was swabbed to test for blood and semen, both giving a negative result.
MJWKJ2	Item 1: Neg for blood and semen tests. Item 2: Positive for blood and semen tests. Item 3: Test for semen positive. There were no visable blood on the swabs and evidential value will be higher for semen thus tests for blood was not performed. Item 4: Swabs tested positive for blood. Was not tested for semen as swabs were clearly bloody and blood will have greater evidential value. Item 5: Tested positive for blood. Tested negative for semen. No visable hair, swabbed for sweat. Item 6: tested positive for blood. Tested positive for semen. No visable hair, swabbed for sweat. Item 1 - 6: Laboratory do not have a test for saliva.
MK4W24	1. Its used RapiSignal cassettes. 2. In our portafolio of service does not include testing for the determination of saliva. 3. -Christmas Tree coloration: Marca: DSSCR-LBIF- Fecha lote: 2014-10-17 exp fecha: 2015-04-17 Control (+) ok (-) ok. -PSA Serum Plasma/cassette lote: 201305090 exp:2015-10 Control (+) ok (-) ok -Thevenon and Roland Piramidon lote 2014-10-17 exp fecha: 2015-10 Control (+) ok (-) ok -Occult Blood cassette: Marca Orogenics lote 201305092 exp:2015-10 Control (+) ok (-) ok
MLJZZA	15-578 Item #1: Per ABA card Hematrace Technical Information sheet under Limitations: "Due to the extreme sensitivity of the test, trace levels of hemoglobin might be detected occasionally in body fluid samples other than blood (e.g. urine, semen, stool, saliva, vaginal fluid, perspiration)." Item #1 tested positive for saliva and negative for all other blood tests. In casework, Hematrace would not be conducted after obtaining the previous negative results. Therefore, the overall conclusion for blood is inconclusive. 15-578 Item #2,3,4: Saliva conclusion documented as positive results; however, very weak faint pink lines observed. Without further, information regarding the case scenario, we are required to perform testing for the commonly found body fluids. Due to the limited information provided, all testing was performed on items #3-6. 15-578 Item #2 ,4: The overall saliva conclusion was positive due to the faint pink lines. A false positive reaction may have been the result of the strong presence of blood. It has been observed in casework at this laboratory that the RSID saliva cards may give a positive reaction when blood is present in the sample. 15-578 Item #3: The overall saliva conclusion was positive due to the faint pink lines. A false positive reaction may have been the result of the strong presence of seminal fluid. Seminal fluid has been reported as having elevated levels of amylase causing a positive reaction in the RSID saliva cards. 15-578 Item #2: ALS documented as inconclusive due to interference with red/brown staining. 15-578 Item #3: Visual examination of item was negative, no apparent bloodstains were noted. 15-578 Item #5: ALS documented as negative due to orange tinge possibly interfering with fluorecence further testing for semen and saliva was conducted. 15-578 Item #6: ALS documented as negative; further testing for semen and saliva was conducted due to possible interference with apparent bloodstain.
MRN2YH	No blood (KM negative), seminal material (AP negative), saliva (Phadebas(a- Amylase), urine (Creatinine, DMAC, and Urea negative), or fecal material (Urobilinogen negative) was detected on the control swabs. Bovine, cat, chicken, deer, dog, swine, horse, sheep, and rabbit proteins were not detected in Item 2 or on the control swabs (Ouchterlony Double Diffusion).
MW4MTB	Saliva screening not conducted on items 5 - 6: Saliva screening (polilight and/or RSID) is not routinely

TABLE 3

WebCode	Additional Comments
	used in cases unless information received indicates the potential presence of saliva (e.g. spitting, oral rape), and/or unless items for testing are relevant to saliva screening (e.g. skin swabs, underpants). There was no saliva specific information recorded in the scenario for this case, and items 5 - 6 are not typical items reasonable to demonstrate the presence of saliva deposition in the process of an assault, therefore no saliva screening was conducted on these items (sweatband and rag). PSA testing on items 1 - 2: only done to demonstrate range of screening tests, not usually done on AP/microscopy negative swabs.
MYLQFM	In routine casework, I would not have looked for semen on Item 1-6 based on the sperm+ results from the victim's thigh. There was no indication that the victim's blood would be mixed with semen so testing for sperm cells on the black rag was not initially going to be done. The only reason I tested for semen in the human blood stain for Item 1-6 was because this is a PT, not because of the case scenario. The amylase result for Item 1-6 was initially determined to be inconclusive because the color of the extract fluid (red) prevented me from determining whether a faint line at the T (test) area was pink which would indicate the presence of saliva or gray which would be considered a negative result (shadow line). The extraction was repeated using a 1:4 dilution, and the results were negative for the presence of amylase.
NLWA22	Item - 1 to 6 No salivary test, - No saliva test in the laboratory. Item - 3 - tested also for blood as covering minutes depicted the victim was injured.
NMQZ8F	[From Table 2 - Items 1 - 6, Saliva tests: "Not Available"]
NNKJB3	Item 1: Four Swabs is NEGATIVE for Semen and Blood. Item 2: Four Swabs is NEGATIVE for Semen and POSITIVE for Blood. Item 3: Four Swabs is POSITIVE for Semen and NEGATIVE for Blood. Item 4: Four Swabs is NEGATIVE for Semen and POSITIVE for Blood. Item 5: One purple wrist sweatband is NEGATIVE for Semen and POSITIVE for Blood. Item 6: One Black rag[sic] is POSITIVE for Semen and Blood.
NVMV7Y	Item 1: Luminol negative, Hemastix negative and AP (Brentamine) negative . Saliva not tested because our lab does not do saliva tests. Item 2: Luminol and Hemastix positive. Semen not tested for because our SOP states that we should not test for semen when the samples are bloody. Item 3: AP (Brentamine) positive in 2 sec. Luminol and Hemastix negative. Blood tested for because the assailant may have been injured. Saliva not tested for since saliva tests are not performed in our lab. Item 4: Hemastix positive, negative for AP (Brentamine). Saliva not tested for. Item 5: No visible hair, sweat or epithelial cells removed. Hemastix positive and AP (Brentamine) negative. Item 6: Epithelial cells removed, AP (Brentamine) positive and Luminol positive. [From Table 2 - Items 1 - 6, Saliva Tests: "Our lab does not have or perform saliva tests."]
P3LF9U	Item 6: Black Rag was found on the scene, thus no ownership was established & therefore possible epithelial cells were collected from the exhibit. All tests performed were done to the laboratory SOPs.
P8EKQQ	Items 2, 3, and 4, had partial/incomplete clearing of the wells, which indicated that there was some amylase activity; however, low levels of amylase can be found in other body fluids such as blood and semen, which were detected on those swabs. Furthermore, no nucleated epithelial cells were observed under microscopy; thus the overall conclusion for saliva is negative, but the presence of amylase activity is inconclusive due to the partial clearing. Item 7 were control swabs. No AP, P30, Blood, Human hemoglobin, or amylase were detected on the control swab. For items 5 and 6, there is no indication in the case scenario that saliva may be present and there was no specific requests to test for saliva, thus I did not test for amylase.
PCM4Q4	The overall conclusion for blood on Item 3 (four (4) swabs with blue sticks) is inconclusive. Upon visual examination of the swabs, they did not appear to have any red/brown staining that would indicate the possible presence of blood. The swabs were tested for the possible presence of blood using Hemastix and the presumptive Hemastix result was negative. Therefore, a positive Hemastix result would not be expected on Item 3 because of the apparent lack of red brown staining and the lack of a presumptive Hemastix result. Due to the fact that the test is very sensitive trace levels of hemoglobin might be detected in other biological body fluids including urine, semen, saliva, vaginal fluid, stool samples, and perspiration. This could be another explanation for unexpected Hemastix results on item 3.

TABLE 3

WebCode	Additional Comments
PGHXMK	RSID saliva cards for Items 1-2 and 1-4 were run on 4/23/15. Both cards had a red background due to the sample. Assigned analyst interpreted the cards to be positive and took a photograph of each of the cards. No one was available to double read the result. The positive results could not be confirmed by another analyst because a clear pink line could not be seen in the photographs of the cards; therefore the result was changed from positive to inconclusive for both Items. [Analyst] consulted the technical leader and was instructed as follows: For Item 1-4, [Leader] instructed [Analyst] to not re-extract because of the case scenerio[sic] and based on the results that had already been obtained from the Item (we would not re-extract in this situation in casework since positive probative results were already found) For Item 1-2, [Leader] instructed [Analyst] to re-extract since the Item is intended for BIO fluid ID (see prior approval in QA notes). [Analyst] re-extracted (extraction #2) and ran the RSID saliva card. The card had a red background that prevented [Analyst] from interpreting the card, so the result was deemed inconclusive (this result was confirmed by another analyst). [Analyst] consulted the tech leader and [Analyst] was instructed to dilute extraction #2 (1:2 dilution and 1:4 dilution, if needed) and re-run the card(s). A 1:2 dilution was made from extraction #2 and the RSID saliva card was run. The card, again, had a red background that prevented [Analyst] from interpreting the card, so the result was deemed inconclusive (this result was confirmed by another analyst). A 1:4 dilution was made from extraction #2 and the RSID saliva card was run. The card was able to be interpreted as a negative result (this result was confirmed by another analyst).
PUQFU3	THE LABORATORY ONLY PERFORMS ANALYZES FOR FLUID IDENTIFICATION SEMEN AND BLOOD.
Q9JNQ8	Saliva testing not done in our laboratory.
QGVPDF	Ouchterlony-9 animal species: Bovine, Cat, Chicken, Deer, Dog, Swine, Horse, Sheep and Rabbit. Item 2 AP Inc. due to masking of color change by dark staining. Item 4 AP Inc. due to masking of color change by dark staining. Item 5 AP Inc. due to masking of color change by dark staining.
QP6ABX	Item 1 - 6 were not tested for saliva, we don't test for saliva in our laboratory. Item 3 - (swab 2) was tested with hemastix (swab of a swab), the reason I tested for blood on item 3 is because the victim stated that she may have injured the assailant. I tested for possible blood there because I don't know what happened in the incident.
RFLZM4	[From Table 2 - Items 1 - 6, Saliva tests: "Our lab does not test for saliva"]
RRR93Z	[From Table 2 - Items 1 - 6, Saliva Tests: "Our lab does not perform this test."]
T764WM	Item 2 - was not tested for presumable semen, standard operating procedure states "Bloody exhibits are not to be tested for semen, it should be treated as Brentamine/Semen positive. (BIO0013P). Item 4 - Was not tested due to the location where the exhibit was taken from. Item 5 - was not tested for saliva, our laboratory does not test for saliva.
TK8D2W	Item 2'B' not tested for semen as in our laboratory are treated as "Brentamine positive". Wrist sweatband and rag tested for semen to possible also link the suspect/assailant to the crime scene. Saliva tests not done as they were not applicable.
TLZ47B	No saliva tests were performed as the lab does not currently have a procedure or validated method.
TYRWLY	Examined item 6 -black rag under bright light and ALS with no stains/fluorescence noted. AP mapped item 6 with negative results.
U2EUK4	This laboratory does not test for saliva.
UBXEHL	Items #5 & #6 tested positive for KM. ALS of items #5 and #6 did not reveal any stains of significance. Further testing (AP, Micro) was not done since there were no stains revealed through ALS. Saliva testing by radial diffusion was conducted on Item #1 only. Due to Items 2, 3, 4, 5, 6 testing positive for either KM or Semen, testing for saliva was not conducted due to not wanting to consume any more of the sample.
UCRBUL	Item 3: Swab was tested for semen since there were no vaginal swabs received. The SOP for Evidence Processing mentions that body fluid swabs can be tested only if specified as possible semen. The swabs

TABLE 3

WebCode	Additional Comments
	<p>were taken from victim's inner thighs and could possibly have semen. Item 4: Victim mentioned that she may have injured the suspect and hence blood test was done on the visible blood on swab. Item 5: Since item belongs to victim, Hemastix was used on the visible blood stain. The rest of the wristband was tested with Brentamine. Item 6: Victim mentioned the rag might belong to the suspect and suspect might dispute that the item belongs to him/her, therefore presumable sweat was taken on item. Since no visible stains were detected, Brentamine was used to test for presumable semen. And then Luminol was used to test for presumable blood.</p>
UEFMR7	<p>RE: NT*: Tests for saliva are not performed at this laboratory. RE: INC results for items 1 and 3 (blood): Following this laboratory's statement reporting guidelines, the individual results for each test would be reported (i.e. LMG - negative and HemaTrace - positive) followed by statements addressing the limitations of both tests for both positive and negative results.</p>
UL2HUV	<p>No test was performed for saliva on items 1-6 due to the laboratory not having any test for that. No test perform for blood, because of the location where the swabs were collected from, it would have more evidential if semen is detected than blood (Item 3). No test for semen was done on Item 4, due to the location from where the swabs were collected. The victim stated that she may have injured the assailant, there for it is very likely that the blood on her arm is from the assailant which would link him to her.</p>
UMU9ZB	<p>Item #1 Blood test not performed because swabs were white. Saliva test not performed for all items because the lab don't do it.</p>
UVLQKX	<p>On Item 1: pheno neg however both hematrax and hemastix gave a weak positive result and therefore was called blood. On Item 2: RSID saliva was ran twice with an extremely weak positive result, (pink band) appearing between 7 - 10 minutes, therefore called saliva positive.</p>
V4EEPF	<p>1- Human blood was detected on the Items (2,4,5 and 6). 2- No blood traces were detected on the samples (1 and 3). 3- Seminal fluid was detected on the samples (3 and 6). 4- No traces of seminal fluid were detected on the samples (1,2,4 and 5). 5- Saliva Test is not carried out in our laboratory.</p>
VCRDH6	<p>For items #1 and #2, this laboratory would not accept swabs for which the laboratory did not know the source or type of body fluid needing to be tested nor would this laboratory perform all tests, presumptive and confirmatory, for every body fluid for which we have a screening test. All tests, presumptive and confirmatory, were performed on all samples provided even though this is not done in casework typically to conserve samples or because the laboratory has knowledge of the source of the body fluid being tested. For items #1 through #6, this laboratory starts with a visual exam of the evidence prior to any other testing. This laboratory reports for seminal fluid and spermatozoa separately. No overall conclusion about semen is provided. Saliva testing is not offered by this laboratory. For item #3, the HemaTrace test was not performed due to the results of the LMG test. For item #3 and #6, P30 card testing was not performed due to the microscopic results. For item #4 and #5, Microscope and P30 card testings were not performed due to the AP test results.</p>
VPEL84	<p>Per our laboratory standard operating procedures, when a negative presumptive test for blood is followed by a positive Hematrax test, the overall conclusion should be reported as inconclusive (1.3.5.6).</p>
WYVLA7	<p>Items 3 and 6 were not additionally tested for saliva as these ALS positive or inconclusive items were already found to be positive for semen.</p>
X4P4UN	<p>Item 3 swabs: Overall saliva conclusion was positive due to a faint pink line detected on the test line. However, it should be noted that this may be a false positive reaction possibly due to the strong presence of seminal fluid. Seminal fluid has been reported as having elevated levels of amylase causing a positive reaction in the RSID-saliva cards. Without further information regarding the case scenario, it is difficult to determine if an RSID-saliva test would have been necessary for the samples provided. However, based on our current SOP's regarding sexual assault, if limited information is provided, we are required to test for all of the commonly found body fluids which is why RSID-saliva was run on items 3 - 4.</p>
XARAGU	<p>Tests correspond to the routine tests validated in the laboratory.</p>

TABLE 3

WebCode	Additional Comments
XBLXX4	No urine or fecal testing was done as it is not required per agency policy unless alleged. Item 2: Inconclusive results for the presence of saliva (using the SAlIgAE test) were reported for this item as a color change in the liquid of the SAlIgAE test vial could not be discerned due to the heavy red brown staining of the swabs. Item 4: Inconclusive results for the presence of saliva (using the SAlIgAE test) were reported for this item as a color change in the liquid of the SAlIgAE test vial could not be discerned due to the heavy red brown staining of the sample. Item 5: Swabs were collected from this item for possible trace DNA. No PSA (semen) testing or microscopic examination for spermatozoa were performed as they are not required per agency policy when no fluorescence is detected and/or presumptive AP is negative. Item 6: Swabs were collected from this item for possible trace DNA. No semen testing (AP or PSA) or microscopic examination for spermatozoa were performed as they are not required per agency policy when no fluorescence is detected and/or presumptive AP is negative.
XCFPX2	Item 1: I am reporting the HemaTrace as inconclusive because I ran the sample two times and both times yielded a faint colorless band in the test area. I could not call positive because there was no color in the band; however, I could not call negative because there was a faint band present. Therefore I am reporting a presumptive negative sample and an inconclusive confirmatory test (HemaTrace) as an overall inconclusive result for the presence of blood.
XUUC7H	Items 3,4,5 & 6: Not tested for saliva/semen. Scenario (location of recovery) does not suggest/indicate that saliva/semen could be present on these items. Saliva is not routinely tested in sexual assault cases, but only when specified in the circumstances.
Y8KEBV	[From table 2 - Items 1 - 6, Saliva tests: "test not performed in this lab"]
YA4A2F	Item 1 - Nucleated epithelial cells and an elevated level of amylase activity were seen and may indicate the presence of saliva. Items 2 and 4 - A low level of amylase activity was seen but no nucleated epithelial cells were observed, inconclusive results for saliva. Items 3, 5, and 6 - The amylase results were inconclusive (small partial clearing on radial diffusion). Because of other body fluids present on these samples, the results for saliva are reported as negative.
YJA9MP	Item 1-6: Our laboratory does not have a presumptive test for saliva instead swabs are send directly to sample submission for presumable epithelial cells. Item 3 - Tested for semen only because it hold more evidential value based on location of sample. Item 4 - Tested for blood only because it holds more evidential value on location of sample and description of scenario. Item 5 & 6 semen and blood were both tested on exhibits as they play evidential value in case (charge and incident summary).
YK4YT4	Items #1-6 were not tested for saliva. My laboratory does not presently perform this procedure.
YKPATX	[From Table 2 - Items 3 - 6, Saliva Tests: "Lab only test for blood and semen in sexual assault cases"]
YR66KY	Reporting protocol in our laboratory for blood and saliva are as follows: Stains with the appearance of blood and giving a positive result for a presumptive chemical test are reported as blood. A presumptive test is used to screen for the presence of a substance but it cannot confirm its presence. The hematrace test gives positive results for human blood but can also give positive results for higher primate blood or blood from members of the Mustelidae family such as ferrets, stoats and weasels. As no case circumstances were given, no opinion has been formed about the species of origin of the blood staining. The screening test for saliva detects the presence of amylase which is found in saliva at high concentrations and in other biological fluids but at lower concentrations. A positive result in this test is reported as saliva was probably present.
YWLDZD	Item 6 - Black Rag One of the semen positive areas corresponded with bloodstaining on item. (borders of staining aligns. This area of mixed staining (blood/semen) indicates that they have been deposited at the same time.
Z6BNKR	1. According to the analyzes performed on samples of swabs taken from a location on victim's inner thigh (Item 3), and black rag (Item 6), sperm was detected. 2. According to the analyzes performed on samples of swabs (Item 1), swabs (Item 2), swabs taken from a location on victim's arm (Item 4), and purple wrist sweatband (Item 5), sperm was not detected. 3. According to the analyzes performed on samples of swabs (Item 1), and swabs taken from a location on victim's inner thigh (Item 3), human blood was not detected. 4. According to the analyzes performed on samples of swabs (Item 2), swabs

TABLE 3

WebCode	Additional Comments
ZBJTNX	taken from a location on victim's arm (Item 4), purple wrist sweatband (Item 5), and black rag (Item 6), human blood was detected.
ZG3F7V	Items #3 and #4 would be sent for DNA analysis. The victim and suspect DNA would be requested. If no suspect is developed and a male profile is obtained from the stains the profile would be entered into CODIS.
	Lab does not test for saliva.

# Appendix: Data Sheet

Collaborative Testing Services - Forensic Testing Program

\*\*\*\*\*

## Test No. 15-578: Body Fluid Identification Test

DATA MUST BE RECEIVED BY May 11, 2015 TO BE INCLUDED IN THE REPORT

Participant Code:

WebCode:

### Accreditation Release Statement

CTS submits external proficiency test data directly to ASCLD/LAB and ANAB. Please select one of the following statements to ensure your data is handled appropriately.

- This participant's data is intended for submission to ASCLD/LAB and/or ANAB.  
(Accreditation Release section on the last page must be completed and submitted.)
- This participant's data is **NOT** intended for submission to ASCLD/LAB or ANAB.

#### Scenario (this scenario applies only to Items 3 - 6):

Police are investigating the rape of a woman attacked while she was jogging on a trail. The police arrived at the scene shortly after the incident. The victim described the incident and stated that she may have injured the assailant. The following items are being submitted to your department for examination. One envelope containing four duplicate swabs (Item 3) which were taken from a location on the victim's inner thigh. One envelope containing four duplicate swabs (Item 4) which were taken from a location on the victim's arm. A purple wrist sweatband (Item 5) that had been worn by the victim during the incident. A black rag (Item 6) that the victim believed had been left by the assailant.

#### Items Submitted (Sample Pack BF11):

- Item 1 Swab (provided as 4 duplicates) - intended for general screening for body fluids tested in normal laboratory casework; scenario not applicable
- Item 2 Swab (provided as 4 duplicates) - intended for general screening for body fluids tested in normal laboratory casework; scenario not applicable
- Item 3 Swab (provided as 4 duplicates) - taken from a location on victim's inner thigh
- Item 4 Swab (provided as 4 duplicates) - taken from a location on victim's arm
- Item 5 One purple wrist sweatband
- Item 6 One black rag
- 1 package of control swabs (unused)

### Online Data Entry

Visit [www.cts-portal.com](http://www.cts-portal.com) to enter your proficiency test results online. If you have any questions please do not hesitate to contact CTS.

**Please return all pages of this data sheet.**

Page 1 of 10



**Instructions:**

Please indicate the overall conclusion for each body fluid using the check boxes provided. List the tests performed and the results of each test. Item descriptions (as applicable) are provided at the top of each Item page.

For the purposes of this test, all swabs within an Item have been prepared as duplicates in order to provide sufficient sample quantity. A package of unused swabs is also provided for control purposes.

Please use the abbreviations listed in this response key to fill in the Screening Test tables. This is not an all inclusive list of tests, and should not be used to determine what tests should be performed. TESTS NOT ON THIS LIST MAY BE USED FOR SCREENING.

Test	Abbreviation	Test	Abbreviation
Acid Phosphatase	AP	Ortho-tolidine	O-tol
Alternate Light Source	ALS	Phenolphthalein-Tetramethyl benzidine	PTMB
Kastle Meyer	KM	Prostate Specific Antigen	PSA
Leucomalachite Green	LMG	Rapid Stain Identification	RSID
Microscopic	Micro	Tetramethyl benzidine	TMB

<b>Example</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
<b>Blood Tests</b>					
What is the overall conclusion for blood?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s)</u> Performed</b>	HemaTrace	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	KM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Pos./Ind. - Positive/Indicative; Neg. - Negative; Inc. - Inconclusive; NT - Not Tested

\*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

**Item 1: Cotton tipped swabs with white plastic handle**

Scenario: Scenario is not applicable for this Item. Utilizing your laboratory policies, please examine this item for body fluids tested in normal laboratory casework.

<b>Blood Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for blood?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s) Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Semen Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for semen?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s) Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Saliva Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for saliva?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s) Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

\*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

<b>Other Tests</b>		<b>Test Results</b>		
<b>Body Fluid</b>	<b>Test(s) Performed</b>	<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

**Item 2: Cotton tipped swabs with pink plastic handle**

Scenario: Scenario is not applicable for this Item. Utilizing your laboratory policies, please examine this item for body fluids tested in normal laboratory casework.

<b>Blood Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for blood?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s) Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Semen Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for semen?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s) Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Saliva Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for saliva?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s) Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

\*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

<b>Other Tests</b>		<b>Test Results</b>		
<b>Body Fluid</b>	<b>Test(s) Performed</b>	<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

**Item 3: Cotton tipped swabs with blue plastic handle**

Scenario: Four duplicate blue handled swabs taken from a location on the victim's inner thigh.

<b>Blood Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for blood?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s)</u> <u>Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Semen Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for semen?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s)</u> <u>Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Saliva Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for saliva?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s)</u> <u>Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

\*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

<b>Other Tests</b>		<b>Test Results</b>		
<b>Body Fluid</b>	<b>Test(s) Performed</b>	<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

**Item 4: Cotton tipped swabs with yellow plastic handle**

Scenario: Four duplicate yellow handled swabs taken from a location on the victim's arm.

<b>Blood Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for blood?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s)</u> <u>Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Semen Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for semen?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s)</u> <u>Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Saliva Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for saliva?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s)</u> <u>Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

\*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

<b>Other Tests</b>		<b>Test Results</b>		
<b>Body Fluid</b>	<b>Test(s) Performed</b>	<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

**Item 5: One purple wrist sweatband**

Scenario: The item of evidence is a purple wrist sweatband worn by the victim during the incident.

<b>Blood Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for blood?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s) Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Semen Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for semen?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s) Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Saliva Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for saliva?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s) Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

\*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

<b>Other Tests</b>		<b>Test Results</b>		
<b>Body Fluid</b>	<b>Test(s) Performed</b>	<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

**Item 6: One black rag**

Scenario: The item of evidence is a black rag allegedly left by the suspect after the attack.

<b>Blood Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for blood?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s) Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Semen Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for semen?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s) Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Saliva Tests</b>		<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>	<b>NT*</b>
What is the overall conclusion for saliva?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>Test(s) Performed</u></b>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

\*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

<b>Other Tests</b>		<b>Test Results</b>		
<b>Body Fluid</b>	<b>Test(s) Performed</b>	<b>Pos./Ind.</b>	<b>Neg.</b>	<b>Inc.</b>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.





## RELEASE OF DATA TO ACCREDITATION BODIES

The following Accreditation Releases will apply only to:

Participant Code:

WebCode:

for Test No. **15-578: Body Fluid Identification**

This release page must be completed and received by **May 11, 2015** to have this participant's submitted data included in the reports forwarded to the respective Accreditation Bodies.

### ASCLD/LAB RELEASE

If your lab has been accredited by ASCLD/LAB and you are submitting this data as part of their external proficiency test requirements, have the laboratory's designated individual complete the following.

**The information below must be completed in its entirety for the results to be submitted to ASCLD/LAB.**

ASCLD/LAB Legacy Certificate No. \_\_\_\_\_ ASCLD/LAB International Certificate No. \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_

Laboratory Name \_\_\_\_\_

Location (City/State) \_\_\_\_\_

### ANAB RELEASE

If your laboratory maintains its accreditation through ANAB, please complete the following form in its entirety to have your results forwarded.

ANAB Certificate No. \_\_\_\_\_

Signature and Title \_\_\_\_\_ Date \_\_\_\_\_

Laboratory Name \_\_\_\_\_

Location (City/State) \_\_\_\_\_

#### Return Instructions

*Please submit the completed Accreditation Release at the same time as your full data sheet. See Data Sheet Return Instructions on the previous page.*

#### Accreditation Release

*Questions? Contact us 8 am-4:30 pm EST  
Telephone: +1-571-434-1925  
email: forensics@cts-interlab.com*

**Please return all pages of this data sheet.**

Page 10 of 10