



Body Fluid Identification Test No. 16-578 Summary Report

This proficiency test was sent to 250 participants. Each participant received a sample pack containing six items for examination. Participants were asked to examine each item and report the body fluid(s) identified. Data were returned from 221 participants (88% response rate) and are compiled into the following tables:

	<u>Page</u>
<u>Manufacturer's Information</u>	2
<u>Summary Comments</u>	3
<u>Key to Screening Results</u>	4
<u>Table 1: Screening Conclusions & Test(s) Performed</u>	5
<u>Table 2: Serology Screening Results</u>	160
<u>Table 3: Additional Comments</u>	289
<u>Appendix: Data Sheet</u>	298

This report contains the data received from the participants in this test. Since these participants are located in many countries around the world, and it is their option how the samples are to be used (e.g., training exercise, known or blind proficiency testing, research and development of new techniques, etc.), the results compiled in the Summary Report are not intended to be an overview of the quality of work performed in the profession and cannot be interpreted as such. The Summary Comments are included for the benefit of participants to assist with maintaining or enhancing the quality of their results. These comments are not intended to reflect the general state of the art within the profession.

Participant results are reported using a randomly assigned "WebCode". This code maintains participant's anonymity, provides linking of the various report sections, and will change with every report.

Manufacturer's Information

Each sample pack consisted of six items for testing. Two were non-scenario related swabs (Items 1 and 2) and two were swabs related to the provided scenario (Items 3 and 4). Two other items (5 and 6) were items of evidence associated with the scenario. Participants were asked to examine Items 1 and 2 for the body fluids that they typically encounter in casework. Items 3-6 were to be examined for scenario specific body fluids.

SAMPLE PREPARATION: The stains on Item 1 (white swabs), Item 3 (blue swabs) and Item 6 (white knit hat) were prepared using human whole blood. The stains on Item 2 (pink swabs) were prepared using human saliva. The stains on Item 4 (wooden swabs) were prepared using human semen combined 1:1 with TAE buffer. The stains on Item 5 (black underwear) were prepared from a mixture of human whole blood and semen. The semen portion of the mixture was first combined 1:1 with TAE buffer, and then mixed 1:1 with the blood. Stains from different sources were prepared at separate times and were packaged once they were thoroughly dried.

SAMPLE SET ASSEMBLY: Each sample set contained a package of unused swabs, questioned swabs (Items 1, 2, 3 and 4) and two questioned items of evidence, a pair of black underwear (Item 5) and a white knit hat (Item 6) which were placed in a pre-labeled sample pack envelope. The sealed sample pack envelopes were then packaged in pre-labeled envelopes and heat sealed. This process was repeated until all of the sample sets were prepared.

VERIFICATION: All but one predistribution participant confirmed the manufacturer's expected conclusions, reporting consistent body fluid identifications for Items 1-6. The remaining participant reported consistent results for all items except for Item 5 where they did not locate the stain on the black underwear, therefore did not report the item positive for blood and semen.

Sample Preparation Schedule

<u>Item</u>	<u>Substrate</u>	<u>Fluid</u>	<u>Volume</u>
1	4 White swabs	Blood	100 µl/swab
2	4 Pink swabs	Saliva	100 µl/swab
3	4 Blue swabs	Blood	100 µl/swab
4	4 Wooden swabs	Semen	100 µl/swab
5	Black Underwear	Blood/Semen	100 µl
6	White Knit Hat	Blood	100 µl

Completed sample sets were stored at -20°C until shipment on March 14, 2016, following receipt of predistribution results.

Summary Comments

The 16-578 Body Fluid Identification test was designed to allow participants to assess their proficiency in the identification of stains that may contain dried body fluids. Each participant received six items for testing, four of which were swabs and two which were whole evidence pieces. No scenario was provided for Items 1 and 2; participants were requested to test for body fluids that they typically encounter in casework. A scenario was provided for the remaining items; participants were asked to treat these as they would casework.

For the following paragraphs, the numbers of participants presented are those who tested for the particular body fluid and reported results in Table 1:

Item 1 consisted of four swabs containing blood. For blood, all participants reported positive/indicative. For semen, all participants reported negative. For saliva, the majority (96%) of participants reported negative, one reported positive/indicative, and four reported inconclusive.

Item 2 consisted of four swabs containing saliva. For blood, the majority (94%) of participants reported negative, four reported positive/indicative, and seven reported inconclusive. For semen, the majority (99%) of participants reported negative, one reported positive/indicative and one reported inconclusive. For saliva, the majority (99%) of participants reported positive/indicative, and one reported negative.

Item 3 consisted of four swabs containing blood. For blood, all participants reported positive/indicative. For semen, all participants reported negative. For saliva, the majority (96%) of participants reported negative, one reported positive/indicative, and four reported inconclusive.

Item 4 consisted of four swabs containing semen. For blood, the majority (98%) of participants reported negative, one reported positive/indicative, and one reported inconclusive. For semen, all participants reported positive/indicative. For saliva, the majority (99%) of participants reported negative, and one reported positive/indicative.

Item 5 consisted of black underwear containing a mixture of blood and semen. For blood, a majority (99%) of participants reported positive/indicative, and two reported negative. For semen, the majority (99%) of participants reported positive/indicative, one reported negative, and one reported inconclusive. For saliva, all participants reported negative.

Item 6 consisted of a white knit hat containing blood. For blood, all participants reported positive/indicative. For semen, all participants reported negative. For saliva, the majority (98%) of participants reported negative and two reported inconclusive.

A number of participants reported in their Additional Comments that some conclusions or additional serological testing was a departure from their normal laboratory operations. The datasheets for the test requested that participants follow their laboratory protocols for testing and reporting of results. A change of wording of the datasheets will be considered for future tests.

Key for Screening Tests Used

Participants were asked to use, where possible, the following chart of abbreviated screening test names. This was not an all inclusive list and was not designed to determine what tests should be performed. Participants were advised that tests not on this list may be used for screening.

Test	Abbreviation
Acid Phosphatase	AP
Kastle Meyer	KM
Leucomalachite Green	LMG
Microscopic	Micro
Ortho-tolidine	O-tol
Phenolphthalein-Tetramethyl	PTMB
Prostate Specific Antigen	PSA
Tetramethyl benzidine	TMB

Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
24XQ22	Pos.\Ind. Hematrace Luminol KM Hemastix	Negative AP Micro Seratec PSA Abacus PSA	Negative RSID Saliva
2HWV9D	Pos.\Ind. O-tol	Negative AP Micro	Negative RSID Saliva
2JCY36	Pos.\Ind. Hemastix KM HemaTrace	Negative AP PSA micro	Negative RSID
2KK86X	Pos.\Ind. KM Hemastix HemaTrace Luminol	Negative AP Micro PSA	Negative RSID - Saliva
2R8ZJH	Pos.\Ind. H/stix Luminol	Negative Brentamine	Not Tested Not part of our routine testing.
2TG8H6	Pos.\Ind. Phenolphthalein Hemastix HemaTrace Luminol	Negative Acid Phosphatase Christmas Tree Stain Seratec PSA	Negative RSID-Saliva
2UAV3K	Pos.\Ind. H stix Luminol	Negative Brentamine	Not Tested We do not have a presumptive test for saliva.
3AJ4FU	Pos.\Ind. KM	Negative Micro P30	Not Tested Saliva testing not available.

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
3JQPKM	Pos.\Ind. ALS KM Heme-Stix	Negative ALS AP	Negative SALlgAE ALS
3LEEQL	Pos.\Ind. Hemastix Luminol	Negative Acid Phosphatase (Brentamine)	Not Tested
3NMATD	Pos.\Ind. KM HemaTrace (HT)	Negative AP P30 Micro Sperm	Negative Amylase Radial Diffusion (ARD) Micro Nucleated Epithelial Cells (NEC)
3UMPFZ	Pos.\Ind. Luminol KM Hemastix HemaTrace	Negative AP PSA Micro	Negative RSID saliva
3V3BP2	Pos.\Ind. KM Hematrace	Negative ALS AP Micro PSA	Negative ALS RSID - saliva
3VZG9G	Pos.\Ind. Hemastix Luminol <u>Other Tests Performed</u> Presumable skin cells	Negative Brentamine	Not Tested Not tested - test not available at Biology-EC.
42H9XL	Pos.\Ind. PTMB Seratec HemDirect	Negative AP Seratec PSA Semiquant	Negative Seratec Amylase
489NK8	Pos.\Ind. Visual Exam KM HemaTrace	Negative AP	Negative RSID

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4947L9	Pos.\Ind. KM Modified Takayama HemaTrace <u>Other Tests Performed</u> urine - creatinine fecal material - urobilinogen	Negative AP	Negative Phadebas Amylase
4EVE73	Pos.\Ind. KM Hemastix HemaTrace	Negative AP Micro PSA	Negative RSID
4FPYZU	Pos.\Ind. KM Hexagon OBTI	Negative RSID-Semen PSA	Not Tested
4KVTUP	Pos.\Ind. KM	Negative AP Micro	Negative Radial Diffusion
4LPEMG	Pos.\Ind. O-tol HemaTrace	Negative PSA Micro (sperm)	Negative Micro (NECs) Amylase (Low)
4LR942	Pos.\Ind. KM Hematrace	Negative ALS AP Micro PSA	Negative ALS RSID
4M6ZWH	Pos.\Ind. H/stix Luminol	Negative Brentamine	Not Tested There is no presumptive test that is performed at the laboratory for saliva.
4QNR9K	Pos.\Ind. O-Tolidine HemDirect	Negative Acid Phosphatase PSA	Negative Amylase Diffusion
4U8RNZ	Pos.\Ind. Hemastix HemaTrace	Negative AP Micro PSA	Negative RSID

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4UHRHA	Pos.\Ind. KM Modified Takayama <u>Other Tests Performed</u> Urine - Creatinine Feces - Urobilinogen Species - Hematrace (human)	Negative AP	Negative Phadebas
4ULB9X	Pos.\Ind. KM Hemastix Hematrace Luminol	Negative AP Micro PSA	Negative RSID-Saliva
66YXU4	Pos.\Ind. LMG HemaTrace Visual	Negative AP P30 Micro	Negative RSID
6CYCHQ	Pos.\Ind. KM	Negative Micro PSA	Not Tested
6DUXBG	Pos.\Ind. Hstix Luminol	Negative Acid Phosphatase (Brentamine)	Not Tested No presumptive test
6KQVWY	Pos.\Ind. Hemastix HemaTrace PTMB <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Negative RSID - Saliva
6L9HVG	Pos.\Ind. Hemastix Luminol	Negative Brentamine (Acid Phosphatase)	Not Tested No presumptive[sic] test for saliva.
6LKGPP	Pos.\Ind. Occult Blood Immuno- chromatographic[sic] Orgenics	Negative Micro (Christmas Tree) RSID TM- semen. Semenogelina[sic]	

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
6NP7RY	Pos.\Ind. Hemastix, KM, Hematrace	Negative AP, Micro, PSA	Negative RSID
6QJVCF	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested There is no presumptive test for saliva at our laboratory
6Y9NK7	Pos.\Ind. KM Hexgon[sic] OBTI	Negative AP	Negative Phadebas paper
6Z7WTP	Pos.\Ind. Hematrace	Negative Micro (Christmas Tree) RSID. Semenogelina[sic]	
7GMEZG	Pos.\Ind. H-stix Luminol	Negative Brentamine	Not Tested No presumptive test for saliva
7PXQ8L	Pos.\Ind. Benzidine Heme Kit	Negative AP (Acid Phosphatase) PSA Micro	Not Tested
7W3HKQ	Pos.\Ind. LMG HemaTrace	Negative AP PSA Micro	Not Tested
7XW4DG	Pos.\Ind. H-stix Luminol	Brentamine	
8FRWYE	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested No presumptive test at lab.
8GP9H2	Pos.\Ind. KM Hemastix ABAcad HemaTrace	Negative AP Seratec PSA Micro	Negative RSID Saliva

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
8JUWYC	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested The laboratory does not have a saliva test hence the fourth swab was not tested.
8Z4WU2	Pos.\Ind. KM ABACard HemaTrace	Negative AP Micro	Negative Phadebas
98WFMF	Pos.\Ind. KM swab and supernatant Appearance	Negative AP Slide prepared	Negative Phadebas Tube test
9GJEDL	Pos.\Ind. KM Hexagon-OBTI	Negative SPERM HY-LITER PI RSID-Semen PSA	Not Tested Testing for saliva is generally not done when item is positive for blood or semen.
9HEWFM	Pos.\Ind. Thevenon-Roland (Piramidón) Rapid Signal Occult Blood Cassette	Negative Christmas tree stain Rapid stain identification of human semen semenogelin	Not Tested
9LCKNG	Pos.\Ind. LMG	Negative AP Micro	Negative Phadebas
9PEEQT	Pos.\Ind. KM Hemastix Hematrace Luminol	Negative AP Micro PSA	Negative RSID-Saliva
9QAWRU	Pos.\Ind. KM Hemastix HemaTrace Luminol	Negative AP PSA Micro	Negative RSID - Saliva
9QLWNN	Pos.\Ind. KM Hexagon OBTI	Negative RSID-Semen PSA	Not Tested Laboratory only examines for saliva if blood and semen are not detected

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
9YGUDC	Pos.\Ind. Hem Lum	Negative Brent	Not Tested
9ZCE3W	Pos.\Ind. Hemastix, Hematrace <u>Other Tests Performed</u> ALS	Negative AP, PSA, Micro	Negative RSID
9ZD826	Pos.\Ind. LMG HemaTrace	Negative AP Micro	Negative Amylase diffusion
9ZWYAP	Pos.\Ind. KM Hexagon OBTI	Negative SPERM HY-LITER PI RSID-Semen PSA	Not Tested Testing for saliva is generally not done when item is positive for blood or semen.
AAHEF6	Pos.\Ind. LMG HemaTrace	Negative AP PSA micro	Negative Amylase diffusion
ABP2P3	Pos.\Ind. KM (swabbing[sic]) Micro (modified Takayama, cutting) <u>Other Tests Performed</u> Human Hemoglobin (Hematrace - cutting) Urine (Creatinine - cutting) Urine (DMAC - cutting) Feces (Urobilinogen - cutting)	Negative Seri AP (cutting)	Negative Amylase (Phadebas tablet, micro, cutting)
ACG6CH	Pos.\Ind. LMG RSID - Blood <u>Other Tests Performed</u> Urine - RSID - Urine	Negative AP RSID - Semen	Negative RSID - Saliva
AFJXEU	Pos.\Ind. KM Hemastix HemaTrace	Negative AP PSA Micro	Negative RSID

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
AGEGFV	Pos.\Ind. KM Hemastix Hematrace	Negative AP PSA Micro	Negative RSID-Saliva
AHCMYA	Pos.\Ind. PHTH	Negative P30 MICRO	Negative PHADEBAS
AQ6ZWP	Pos.\Ind. KM Hemastix Luminol HemaTrace	Negative AP Abacus p30 Seratec PSA Micro	Negative RSID Saliva
AY3HLY	Pos.\Ind. KM HemaTrace	Negative AP ABAcad p30 Micro	Negative Phadebas
B3RQWJ	Pos.\Ind. Immuno- chromatographic[sic] test (occult blood)	Negative Christman[sic] tree coloring Immuno- chromatographic[sic] Test (human Semen-RSID)	Not Tested
B3TLFP	Pos.\Ind. Luminol Phenolphthalein Hemastix Hematrace	Negative AP Micro ABAcad p30 Seratec PSA	Negative RSID saliva
B8KNLA	Pos.\Ind. H-stix Luminol	Negative Brent	Not Tested
BGTZ3D	Pos.\Ind. luminol BLueStar Hexagon OBTI Test	Negative AP	Negative Phadebas

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
BGVUJY	Pos.\Ind. Visual LMG HemaTrace	Negative AP P30 (ABA card) Micro	Negative RSID-Saliva
BJF2K7	Pos.\Ind. LMG HemaTrace	Negative AP Micro	Negative Amylase Diffusion
BRDK9V	Pos.\Ind. KM Hematrace	Negative AP	Negative Phadebas paper
BYFG7A	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested There are only three methods that we use, we do not have a testing method for saliva.
BYGDG7	Pos.\Ind. KM Hematrace <u>Other Tests Performed</u> Amylase- Amylase Diffusion	Negative BCIP	Not Tested Lab does not test for saliva
C2W63R	Pos.\Ind. KM HemaTrace	Negative AP PSA micro	Negative RSID Amylase
C8YE8Y	Pos.\Ind. O-tol HemaTrace	Negative ALS AP	Negative ALS RSID
C8YJFG	Pos.\Ind. KM	Negative AP Micro	Negative Amy
C9B9R7	Pos.\Ind. Hemastix Luminol <u>Other Tests Performed</u> Presum. skin cells	Negative Brentamine	Not Tested Test not performed at laboratory.

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
CA8RP2	Pos.\Ind. KM Modified Takayama <u>Other Tests Performed</u> Urine - Creatinine Fecal Material - Urobilinogen Species - Hematrace (Human)	Negative AP	Negative Phadebas
CGAK2G	Pos.\Ind. KM	Negative AP MICRO	Negative AMYLASE
CJNXXE	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested No presumptive testing specific method
CPKZUB	Pos.\Ind. Hemastix Luminol <u>Other Tests Performed</u> Presumable epithelial material - (submitted)	Negative Brentamine	Not Tested Saliva test not performed at our lab
CPLUBV	Pos.\Ind. KM Hemastix HemaTrace	Negative AP PSA Micro	Negative RSID
CV7VTU	Pos.\Ind. Luminol Hemastix KM HemaTrace	Negative ALS AP Micro PSA	Negative ALS RSID-Saliva
CV9KYC	KM OBTI (indicates human origin)	AP Micro	Phadebas tube test
DCRXNN	Pos.\Ind. KM Hemastix Hematrace Luminol	Negative AP Micro ABA Card P30 Seratec PSA semiquant	Negative RSID saliva

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
DDMGQP	Pos.\Ind. KM Hemastix HemaTrace Luminol	Negative AP Micro Seratec PSA Abacus PSA	Negative RSID Saliva
DFUYPK	Pos.\Ind. KM Hemastix Hematrace Luminol	Negative AP Seratec PSA ABA PSA Micro	Negative RSID saliva
DLEWFT	Pos.\Ind. TMB Hematrace Luminol LCV <u>Other Tests Performed</u> Urine - Creatinine Feces - Urobilinogen BFI Screening - ALS	Negative AP PSA Micro	Negative RSID
DMAFGV	Pos.\Ind. KM Hemastix Hematrace	Negative Acid Phosphatase Microscopic PSA/P30	Negative RSID-saliva
DN9KZA	Pos.\Ind. H-stix Luminol	Negative Brentamine	Not Tested No testing (no presumptive)
DV7EU3	Pos.\Ind. KM HemaTrace	Negative AP PSA Micro	Inconclusive Amylase Radial Diffusion Micro
E4DCFK	Pos.\Ind. KM Hemastix Luminol Hematrace	Negative AP PSA Micro	Negative RSID-saliva

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
E4UMV4	Pos.\Ind. Luminol H/stix <u>Other Tests Performed</u> Presumable skin cells (not tested)	Negative Brentamine	Not Tested
E8Y4EU	Pos.\Ind. KM HemaTrace	Negative AP ABACard p30 Micro	Negative Phadebas
ED6MRZ	Pos.\Ind. O-tol	Negative AP Micro	Negative RSID
EKKJHT	Pos.\Ind. Hemastix Hematrace	Negative Micro AP PSA	Negative RSID
ELF3KU	Pos.\Ind. Hemochromogen	Negative AP Micro PSA	Not Tested
ELYVB7	Hemastix Luminol	Brentamine	Not performed by our laboratory.
ELZRK2	Pos.\Ind. VISUAL MICRO KM	Negative AP X-MAS	Negative AMYLASE
EM96ZH	Pos.\Ind. KM HEXAGON OBTI	Negative SPERM HY-LITER PI RSID PSA	Not Tested Testing for saliva is generally not done when item is positive for blood or semen.
ERZ9R2	Pos.\Ind. LMG HemaTrace	Negative AP PSA Micro	Negative Amylase Radial Diffusion Micro

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
EZBBD3	Pos.\Ind. KM Hematrace	Negative AP	Not Tested Since swab was positive for blood, no saliva testing performed per normal casework procedures
F8TA9T	Pos.\Ind. Hemochromogen	Negative AP Micro PSA	Not Tested
FE8632	Pos.\Ind. LMG Hematrace	Negative AP micro	Negative Amylase Diffusion
FJ7LFV	Pos.\Ind. Hemastix HemaTrace	Negative AP Micro P30	Negative Amylase Radial Diffusion
FM386D	Pos.\Ind. o-tol HemaTrace Card	Negative ALS AP PSA	Not Tested
FMLXEX	Pos.\Ind. KM mod Taka Hema Trace <u>Other Tests Performed</u> Urine- Creatinine Urine- DMAC Fecal Material- Uro	Negative AP PSA Micro	Negative Phadebas Amylase
G8M9XQ	Pos.\Ind. Hemastix HemaTrace KM	Negative AP PSA Micro	Negative RSID
GB8FYY	Pos.\Ind. Micro KM	Negative AP Micro	Inconclusive Amylase

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GCG7MH	Pos.\Ind. KM Hemastix HemaTrace Luminol	Negative AP PSA Micro	Negative RSID Saliva
GDENCQ	Pos.\Ind. TMB	Negative MICRO AP	Negative PHADEBAS
GDT3RM	Pos.\Ind. KM Hemastix HemaTrace	Negative ALS AP Micro PSA	Negative ALS RSID
GJHHKZ	Pos.\Ind. Micro KM	Negative FBB Micro	Inconclusive Amylase
GKDZM2	Pos.\Ind. LMG	Negative AP Micro ALS	Negative Amylase diffusion
GMJLB2	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested Not done by ER laboratory
GQEE4W	Pos.\Ind. Visual KM HemaTrace	Negative AP	Negative RSID-Saliva
H2Q9QA	Pos.\Ind. KM	Negative AP	Not Tested
H3LRRB	Pos.\Ind. ABA Card Hematrace	Negative ABA Card P30	Negative SALlgAE

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
H44MQP	Pos.\Ind. TMB HemaTrace	Negative Microscopic Acid Phosphatase PSA (p30)	Negative RSID - Saliva
H6XLFN	Pos.\Ind. KM HemaTrace Hemastix Luminol	Negative AP Micro PSA	Negative RSID
H74DMX	Pos.\Ind. KM Hematrace	Negative AP	Negative RSID
HTLW3R	Pos.\Ind. KM Takayama Hematrace <u>Other Tests Performed</u> Urine - Creatinine Urine - DMAC Fecal Material - Urobilinogen	Negative AP	Negative Amylase
HYQTLR	Pos.\Ind. TMB Hematrace Hemastix LCV Luminol <u>Other Tests Performed</u> Alternate Light Source	Negative AP Micro Seratec PSA	Pos.\Ind. RSID
HZN2WW	Pos.\Ind. LMG	Negative AP PSA	Negative Amylase Diffusion
J7MACN	Pos.\Ind. Hemastix HemaTrace	Negative Acid Phosphatase PSA Microscopic examination	Negative RSID

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
J9DZ9N	<p>Pos.\Ind. TMB HemaTrace Hemachromagen crystal formation <u>Other Tests Performed</u> Ouchterlony species testing for human antigen Price's reagent for presence of fecal material Micro for spermatozoa</p>	<p>Negative AP Micro</p>	<p>Not Tested</p>
JCDB6N	<p>Pos.\Ind. Hemastix Hematrace</p>	<p>Negative AP</p>	<p>Negative RSID</p>
JKNMA9	<p>Pos.\Ind. Thevenon-Roland (Piramidón) Occult Blood card test (orgenics)</p>	<p>Negative Micro (Christmas Tree) Human semen RSID</p>	
JLK3JK	<p>Pos.\Ind. KM Luminol Hemastix Hematrace</p>	<p>Negative AP PSA Micro</p>	<p>Negative RSID Saliva</p>
JPYWZG	<p>Pos.\Ind. KM Hemastix HemaTrace</p>	<p>Negative AP Micro PSA</p>	<p>Negative RSID - Saliva</p>
JQTH9	<p>KM</p>	<p>Not Tested</p>	<p>Not Tested</p>
JVMFHY	<p>Pos.\Ind. Hemastix Luminol <u>Other Tests Performed</u> Presumable skin cells</p>	<p>Negative Brentamine</p>	<p>Not Tested</p>
K266GY	<p>Pos.\Ind. Hemastix Luminol <u>Other Tests Performed</u> Epithelial skin cells - Not tested - Swabs are sent to w/c for further DNA analysis.</p>	<p>Negative Brentamine</p>	<p>Not Tested N/A - Test not done in our lab.</p>

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
K9P7XC	Pos.\Ind. KM	Negative Micro P30	Not Tested
KALNYD	Pos.\Ind. Hemastix HemaTrace	Negative AP	Not Tested
KCR7XA	Pos.\Ind. KM Hexagon OBTI	Negative Sperm HY-Liter PI RSID-Semen PSA	Not Tested Testing for saliva is generally not done when item is positive for blood or semen
KHD4NH	Pos.\Ind. Phenolphthalein HemaStix HemaTrace	Negative AP PSA Microscopic	Negative RSID
KPVPBU	Pos.\Ind. LMG HemaTrace	Negative AP Micro PSA	Negative Amylase Diffusion
KX7RWV	Pos.\Ind. LMG Hematrace	Negative micro PSA AP	Negative amylase diffusion
L2KN2W	Pos.\Ind. O-tol	Negative AP ALS	Not Tested Not trained to perform this test
LAGNCJ	Pos.\Ind. Hemastix HemaTrace	Negative AP MICRO P30	Negative RSID-Saliva
LBBCWY	Pos.\Ind. Hemastix Test Luminol Test	Negative Brentamine Test	Not Tested No specific tests are done for the collection of saliva/epithelia. Please refer to evidence recovery SOP [Laboratory SOP].

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LH97QR	Pos.\Ind. KM Modified Takayama <u>Other Tests Performed</u> Creatinine Urobilinogen HemaTrace	Negative AP	Negative Phadebas
LM4VB6	Pos.\Ind. TMB HemaTrace	Negative AP	Negative Amylase Radial Diffusion
LMHJ9P	Pos.\Ind. KM Hematrace	Negative AP PSA Micro	Negative Phadebas
LNFPQ6	Pos.\Ind. TMB HemaTrace	Negative AP PSA	Negative Amylase radial diffusion
LPC9T7	Pos.\Ind. KM <u>Other Tests Performed</u> Urease	Negative AP PSA Micro	Negative RSID
LTAP6Z	Pos.\Ind. Hemastix Luminol <u>Other Tests Performed</u> Presumable epithelial material - 4th - swab will be submitted for presumable epithelial material.	Negative Brentamine	Not Tested Not performed at the laboratory
LUKDK7	Pos.\Ind. KM HemaTrace	Negative AP	Not Tested Lab not accredited to test swabs. This would go to a forensic service provider.
LZUPLD	Pos.\Ind. KM Hemastix Hematrace Luminol	Negative AP Abacus PSA micro	Negative RSID-Saliva

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
M2JDJY	Pos.\Ind. Hem Lum	Negative Brent	Not Tested
M79Y47	Pos.\Ind. Visual LMG	Negative Visual ALS AP	Not Tested
M7UNBT	Pos.\Ind. Micro KM	Negative AP Micro	Inconclusive Amylase
MAAWX8	Pos.\Ind. Human Blood	Negative Micro (Christmas Tree) semenogelina[sic]	Not Tested Our Laboratory dont perform test to identify saliva
MJXRWM	Pos.\Ind. KM HemaTrace	Negative AP Micro	Negative Phadebas
MYCZXQ	Pos.\Ind. visual KM Hematrace	Negative Acid Phosphatase	Negative RSID-saliva
NP4RN6	Pos.\Ind. RSID-Blood	Negative RSID-Semen	Negative RSID-Saliva
P2VUNC	Pos.\Ind. HemaTrace Hemastix KM Luminol <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Negative RSID-Saliva
P362R6	Pos.\Ind. Occult Blood Rapid Signal	Negative Micro (Christmas Tree) RSID TM- semen	Not Tested

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
PALC3K	Pos.\Ind. KM HemaTrace	Negative AP PSA	Negative RSID
PEG7ZL	Pos.\Ind. Visual HemaTrace	Negative ALS p30	Not Tested
PGNNYG	Pos.\Ind. TMB Luminol Leucocrystal Violet HemaTrace <u>Other Tests Performed</u> Fecal - Urobilinogen Urine - Creatinine Biological Material - ALS	Negative AP Micro Seratec PSA	Negative RSID Saliva
PJUZ7J	Pos.\Ind. KM ABAcad - HemaTrace	Negative AP ABAcad-p30 Micro	Negative Phadebas
Q2N2AZ	Pos.\Ind. TMB HemaTrace	Negative AP	Negative Amylase
Q2QWQL	Pos.\Ind. KM Hematrace	Negative AP Micro PSA	Negative Phadebas
Q3KHKC	Pos.\Ind. KM Hemastix HemaTrace Luminol	Negative AP ABA PSA Seratec PSA Micro	Negative RSID saliva
Q6ND7Z	Pos.\Ind. Thevenon-Roland (Piramidón) Occult Blood Cassette	Negative Micro (Christmas Tree) RSID Semen	

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
Q6P8ML	Pos.\Ind. KM HEMA	Negative AP PSA Micro	Negative Phadebas
Q9PD7X	Pos.\Ind. KM	Negative AP Micro	Negative Phadebas tube test
QTUY74	Pos.\Ind. Occult Blood Cassette	Negative Micro (Christmas Tree) RSID - semen	Not Tested
QTXJVR	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Presumptive test for the presence of saliva not performed at Evidence Recovery Lab (ER).
RE7EYF	Pos.\Ind. Hemastix KM HemaTrace	Negative AP PSA Micro	Negative RSID-Saliva
RERMCO	Pos.\Ind. LMG HemaTrace	Negative AP Micro	Negative Amylase Diffusion
REVAPX	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested No presumptive test done at the laboratory.
RJ24JT	Pos.\Ind. Hemastx[sic] Luminol	Negative (Brentamine) Acid Phosphotasa[sic]	Not Tested No presumptive test for saliva.
RTD3D4	Pos.\Ind. KM	Negative Micro P30	Not Tested Not tested due to no validated test.

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
RTTLX2	Pos.\Ind. KM HemaTrace	Negative AP	Not Tested I am not trained in saliva identification.
RWRWU2	Pos.\Ind. KM Hexagon OBTI	Negative SPERM HY-LITER PI RSID-Semen PSA	Not Tested Testing for saliva is generally not done when item is positive for blood or semen.
RXMFV3	Pos.\Ind. Rapid Signal Occult Blood Thevenon-Roland (Piramidón)	Negative Micro (Christmas Tree) RSID	
T887XL	Pos.\Ind. LMG HemaTrace	Negative AP Micro	Negative Amylase Diffusion
TKDZQJ	Pos.\Ind. LMG HemaTrace	Negative AP Micro PSA	Negative Amylase Radial Diffusion Micro
TMFAAZ	Pos.\Ind. KM	Negative AP Spot Microscopy	Negative Radial Diffusion
TXEXAA	Pos.\Ind. KM Hemastix Hematrace Luminol	Negative AP PSA (Abacus) PSA (Seratec) Micro	Negative RSID
U6EFKF	Pos.\Ind. Visual LMG HemaTrace	Negative AP ABA p30 Micro	Negative RSID

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
U7AXMG	Pos.\Ind. Tetramethylbenzidine Hemastix HemaTrace Leucocrystal Violet Luminol <u>Other Tests Performed</u> Semen/Saliva - Alternate Light Source	Negative Acid Phosphatase Microscopic exam Prostate Specific Antigen	Negative RSID-Saliva
U7DK4U	Pos.\Ind. o-tol Hexagon OBTI	Not Tested swab tested positive for something else	Not Tested our lab does not test for saliva
UCDZPV	Pos.\Ind. Hemastix Luminol	Negative Brentamine (AP)	Not Tested
UMDRUF	Pos.\Ind. Visual HemaTrace	Negative ALS p30	Not Tested
UVNYNX	Pos.\Ind. KM Hemoglobin Immunochromatography	Negative AP PSA Micro	Negative Phadebas Amylase Test
V37VZC	Pos.\Ind. KM HemaTrace	Negative AP Micro ABACard P30	Negative Phadebas
V76ZRB	Pos.\Ind. KM TMB (Hemastix) Luminol HemaTrace	Negative AP PSA Micro	Negative RSID
V7LEWZ	Pos.\Ind. KM	Negative P-30 Micro	Not Tested

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
V8ZJTC	Pos.\Ind. Hemastix KM Hematrace	Negative AP PSA Micro	Negative RSID
VBED9A	Pos.\Ind. Phenolphthalein Hematrace Hemastix	Negative AP Micro PSA	Negative RSID
VK2EPJ	Pos.\Ind. KM	Negative AP Micro PSA	Not Tested
VPL6FN	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested Not tested because our laboratory have no presumptive test for it.
VWJY9F	Pos.\Ind. O-Tol HemaTrace	Negative ALS AP	Negative ALS RSID
VXCMUW	Pos.\Ind. KM SERATEC Hemoglobin	Negative AP Micro PSA	Negative Phadebas Amylase RSID Amylase
VXPG8C	Pos.\Ind. Hemastix KM HemaTrace	Negative AP PSA Micro	Negative RSID
VXWHHD	Pos.\Ind. Hemochromogen	Negative AP Micro PSA	Not Tested
W3KN7E	Pos.\Ind. O-tol	Negative AP Micro	Negative RSID Saliva

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
WDLV87	Pos.\Ind. KM Hemastix HemaTrace <u>Other Tests Performed</u> ALS	Negative AP Micro PSA	Negative RSID
WGW7XE	Pos.\Ind. KM HemaTrace Visual	Negative AP	Negative RSID
WPR7ER	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested No test for saliva at this lab.
WQNK2K	Pos.\Ind. LMG HemaTrace	Negative AP Micro	Negative Amylase Diffusion
WX9KFC	KM HemaTrace	AP	RSID
WYHPTZ	Pos.\Ind. KM Bluestar Hexagon OBTI	Negative RSID-Semen SERATEC PSA Semiquant	Not Tested Test for saliva is generally not conducted when item is tested positive for blood or semen
X2NEVA	Pos.\Ind. KM Hemastix Hematrace <u>Other Tests Performed</u> Luminol (for blood)	Negative AP PSA Microscopic	Negative RSID Saliva
X4PFV7	Pos.\Ind. Hemastix KM HemaTrace	Negative AP PSA Micro	Negative RSID

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
X6K2PX	Pos.\Ind. Immuno- chromatografic[sic] for human blood	Negative Christmas tree stain kit rapid stain identification test for semen (RSID TM) semen	Not Tested Our laboratory not included in the portafolio[sic] of service testing for the presence of saliva
XAVCE7	Pos.\Ind. KM Hemastix Hematrace	Negative AP Micro PSA	Negative RSID
XNXLL2	Pos.\Ind. Hemastix - TMB KM Luminol HemaTrace	Negative AP PSA micro	Negative RSID Saliva
XXN4ZA	Pos.\Ind. KM HemaTrace HemaStix LCV Luminol	Negative AP Micro PSA	Negative RSID
YPQT7P	Pos.\Ind. KM Hexagon OBTI (Human Origin)	Negative Brentamine Solution (Acid Phosphatase)	Negative Phadebas
YRRYJB	Pos.\Ind. KM HemaTrace	Negative AP PSA	Negative RSID-Saliva
YULM4R	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested No presumptive testing for saliva.
YVR63M	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested

Table 1 - Item 1

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
YWNJPF	Pos.\Ind. LMG Hematrace	Negative AP Micro	Negative Amylase Diffusion
YX6TN8	Pos.\Ind. KM Hematrace	Negative AP	Negative Phadebas Paper
ZUGMGW	Pos.\Ind. Visual Phenolphthalein Hematrace	Negative ALS AP	Negative ALS

Response Summary for Table 1 - Item 1

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	216	0	1
Negative	0	214	134
Inconclusive	0	0	4
Not Tested (NT)	0	2	71

Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
24XQ22	Negative Hematrace KM Hemastix Luminol	Negative AP Micro Seratec PSA Abacus PSA	Pos.\Ind. RSID Saliva
2HWV9D	Not Tested No reddish/brown stain observed	Negative AP Micro	Pos.\Ind. RSID Saliva
2JCY36	Negative Hemastix KM HemaTrace	Negative AP PSA micro	Pos.\Ind. RSID
2KK86X	Inconclusive KM Hemastix HemaTrace Luminol	Negative AP Micro PSA	Pos.\Ind. RSID - Saliva
2R8ZJH	Negative H/stix Luminol	Negative Brentamine	Not Tested Not part of our routine tests.
2TG8H6	Negative Phenolphthalein Hemastix HemaTrace Luminol	Negative Acid Phosphatase Christmas Tree Stain Seratec PSA	Pos.\Ind. RSID-Saliva
2UAV3K	Negative H.stix Luminol	Negative Brentamine	Not Tested We do not have a presumptive[sic] test for saliva.
3AJ4FU	Not Tested Swabs are not brown stained.	Negative Micro P30	Not Tested Saliva testing not available.

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
3JQPKM	Negative ALS KM Heme-Stix	Inconclusive ALS AP	Negative ALS Saligae
3LEEQL	Negative Hemastix Luminol	Negative AP (Brentamine)	Not Tested
3NMATD	Not Tested Swabs were not red.	Negative AP P30 Micro Sperm	Pos.\Ind. ARD Micro NEC
3UMPFZ	Inconclusive Luminol KM Hemastix HemaTrace	Negative AP PSA Micro	Pos.\Ind. RSID saliva
3V3BP2	Inconclusive KM Hematrace (see comments section)	Negative ALS AP Micro PSA	Pos.\Ind. ALS RSID - saliva
3VZG9G	Negative Hemastix Luminol <u>Other Tests Performed</u> Presumable skin cells	Negative Brentamine	Not Tested Test not available at Biology EC
42H9XL	Negative PTMB Seratec HemDirect	Negative AP Seratec PSA Semiquant	Pos.\Ind. Seratec Amylase
489NK8	Negative Visual Exam	Negative AP	Pos.\Ind. RSID
4947L9	Negative KM <u>Other Tests Performed</u> urine - creatinine	Negative AP	Pos.\Ind. Phadebas Amylase

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4EVE73	Negative KM Hemastix HemaTrace	Negative AP Microscopic PSA	Pos.\Ind. RSID
4FPYZU	Negative KM	Negative RSID-Semen PSA	Pos.\Ind. Starch-iodine test
4KVTUP	Negative KM	Negative AP Micro	Pos.\Ind. Radial Diffusion
4LPEMG	Not Tested	Negative PSA Micro (sperm)	Pos.\Ind. Amylase (high) Micro (NECs)
4LR942	Negative KM Hematrace	Negative ALS AP Micro PSA	Pos.\Ind. ALS RSID
4M6ZWH	Negative H/stix Luminol	Negative Brentamine	Not Tested There is no presumptive test that is performed at the laboratory for saliva.
4QNR9K	Negative O-Tolidine HemDirect	Negative Acid Phosphatase PSA	Pos.\Ind. Amylase Diffusion
4U8RNZ	Negative Hemastix HemaTrace	Negative AP Micro PSA	Pos.\Ind. RSID
4UHRHA	Negative KM <u>Other Tests Performed</u> Urine - Creatinine	Negative AP	Pos.\Ind. Phadebas

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4ULB9X	Negative KM Hemastix Hematrace Luminol	Negative AP Micro PSA	Pos.\Ind. RSID-Saliva
66YXU4	Negative LMG Visual	Negative AP	Pos.\Ind. RSID
6CYCHQ	Negative KM	Negative Micro PSA	Not Tested
6DUXBG	Negative Hstix Luminol	Negative Acid Phosphatase	Not Tested No presumptive test.
6KQVWY	Negative Hemastix HemaTrace PTMB <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Pos.\Ind. RSID - Saliva
6L9HVG	Negative Hstix Luminol	Negative Brentamine (Acid Phosphatase)	Not Tested No presumptive test for saliva.
6LKGPP	Negative Occult Blood Immuno- chromatographic[sic] Organics Thevenon-Roland (Piramidón)	Negative Micro (Christmas Tree) RSID TM- semen. Semenogelina[sic]	
6NP7RY	Negative Hemastix, KM, Hematrace	Negative AP, Micro, PSA	Pos.\Ind. RSID
6QJVCF	Negative Hemastix Luminol	Pos.\Ind. Brentamine (pos 45 sec) (very faint purple colour change was observed within 65 seconds.)	Not Tested No presumptive test for saliva at our laboratory

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
6Y9NK7	Not Tested No suspected blood stains observed.	Negative AP	Pos.\Ind. Phadebas paper
6Z7WTP	Negative Hematrace Thevenon-Roland (Piramidón)	Negative Micro (Christmas Tree) RSID. Semenogelina[sic]	
7GMEZG	Negative H-stix Luminol	Negative Brentamine	Not Tested No presumptive test for saliva.
7PXQ8L	Negative Benzidine Heme Kit	Negative AP PSA Micro	Not Tested
7W3HKQ	Negative LMG HemaTrace	Negative AP PSA Micro	Not Tested
7XW4DG	Negative H-stix Luminol	Negative Brentamine	
8FRWYE	Negative Hemastix Luminol	Negative Brentamine	Not Tested No presumptive test at lab.
8GP9H2	Negative KM Hemastix ABAcad HemaTrace	Negative AP Seratec PSA Micro	Pos.\Ind. RSID Saliva
8JUWYC	Negative Hemastix Luminol	Negative Brentamine	Not Tested The laboratory does not have a saliva test hence the fourth swab was not tested.

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
8Z4WU2	Negative KM	Negative AP Micro	Pos.\Ind. Phadebas
98WFMF	Negative KM swab and supernatant Appearance	Negative AP Slide prepared	Pos.\Ind. Phadebas tube test
9GJEDL	Negative KM	Negative SPERM HY-LITER PI RSID-Semen PSA	Pos.\Ind. Amylase
9HEWFM	Negative Thevenon-Roland (Piramidón) Technique	Negative Christmas tree stain Rapid stain identification of human semen semenogelin	Not Tested
9LCKNG	Negative LMG	Negative AP Micro	Pos.\Ind. Phadebas
9PEEQT	Negative KM Hemastix Hematrace Luminol	Negative AP Micro PSA	Pos.\Ind. RSID-Saliva
9QAWRU	Negative KM Hemastix HemaTrace Luminol	Negative AP PSA Micro	Pos.\Ind. RSID - Saliva
9QLWNN	Negative KM	Negative RSID-Semen PSA	Pos.\Ind. Amylase
9YGUDC	Negative Lum Hem	Negative Brent	Not Tested

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
9ZCE3W	Negative Hemastix, Hematrace <u>Other Tests Performed</u> ALS	Negative AP, PSA, Micro	Pos.\Ind. RSID
9ZD826	Negative LMG	Negative AP Micro p30	Pos.\Ind. Amylase diffusion
9ZWYAP	Negative KM	Negative SPERM HY-LITER PI RSID-Semen PSA	Pos.\Ind. Amylase
AAHEF6	Negative LMG	Negative AP PSA micro	Pos.\Ind. Amylase diffusion
ABP2P3	Negative KM (swabbing) <u>Other Tests Performed</u> Urine (Creatinine - cutting) Urine (DMAC - cutting)	Negative Seri AP (cutting)	Pos.\Ind. Amylase (Phadebas tablet, micro, cutting)
ACG6CH	Negative LMG RSID-Blood <u>Other Tests Performed</u> Urine - RSID - Urine - Neg	Negative AP RSID-Semen	Pos.\Ind. RSID-Saliva
AFJXEU	Negative KM Hemastix HemaTrace*	Negative AP PSA Micro	Pos.\Ind. RSID
AGEGFV	Negative KM Hemastix Hematrace	Negative AP PSA Micro	Pos.\Ind. RSID-Saliva

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
AHCMYA	Negative PHTH	Negative P30 MICRO	Pos.\Ind. PHADEBAS
AQ6ZWP	Pos.\Ind. KM Hemastix Luminol HemaTrace	Negative AP Abacus p30 Seratec PSA Micro	Pos.\Ind. RSID Saliva
AY3HLY	Negative KM	Negative AP ABAcad p30 Micro	Pos.\Ind. Phadebas
B3RQWJ	Negative Immuno- chromatographic[sic] test (occult blood) Thevenon-Roland (Piramidón)	Negative Christman[sic] tree coloring Immuno- chromatographic[sic] Test (human Semen-RSID)	Not Tested
B3TLFP	Negative Luminol Phenolphthalein Hemastix HemaTrace	Negative AP Micro ABAcad p30 Seratec PSA	Pos.\Ind. RSID Saliva
B8KNLA	Negative H-stix Luminol	Negative Brent	Not Tested
BGTZ3D	Negative luminol BBlueStar	Negative AP	Pos.\Ind. Phadebas
BGVUJY	Negative Visual	Negative AP	Pos.\Ind. RSID-Saliva
BJF2K7	Not Tested No stain observed	Negative AP Micro PSA	Pos.\Ind. Amylase Diffusion

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
BRDK9V	Not Tested Appearance of swab head is white in colour, no indications of bloodstaining	Negative AP	Pos.\Ind. Phadebas paper
BYFG7A	Negative Hemastix Luminol	Negative Brentamine	Not Tested We do not have a test method for saliva
BYGDG7	Negative KM <u>Other Tests Performed</u> Amylase- Amylase Diffusion	Negative BCIP	Not Tested Lab does not test for saliva
C2W63R	Negative KM HemaTrace	Negative AP Micro PSA	Pos.\Ind. RSID Amylase
C8YE8Y	Negative O-tol	Negative ALS AP	Pos.\Ind. ALS RSID
C8YJFG	Not Tested	Negative AP Micro	Pos.\Ind. Amy
C9B9R7	Negative Hemastix Luminol <u>Other Tests Performed</u> Presum. skin cells	Negative Brentamine	Not Tested Test not performed at laboratory.
CA8RP2	Negative KM <u>Other Tests Performed</u> Urine-Creatinine	Negative AP	Pos.\Ind. Phadebas
CGAK2G	Negative KM	Negative AP MICRO	Pos.\Ind. AMYLASE

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
CJNXE	Negative Hemastix Luminol	Negative Brentamine	Not Tested No specific method for presumptive testing
CPKZUB	Negative Hemastix Luminol <u>Other Tests Performed</u> Presumable epithelial material - submitted	Negative Brentamine	Not Tested Saliva tests not performed at our laboratory
CPLUBV	Negative KM Hemastix HemaTrace	Negative AP PSA Micro	Pos.\Ind. RSID
CV7VTU	Pos.\Ind. Luminol Hemastix KM HemaTrace (see comments)	Negative ALS AP Micro PSA	Pos.\Ind. ALS RSID-Saliva
CV9KYC	KM	AP Micro	Phadebas tube test
DCRXNN	Negative KM Hemastix Hematrace Luminol	Negative AP Micro ABA card P30 Seratec PSA semiquant	Pos.\Ind. RSID saliva
DDMGQP	Negative KM Hemastix HemaTrace Luminol	Negative AP Micro Seratec PSA Abacus PSA	Pos.\Ind. RSID Saliva
DFUYPK	Negative KM Hemastix Hematrace Luminol	Negative AP Seratec PSA ABA PSA Micro	Pos.\Ind. RSID saliva

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
DLEWFT	Negative TMB Hematrace LCV Luminol <u>Other Tests Performed</u> Urine - Creatinine Feces - Urobilinen[sic] BFI Screening - ALS	Negative AP PSA Micro	Pos.\Ind. RSID
DMAFGV	Pos.\Ind. KM Hemastix Hematrace	Negative Acid Phosphatase Microscopic PSA/P30	Pos.\Ind. RSID-Saliva
DN9KZA	Negative H-stix Luminol	Negative Brentamine	Not Tested Not done (no presumptive)
DV7EU3	Negative KM	Negative AP PSA Micro	Pos.\Ind. Amylase Radial Diffusion Micro
E4DCFK	Negative KM Hemastix Luminol Hematrace	Negative AP PSA Micro	Pos.\Ind. RSID-saliva
E4UMV4	Negative Luminol Hemastix <u>Other Tests Performed</u> Presumable skin cells (not tested)	Negative Brentamine	Not Tested
E8Y4EU	Negative KM	Negative AP ABAcad p30 Micro	Pos.\Ind. Phadebas
ED6MRZ	Not Tested No red-brown color visible.	Negative AP Micro	Pos.\Ind. RSID

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
EKKJHT	Inconclusive Hemastix Hematrace x1 Hematrace x2	Negative Micro AP PSA	Pos.\Ind. RSID
ELF3KU	Negative Visual	Negative AP Micro PSA	Not Tested
ELYVB7	Hemastix Luminol	Brentamine	Not performed by our laboratory
ELZRK2	Negative VISUAL MICRO KM	Negative AP X-MAS	Pos.\Ind. AMYLASE
EM96ZH	Negative KM	Negative SPERM HY-LITER PI RSID PSA	Pos.\Ind. AMYLASE
ERZ9R2	Negative LMG	Negative AP PSA Micro	Pos.\Ind. Amylase Radial Diffusion Micro
EZBBD3	Not Tested Swab not stained red/brown	Negative AP PSA Micro	Pos.\Ind. Radial Diffusion Micro-nucleated cells observed
F8TA9T	Negative Visual	Negative AP Micro PSA	Not Tested
FE8632	Not Tested swabs white in color	Negative AP Micro	Pos.\Ind. Amylase Diffusion

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
FJ7LFV	Not Tested Lack of visible appearance of blood.	Negative AP Micro P30	Pos.\Ind. Amylase Radial Diffusion
FM386D	Negative o-tol HemaTrace Card	Negative ALS AP PSA	Not Tested
FMLXEX	Negative KM <u>Other Tests Performed</u> Urine- Creatinine Urine- DMAC	Negative AP PSA	Pos.\Ind. Phadebas Amylase
G8M9XQ	Negative Hemastix HemaTrace KM	Negative AP PSA Micro	Pos.\Ind. RSID
GB8FYY	Negative Micro KM	Negative AP Micro	Pos.\Ind. Amylase
GCG7MH	Negative KM Hemastix HemaTrace Luminol	Negative AP PSA Micro	Pos.\Ind. RSID Saliva
GDENCQ	Not Tested	Negative MICRO AP	Pos.\Ind. PHADEBAS
GDT3RM	Inconclusive KM Hemastix HemaTrace	Negative ALS AP Micro PSA	Pos.\Ind. ALS RSID

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GJHHKZ	Negative Micro KM	Negative FBB Micro	Pos.\Ind. Amylase
GKDZM2	Negative LMG	Negative ALS AP Micro PSA	Pos.\Ind. Amylase diffusion
GMJLB2	Negative Hemastix Luminol	Negative Brentamine	Not Tested Not done by ER laboratory.
GQEE4W	Negative Visual	Negative AP	Pos.\Ind. RSID-Saliva
H2Q9QA	Not Tested	Negative AP	Pos.\Ind. Radial Diffusion
H3LRRB	Negative ABA Card Hematrace	Negative ABA Card P30	Pos.\Ind. SALlgAE
H44MQP	Negative TMB	Negative Microscopy Acid Phosphatase PSA (p30)	Pos.\Ind. RSID - Saliva
H6XLFN	Pos.\Ind. KM Hemastix Luminol HemaTrace	Negative AP Micro PSA	Pos.\Ind. RSID
H74DMX	Negative KM	Negative AP	Pos.\Ind. RSID

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
HTLW3R	Negative KM <u>Other Tests Performed</u> Urine - Creatinine Urine - DMAC Fecal Material - Urobilinogen	Negative AP	Pos.\Ind. Amylase
HYQTLR	Negative TMB Hematrace Hemastix LCV Luminol <u>Other Tests Performed</u> Alternate Light Source	Negative AP Micro Seratec PSA	Pos.\Ind. RSID
HZN2WW	Negative LMG	Negative AP Micro PSA	Pos.\Ind. Amylase Diffusion
J7MACN	Negative Hemastix HemaTrace	Negative Acid Phosphatase PSA Microscopic Examination	Pos.\Ind. RSID
J9DZ9N	Negative TMB <u>Other Tests Performed</u> Prices reagent for presence of fecal material	Negative AP Micro	Pos.\Ind. Phadebas tube test for amylase detection Micro
JCDB6N	Negative Hemastix	Negative AP	Pos.\Ind. RSID
JKNMA9	Negative Thevenon-Roland (Piramidón) Occult Blood card test (organics)	Negative Micro (Christmas Tree) Human semen RSID	Not Tested
JLK3JK	Negative KM Hemastix Hematrace Luminol	Negative AP PSA Micro	Pos.\Ind. RSID Saliva

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
JPYWZG	Negative KM Hemastix HemaTrace	Negative AP Micro PSA	Pos.\Ind. RSID - Saliva
JQTH9	Negative KM	Not Tested	Not Tested
JVMFHY	Negative Hemastix Luminol <u>Other Tests Performed</u> Presumable skin cells	Negative Brentamine	Not Tested
K266GY	Negative Hemastix Luminol <u>Other Tests Performed</u> Epithelial skin cells - Not tested. Swabs are sent to w/c for further DNA analysis.	Negative Brentamine	Not Tested N/A - Test was not done in our lab.
K9P7XC	Not Tested	Negative Micro P30	Not Tested
KALNYD	Not Tested no red staining present	Negative AP P30	Not Tested
KCR7XA	Negative KM	Negative Sperm HY-Liter PI RSID-Semen PSA	Pos.\Ind. Amylase test
KHD4NH	Negative Phenolphthalein HemaStix HemaTrace	Negative AP PSA Microscopic	Pos.\Ind. RSID
KPVPBU	Not Tested No red/brown discoloration observed	Negative AP Micro PSA	Pos.\Ind. Amylase Diffusion

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
KX7RWV	Not Tested no stain observed	Negative micro AP PSA	Pos.\Ind. amylase diffusion
L2KN2W	Negative O-tol	Negative AP ALS	Not Tested Not trained to perform this test
LAGNCJ	Negative Hemastix HemaTrace	Negative AP MICRO P30	Pos.\Ind. RSID-Saliva
LBBCWY	Negative Luminol Test Hemastix Test	Negative Brentamine Test	Not Tested
LH97QR	Negative KM <u>Other Tests Performed</u> Creatinine	Negative AP	Pos.\Ind. Phadebas
LM4VB6	Negative TMB	Negative AP	Pos.\Ind. Amylase Radial Diffusion
LMHJ9P	Negative KM	Negative AP PSA Micro	Pos.\Ind. Phadebas
LNFPQ6	Negative TMB HemaTrace	Negative AP PSA	Pos.\Ind. Amylase radial diffusion
LPC9T7	Not Tested Swabs had no stains for testing <u>Other Tests Performed</u> Urease	Negative AP PSA Micro	RSID

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LTAP6Z	Negative Hemastix Luminol <u>Other Tests Performed</u> Presumable epithelial material - 4th - swab will be submitted for presumable epithelial material.	Negative Brentamine	Not Tested Not performed at the laboratory
LUKDK7	Negative KM	Negative AP	Not Tested Lab not accredited to test swabs. This would go to a forensic service provider.
LZUPLD	Negative KM Hemastix Hematrace Luminol	Negative AP Abacus PSA micro	Pos.\Ind. RSID-Saliva
M2JDJY	Negative Hem Lum	Negative Brent	Not Tested
M79Y47	Negative Visual LMG	Negative Visual ALS AP	Not Tested
M7UNBT	Negative Micro KM	Negative AP Micro	Pos.\Ind. Amylase
MAAWX8	Negative Human Blood Thevenon-Roland (Piramidón)	Negative Micro (Christmas Tree) Semenogelina[sic]	Not Tested Our Laboratory dont perform test to identify saliva
MJXRWM	Not Tested	Negative AP	Pos.\Ind. Phadebas
MYCZXQ	Negative visual	Negative Acid phosphatase	Pos.\Ind. RSID-Saliva
NP4RN6	Negative RSID-Blood	Negative RSID-Semen	Pos.\Ind. RSID-Saliva

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
P2VUNC	Inconclusive KM Hemastix HemaTrace Luminol <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Pos.\Ind. RSID-Saliva
P362R6	Negative Thevenon-Roland (Piramidón) Occult Blood Rapid Signal	Negative Micro (Christmas Tree) RSID TM- semen	Not Tested
PALC3K	Negative KM	Negative AP PSA	Pos.\Ind. RSID
PEG7ZL	Negative Visual	Negative ALS p30	Not Tested
PGNNYG	Negative TMB HemaTrace Luminol Leucocrystal Violet <u>Other Tests Performed</u> Fecal-Urobilinogen Urine-Creatinine Biological material-ALS	Negative AP Micro Seratec PSA	Pos.\Ind. RSID Saliva
PJUZ7J	Negative KM	Negative AP ABAcad-p30 Micro	Pos.\Ind. Phadebas
Q2N2AZ	Negative TMB	Negative AP	Pos.\Ind. Amylase
Q2QWQL	Negative KM	Negative AP Micro PSA	Pos.\Ind. Phadebas

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
Q3KHKC	Negative KM Hemastix HemaTrace Luminol	Negative AP ABA PSA Seratec PSA Micro	Pos.\Ind. RSID saliva
Q6ND7Z	Negative Thevenon-Roland (Piramidón) Occult Blood Cassette	Negative Micro (Christmas Tree) RSID Semen	Not Tested
Q6P8ML	Negative KM	Negative AP PSA Micro	Pos.\Ind. Phadebas
Q9PD7X	Negative KM	Negative AP Micro	Pos.\Ind. Phadebas Tube Test
QTUY74	Negative Occult Blood Cassette Thevenon-Roland (Piramidón)	Negative Micro (Christmas Tree) RSID - semen	Not Tested
QTXJVR	Negative Hemastix Luminol	Negative Brentamine	Not Tested Not performed at lab (ER).
RE7EYF	Negative Hemastix KM HemaTrace	Negative AP PSA Micro	Pos.\Ind. RSID-Saliva
RERMCO	Not Tested No visible discoloration	Negative AP Micro	Pos.\Ind. Amylase Diffusion
REVPX	Negative Hemastix Luminol	Negative Brentamine	Not Tested No presumptive test done at our laboratory.

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
RJ24JT	Negative Hemastix Luminol	Negative Brentamine (Acid Phosphatase)	Not Tested No presumptive test for saliva.
RTD3D4	Not Tested Not red stained.	Negative Micro P30	Not Tested
RTTLX2	Not Tested There was no discoloration on the swabs.	Negative AP Micro	Not Tested I am not trained in saliva identification.
RWRWU2	Negative KM	Negative SPERM HY-LITER PI RSID-Semen PSA	Pos.\Ind. Amylase
RXMFV3	Negative Rapid Signal Occult Blood Thevenon-Roland (Piramidón)	Negative Micro (Christmas Tree) RSID	
T887XL	Negative LMG	Negative AP Micro PSA	Pos.\Ind. Amylase Diffusion
TKDZQJ	Negative LMG	Negative AP Micro PSA	Pos.\Ind. Amylase Radial Diffusion Micro
TMFAAZ	Not Tested <u>Other Tests Performed</u> No RBS was observed on the swab	Negative AP Spot Microscopy	Pos.\Ind. Radial Diffusion
TXEXAA	Inconclusive KM Hemastix Hematrace Luminol	Negative AP PSA (Seratec) PSA (Abacus) Micro	Pos.\Ind. RSID

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
U6EFKF	Negative Visual	Negative AP	Pos.\Ind. RSID
U7AXMG	Negative Tetramethylbenzidine Hemastix HemaTrace Leucocrystal Violet Luminol <u>Other Tests Performed</u> Semen/Saliva - Alternate Light Source	Negative Acid Phosphatase Microscopic exam Prostate Specific Antigen	Pos.\Ind. RSID-Saliva
U7DK4U	Negative o-tol	Negative ALS AP	Not Tested our lab does not test for saliva
UCDZPV	Negative Hemastix Luminol	Negative Brentamine (AP)	Not Tested
UMDRUF	Negative Visual	Negative ALS p30	Not Tested
UVNYNX	Negative KM Hemoglobin Immunochromatography	Negative AP PSA Micro	Pos.\Ind. Phadebas Amylase Test
V37VZC	Negative KM	Negative AP Micro ABAcad P30	Pos.\Ind. Phadebas
V76ZRB	Negative KM TMB (HemaStix) Luminol HemaTrace	Negative AP PSA Micro	Pos.\Ind. RSID
V7LEWZ	Not Tested	Negative P-30 Micro	Not Tested

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
V8ZJTC	Negative Hemastix KM Hematrace	Negative AP PSA Micro	Pos.\Ind. RSID
VBED9A	Negative Phenolphthalein Hematrace Hemastix	Negative AP Micro PSA	Pos.\Ind. RSID
VK2EPJ	Negative KM	Negative AP Micro PSA	Not Tested
VPL6FN	Negative Hemastix Luminol	Negative Brentamine	Not Tested Not tested because our laboratory have no presumptive testing for it.
VWJY9F	Negative O-Tol	Negative ALS AP	Pos.\Ind. ALS RSID
VXCMUW	Negative KM SERATEC Hemoglobin	Negative AP Micro PSA	Pos.\Ind. Phadebas Amylase RSID Amylase
VXPG8C	Negative Hemastix KM HemaTrace	Negative AP PSA Micro	Pos.\Ind. RSID
VXWHHD	Negative Visual Exam	Negative AP Micro PSA	Not Tested

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
W3KN7E	Not Tested Item 2 lacks the characteristic reddish-brown stains associated with the presumptive presence of blood.	Negative AP Micro	Pos.\Ind. RSID Saliva
WDLV87	Negative KM Hemastix HemaTrace <u>Other Tests Performed</u> ALS	Negative AP Micro PSA	Pos.\Ind. RSID
WGW7XE	Negative Visual	Negative AP	Pos.\Ind. RSID
WPR7ER	Negative Hemastix Luminol	Negative Brentamine	Not Tested No test for saliva at this lab.
WQNK2K	Not Tested No apparent blood observed	Negative AP Micro	Pos.\Ind. Amylase Diffusion
WX9KFC	KM	AP	RSID
WYHPTZ	Negative KM	Negative RSID-Semen SERATEC PSA Semiquant	Pos.\Ind. Iodine-Starch
X2NEVA	Negative KM Hemastix Hematrace <u>Other Tests Performed</u> Luminol (for blood)	Negative AP PSA Microscopic	Pos.\Ind. RSID Saliva
X4PFV7	Negative Hemastix KM HemaTrace	Negative AP PSA Micro	Pos.\Ind. RSID

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
X6K2PX	Negative Inmuno- cromatografic[sic] for human blood Thevenon-Roland (Piramidón)	Negative Christmas tree stain kit rapid stain identification test for semen (RSID TM) semen	Not Tested Our laboratory not included in the portafolio[sic] of service testing for the presence of saliva
XAVCE7	Negative KM Hemastix Hematrace	Negative AP Micro PSA	Pos.\Ind. RSID
XNXLL2	Negative Hemastix - TMB KM Luminol HemaTrace	Negative AP PSA micro	Pos.\Ind. RSID - Saliva
XXN4ZA	Negative KM HemaTrace HemaStix LCV Luminol	Negative AP Micro PSA	Pos.\Ind. RSID
YPQT7P	Negative KM	Negative Brentamine solution	Pos.\Ind. Phadebas
YRRYJB	Not Tested No testing performed due to the fact that the appearance of this item did not indicate the possible presence of blood (no red/brown staining)	Negative AP PSA	Pos.\Ind. RSID-Saliva
YULM4R	Negative Hemastix Luminol <u>Other Tests Performed</u> Presumable epithelia - No test performed.	Negative Brentamine	Not Tested No presumptive test for saliva
YVR63M	Negative Hemastix Luminol	Negative Brentamine	Not Tested

Table 1 - Item 2

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
YWNJPF	Negative LMG	Negative AP Micro P-30	Pos.\Ind. Amylase Diffusion
YX6TN8	Not Tested No staining visible. No testing performed	Negative AP	Pos.\Ind. Phadebas paper
ZUGMGW	Negative Visual	Negative ALS AP	Pos.\Ind. ALS SaligAE

Response Summary for Table 1 - Item 2

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	4	1	148
Negative	177	214	1
Inconclusive	7	1	0
Not Tested (NT)	29	1	63

Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
24XQ22	Pos.\Ind. KM Hemastix	Negative AP PSA Micro	Negative RSID Saliva
2HWV9D	Pos.\Ind. O-tol	Negative AP Micro	Negative RSID Saliva
2JCY36	Pos.\Ind. KM	Negative AP PSA	Negative RSID
2KK86X	Pos.\Ind. KM	Negative AP	Negative RSID - Saliva
2R8ZJH	Pos.\Ind. H/stix	Not Tested Body fluid swabs are not tested for semen, unless stated to contain poss. semen.	Not Tested Not part of our routine tests.
2TG8H6	Pos.\Ind. Phenolphthalein HemaTrace	Negative Acid Phosphatase	Negative RSID-Saliva
2UAV3K	Pos.\Ind. H.stix	Not Tested Brentamine - our SOP states swabs will only be tested for possible semen if it is specified as poss. semen.	Not Tested We do not have a presumptive[sic] test for saliva.
3AJ4FU	Pos.\Ind. KM	Negative Micro P30	Not Tested Saliva testing not available.

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
3JQPKM	Pos.\Ind. ALS KM Heme-Stix	Negative ALS AP	Negative ALS SALlgAE
3LEEQL	Pos.\Ind. Hemastix	Negative AP (Brentamine)	Not Tested
3NMATD	Pos.\Ind. KM HT	Negative AP P30 Micro Sperm	Negative ARD Micro NEC
3UMPFZ	Pos.\Ind. KM	Negative AP	Not Tested A positive RSID result would not affect how this sample is extracted. Case facts indicate a sexual assault and other items tested positive for semen.
3V3BP2	Pos.\Ind. KM Hematrace	Negative ALS AP Micro PSA	Inconclusive ALS RSID - saliva (see comments section)
3VZG9G	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presumable skin cells	Not Tested SOP does not indicate that semen should be tested on 'neck'.	Not Tested Test not available at Biology EC
42H9XL	Pos.\Ind. PTMB Seratec HemDirect	Negative AP Seratec PSA Semiquant	Negative Seratec Amylase
489NK8	Pos.\Ind. Visual Exam KM HemaTrace	Negative AP	Negative RSID

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4947L9	Pos.\Ind. KM Modified Takayama HemaTrace	Negative AP	Negative Phadebas Amylase
4EVE73	Pos.\Ind. KM	Not Tested	Not Tested
4FPYZU	Pos.\Ind. KM Hexagon OBTI	Negative RSID-Semen PSA	Not Tested
4KVTUP	Pos.\Ind. KM	Negative AP	Not Tested NT since the KM positive sample would be taken on to DNA
4LPEMG	Pos.\Ind. O-tol HemaTrace	Negative PSA Micro (sperm)	Negative Micro (NECs) Amylase (Low)
4LR942	Pos.\Ind. KM Hematrace	Negative ALS AP PSA	Negative ALS RSID
4M6ZWH	Pos.\Ind. H/stix	Negative Brentamine	Not Tested There is no presumptive test that is performed at the laboratory for saliva.
4QNR9K	Pos.\Ind. O-Tolidine HemDirect	Negative Acid Phosphatase PSA	Negative Amylase Diffusion
4U8RNZ	Pos.\Ind. Hemastix HemaTrace	Negative AP Micro PSA	Negative RSID

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4UHRHA	Pos.\Ind. KM Modified Takayama	Negative AP	Negative Phadebas
4ULB9X	Pos.\Ind. KM	Negative AP	Negative RSID-Saliva
66YXU4	Pos.\Ind. LMG HemaTrace Visual	Negative AP P30 Micro	Negative RSID
6CYCHQ	Pos.\Ind. KM	Negative Micro PSA	Not Tested
6DUXBG	Pos.\Ind. Hstix	Not Tested Only test evidence on body if it is specified for semen. [Laboratory documentation]	Not Tested No presumptive test
6KQVWY	Pos.\Ind. Hemastix HemaTrace <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Negative RSID - Saliva
6L9HVG	Pos.\Ind. Hstix	Not Tested [Laboratory documentation] states that swabs from body of victim will not be tested for semen unless indicated or specified as possible semen.	Not Tested No presumptive test for saliva.
6LKGPP	Pos.\Ind. Occult Blood Immuno- cromatographic[sic] Organics	Negative Micro (Christmas Tree) RSID TM- semen. Semenogelina[sic]	
6NP7RY	Pos.\Ind. Hemastix, KM, Hematrace	Negative AP, Micro, PSA	Negative RSID

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
6QJVCF	Pos.\Ind. Hemastix (see notes)		
6Y9NK7	Pos.\Ind. KM Hexagon OBTI	Negative AP	Negative Phadebas paper
6Z7WTP	Pos.\Ind. Hematrace	Negative Micro (Christmas Tree) Semenogelina[sic] RSID	
7GMEZG	Pos.\Ind. H-six	Not Tested According to the [Laboratory documentation], swabs will only be tested for possible semen if specified as possible semen.	Not Tested No presumptive test for saliva.
7PXQ8L	Pos.\Ind. Benzidine Heme Kit	Negative AP PSA Micro	Not Tested
7W3HKQ	Pos.\Ind. LMG HemaTrace	Negative AP PSA Micro	Not Tested
7XW4DG	Pos.\Ind. H-six <u>Other Tests Performed</u> Epithelial Cells - High Friction	Not Tested According to the standard operating procedures, body fluid swab are not tested for brentamine unless stated "possible semen" in the covering minute.	
8FRWYE	Pos.\Ind. Hemastix	Negative Brentamine	Not Tested No presumptive test at lab.
8GP9H2	Pos.\Ind. KM	Not Tested swabs from victim's neck	Negative RSID Saliva

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
8JUWYC	Pos.\Ind. Hemastix		
8Z4WU2	Pos.\Ind. KM ABACard HemaTrace	Negative AP Micro	Negative Phadebas
98WFMF	Pos.\Ind. KM swab and supernatant Appearance	Negative AP Slide prepared	Negative Phadebas tube test
9GJEDL	Pos.\Ind. KM Hexagon OBTI	Negative SPERM HY-LITER PI RSID-Semen PSA	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.
9HEWFM	Pos.\Ind. Thevenon-Roland (Piramidón) Technique Rapid Signal Occult Blood Cassette	Negative Christmas tree stain Rapid stain identification of human semen semenogelin	Not Tested
9LCKNG	Pos.\Ind. LMG	Negative AP Micro	Negative Phadebas
9PEEQT	Pos.\Ind. KM	Not Tested Not required per case information	Not Tested Not required per case information
9QAWRU	Pos.\Ind. KM	Negative AP	Negative RSID - Saliva
9QLWNN	Pos.\Ind. KM Hexagon OBTI	Negative RSID-Semen PSA	Not Tested Laboratory only routinely examines for blood and semen in sexual assault cases

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
9YGUDC	Pos.\Ind. Hem Lum	Negative Brent	Not Tested
9ZCE3W	Pos.\Ind. Hemastix, Hematrace <u>Other Tests Performed</u> ALS	Negative AP, PSA	Negative RSID
9ZD826	Pos.\Ind. LMG HemaTrace	Negative AP Micro	Negative Amylase diffusion
9ZWYAP	Pos.\Ind. KM Hexagon OBTI	Negative SPERM HY-LITER PI RSID-Semen PSA	Not Tested Sexual assault case exhibit routinely tested for blood and semen. Not tested for saliva unless specified.
AAHEF6	Pos.\Ind. LMG hematrace	Negative AP PSA micro	Negative amylase diffusion
ABP2P3	Pos.\Ind. KM (swabbing) Micro (modified Takayama, cutting)	Negative Seri AP (cutting)	Negative Amylase (Phadebas tablet, micro, cutting)
ACG6CH	Pos.\Ind. LMG RSID-Blood <u>Other Tests Performed</u> Urine - RSID - Urine	Negative AP RSID-Semen	Negative RSID-Saliva
AFJXEU	Pos.\Ind. KM	Negative AP Micro	Negative RSID
AGEGFV	Pos.\Ind. KM	Negative AP PSA	Negative RSID-Saliva

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
AHCMYA	Pos.\Ind. PHTH	Negative P30 MICRO	Negative PHADEBAS
AQ6ZWP	Pos.\Ind. Hemastix	Negative AP	Negative RSID Saliva
AY3HLY	Pos.\Ind. KM HemaTrace	Negative AP ABACard p30 Micro	Negative Phadebas
B3RQWJ	Pos.\Ind. Immuno- chromatographic[sic] test (occult blood)	Negative Christman[sic] tree coloring Immuno- chromatographic[sic] Test (human Semen-RSID)	
B3TLFP	Pos.\Ind. Phenolphthalein	Negative AP	Not Tested Possible body fluid detected, RSID may get positive result with neat stain
B8KNLA	Pos.\Ind. H-stix	Not Tested	Not Tested
BGTZ3D	Pos.\Ind. luminol BLueStar Hexagon OBTI Test	Negative AP	Negative Phadebas
BGVUJY	Pos.\Ind. Visual LMG HemaTrace	Negative AP P30 (ABA card) Micro	Negative RSID-Saliva
BJF2K7	Pos.\Ind. LMG HemaTrace	Negative AP Micro	Negative Amylase Diffusion
BRDK9V	Pos.\Ind. KM	Negative AP	Negative Phadebas paper

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
BYFG7A	Pos.\Ind. Hemastix		
BYGDG7	Pos.\Ind. KM Hematrace <u>Other Tests Performed</u> Amylase-Amylase Diffusion	Negative BCIP	Not Tested Lab does not test for saliva
C2W63R	Pos.\Ind. KM HemaTrace	Negative AP PSA	Negative RSID Amylase
C8YE8Y	Pos.\Ind. O-tol HemaTrace	Negative ALS AP	Negative ALS RSID
C8YJFG	Pos.\Ind. KM	Negative AP Micro	Negative Amy
C9B9R7	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presum. skin cells	Not Tested No evidential value	Not Tested Test not performed at laboratory.
CA8RP2	Pos.\Ind. KM Modified Takayama	Negative AP	Negative Phadebas
CGAK2G	Pos.\Ind. KM	Negative AP MICRO	Negative AMYLASE
CJJNXE	Pos.\Ind. Hemastix	Negative Brentamine	Not Tested No specific method for presumptive testing

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
CPKZUB	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presumable epithelial material	Not Tested Does not have evidential value because of the location where it was collected	Not Tested We don't test the saliva
CPLUBV	Pos.\Ind. KM	Negative AP	Negative RSID
CV7VTU	Pos.\Ind. KM HemaTrace	Negative ALS AP Micro PSA	Negative ALS RSID-Saliva
CV9KYC	KM	AP Micro	Phadebas tube test
DCRXNN	Pos.\Ind. KM	Negative AP	Negative RSID saliva
DDMGQP	Pos.\Ind. KM Hemastix Luminol	Negative AP	Negative RSID Saliva
DFUYPK	Pos.\Ind. KM	Negative AP	Negative RSID saliva
DLEWFT	Pos.\Ind. TMB Hematrace	Negative AP	Negative RSID
DMAFGV	Pos.\Ind. KM	Negative Acid Phosphatase	Negative RSID-Saliva

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
DN9KZA	Pos.\Ind. H-six <u>Other Tests Performed</u> Hair - Visual examination	Not Tested Not done	Not Tested Not done (no presumptive)
DV7EU3	Pos.\Ind. KM HemaTrace	Negative AP PSA Micro	Inconclusive Amylase Radial Diffusion Micro
E4DCFK	Pos.\Ind. KM Hemastix Hematrace	Negative AP PSA	Negative RSID-saliva
E4UMV4	Pos.\Ind. Hemastix	Not Tested	Not Tested
E8Y4EU	Pos.\Ind. KM HemaTrace	Negative AP ABACard p30 Micro	Negative Phadebas
ED6MRZ	Pos.\Ind. O-tol	Negative AP Micro	Negative RSID
EKKJHT	Pos.\Ind. Hemastix	Negative Micro AP	Negative RSID
ELF3KU	Pos.\Ind. Hemochromogen	Negative AP Micro PSA	Not Tested
ELYVB7	Hemastix		

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ELZRK2	Pos.\Ind. VISUAL MICRO KM	Negative AP X-MAS	Negative AMYLASE
EM96ZH	Pos.\Ind. KM HEXAGON OBTI	Negative SPERM HY-LITER PI RSID PSA	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.
ERZ9R2	Pos.\Ind. LMG HemaTrace	Negative AP PSA Micro	Negative Amylase Radial Diffusion Micro
EZBBD3	Pos.\Ind. KM Hematrace	Negative AP	Not Tested Since swab was positive for blood, no saliva testing performed per normal casework procedures
F8TA9T	Pos.\Ind. Hemochromogen	Negative AP Micro PSA	Not Tested
FE8632	Pos.\Ind. LMG Hematrace	Negative AP Micro PSA	Negative Amylase Diffusion
FJ7LFV	Pos.\Ind. Hemastix HemaTrace	Negative AP Micro P30	Negative Amylase Radial Diffusion
FM386D	Pos.\Ind. o-tol HemaTrace Card	Negative ALS AP PSA	Not Tested

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
FMLXEX	Pos.\Ind. KM mod Taka	Negative AP PSA Micro	Negative Phadebas Amylase
G8M9XQ	Pos.\Ind. Hemastix HemaTrace KM	Negative AP PSA Micro	Negative RSID
GB8FYY	Pos.\Ind. Micro KM	Negative AP Micro	Inconclusive Amylase
GCG7MH	Pos.\Ind. KM	Negative AP	Negative RSID Saliva
GDENCQ	Pos.\Ind. TMB	Negative MICRO AP	Negative PHADEBAS
GDT3RM	Pos.\Ind. KM HemaTrace	Negative AP Micro PSA	Negative RSID
GJHHKZ	Pos.\Ind. Micro KM	Negative FBB Micro	Inconclusive Amylase
GKDZM2	Pos.\Ind. LMG	Negative AP ALS Micro	Negative Amylase diffusion
GMJLB2	Pos.\Ind. Hemastix		

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GQEE4W	Pos.\Ind. Visual KM HemaTrace	Negative AP	Negative RSID-Saliva
H2Q9QA	Pos.\Ind. KM	Negative AP Micro	Not Tested
H3LRRB	Pos.\Ind. ABA Card Hematrace	Negative ABA Card P30	Negative SALlgAE
H44MQP	Pos.\Ind. TMB HemaTrace	Negative Microscopy Acid Phosphatase PSA (p30)	Negative RSID - Saliva
H6XLFN	Pos.\Ind. KM HemaTrace	Negative AP	Negative RSID
H74DMX	Pos.\Ind. KM Hematrace	Negative AP	Negative RSID
HTLW3R	Pos.\Ind. KM Takayama Hematrace	Negative AP	Negative Amylase
HYQTLR	Pos.\Ind. TMB Hematrace	Negative AP	Negative RSID
HZN2WW	Pos.\Ind. LMG	Negative AP PSA	Negative Amylase Diffusion
J7MACN	Pos.\Ind. Hemastix HemaTrace	Negative Acid Phosphatase	Negative RSID

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
J9DZ9N	Pos.\Ind. TMB HemaTrace	Negative AP	Negative Phadebas tube test Phadebas paper test
JCDB6N	Pos.\Ind. Hemastix Hematrace	Negative AP	Negative RSID
JKNMA9	Pos.\Ind. Thevenon-Roland (Piramidón) Occult Blood card test (organics)	Negative Micro (Christmas Tree) Human semen RSID	
JLK3JK	Pos.\Ind. KM	Negative AP	Negative RSID Saliva
JPYWZG	Pos.\Ind. Hemastix	Not Tested semen detected on other samples in case	Not Tested sample had visible RBS and was positive for blood, extraction method would be the same even if saliva was present and semen was detected on other samples, which is more probative to case
JQTH9	KM	Not Tested	Not Tested
JVMFHY	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presumable skin cells	Not Tested	Not Tested
K266GY	Pos.\Ind. Hemastix	Not Tested	Not Tested
K9P7XC	Pos.\Ind. KM	Negative Micro P30	Not Tested

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
KALNYD	Pos.\Ind. Hemastix HemaTrace	Negative AP	Not Tested
KCR7XA	Pos.\Ind. KM Hexagon OBTI	Negative Sperm HY-Liter PI RSID-Semen PSA	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.
KHD4NH	Pos.\Ind. Phenolphthalein	Negative AP PSA	Negative RSID
KVPVBU	Pos.\Ind. LMG HemaTrace	Negative AP Micro PSA	Negative Amylase Diffusion
KX7RWV	Pos.\Ind. LMG hematrace	Negative micro AP PSA	Negative amylase diffusion
L2KN2W	Pos.\Ind. O-tol	Negative AP ALS	Not Tested Not trained to perform this test
LAGNCJ	Pos.\Ind. Hemastix HemaTrace	Negative AP MICRO P30	Negative RSID-Saliva
LBBCWY	Pos.\Ind. Luminol Hemastix	Not Tested	Not Tested Please refer to item 1 comments section
LH97QR	Pos.\Ind. KM Modified Takayama	Negative AP	Negative Phadebas

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LM4VB6	Pos.\Ind. TMB HemaTrace	Negative AP	Negative Amylase Radial Diffusion
LMHJ9P	Pos.\Ind. KM Hematrace	Negative AP PSA Micro	Negative Phadebas
LNFPQ6	Pos.\Ind. TMB HemaTrace	Negative AP PSA	Negative Amylase radial diffusion
LPC9T7	Pos.\Ind. KM	Negative AP PSA Micro	Negative RSID
LTAP6Z	Pos.\Ind. Hemastix	Not Tested Semen does not have evidential value	Not Tested Not performed at the laboratory.
LUKDK7	Pos.\Ind. KM HemaTrace	Negative AP	Not Tested Lab not accredited to test swabs. This would go to a forensic service provider.
LZUPLD	Pos.\Ind. KM	Negative AP	Negative RSID-Saliva
M2JDJY	Pos.\Ind. Hem	Negative Brent	Not Tested
M79Y47	Pos.\Ind. Visual LMG	Negative Visual ALS AP	Not Tested
M7UNBT	Pos.\Ind. Micro KM	Negative AP Micro	Negative Amylase

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
MAAWX8	Pos.\Ind. Human Blood	Negative Micro (Christmas Tree) Semenogelina[sic]	Not Tested Our Laboratory dont perform test to identify saliva
MJXRWM	Pos.\Ind. KM HemaTrace	Negative AP Micro	Negative Phadebas
MYCZXQ	Pos.\Ind. Visual KM Hematrace	Negative Acid phosphatase	Negative RSID-Saliva
NP4RN6	Pos.\Ind. RSID-Blood	Negative RSID-Semen	Negative RSID-Saliva
P2VUNC	Pos.\Ind. KM	Negative AP	Negative RSID-Saliva
P362R6	Pos.\Ind. Occult Blood Rapid Signal	Negative Micro (Christmas Tree) RSID TM- semen	Not Tested
PALC3K	Pos.\Ind. KM HemaTrace	Negative AP	Negative RSID
PEG7ZL	Pos.\Ind. Visual HemaTrace	Negative ALS p30	Not Tested
PGNNYG	Pos.\Ind. TMB HemaTrace <u>Other Tests Performed</u> Biological material-ALS	Negative AP Micro	Negative RSID Saliva
PJUZ7J	Pos.\Ind. KM ABAcad-HemaTrace	Negative AP ABAcad-p30 Micro	Negative Phadebas

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
Q2N2AZ	Pos.\Ind. TMB HemaTrace	Negative AP	Negative Amylase
Q2QWQL	Pos.\Ind. KM Hematrace	Negative AP Micro PSA	Negative Phadebas
Q3KHKC	Pos.\Ind. KM Hemastix HemaTrace Luminol	Negative AP ABA PSA Seratec PSA Micro	Negative RSID saliva
Q6ND7Z	Pos.\Ind. Thevenon-Roland Piramidon Occult Blood Cassette	Negative Micro (Christmas Tree) RSID Semen	
Q6P8ML	Pos.\Ind. KM HEMA	Negative AP PSA Micro	Negative Phadebas
Q9PD7X	Pos.\Ind. KM	Negative AP Micro	Negative Phadebas Tube Test
QTUY74	Pos.\Ind. Occult Blood Cassette	Negative Micro (Christmas Tree) RSID - semen	Not Tested
QTXJVR	Pos.\Ind. Hemastix		Not performed at lab (ER).
RE7EYF	Pos.\Ind. Hemastix KM HemaTrace	Negative AP PSA Micro	Negative RSID-Saliva

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
RERMCQ	Pos.\Ind. LMG HemaTrace	Negative AP Micro PSA	Negative Amylase Diffusion
REVAPX	Pos.\Ind. Hemastix	Negative Brentamine	Not Tested No presumptive test done at our laboratory.
RJ24JT	Pos.\Ind. Hemastix	Not Tested [Laboratory documentation] states swabs from the victim's body will only be tested for possible semen if specified.	Not Tested No presumptive test for saliva
RTD3D4	Pos.\Ind. KM	Negative Micro P30	Not Tested
RTTLX2	Pos.\Ind. KM HemaTrace	Negative AP	Not Tested I am not trained in saliva identification.
RWRWU2	Pos.\Ind. KM Hexagon OBTI	Negative SPERM HY-LITER PI RSID-Semen PSA	Not Tested Sexual assault case exhibits routinely test for blood and semen. Not tested for saliva unless specified.
RXMFV3	Pos.\Ind. Rapid Signal Occult Blood Thevenon-Roland (Piramidón)	Negative Micro (Christmas Tree) RSID	
T887XL	Pos.\Ind. LMG HemaTrace	Negative AP Micro	Negative Amylase Diffusion
TKDZQJ	Pos.\Ind. LMG HemaTrace	Negative AP Micro PSA	Negative Amylase Radial Diffusion Micro

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
TMFAAZ	Pos.\Ind. KM	Negative AP Spot Microscopy	Negative Radial Diffusion
TXEXAA	Pos.\Ind. KM	Negative AP	Negative RSID
U6EFKF	Pos.\Ind. Visual LMG HemaTrace	Negative AP ABA p30 Micro	Negative RSID
U7AXMG	Pos.\Ind. Tetramethylbenzidine HemaTrace	Negative Acid Phosphatase	Negative RSID-Saliva
U7DK4U	Pos.\Ind. o-tol Hexagon OBTI	Not Tested swab tested positive for something else	Not Tested our lab does not test for saliva
UCDZPV	Pos.\Ind. Hemastix	Negative Brentamine (AP)	Not Tested
UMDRUF	Pos.\Ind. Visual HemaTrace	Negative ALS p30	Not Tested
UVNYNX	Pos.\Ind. KM Hemoglobin Immunochromatography	Negative AP PSA Micro	Negative Phadebas Amylase Test
V37VZC	Pos.\Ind. KM HemaTrace	Negative AP Micro ABAcad P30	Negative Phadebas
V76ZRB	Pos.\Ind. KM HemaTrace	Negative AP PSA	Negative RSID

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
V7LEWZ	Pos.\Ind. KM	Negative P-30 Micro	Not Tested
V8ZJTC	Pos.\Ind. Hemastix KM Hematrace	Negative AP PSA Micro	Negative RSID
VBED9A	Pos.\Ind. phenolphthalein	Negative AP Micro	Pos.\Ind. RSID
VK2EPJ	Pos.\Ind. KM	Negative AP Micro PSA	Not Tested
VPL6FN	Pos.\Ind. Hemastix		
VWJY9F	Pos.\Ind. O-Tol HemaTrace	Negative ALS AP	Negative ALS RSID
VXCMUW	Pos.\Ind. KM SERATEC Hemoglobin	Negative AP Micro PSA	Negative Phadebas Amylase RSID Amylase
VXPG8C	Pos.\Ind. Hemastix KM HemaTrace	Negative AP PSA Micro	Negative RSID
VXWHHD	Pos.\Ind. Hemochromogen	Negative AP Micro PSA	Not Tested

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
W3KN7E	Pos.\Ind. O-tol	Negative AP Micro	Negative RSID Saliva
WDLV87	Pos.\Ind. KM	Negative AP Micro	Negative RSID
WGW7XE	Pos.\Ind. KM HemaTrace Visual	Negative AP	Negative RSID
WPR7ER	Pos.\Ind. Hemastix	Negative Brentamine	Not Tested No test for saliva at this lab.
WQNK2K	Pos.\Ind. LMG HemaTrace	Negative AP Micro	Negative Amylase Diffusion
WX9KFC	KM HemaTrace	AP	RSID
WYHPTZ	Pos.\Ind. KM Bluestar Hexagon OBTI	Negative RSID-Semen SERATEC PSA Semiquant	Not Tested Laboratory only routinely test for blood and semen in sexual assault cases. Saliva test done only when specified by client.
X2NEVA	Pos.\Ind. KM Hematrace	Negative AP PSA Microscopic	Negative RSID Saliva
X4PFV7	Pos.\Ind. Hemastix KM HemaTrace	Negative AP PSA Micro	Negative RSID

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
X6K2PX	Pos.\Ind. Immuno- chromatografic[sic] for human blood	Negative Christmas tree stain kit rapid stain identification test for semen (RSID TM) semen	Not Tested Our laboratory not included in the portafolio[sic] of service testing for the presence of saliva
XAVCE7	Pos.\Ind. KM	Negative AP PSA	Negative RSID
XNXLL2	Pos.\Ind. KM	Negative AP	Negative RSID Saliva
XXN4ZA	Pos.\Ind. KM HemaTrace	Negative AP	Negative RSID
YPQT7P	Pos.\Ind. KM Hexagon OBTI (Human origin)	Negative Brentamine (AP) solution	Negative Phadebas
YRRYJB	Pos.\Ind. KM HemaTrace	Negative AP PSA	Negative RSID-Saliva
YULM4R	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested No presumptive tests for saliva
YVR63M	Pos.\Ind. Hemastix Luminol	Negative Brentamine	Not Tested
YWNJPF	Pos.\Ind. LMG Hematrace	Negative AP Micro	Negative Amylase Diffusion
YX6TN8	Pos.\Ind. KM Hematrace	Negative AP	Negative Phadebas paper

Table 1 - Item 3

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ZUGMGW	Pos.\Ind. Visual Phenolphthalein Hematrace	Negative ALS AP	Negative ALS

Response Summary for Table 1 - Item 3

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	216	0	1
Negative	0	188	129
Inconclusive	0	0	4
Not Tested (NT)	0	23	70

Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
24XQ22	Negative KM	Pos.\Ind. AP Micro PSA	Negative RSID Saliva
2HWV9D	Not Tested No reddish/brown stain observed	Pos.\Ind. AP Micro	Negative RSID Saliva
2JCY36	Not Tested visual examination was not consistent with the appearance of blood	Pos.\Ind. AP micro	Negative RSID
2KK86X	Not Tested No visible staining	Pos.\Ind. AP Micro	Not Tested Semen present
2R8ZJH	Not Tested Body fluid swabs not tested unless indicated (or stain for poss. blood visible & may have EV)	Not Tested Body fluid swabs not tested unless poss. semen is indicated.	Not Tested Not part of our routine tests
2TG8H6	Not Tested No staining indicating the possible presence of blood	Pos.\Ind. Acid Phosphatase Christmas Tree stain	Negative RSID-Saliva
2UAV3K	Not Tested I did a visual inspection & the swabs did not have any presumable blood on them.	Not Tested Our SOP states that swabs will only be tested for possible semen if it is specified[sic] as poss. semen.	Not Tested We do not have a presumptive[sic] test for saliva.
3AJ4FU	Not Tested Swabs are not brown stained.	Pos.\Ind. Micro	Not Tested Saliva testing not available.

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
3JQPKM	Negative ALS KM Heme-Stix	Pos.\Ind. ALS AP	Negative ALS SALlgAE
3LEEQL	Negative Hemastix Luminol	Pos.\Ind. AP (Brentamine)	Not Tested
3NMATD	Not Tested Swabs were not red	Pos.\Ind. AP P30 Micro Sperm	Negative ARD Micro NEC
3UMPFZ	Not Tested No staining consistent with blood was observed.	Pos.\Ind. AP PSA Micro	Not Tested Case facts indicate a sexual assault; this item tested positive for semen.
3V3BP2	Not Tested Not tested due to the fact that no reddish brown staining was observed on this item.	Pos.\Ind. ALS AP Micro	Negative ALS RSID - saliva
3VZG9G	Not Tested No visible blood noted.	Pos.\Ind. Brentamine	Not Tested Test not available at Biology EC
42H9XL	Negative PTMB Seratec HemDirect	Pos.\Ind. AP Seratec PSA Semiquant Micro	Negative Seratec Amylase
489NK8	Negative Visual Exam	Pos.\Ind. AP Micro	Negative RSID
4947L9	Negative KM	Pos.\Ind. AP Micro	Negative Phadebas Amylase

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4EVE73	Not Tested	Pos.\Ind. AP Micro	Not Tested
4FPYZU	Negative KM	Pos.\Ind. RSID-Semen PSA	Not Tested
4KVTUP	Not Tested No staining indicating a need for KM. Sample would be taken on to DNA.	Pos.\Ind. AP Micro	Not Tested NT since micro positive sample would be taken on to DNA
4LPEMG	Not Tested	Pos.\Ind. PSA Micro (sperm)	Negative Micro (NECs) Amylase (very low)
4LR942	Negative KM	Pos.\Ind. ALS AP Micro PSA	Negative ALS RSID
4M6ZWH	Not Tested	Not Tested	Not Tested There is no presumptive test that is done at the laboratory for saliva.
4QNR9K	Negative O-Tolidine HemDirect	Pos.\Ind. Acid Phosphatase PSA	Negative Amylase Diffusion
4U8RNZ	Negative Hemastix HemaTrace	Pos.\Ind. AP Micro PSA	Negative RSID
4UHRHA	Negative KM	Pos.\Ind. AP Micro	Negative Phadebas

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4ULB9X	Not Tested no red-brown staining	Pos.\Ind. AP Micro	Not Tested semen pos
66YXU4	Negative LMG Visual	Pos.\Ind. AP P30 Micro	Negative RSID
6CYCHQ	Negative KM	Pos.\Ind. Micro	Not Tested
6DUXBG	Not Tested	Not Tested Evidence on body is only tested if specified for evidence is for possible semen.	Not Tested No presumptive test.
6KQVWY	Negative Hemastix <u>Other Tests Performed</u> ALS	Pos.\Ind. AP PSA Micro	Negative RSID - Saliva
6L9HVG	Not Tested No visible blood. Not tested with Luminol/Hstix.	Not Tested [Laboratory documentation] only to be tested if specified as possible semen.	Not Tested No presumptive test for saliva.
6LKGPP	Negative Occult blood Rapid Test (Cassette) immuno-chromatographic[sic] Thevenon-Roland (Piramidón)	Pos.\Ind. Micro (Christmas Tree)	
6NP7RY	Negative Hemastix, KM, Hematrace	Pos.\Ind. AP, Micro, PSA	Negative RSID
6QJVCF		Pos.\Ind. Brentamine (pos 1 sec) (very rapid reaction observed) (see notes)	

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
6Y9NK7	Negative KM	Pos.\Ind. AP Seratec PSA Semiquant	Negative Phadebas paper
6Z7WTP	Negative Hematrace Thevenon-Roland (Piramidón)	Pos.\Ind. Micro (Christmas Tree)	
7GMEZG	Not Tested Swabs, as per visual inspection, did not appear bloody.	Not Tested According to [Laboratory documentation], body fluid swabs will only be tested for possible semen if specified as possible semen.	Not Tested No presumptive test for saliva
7PXQ8L	Negative Benzidine Heme Kit	Pos.\Ind. AP PSA Micro	Not Tested
7W3HKQ	Negative LMG	Pos.\Ind. AP PSA Micro	Not Tested
7XW4DG	Negative H-stix Luminol <u>Other Tests Performed</u> Epithelial Cells - High Friction	Not Tested According to the SOP, body fluid swabs are not tested for brent unless stated "possible semen" in the covering minute.	
8FRWYE	Negative Luminol	Pos.\Ind. Brentamine	Not Tested No presumptive test at lab.
8GP9H2	Not Tested no discoloration consistent with blood	Pos.\Ind. AP Micro	Negative RSID Saliva
8JUWYC		Pos.\Ind. Brentamine [Laboratory documentation]	

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
8Z4WU2	Negative KM	Pos.\Ind. AP P30	Negative Phadebas
98WFMF	Negative KM swab and supernatant Appearance	Pos.\Ind. AP Slide prepared	Negative Phadebas tube test
9GJEDL	Negative KM	Pos.\Ind. SPERM HY-LITER PI	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested
9HEWFM	Negative Thevenon-Roland (Piramidón)	Pos.\Ind. Christmas tree stain	Not Tested
9LCKNG	Negative LMG	Pos.\Ind. AP Micro	Negative Phadebas
9PEEQT	Not Tested No reddish brown staining obs/pos for other fluids	Pos.\Ind. AP Micro	Not Tested not required per case information
9QAWRU	Negative KM	Pos.\Ind. AP Micro	Negative RSID - Saliva
9QLWNN	Negative KM	Pos.\Ind. RSID-Semen PSA	Not Tested Laboratory only routinely examines for blood and semen in sexual assault cases
9YGUDC	Negative Hem Lum	Pos.\Ind. Brent	Not Tested
9ZCE3W	Negative Hemastix, Hematrace <u>Other Tests Performed</u> ALS	Pos.\Ind. AP, PSA, Micro	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
9ZD826	Negative LMG	Pos.\Ind. AP Micro p30	Negative Amylase diffusion
9ZWYAP	Negative KM	Pos.\Ind. SPERM HY-LITER PI	Not Tested Sexual assault case exhibit routinely tested for blood and semen. Not tested for saliva unless specified.
AAHEF6	Negative LMG	Pos.\Ind. AP PSA micro	Negative amylase diffusion
ABP2P3	Negative KM (swabbing)	Pos.\Ind. Seri AP (cutting) Micro (Christmas Tree Stain, extract from cutting)	Negative Amylase (Phadebas tablet, micro, cutting)
ACG6CH	Negative LMG RSID - Blood <u>Other Tests Performed</u> Urine - RSID - Urine	Pos.\Ind. AP RSID - Semen	Negative RSID - Saliva
AFJXEU	Negative KM	Pos.\Ind. AP Micro	Negative RSID
AGEGFV	Not Tested item not tested due to lack of apparent staining characteristic of blood	Pos.\Ind. AP Micro	Negative RSID-Saliva
AHCMYA	Negative PHTH	Pos.\Ind. P30 MICRO	Negative PHADEBAS
AQ6ZWP	Negative Hemastix	Pos.\Ind. AP Micro	Negative RSID Saliva

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
AY3HLY	Negative KM	Pos.\Ind. AP ABAcad p30 Micro	Negative Phadebas
B3RQWJ	Negative Immuno- chromatographic[sic] test (occult blood) Thevenon-Roland (Piramidón)	Pos.\Ind. Christman[sic] tree coloring	Not Tested
B3TLFP	Not Tested No reddish brown staining observed	Pos.\Ind. AP Micro	Not Tested Not tested due to positive AP and Micro results
B8KNLA	Not Tested	Not Tested	Not Tested
BGTZ3D	Negative luminol BLueStar	Pos.\Ind. AP RSID Semen Micro	Negative Phadebas
BGVUJY	Negative Visual	Pos.\Ind. AP P30 (ABA card) Micro	Negative RSID-Saliva
BJF2K7	Negative LMG	Pos.\Ind. AP Micro PSA	Negative Amylase Diffusion
BRDK9V	Not Tested Appearance of swab head is white in colour, no indications of bloodstaining	Pos.\Ind. AP Micro	Negative Phadebas paper
BYFG7A		Pos.\Ind. Brentamine	

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
BYGDG7	Negative KM <u>Other Tests Performed</u> Amylase-Amylase Diffusion	Pos.\Ind. BCIP Micro	Not Tested lab does not test for saliva
C2W63R	Not Tested Not tested because no red/brown color observed.	Pos.\Ind. AP PSA micro	Negative RSID Amylase
C8YE8Y	Negative O-tol	Pos.\Ind. ALS AP Micro	Not Tested Oral contact not likely, not indicated in scenario.
C8YJFG	Negative KM	Pos.\Ind. AP Micro	Negative Amy
C9B9R7	Not Tested No evidential value	Pos.\Ind. Brentamine	Not Tested Test not performed at laboratory.
CA8RP2	Negative KM	Pos.\Ind. AP Micro	Negative Phadebas
CGAK2G	Negative KM	Pos.\Ind. AP MICRO	Negative AMYLASE
CJJNXE	Negative Luminol	Pos.\Ind. Brentamine	Not Tested No specific method for presumptive testing, but 1x swab is taken as possible epithelial cells received for further analysis.
CPKZUB	Not Tested Does not have evidential value because of the location where it was collected <u>Other Tests Performed</u> Presumable epithelial material	Pos.\Ind. Brentamine	Not Tested We don't test for saliva

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
CPLUBV	Not Tested	Pos.\Ind. AP Micro	Negative RSID
CV7VTU	Negative KM	Pos.\Ind. ALS AP Micro PSA	Negative ALS RSID-Saliva
CV9KYC	KM	AP Micro	Phadebas tube test
DCRXNN	Negative KM	Pos.\Ind. AP Micro	Negative RSID saliva
DDMGQP	Pos.\Ind. KM Hemastix Hematrace	Pos.\Ind. AP Micro Seratec PSA Abacus PSA	Negative RSID Saliva
DFUYPK	Negative KM	Pos.\Ind. AP Seratec PSA ABA PSA Micro	Not Tested Not indicated
DLEWFT	Negative TMB	Pos.\Ind. AP Micro	Negative RSID
DMAFGV	Not Tested	Pos.\Ind. Acid Phosphatase Microscopic	Negative RSID-Saliva
DN9KZA	Negative H-six Luminol <u>Other Tests Performed</u> Hair - Visual inspection	Not Tested No presumptive testing done	No presumptive testing

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
DV7EU3	Negative KM	Pos.\Ind. AP PSA Micro	Negative Amylase Radial Diffusion Micro
E4DCFK	Negative KM	Pos.\Ind. AP PSA Micro	Negative RSID-saliva
E4UMV4	Not Tested	Pos.\Ind. Brentamine	Not Tested
E8Y4EU	Negative KM	Pos.\Ind. AP ABACard p30 Micro	Negative Phadebas
ED6MRZ	Not Tested No red-brown color visible.	Pos.\Ind. AP Micro	Negative RSID
EKKJHT	Not Tested N/A to case scenario & no visible staining	Pos.\Ind. Micro	Negative RSID
ELF3KU	Negative Visual	Pos.\Ind. AP Micro	Not Tested
ELYVB7		Brentamine	
ELZRK2	Negative VISUAL MICRO KM	Pos.\Ind. AP X-MAS	Negative AMYLASE

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
EM96ZH	Negative KM	Pos.\Ind. SPERM HY-LITER PI	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.
ERZ9R2	Negative LMG	Pos.\Ind. AP PSA Micro	Negative Amylase Radial Diffusion Micro
EZBBD3	Not Tested Swab not stained red/brown	Pos.\Ind. AP PSA Micro-Sperm	Not Tested Since swab was positive for semen, no saliva testing performed per normal casework procedures
F8TA9T	Negative Visual	Pos.\Ind. AP Micro	Not Tested
FE8632	Not Tested Swabs white in color	Pos.\Ind. AP Micro PSA	Negative Amylase diffusion
FJ7LFV	Not Tested Lack of visible appearance of blood.	Pos.\Ind. AP Micro	Negative Amylase Radial Diffusion
FM386D	Negative o-tol HemaTrace Card	Pos.\Ind. ALS AP PAS	Not Tested
FMLXEX	Negative KM	Pos.\Ind. AP Micro	Negative Phadebas Amylase
G8M9XQ	Negative Hemastix HemaTrace KM	Pos.\Ind. AP PSA Micro	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GB8FY	Negative Micro KM	Pos.\Ind. AP Micro	Negative Amylase
GCG7MH	Negative KM	Pos.\Ind. AP PSA Micro	Negative RSID Saliva
GDENCQ	Not Tested	Pos.\Ind. MICRO	Negative PHADEBAS
GDT3RM	Not Tested No apparent bloodstains noted	Pos.\Ind. AP Micro	Negative RSID
GJHHKZ	Negative Micro KM	Pos.\Ind. FBB Micro	Negative Amylase
GKDZM2	Negative LMG	Pos.\Ind. ALS AP Micro PSA	Negative Amylase diffusion
GMJLB2		Pos.\Ind. Brentamine Refer to [Laboratory documentation]	
GQEE4W	Negative Visual	Pos.\Ind. AP Micro	Negative RSID-Sliva[sic]
H2Q9QA	Not Tested	Pos.\Ind. AP Micro	Negative Radial Diffusion
H3LRRB	Negative ABA Card Hematrace	Pos.\Ind. ABA Card P30	Negative SALlgAE

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
H44MQP	Negative TMB	Pos.\Ind. Microscopy	Negative RSID - Saliva
H6XLFN	Negative KM	Pos.\Ind. AP Micro	Negative RSID
H74DMX	Negative KM	Pos.\Ind. AP PSA Micro	Negative RSID
HTLW3R	Negative KM	Pos.\Ind. AP Micro (Xmas)	Negative Amylase
HYQTLR	Not Tested Red/brown staining was not observed	Pos.\Ind. AP Micro	Not Tested Semen was found
HZN2WW	Negative LMG	Pos.\Ind. AP Micro PSA	Negative Amylase Diffusion
J7MACN	Not Tested No red/brown staining noted	Pos.\Ind. Acid Phosphatase PSA Microscopic examination	Negative RSID
J9DZ9N	Negative TMB <u>Other Tests Performed</u> Prices reagent for presence of fecal material	Pos.\Ind. AP PSA Micro	Not Tested
JCDB6N	Negative Hemastix	Pos.\Ind. AP Microscopic - Xmas tree stain	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
JKNMA9	Negative Thevenon-Roland (Piramidón) Occult Blood card test (organics)	Pos.\Ind. Micro (Christmas Tree) Human semen RSID	Not Tested
JLK3JK	Not Tested no reddish brown staining	Pos.\Ind. AP Micro	Negative RSID Saliva
JPYWZG	Not Tested no visible RBS	Pos.\Ind. AP Micro PSA	Not Tested semen was detected, which is more probative to case
JQTH9	KM	Not Tested	Not Tested
JVMFHY	Not Tested	Pos.\Ind. Brentamine	Not Tested
K266GY	Not Tested N/A - Swab was clean hence presumable blood was not tested.	Pos.\Ind. Brentamine	Not Tested
K9P7XC	Not Tested	Pos.\Ind. Micro	Not Tested
KALNYD	Not Tested no red staining present	Pos.\Ind. AP P30	Not Tested
KCR7XA	Negative KM	Pos.\Ind. Sperm HY-Liter PI	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.
KHD4NH	Not Tested no red staining	Pos.\Ind. AP Microscopic	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
KPVPBU	Negative LMG	Pos.\Ind. AP Micro PSA	Negative Amylase Diffusion
KX7RWV	Not Tested no stain observed	Pos.\Ind. micro AP PSA	Negative amylase diffusion
L2KN2W	Negative O-tol	Pos.\Ind. AP ALS	Not Tested Not trained to perform this test
LAGNCJ	Negative Hemastix HemaTrace	Pos.\Ind. AP MICRO P30	Negative RSID-Saliva
LBBCWY	Not Tested	Pos.\Ind. Brentamine Test	Not Tested
LH97QR	Negative KM	Pos.\Ind. AP PSA Micro	Negative Phadebas
LM4VB6	Negative TMB	Pos.\Ind. AP PSA Micro	Negative Amylase Radial Diffusion
LMHJ9P	Negative KM	Pos.\Ind. AP PSA Micro	Negative Phadebas
LNFPQ6	Inconclusive TMB HemaTrace	Pos.\Ind. AP PSA Microscopic	Negative Amylase radial diffusion

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LPC9T7	Not Tested Swabs with faint yellowish discoloration. No stains for testing.	Pos.\Ind. AP PSA Micro	Negative RSID
LTAP6Z	Not Tested Does not have evidential value	Pos.\Ind. Bentamine[sic]	Not Tested Not performed at the laboratory
LUKDK7	Negative KM	Pos.\Ind. AP Micro	Not Tested Lab not accredited to test swabs. This would go to a forensic service provider.
LZUPLD	Not Tested no reddish brown staining, no allegation to blood	Pos.\Ind. AP micro	Not Tested semen found, no allegation to saliva
M2JDJY	Negative Hem Lum	Pos.\Ind. Brent	Not Tested
M79Y47	Negative Visual LMG	Pos.\Ind. Visual ALS AP	Not Tested
M7UNBT	Negative Micro KM	Pos.\Ind. AP Micro	Negative Amylase
MAAWX8	Negative Human Blood Thevenon-Roland (Piramidón)	Pos.\Ind. Micro (Christmas Tree)	Not Tested Our Laboratory dont perform test to identify saliva
MJXRWM	Not Tested	Pos.\Ind. AP Micro	Negative Phadebas
MYCZXQ	Negative Visual	Pos.\Ind. Acid phosphatase Micro	Negative RSID-Saliva

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
NP4RN6	Negative RSID-Blood	Pos.\Ind. RSID-Semen	Negative RSID-Saliva
P2VUNC	Not Tested No notable staining to indicate blood	Pos.\Ind. AP PSA Micro	Not Tested Extraction type for DNA sample determined by semen testing results
P362R6	Negative Thevenon-Roland (Piramidón) Occult Blood Rapid Signal	Pos.\Ind. Micro (Christmas Tree)	Not Tested
PALC3K	Negative KM	Pos.\Ind. AP PSA Micro	Negative RSID
PEG7ZL	Negative Visual	Pos.\Ind. ALS p30	Not Tested
PGNNYG	Not Tested No red/brown staining observed <u>Other Tests Performed</u> Biological material-ALS	Pos.\Ind. AP Micro	Negative RSID saliva
PJUZ7J	Negative KM	Pos.\Ind. AP ABAcad-p30 Micro	Negative Phadebas
Q2N2AZ	Negative TMB	Pos.\Ind. AP PSA Micro	Negative Amylase
Q2QWQL	Negative KM	Pos.\Ind. AP Micro PSA	Negative Phadebas

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
Q3KHKC	Negative KM Hemastix HemaTrace Luminol	Pos.\Ind. AP ABA PSA Seratec PSA Micro	Negative RSID saliva
Q6ND7Z	Negative Thevenon-Roland Piramidon Occult Blood Cassette	Pos.\Ind. Micro (Christmas Tree) RSID Semen	
Q6P8ML	Negative KM	Pos.\Ind. AP PSA Micro	Negative Phadebas
Q9PD7X	Negative KM	Pos.\Ind. AP Micro	Negative Phadebas Tube Test
QTUY74	Negative Occult Blood Cassette Thevenon-Roland (Piramidón)	Pos.\Ind. Micro (Christmas Tree)	Not Tested
QTXJVR	Negative Hemastix Luminol	Pos.\Ind. Brentamine	Not performed at lab (ER).
RE7EYF	Negative Hemastix KM HemaTrace	Pos.\Ind. AP PSA Micro	Negative RSID-Saliva
RERMCO	Not Tested No visible discoloration	Pos.\Ind. AP Micro PSA	Negative Amylase Diffusion
REVAPX	Negative Luminol	Pos.\Ind. Brentamine	Not Tested No presumptive test done at our laboratory.

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
RJ24JT	Not Tested No visual blood.	Not Tested [Laboratory documentation] states swabs from the victim's body will only be tested for possible semen if specified.	Not Tested No presumptive test for saliva.
RTD3D4	Not Tested Not red stained.	Pos.\Ind. Micro	Not Tested
RTTLX2	Not Tested There was no discoloration on the swabs.	Pos.\Ind. AP Micro	Not Tested I am not trained in saliva identification.
RWRWU2	Negative KM	Pos.\Ind. SPERM HY-LITER PI	Not Tested Sexual assault case exhibits routinely test for blood and semen. Not tested for saliva unless specified.
RXMFV3	Negative Rapid Signal Occult Blood Cassette Thevenon-Roland (Piramidón)	Pos.\Ind. MICRO RSID	
T887XL	Negative LMG	Pos.\Ind. AP Micro PSA	Negative Amylase Diffusion
TKDZQJ	Negative LMG	Pos.\Ind. AP Micro	Negative Amylase Radial Diffusion Micro
TMFAAZ	Not Tested <u>Other Tests Performed</u> No RBS observed on the swab	Pos.\Ind. AP Spot Microscopy	Negative Radial Diffusion
TXEXAA	Negative KM	Pos.\Ind. AP PSA (Abacus) Micro	Negative RSID

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
U6EFKF	Negative Visual LMG	Pos.\Ind. AP ABA p30 Micro	Negative RSID
U7AXMG	Negative Tetramethylbenzdine[sic]	Pos.\Ind. Acid Phosphatase Microscopic exam	Negative RSID-Saliva
U7DK4U	Not Tested swab tested positive for semen - also no red/brown staining	Pos.\Ind. ALS AP	Not Tested our lab does not test for saliva
UCDZPV	Negative Luminol Hemastix	Pos.\Ind. Brentamine (AP)	Not Tested
UMDRUF	Negative Visual	Pos.\Ind. ALS p30	Not Tested
UVNYNX	Negative KM Hemoglobin Immunochromatography	Pos.\Ind. AP PSA Micro	Negative Phadebas Amylase Test
V37VZC	Negative KM	Pos.\Ind. AP Micro ABAcad P30	Negative Phadebas
V76ZRB	Negative KM	Pos.\Ind. AP PSA Micro	Negative RSID
V7LEWZ	Not Tested	Pos.\Ind. Micro	Not Tested

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
V8ZJTC	Negative Hemastix KM Hematrace	Pos.\Ind. AP PSA Micro	Negative RSID
VBED9A	Not Tested no red/brown staining	Pos.\Ind. AP Micro	Pos.\Ind. RSID
VK2EPJ	Negative KM	Pos.\Ind. AP Micro PSA	Not Tested
VPL6FN		Pos.\Ind. Brentamine [Laboratory documentation]	
VWJY9F	Negative O-Tol	Pos.\Ind. ALS AP Micro	Not Tested Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)
VXCMUW	Negative KM SERATEC Hemoglobin	Pos.\Ind. AP Micro PSA	Negative Phadebas Amylase RSID Amylase
VXPG8C	Negative Hemastix KM HemaTrace	Pos.\Ind. AP PSA Micro	Negative RSID
VXWHHD	Negative Visual	Pos.\Ind. AP Micro	Not Tested
W3KN7E	Not Tested Item 4 lacks the characteristic reddish-brown stains associated with the presumptive presence of blood.	Pos.\Ind. AP Micro	Negative RSID Saliva

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
WDLV87	Not Tested no staining present/observed - scenario based	Pos.\Ind. AP Micro	Negative RSID
WGW7XE	Negative Visual	Pos.\Ind. AP Micro	Negative RSID
WPR7ER	Negative Luminol	Pos.\Ind. Brentamine	Not Tested No test for saliva at this lab.
WQNK2K	Not Tested No apparent blood observed	Pos.\Ind. AP Micro PSA	Negative Amylase Diffusion
WX9KFC	KM	AP Micro	RSID
WYHPTZ	Negative KM	Pos.\Ind. RSID-Semen SERATEC PSA Semiquant	Not Tested Laboratory only routinely test for blood and semen in sexual assault cases. Saliva test done only when specified by client.
X2NEVA	Negative KM Hematrace	Pos.\Ind. AP PSA Microscopic	Negative RSID Saliva
X4PFV7	Negative Hemastix KM HemaTrace	Pos.\Ind. AP PSA Micro	Negative RSID
X6K2PX	Negative Inmuno- cromatografic[sic] for human blood Thevenon-Roland (Piramidón)	Pos.\Ind. Christmas tree stain	Not Tested Our laboratory not included in the portafolio[sic] of service testing for the presence of saliva

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
XAVCE7	Not Tested No red brown stains observed on the swabs to warrant blood testing	Pos.\Ind. AP Micro	Negative RSID
XNXLL2	Not Tested no red/brown staining observed on swabs	Pos.\Ind. AP micro	Negative RSID Saliva
XXN4ZA	Negative KM	Pos.\Ind. AP Micro	Negative RSID
YPQT7P	Negative KM	Pos.\Ind. Brentamine (AP) solution Microscopy[sic] (Sperm Search)	Negative Phadebas
YRRYJB	Not Tested No testing performed due to the fact that the appearance of this item did not indicate the possible presence of blood (no red/brown staining)	Pos.\Ind. AP PSA Micro	Negative RSID-Saliva
YULM4R	Negative Luminol <u>Other Tests Performed</u> Presumable epithelia. No presumptive test for presumable epithelia.	Pos.\Ind. Brentamine	Not Tested No presumptive test for saliva
YVR63M	Negative Hemastix Luminol	Pos.\Ind. Brentamine	Not Tested
YWNJPF	Negative Negative	Pos.\Ind. AP Micro P-30	Negative Amylase Diffusion
YX6TN8	Not Tested No staining visible. No tests performed.	Pos.\Ind. AP Micro	Negative Phadebas paper

Table 1 - Item 4

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ZUGMGW	Negative Visual	Pos.\Ind. ALS AP p30 Microscopic	Not Tested

Response Summary for Table 1 - Item 4

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	1	206	1
Negative	138	0	124
Inconclusive	1	0	0
Not Tested (NT)	71	11	80

Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
24XQ22	Pos.\Ind. KM Luminol	Pos.\Ind. AP Micro PSA	Negative RSID Saliva
2HWV9D	Pos.\Ind. O-tol	Pos.\Ind. AP Micro	Negative RSID Saliva
2JCY36	Pos.\Ind. pheno	Pos.\Ind. ALS AP micro	Negative RSID
2KK86X	Pos.\Ind. KM	Pos.\Ind. AP Micro	Not Tested Semen present
2R8ZJH	Pos.\Ind. Luminol <u>Other Tests Performed</u> Check for visible hair	Brentamine	Not Tested Not part of our routine tests
2TG8H6	Pos.\Ind. Phenolphthalein HemaTrace <u>Other Tests Performed</u> Semen/saliva - ALS	Pos.\Ind. Acid Phosphatase Christmas Tree Stain	Negative RSID-Saliva
2UAV3K	Pos.\Ind. H.stix <u>Other Tests Performed</u> Hair - Visual inspection	Pos.\Ind. Brentamine	Not Tested We do not have a presumptive test for saliva.
3AJ4FU	Pos.\Ind. KM	Pos.\Ind. Micro ALS	Not Tested Saliva testing not available.

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
3JQPKM	Pos.\Ind. ALS KM Heme-Stix	Negative ALS AP	Negative ALS SALlgAE
3LEEQL	Pos.\Ind. Hemastix (stain 1) Luminol (rest of exhibit)	Pos.\Ind. AP (Brentamine)	Not Tested
3NMATD	Pos.\Ind. KM HT	Pos.\Ind. AP P30 Micro Sperm ALS	Negative ARD Micro NEC
3UMPFZ	Pos.\Ind. KM	Pos.\Ind. AP PSA Micro	Not Tested Case facts indicate a sexual assault; this item tested positive for semen.
3V3BP2	Pos.\Ind. KM Hematrace	Pos.\Ind. ALS AP Micro	Negative ALS RSID - saliva
3VZG9G	Pos.\Ind. Luminol	Pos.\Ind. Brentamine	Not Tested Test not available at Biology EC
42H9XL	Pos.\Ind. PTMB Seratec HemDirect	Pos.\Ind. AP Seratec PSA Semiquant Micro	Negative Seratec Amylase
489NK8	Pos.\Ind. Visual Exam KM HemaTrace	Pos.\Ind. Visual Exam ALS AP Micro	Negative RSID ALS
4947L9	Pos.\Ind. KM Modified Takayama HemaTrace	Pos.\Ind. AP Micro	Negative Phadebas Amylase

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4EVE73	Pos.\Ind. KM <u>Other Tests Performed</u> ALS	Pos.\Ind. AP Micro	Not Tested
4FPYZU	Pos.\Ind. KM Hexagon OBTI	Pos.\Ind. AP RSID-Semen PSA	Not Tested
4KVTUP	Pos.\Ind. KM	Pos.\Ind. AP Micro	Not Tested NT since KM and AP positive sample would be taken on to DNA
4LPEMG	Pos.\Ind. O-tol HemaTrace	Pos.\Ind. AP PSA Micro (sperm) ALS	Negative Amylase (ND) Micro (NECs)
4LR942	Pos.\Ind. KM	Pos.\Ind. ALS AP Micro PSA	Negative ALS RSID
4M6ZWH	Pos.\Ind. Luminol <u>Other Tests Performed</u> Visual inspection of possible hair	Pos.\Ind. Brentamine	Not Tested There is no presumptive test done at the laboratory for saliva.
4QNR9K	Pos.\Ind. O-Tolidine HemDirect	Pos.\Ind. Acid Phosphatase PSA	Negative Amylase Diffusion
4U8RNZ	Pos.\Ind. Hemastix HemaTrace <u>Other Tests Performed</u> ALS	Pos.\Ind. AP Micro PSA	Negative RSID

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4UHRHA	Pos.\Ind. KM Modified Takayama	Pos.\Ind. AP Micro	Negative Phadebas
4ULB9X	Pos.\Ind. KM	Pos.\Ind. AP Micro	Not Tested semen pos
66YXU4	Pos.\Ind. LMG HemaTrace Visual	Pos.\Ind. AP P30 Micro ALS	Negative RSID
6CYCHQ	Pos.\Ind. KM	Pos.\Ind. Micro ALS	Not Tested
6DUXBG	Pos.\Ind. Hstix <u>Other Tests Performed</u> Visual hair inspection	Pos.\Ind. Acid Phosphatase	Not Tested No presumptive test
6KQVWY	Pos.\Ind. Hemastix HemaTrace <u>Other Tests Performed</u> ALS	Pos.\Ind. AP PSA Micro	Negative RSID - Saliva
6L9HVG	Pos.\Ind. Hstix <u>Other Tests Performed</u> Possible Hair (visual inspection)	Pos.\Ind. Brentamine (Acid Phosp)	Not Tested No presumptive test for saliva - also not done in routine casework.
6LKGPP	Pos.\Ind. Occult blood Rapid Test (Cassette immuno- chromatographic[sic])	Pos.\Ind. Micro (Christmas Tree)	
6NP7RY	Pos.\Ind. Hemastix, Hematrace	Pos.\Ind. AP, Micro, PSA	Negative RSID

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
6QJVCF	Pos.\Ind. Hemastix	Pos.\Ind. Brentamine	
6Y9NK7	Pos.\Ind. KM Hexagon OBTI BlueStar	Pos.\Ind. AP Seratec PSA Semiquant	Negative Phadebas paper
6Z7WTP	Pos.\Ind. Hematrace	Pos.\Ind. Micro (Christmas Tree)	
7GMEZG	Pos.\Ind. H-stix <u>Other Tests Performed</u> Hair - Visual inspection	Pos.\Ind. Brentamine	Not Tested No presumptive test for saliva
7PXQ8L	Pos.\Ind. Benzidine Heme Kit	Pos.\Ind. AP PSA Micro	Not Tested
7W3HKQ	Pos.\Ind. LMG HemaTrace	Pos.\Ind. ALS AP PSA Micro	Not Tested
7XW4DG	Pos.\Ind. H-stix <u>Other Tests Performed</u> Hair - Visual Inspection	Pos.\Ind. Brentamine	
8FRWYE	Pos.\Ind. Hemastix Luminol (rest of underwear)	Pos.\Ind. Brentamine ALS	Not Tested No presumptive test at lab.
8GP9H2	Pos.\Ind. KM <u>Other Tests Performed</u> ALS	Pos.\Ind. AP Micro	Not Tested location of stain

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
8JUWYC	Pos.\Ind. Luminol	Pos.\Ind. Brentamine	
8Z4WU2	Pos.\Ind. KM ABACard HemaTrace	Pos.\Ind. AP P30	Negative Phadebas
98WFMF	Pos.\Ind. Visual search Spot KM KM screen of remaining areas <u>Other Tests Performed</u> Faeces - Visual search only	Pos.\Ind. AP screen of phadebas paper AP screen Slide prepared	Negative Phadebas screen
9GJEDL	Pos.\Ind. KM Hexagon OBTI	Pos.\Ind. AP RSID-Semen PSA	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested
9HEWFM	Pos.\Ind. Thevenon-Roland (Piramidón) Rapid Signal Occult Blood Cassette	Pos.\Ind. Christmas tree stain	Not Tested
9LCKNG	Pos.\Ind. LMG	Pos.\Ind. AP Micro	Negative Phadebas
9PEEQT	Pos.\Ind. KM Luminol	Pos.\Ind. AP Micro	Not Tested not required per case information
9QAWRU	Pos.\Ind. KM	Pos.\Ind. AP Micro	Negative RSID - Saliva
9QLWNN	Pos.\Ind. KM Hexagon OBTI	Pos.\Ind. AP RSID-Semen PSA	Not Tested Laboratory only routinely examines for blood and semen in sexual assault cases

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
9YGUDC	Pos.\Ind. Hem Lum <u>Other Tests Performed</u> Semen - Polilight	Pos.\Ind. Brent	Not Tested
9ZCE3W	Pos.\Ind. Hemastix, Hematrace <u>Other Tests Performed</u> ALS	Pos.\Ind. AP, PSA, Micro	Negative RSID
9ZD826	Pos.\Ind. LMG HemaTrace	Pos.\Ind. ALS AP Micro p30 AP mapping	Negative Amylase diffusion Amylase mapping
9ZWYAP	Pos.\Ind. KM Hexagon OBTI	Pos.\Ind. AP RSID-Semen PSA	Not Tested Sexual assault case exhibit routinely tested for blood and semen. Not tested for saliva unless specified.
AAHEF6	Pos.\Ind. LMG hematrace	Pos.\Ind. AP PSA Micro ALS	Negative amylase diffusion
ABP2P3	Pos.\Ind. KM (swabbing) Micro (modified Takayama, cutting)	Pos.\Ind. Seri AP (cutting) Micro (Christmas Tree Stain, extract from cutting)	Negative Amylase (Phadebas tablet, micro, cutting)
ACG6CH	Pos.\Ind. LMG RSID-Blood <u>Other Tests Performed</u> Urine - RSID-Urine	Pos.\Ind. AP RSID-Semen	Negative RSID-Saliva
AFJXEU	Pos.\Ind. KM	Pos.\Ind. AP Micro ALS**	Negative RSID ALS**

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
AGEGFV	Pos.\Ind. KM	Pos.\Ind. ALS AP Micro	Negative ALS
AHCMYA	Pos.\Ind. PHTH	Pos.\Ind. ALS BCIP P30 MICRO	Negative ALS PHADEBAS
AQ6ZWP	Pos.\Ind. Hemastix	Pos.\Ind. AP Micro	Negative RSID Saliva
AY3HLY	Pos.\Ind. KM HemaTrace	Pos.\Ind. AP ABACard p30 Micro	Negative Phadebas
B3RQWJ	Pos.\Ind. Immuno- chromatographic[sic] test (occult blood)	Pos.\Ind. Christman[sic] tree coloring	Not Tested
B3TLFP	Pos.\Ind. Phenolphthalein	Pos.\Ind. AP Micro	Not Tested Not tested due to positive AP and Micro results
B8KNLA	Pos.\Ind. H-six <u>Other Tests Performed</u> Hair	Pos.\Ind. Brent	
BGTZ3D	Pos.\Ind. luminol BBlueStar Hexagon OBTI Test	Pos.\Ind. AP RSID Semen Seratec Semiquant PSA Micro	Negative Phadebas
BGVUJY	Pos.\Ind. Visual LMG HemaTrace	Pos.\Ind. ALS AP P30 (ABA card) Micro	Negative RSID-Saliva

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
BJF2K7	Pos.\Ind. LMG HemaTrace	Pos.\Ind. AP Micro	Negative Amylase Diffusion
BRDK9V	Pos.\Ind. KM	Pos.\Ind. AP Micro	Negative Phadebas paper
BYFG7A	Lum	Pos.\Ind. Brentamine	
BYGDG7	Pos.\Ind. KM	Pos.\Ind. BCIP Micro	Not Tested did not test per scenario
C2W63R	Pos.\Ind. KM HemaTrace	Pos.\Ind. AP PSA micro ALS	Negative RSID Amylase ALS
C8YE8Y	Pos.\Ind. O-tol HemaTrace	Pos.\Ind. ALS AP Micro	Not Tested Oral contact not likely, not indicated in scenario.
C8YJFG	Pos.\Ind. KM <u>Other Tests Performed</u> ALS	Pos.\Ind. AP Micro	Negative Amy
C9B9R7	Pos.\Ind. Luminol	Pos.\Ind. Brentamine	
CA8RP2	Pos.\Ind. KM Modified Takayama	Pos.\Ind. AP Micro	Negative Phadebas

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
CGAK2G	Pos.\Ind. KM	Pos.\Ind. ALS AP MICRO	Negative AMYLASE
CJNXE	Pos.\Ind. Hemastix	Pos.\Ind. Brentamine	Not Tested No specific method for presumptive testing but possible epithelial cells collected at high skin contact area.
CPKZUB	Pos.\Ind. Luminol <u>Other Tests Performed</u> Presumable epithelial material	Pos.\Ind. Brentamine	Not Tested Saliva test not done at our lab
CPLUBV	Pos.\Ind. KM <u>Other Tests Performed</u> ALS	Pos.\Ind. AP Micro	Negative RSID
CV7VTU	Pos.\Ind. KM HemaTrace	Pos.\Ind. ALS AP Micro PSA	Negative ALS RSID-Saliva
CV9KYC	KM	AP Micro	Phadebas tube test
DCRXNN	Pos.\Ind. KM	Pos.\Ind. AP Micro	Negative RSID saliva
DDMGQP	Pos.\Ind. KM Hemastix	Pos.\Ind. AP Micro Seratec PSA	Negative RSID Saliva

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
DFUYPK	Pos.\Ind. KM	Pos.\Ind. AP Seratec PSA ABA P30 Micro	Not Tested not indicated
DLEWFT	Pos.\Ind. TMB Hematrace <u>Other Tests Performed</u> BFI Screening - ALS	Pos.\Ind. AP Micro	Negative RSID
DMAFGV	Pos.\Ind. KM <u>Other Tests Performed</u> Alternate Light Source	Pos.\Ind. Acid Phosphatase Microscopic	Negative RSID-Saliva
DN9KZA	Pos.\Ind. Luminol <u>Other Tests Performed</u> Hair - Physical examination	Pos.\Ind. Brentamine	Not Tested No presumptive test done
DV7EU3	Pos.\Ind. Hemastix HemaTrace	Pos.\Ind. AP PSA Micro	Negative Amylase Radial Diffusion Micro
E4DCFK	Pos.\Ind. KM Hematrace	Pos.\Ind. AP PSA Micro	Not Tested scenario did not support the need to test for saliva
E4UMV4	Pos.\Ind. Luminol <u>Other Tests Performed</u> Hair	Pos.\Ind. Brentamine	Not Tested
E8Y4EU	Pos.\Ind. KM HemaTrace	Pos.\Ind. AP ABAcad p30 Micro	Negative Phadebas
ED6MRZ	Pos.\Ind. O-tol	Pos.\Ind. AP Micro	Negative RSID

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
EKKJHT	Pos.\Ind. Hemastix	Pos.\Ind. ALS AP Micro	Negative Phadebas
ELF3KU	Pos.\Ind. Hemochromogen	Pos.\Ind. AP Micro	Not Tested
ELYVB7	Luminol	Brentamine	Not performed by our laboratory.
ELZRK2	Pos.\Ind. VISUAL MICRO KM	Pos.\Ind. ALS AP X-MAS	Negative AMYLASE
EM96ZH	Pos.\Ind. KM HEXAGON OBTI	Pos.\Ind. AP RSID PSA	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.
ERZ9R2	Pos.\Ind. LMG HemaTrace	Pos.\Ind. AP PSA Micro	Negative Amylase Radial Diffusion Micro
EZBBD3	Pos.\Ind. KM Hematrace	Pos.\Ind. AP Micro-Sperm	Not Tested Since stain was positive for blood and semen, no saliva testing performed per normal casework procedures
F8TA9T	Pos.\Ind. Hemochromogen Hemastix <u>Other Tests Performed</u> Mini Crime Scene Scope LSV Camera	Pos.\Ind. AP Micro	Not Tested

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
FE8632	Pos.\Ind. ALS LMG Hematrace	Pos.\Ind. ALS AP Micro AP Mapping	Negative Amylase Diffusion Phaedebas [sic] Paper- Amylase Mapping
FJ7LFV	Pos.\Ind. Hemastix HemaTrace Oblique Lighting ALS	Pos.\Ind. AP Micro ALS	Negative Amylase Radial Diffusion
FM386D	Pos.\Ind. o-tol HemaTrace Card	Pos.\Ind. ALS AP PSA	Not Tested
FMLXEX	Pos.\Ind. KM mod Taka	Pos.\Ind. AP Micro	Negative Phadebas Amylase
G8M9XQ	Pos.\Ind. Hemastix HemaTrace KM	Pos.\Ind. AP PSA Micro	Negative RSID
GB8FYY	Pos.\Ind. Micro KM	Pos.\Ind. ALS AP Micro	Negative Amylase
GCG7MH	Pos.\Ind. KM	Pos.\Ind. AP PSA Micro	Not Tested Item examined under ALS - one area of fluorescence that was AP positive, PSA positive, and Micro positive
GDENCQ	Pos.\Ind. TMB	Pos.\Ind. MICRO	Negative PHADEBAS

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GDT3RM	Pos.\Ind. KM HemaTrace	Pos.\Ind. ALS AP Micro	Negative ALS RSID
GJHHKZ	Pos.\Ind. Micro KM	Pos.\Ind. ALS FBB Micro	Negative ALS Amylase
GKDZM2	Pos.\Ind. LMG	Pos.\Ind. ALS AP Micro PSA	Negative Amylase diffusion
GMJLB2	Pos.\Ind. Luminol	Pos.\Ind. Brentamine	
GQEE4W	Pos.\Ind. Visual KM HemaTrace	Pos.\Ind. ALS AP Micro	Negative ALS RSID-Saliva
H2Q9QA	Pos.\Ind. KM	Pos.\Ind. AP Micro	Not Tested
H3LRRB	Pos.\Ind. ABA Card Hematrace	Pos.\Ind. ABA Card P30	Negative SALigAE
H44MQP	Pos.\Ind. TMB HemaTrace	Pos.\Ind. ALS Acid Phosphatase Microscopy	Not Tested Story indicated assault/sexual assault. ALS inc corresponded to the AP pos area
H6XLFN	Pos.\Ind. KM HemaTrace <u>Other Tests Performed</u> Semen/Saliva - ALS	Pos.\Ind. AP Micro	Negative RSID

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
H74DMX	Pos.\Ind. KM Hematrace	Pos.\Ind. AP PSA Micro ALS	Negative RSID
HTLW3R	Pos.\Ind. KM Takayama Hematrace	Pos.\Ind. AP Micro (Xmas)	Negative Amylase
HYQTLR	Pos.\Ind. TMB Hematrace <u>Other Tests Performed</u> Alternate light source	Pos.\Ind. AP Micro	Negative RSID
HZN2WW	Pos.\Ind. LMG	Pos.\Ind. ALS AP Micro	Negative Amylase Diffusion
J7MACN	Pos.\Ind. Hemastix positive HemaTrace positive	Pos.\Ind. Acid Phosphatase PSA Microscopic Examination	Negative RSID
J9DZ9N	Pos.\Ind. TMB HemaTrace Luminol	Pos.\Ind. AP PSA Micro	Not Tested
JCDB6N	Pos.\Ind. Hemastix Hematrace <u>Other Tests Performed</u> Polilight	Pos.\Ind. AP Microscopy - Xmas tree stain	Negative RSID
JKNMA9	Pos.\Ind. Thevenon-Roland (Piramidón) Occult Blood card test (organics)	Pos.\Ind. Micro (Christmas Tree) Human semen RSID	Not Tested

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
JLK3JK	Pos.\Ind. KM Luminol	Pos.\Ind. AP Micro	Negative RSID Saliva
JPYWZG	Pos.\Ind. Hemastix	Pos.\Ind. AP Micro PSA	Not Tested semen was detected, which is more probative to case
JQTH9	KM	Not Tested	Phadebas
JVMFHY	Pos.\Ind. Luminol	Pos.\Ind. Brentamine	Not Tested
K266GY	Pos.\Ind. Luminol	Pos.\Ind. Brentamine	Not Tested
K9P7XC	Pos.\Ind. KM	Pos.\Ind. Micro P30 ALS	Not Tested
KALNYD	Pos.\Ind. Hemastix	Pos.\Ind. AP P30 ALS	Not Tested
KCR7XA	Pos.\Ind. KM Hexagon OBTI	Pos.\Ind. AP RSID-Semen PSA	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.
KHD4NH	Pos.\Ind. Phenolphthalein	Pos.\Ind. AP Microscopic	Negative RSID ALS

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
KPVPBU	Pos.\Ind. LMG HemaTrace	Pos.\Ind. ALS AP Micro PSA	Negative Amylase Diffusion
KX7RWV	Pos.\Ind. LMG hematrace	Pos.\Ind. ALS AP micro AP Mapping	Negative amylase diffusion amylase mapping
L2KN2W	Pos.\Ind. O-tol	Pos.\Ind. AP ALS	Not Tested Not trained to perform this test
LAGNCJ	Pos.\Ind. Hemastix HemaTrace <u>Other Tests Performed</u> ALS	Pos.\Ind. AP MICRO P30	Negative RSID-Saliva
LBBCWY	Negative Luminol Test	Pos.\Ind. Brentamine Test	Not Tested
LH97QR	Pos.\Ind. KM Modified Takayama	Pos.\Ind. AP PSA Micro	Negative Phadebas
LM4VB6	Pos.\Ind. TMB HemaTrace	Pos.\Ind. AP PSA Micro	Negative Amylase Radial Diffusion
LMHJ9P	Pos.\Ind. KM Hematrace	Pos.\Ind. AP PSA Micro	Negative Phadebas

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LNFPQ6	Pos.\Ind. TMB HemaTrace	Pos.\Ind. AP PSA Microscopic	Negative Amylase radial diffusion
LPC9T7	Pos.\Ind. KM	Pos.\Ind. AP PSA Micro	Negative RSID
LTAP6Z	Pos.\Ind. Luminol	Pos.\Ind. Bentamine[sic]	Not Tested Not performed at the laboratory
LUKDK7	Pos.\Ind. KM HemaTrace	Pos.\Ind. AP Micro	Negative Phadebas
LZUPLD	Pos.\Ind. KM luminol	Pos.\Ind. AP micro	Not Tested semen and blood found, no allegation to saliva
M2JDJY	Pos.\Ind. Hem (stain 1) Lum (the rest of the underwear)	Pos.\Ind. Brent	Not Tested
M79Y47	Pos.\Ind. Visual LMG ALS	Pos.\Ind. Visual ALS AP	Not Tested
M7UNBT	Pos.\Ind. Micro KM	Pos.\Ind. AP Micro ALS	Negative Amylase
MAAWX8	Pos.\Ind. Human Blood	Pos.\Ind. Micro (Christmas Tree)	Not Tested Our Laboratory dont perform test to identify saliva

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
MJXRWM	Pos.\Ind. KM HemaTrace <u>Other Tests Performed</u> ALS	Pos.\Ind. AP Micro	Negative Phadebas
MYCZXQ	Pos.\Ind. Visual KM Hematrace	Pos.\Ind. Acid phosphatase Micro ALS	Negative RSID Saliva ALS
NP4RN6	Pos.\Ind. RSID-Blood	Pos.\Ind. RSID-Semen	Negative RSID-Saliva
P2VUNC	Pos.\Ind. KM Luminol <u>Other Tests Performed</u> ALS	Pos.\Ind. AP PSA Micro	Not Tested Extraction type for DNA sample determined by semen testing results
P362R6	Pos.\Ind. Occult Blood Rapid Signal	Pos.\Ind. Micro (Christmas Tree)	Not Tested
PALC3K	Pos.\Ind. KM HemaTrace <u>Other Tests Performed</u> ALS	Pos.\Ind. AP PSA Micro	Negative RSID Phadebas
PEG7ZL	Pos.\Ind. Visual HemaTrace	Pos.\Ind. ALS p30	Not Tested
PGNNYG	Pos.\Ind. TMB HemaTrace <u>Other Tests Performed</u> Biological Material-ALS	Pos.\Ind. AP Micro	Negative RSID Saliva
PJUZ7J	Pos.\Ind. KM ABAcad-HemaTrace	Pos.\Ind. AP ABAcad-p30 Micro	Negative Phadebas

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
Q2N2AZ	Pos.\Ind. TMB HemaTrace	Pos.\Ind. AP PSA Micro	Negative Amylase
Q2QWQL	Pos.\Ind. KM Hematrace	Pos.\Ind. AP Micro PSA	Negative Phadebas
Q3KHKC	Pos.\Ind. KM	Pos.\Ind. AP Micro	Not Tested Not indicated
Q6ND7Z	Pos.\Ind. Thevenon-Roland Piramidon Occult Blood Cassette	Pos.\Ind. Micro (Christmas Tree) RSID Semen	
Q6P8ML	Pos.\Ind. KM HEMA	Pos.\Ind. AP PSA Micro	Negative Phadebas
Q9PD7X	Negative KM	Pos.\Ind. AP Micro	Negative Phadebas paper screen
QTUY74	Pos.\Ind. Occult Blood Cassette	Pos.\Ind. Micro (Christmas Tree)	Not Tested
QTXJVR	Pos.\Ind. Luminol	Pos.\Ind. Brentamine	
RE7EYF	Pos.\Ind. Hemastix KM HemaTrace	Pos.\Ind. AP PSA Micro	Negative RSID-Saliva
RERMCCQ	Pos.\Ind. LMG HemaTrace	Pos.\Ind. ALS AP Micro	Negative Amylase Diffusion

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
REVAPX	Pos.\Ind. Hemastix (stain 1) Luminol (the rest of the black underwear) for optimal testing	Pos.\Ind. Brentamine (Alternate light source used)	Not Tested No presumptive test done at our laboratory
RJ24JT	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Visual inspection hair: negative	Pos.\Ind. Brentamine (Acid Phosphatase)	Not Tested No presumptive test for saliva
RTD3D4	Pos.\Ind. KM	Pos.\Ind. ALS Micro	Not Tested
RTTLX2	Pos.\Ind. KM HemaTrace	Pos.\Ind. AP Micro	Not Tested I am not trained in saliva identification.
RWRWU2	Pos.\Ind. KM Hexagon OBTI	Pos.\Ind. AP RSID-Semen PSA	Not Tested Sexual assault case exhibits routinely test for blood and semen. Not tested for saliva unless specified.
RXMFV3	Pos.\Ind. Rapid Signal Occult Blood Thevenon-Roland (Piramidón)	Pos.\Ind. Micro (Christmas Tree) RSID	
T887XL	Pos.\Ind. LMG HemaTrace	Pos.\Ind. ALS AP Micro PSA	Negative Amylase Diffusion
TKDZQJ	Pos.\Ind. LMG HemaTrace ALS	Pos.\Ind. AP Micro PSA ALS	Negative Amylase radial diffusion Micro

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
TMFAAZ	Pos.\Ind. KM	Pos.\Ind. ALS (very faint fluorescence) AP Overlay Microscopy	Negative Radial Diffusion
TXEXAA	Pos.\Ind. KM Luminol	Pos.\Ind. AP PSA (Abacus) Micro	Negative RSID
U6EFKF	Pos.\Ind. Visual LMG HemaTrace	Pos.\Ind. ALS AP ABA p30 Micro	Negative ALS RSID
U7AXMG	Pos.\Ind. Tetramethylbenzidine HemaTrace <u>Other Tests Performed</u> Semen/Saliva - Alternate Light Source	Pos.\Ind. Acid Phosphatase Microscopic exam	Negative RSID-Saliva
U7DK4U	Pos.\Ind. o-tol Hexagon OBTI	Inconclusive ALS AP	Not Tested our lab does not test for saliva
UCDZPV	Pos.\Ind. (ALS used) Hemastix Luminol	Pos.\Ind. Brentamine (ALS used)	Not Tested
UMDRUF	Pos.\Ind. Visual HemaTrace	Pos.\Ind. ALS p30	Not Tested
UVNYNX	Pos.\Ind. KM Hemoglobin Immunochromatography	Pos.\Ind. AP PSA Micro	Negative Phadebas Amylase Test
V37VZC	Pos.\Ind. KM HemaTrace	Pos.\Ind. AP Micro ABAcad P30	Negative Phadebas

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
V76ZRB	Pos.\Ind. KM Luminol HemaTrace <u>Other Tests Performed</u> semen/saliva -- ALS	Pos.\Ind. AP Micro	Negative RSID
V7LEWZ	Pos.\Ind. KM	Pos.\Ind. Micro ALS	Not Tested
V8ZJTC	Pos.\Ind. Hemastix KM Hematrace	Pos.\Ind. AP PSA Micro	Negative RSID
VBED9A	Pos.\Ind. Phenolphthalein	Pos.\Ind. AP Micro ALS	Negative RSID ALS
VK2EPJ	Pos.\Ind. KM	Pos.\Ind. AP Micro PSA	Not Tested
VPL6FN	Pos.\Ind. Luminol	Pos.\Ind. Brentamine	
VWJY9F	Pos.\Ind. O-Tol HemaTrace	Pos.\Ind. ALS AP Micro	Not Tested Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)
VXCMUW	Pos.\Ind. KM SERATEC Hemoglobin <u>Other Tests Performed</u> ALS	Pos.\Ind. AP Micro PSA	Negative Phadebas Amylase RSID Amylase

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
VXPG8C	Pos.\Ind. Hemastix KM HemaTrace <u>Other Tests Performed</u> ALS	Pos.\Ind. AP PSA Micro	Negative RSID
VXWHHD	Pos.\Ind. Hemochromogen	Pos.\Ind. AP Micro	Not Tested
W3KN7E	Pos.\Ind. O-tol	Pos.\Ind. AP Micro	Not Tested Case scenario does not indicate any oral contact on underwear.
WDLV87	Pos.\Ind. KM <u>Other Tests Performed</u> ALS	Pos.\Ind. AP Micro	Negative RSID
WGW7XE	Pos.\Ind. Visual KM HemaTrace	Pos.\Ind. ALS AP Micro	Negative ALS RSID
WPR7ER	Pos.\Ind. Hemastix Luminol (rest of black underwear)	Pos.\Ind. Brentamine ALS	Not Tested No test for saliva at this lab.
WQNK2K	Pos.\Ind. LMG HemaTrace	Pos.\Ind. ALS AP Micro AP Mapping	Negative Amylase Diffusion Amylase Mapping
WX9KFC	KM HemaTrace	AP Micro ALS	RSID

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
WYHPTZ	Pos.\Ind. KM Bluestar Hexagon OBTI	Pos.\Ind. AP RSID-Semen SERATEC PSA Semiquant	Not Tested Laboratory only routinely test for blood and semen in sexual assault cases. Saliva test done only when specified by client.
X2NEVA	Pos.\Ind. KM Hematrace <u>Other Tests Performed</u> Luminol (for blood) ALS (body fluids that fluoresce[sic], ie semen, saliva)	Pos.\Ind. AP Micro	Negative RSID Saliva
X4PFV7	Pos.\Ind. Hemastix KM HemaTrace <u>Other Tests Performed</u> ALS	Pos.\Ind. AP PSA Micro	Negative RSID
X6K2PX	Pos.\Ind. Immuno- chromatografic[sic] for human blood	Pos.\Ind. Christmas tree stain	Not Tested Our laboratory not included in the portafolio[sic] of service testing for the presence of saliva
XAVCE7	Pos.\Ind. KM	Pos.\Ind. ALS AP Micro	Negative ALS-no dilute staining
XNXLL2	Pos.\Ind. KM Luminol	Pos.\Ind. AP micro	Negative RSID Saliva
XXN4ZA	Pos.\Ind. KM HemaTrace <u>Other Tests Performed</u> ALS	Pos.\Ind. AP Micro	Negative RSID
YPQT7P	Pos.\Ind. KM Hexagon OBTI (Human Origin)	Pos.\Ind. Brentamine (AP) solution Microscopy (Sperm Search)	Negative Phadebas

Table 1 - Item 5

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
YRRYJB	Pos.\Ind. KM HemaTrace	Pos.\Ind. ALS AP PSA Micro	Negative Phadebas Press Test
YULM4R	Pos.\Ind. Hemastix Luminol (rest of underwear) <u>Other Tests Performed</u> Presumable epithelia. No presumptive testing	Pos.\Ind. Brentamine Polilight	Not Tested No presumptive tests for saliva
YVR63M	Pos.\Ind. Hemastix Luminol (The rest of the underwear)	Pos.\Ind. Brentamine	Not Tested
YWNJPF	Pos.\Ind. LMG Hematrace	Pos.\Ind. ALS AP Micro P-30	Negative Amylase Diffusion
YX6TN8	Pos.\Ind. KM Hematrace	Pos.\Ind. AP Micro	Negative Phadebas paper
ZUGMGW	Pos.\Ind. Visual Phenolphthalein Hematrace	Pos.\Ind. ALS AP p30 Microscopic	Not Tested

Response Summary for Table 1 - Item 5

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	213	213	0
Negative	2	1	120
Inconclusive	0	1	0
Not Tested (NT)	0	1	83

Screening Conclusions & Test(s) Performed

Indicate the overall conclusion from the results of the screening tests performed.

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
24XQ22	Pos.\Ind. KM Luminol	Not Tested Per scenario details and the results of other items, this item was not tested for semen at this time.	Negative RSID Saliva
2HWV9D	Pos.\Ind. O-tol	Negative AP Micro	Negative RSID Saliva
2JCY36	Pos.\Ind. KM	Negative AP PSA	Negative RSID
2KK86X	Pos.\Ind. KM	Negative AP	Not Tested Blood present
2R8ZJH	Pos.\Ind. H/stix <u>Other Tests Performed</u> Collected poss. - high-friction Check for visible hair	Not Tested No evidential value	Not Tested Not part of routine tests.
2TG8H6	Pos.\Ind. Phenolphthalein HemaTrace <u>Other Tests Performed</u> Semen/Saliva - ALS	Negative Acid Phosphatase	Negative RSID-Saliva
2UAV3K	Pos.\Ind. H.stix <u>Other Tests Performed</u> Skin cells - High friction	Not Tested Brentamine	Not Tested We do not have a presumptive test for saliva.
3AJ4FU	Pos.\Ind. KM	Negative Micro P30 ALS	Not Tested Saliva testing not available.

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
3JQPKM	Pos.\Ind. ALS KM Heme-Stix	Negative ALS AP	Negative ALS SALlgAE
3LEEQL	Pos.\Ind. Hemastix	Negative AP (Brentamine)	Not Tested
3NMATD	Pos.\Ind. KM HT	Negative AP P30 Micro Sperm ALS	Negative ARD Micro NEC
3UMPFZ	Pos.\Ind. KM	Negative AP	Not Tested A positive RSID result would not affect how this sample is extracted. Case facts indicate a sexual assault and other items tested positive for semen.
3V3BP2	Pos.\Ind. KM Hematrace	Negative ALS AP Micro PSA	Negative ALS RSID - saliva
3VZG9G	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presumable skin cells - removed	Not Tested Semen will not have evidential value on exhibit belonging to suspect.	Not Tested Test not available at Biology EC.
42H9XL	Pos.\Ind. PTMB Seratec HemDirect	Negative AP Seratec PSA Semiquant	Negative Seratec Amylase
489NK8	Pos.\Ind. Visual Exam KM HemaTrace	Negative ALS AP	Negative RSID ALS

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4947L9	Pos.\Ind. KM Modified Takayama HemaTrace	Negative AP	Negative Phadebas Amylase
4EVE73	Pos.\Ind. KM <u>Other Tests Performed</u> ALS	Not Tested	Not Tested
4FPYZU	Pos.\Ind. KM Hexagon OBTI	Negative AP	Not Tested
4KVTUP	Pos.\Ind. KM	Not Tested NT based on scenario and how we approach casework	Not Tested NT based on scenario and how we approach casework
4LPEMG	Pos.\Ind. O-tol HemaTrace	Negative AP Micro (sperm) ALS	Negative Amylase (ND) Micro (NECs)
4LR942	Pos.\Ind. KM	Negative ALS AP PSA	Negative ALS RSID
4M6ZWH	Pos.\Ind. H/stix <u>Other Tests Performed</u> Presumed epithelia cells removed (swab optimally collected) Visual inspection of possible hair	Not Tested	Not Tested There is no presumptive test done at the laboratory for saliva
4QNR9K	Pos.\Ind. O-Tolidine HemDirect	Negative Acid Phosphatase PSA	Negative Amylase Diffusion
4U8RNZ	Pos.\Ind. Hemastix HemaTrace <u>Other Tests Performed</u> ALS	Negative AP Micro PSA	Negative RSID

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
4UHRHA	Pos.\Ind. KM Modified Takayama	Negative AP	Negative Phadebas
4ULB9X	Pos.\Ind. KM	Not Tested ALS neg	Not Tested ALS neg
66YXU4	Pos.\Ind. LMG HemaTrace Visual	Negative AP P30 Micro ALS	Negative RSID
6CYCHQ	Pos.\Ind. KM	Negative ALS Micro	Not Tested
6DUXBG	Pos.\Ind. Hstix <u>Other Tests Performed</u> Epithelial cells Visual hair inspection	Negative Acid Phospatase[sic]	Not Tested No presumptive test
6KQVWY	Pos.\Ind. Hemastix HemaTrace <u>Other Tests Performed</u> ALS	Not Tested No semen testing because ALS negative ...	Not Tested No saliva testing because ALS negative ...
6L9HVG	Pos.\Ind. Hstix <u>Other Tests Performed</u> High skin contact areas - no presumptive test Hair - visual[sic] inspection	Negative Brentamine (Acid Phosphatase)	Not Tested No presumptive test. Also not done in routine casework.
6LKGPP	Pos.\Ind. Occult blood Rapid Test (Cassette) immuno- chromatographic[sic]	Negative Micro (Christmas Tree) RSID TM- semen. Semenogelina[sic]	
6NP7RY	Pos.\Ind. Hemastix, Hematrace <u>Other Tests Performed</u> ALS	Negative AP, Micro, PSA	Negative RSID

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
6QJVCF	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presumable sweat was removed. There is no presumptive test for epithelial cells.	Negative Brentamine (see notes)	
6Y9NK7	Pos.\Ind. KM Hexagon OBTI	Negative AP	Negative Phadebas paper
6Z7WTP	Pos.\Ind. Hematrace	Negative Micro (Christmas Tree) Semenogelina[sic] RSID	
7GMEZG	Pos.\Ind. H-stix <u>Other Tests Performed</u> Skin cells - Possible high friction	Negative Brentamine	Not Tested No presumptive test for saliva
7PXQ8L	Pos.\Ind. Benzidine Heme Kit	Negative AP PSA Micro	Not Tested
7W3HKQ	Pos.\Ind. LMG HemaTrace	Negative ALS AP PSA Micro	Not Tested
7XW4DG	Pos.\Ind. H-stix <u>Other Tests Performed</u> Epithelial Cells - High Friction Hair - Visual Inspection	Not Tested No evidential value	
8FRWYE	Pos.\Ind. Hemastix	Negative Brentamine ALS	Not Tested No presumptive test at lab.
8GP9H2	Pos.\Ind. KM <u>Other Tests Performed</u> ALS	Not Tested no areas of fluorescence with ALS	Not Tested no areas of fluorescence with ALS

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
8JUWYC	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presumable sweat (epithelial cells removed) (not tested) as the laboratory does not have a specific test (preliminary) for such.	Negative Brentamine	
8Z4WU2	Pos.\Ind. KM ABACard HemaTrace	Negative AP	Negative Phadebas
98WFMF	Pos.\Ind. KM spot test	Not Tested Trying to id wearer and/or source of blood. Therefore no value in finding further body fluid as expect to get a DNA profile from whats been found.	Not Tested Same rationale as for semen tests.
9GJEDL	Pos.\Ind. KM Hexagon OBTI	Negative AP	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.
9HEWFM	Pos.\Ind. Thevenon-Roland (Piramidón) Rapid Signal Occult Blood Cassette	Negative Christmas tree stain Rapid stain identification of human semen semenogelin	Not Tested
9LCKNG	Pos.\Ind. LMG	Negative AP	Negative Phadebas
9PEEQT	Pos.\Ind. KM	Negative AP	Not Tested not required per case information
9QAWRU	Pos.\Ind. KM	Negative AP	Negative RSID - Saliva
9QLWNN	Pos.\Ind. KM Hexagon OBTI	Negative AP	Not Tested Laboratory only routinely examines for blood and semen in sexual assault cases

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
9YGUDC	Pos.\Ind. Hem Lum	Negative Brent	Not Tested
9ZCE3W	Pos.\Ind. Hemastix, Hematrace <u>Other Tests Performed</u> ALS	Negative AP, PSA	Negative RSID
9ZD826	Pos.\Ind. LMG HemaTrace	Negative ALS AP Micro	Negative Amylase diffusion
9ZWYAP	Pos.\Ind. KM Hexagon OBTI	Negative AP	Not Tested Sexual assault case exhibit routinely tested for blood and semen. Not tested for saliva unless specified.
AAHEF6	Pos.\Ind. LMG hematrace	Negative AP PSA Micro	Negative amylase diffusion
ABP2P3	Pos.\Ind. KM (swabbing) Micro (modified Takayama, cutting)	Not Tested No testing performed based on case scenario.	Not Tested No testing performed based on case scenario.
ACG6CH	Pos.\Ind. LMG RSID-Blood <u>Other Tests Performed</u> Urine - RSID-Urine	Negative AP RSID-Semen	Negative RSID-Saliva
AFJXEU	Pos.\Ind. KM	Negative AP Micro ALS	Not Tested ALS (ALS was negative except for possible area of bloodstain. Saliva was not tested due to case information pertaining to item.)

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
AGEGFV	Pos.\Ind. KM	Negative ALS AP PSA	Negative ALS
AHCMYA	Pos.\Ind. PHTH	Negative ALS	Negative ALS
AQ6ZWP	Pos.\Ind. Hemastix	Negative AP	Negative RSID Saliva
AY3HLY	Pos.\Ind. KM HemaTrace	Negative AP	Negative Phadebas
B3RQWJ	Pos.\Ind. Immuno- chromatographic[sic] test (occult blood)	Negative Christman[sic] tree coloring Immuno- chromatographic[sic] Test (human Semen-RSID)	Not Tested
B3TLFP	Pos.\Ind. Phenolphthalein	Not Tested ALS negative	Not Tested ALS negative
B8KNLA	Pos.\Ind. H-stix <u>Other Tests Performed</u> Epithelial Cell - High friction was taken Hair	Negative Brent	Not Tested
BGTZ3D	Pos.\Ind. luminol BLueStar Hexagon OBTI Test	Negative AP	Negative Phadebas
BGVUJY	Pos.\Ind. Visual LMG HemaTrace	Negative ALS AP P30 (ABA card) Micro	Negative RSID-Saliva
BJF2K7	Pos.\Ind. LMG HemaTrace	Negative AP Micro	Negative Amylase Diffusion

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
BRDK9V	Pos.\Ind. KM	Negative AP	Not Tested The style of hat does not have areas i would target for saliva testing
BYFG7A	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presumable sweat	Negative Brentamine	
BYGDG7	Pos.\Ind. KM	Negative BCIP	Not Tested not tested per scenario
C2W63R	Pos.\Ind. KM HemaTrace	Negative ALS AP PSA	Not Tested Not tested because no ALS positive staining and nature of item (hat).
C8YE8Y	Pos.\Ind. O-tol HemaTrace	Negative ALS AP	Not Tested Oral contact not likely, not indicated in scenario.
C8YJFG	Pos.\Ind. KM <u>Other Tests Performed</u> ALS	Negative AP	Not Tested
C9B9R7	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presum. skin cells - Removed	Not Tested No evidential value	Not Tested Test not performed at laboraty[sic].
CA8RP2	Pos.\Ind. KM Modified Takayama	Negative AP	Negative Phadebas
CGAK2G	Pos.\Ind. KM	Negative ALS AP MICRO	Not Tested ALS PERFORMED WITH NEGATIVE RESULT

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
CJJNXE	Pos.\Ind. Hemastix	Negative Brentamine	Not Tested No specific test method for presumptive testing but possible epithelial cells collected at high skin contact area.
	<u>Other Tests Performed</u> 1x possible hair collected. No test performed but kept in the docket.		
CPKZUB	Pos.\Ind. (M/stix) Hemastix	Not Tested Not tested.	Not tested at our lab
	<u>Other Tests Performed</u> Presumable skin cells - removed		
CPLUBV	Pos.\Ind. KM	Negative AP	Negative RSID
	<u>Other Tests Performed</u> ALS		
CV7VTU	Pos.\Ind. KM HemaTrace	Negative ALS AP Micro PSA	Negative ALS RSID-Saliva
CV9KYC	KM	AP	Phadebas
DCRXNN	Pos.\Ind. KM	Negative AP	Negative RSID saliva
DDMGQP	Pos.\Ind. KM Hemastix	Negative AP	Negative RSID Saliva
DFUYPK	Pos.\Ind. KM	Negative AP	Not Tested not indicated
DLEWFT	Pos.\Ind. TMB Hematrace	Negative AP	Negative RSID
	<u>Other Tests Performed</u> BFI Screening - ALS		

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
DMAFGV	Pos.\Ind. KM <u>Other Tests Performed</u> Alternate Light Source	Negative Acid Phosphatase	Negative RSID-Saliva
DN8MPE	KM	Not Tested	Not Tested
DN9KZA	Pos.\Ind. H-stix <u>Other Tests Performed</u> Epithelial Cells - Swabs Hair - Visual Inspection	Negative Brentamine	Not Tested No presumptive test
DV7EU3	Pos.\Ind. Hemastix HemaTrace	Negative PSA Micro	Inconclusive Amylase Radial Diffusion Micro
E4DCFK	Pos.\Ind. KM Hematrace	Negative AP	Not Tested scenario did not support the need to test for saliva
E4UMV4	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Hair Presumable skin cells (not tested)	Negative Brentamine	Not Tested
E8Y4EU	Pos.\Ind. KM HemaTrace	Negative AP	Negative Phadebas
ED6MRZ	Pos.\Ind. O-tol	Negative AP Micro	Negative RSID
EKKJHT	Pos.\Ind. Hemastix	Not Tested N/A to case scenario	Not Tested N/A to case scenario
ELF3KU	Pos.\Ind. Hemochromogen	Not Tested	Not Tested

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
ELYVB7	Hemastix <u>Other Tests Performed</u> Presumable epithelia - removed from the exhibit.		Not performed by our laboratory
ELZRK2	Pos.\Ind. VISUAL MICRO KM	Negative ALS AP X-MAS	Negative AMYLASE
EM96ZH	Pos.\Ind. KM HEXAGON OBTI	Negative AP	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.
ERZ9R2	Pos.\Ind. LMG HemaTrace	Negative AP PSA Micro	Negative Amylase Radial Diffusion Micro
EZBBD3	Pos.\Ind. KM Hematrace	Negative AP PSA Micro for sperm	Not Tested Since stain was positive for blood, no saliva testing performed per normal casework procedures
F8TA9T	Pos.\Ind. Hemochromogen	Not Tested	Not Tested
FE8632	Pos.\Ind. LMG Hematrace	Negative ALS AP Micro PSA	Negative Amylase Diffusion
FJ7LFV	Pos.\Ind. Hemastix HemaTrace	Negative AP Micro P30 ALS	Negative Amylase Radial Diffusion

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
FM386D	Pos.\Ind. o-tol HemaTrace Card	Negative ALS AP PAS	Not Tested
FMLXEX	Pos.\Ind. KM mod Taka	Negative AP PSA Micro	Negative Phadebas Amylase
G8M9XQ	Pos.\Ind. Hemastix HemaTrace KM	Negative AP PSA Micro	Negative RSID
GB8FYF	Pos.\Ind. Micro KM	Negative ALS AP Micro	Inconclusive Amylase
GCG7MH	Pos.\Ind. KM	Negative AP	Not Tested Item examined with ALS but no fluorescence observed, no indicative stains observed during visual examination
GDENCQ	Pos.\Ind. TMB	Not Tested	Not Tested
GDT3RM	Pos.\Ind. KM HemaTrace	Negative ALS AP Micro PSA	Negative ALS RSID
GJHHKZ	Pos.\Ind. Micro KM	Negative ALS FBB Micro	Negative ALS Amylase

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
GKDZM2	Pos.\Ind. LMG	Negative ALS AP Micro	Negative Amylase diffusion
GMJLB2	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presumable sweat (not tested)	Negative Brentamine	
GQEE4W	Pos.\Ind. Visual KM HemaTrace	Negative ALS AP	Negative ALS RSID-Saliva
H2Q9QA	Pos.\Ind. KM	Negative AP Micro	Not Tested
H3LRRB	Pos.\Ind. ABA Card Hematrace	Negative ABA Card P30	Negative SALlgAE
H44MQP	Pos.\Ind. TMB HemaTrace	Negative Polilight Acid Phosphatase	Not Tested Story indicated assault/sexual assault. ALS neg
H6XLFN	Pos.\Ind. KM HemaTrace <u>Other Tests Performed</u> Semen/Saliva - ALS	Negative AP	Negative RSID
H74DMX	Pos.\Ind. KM Hematrace	Negative AP ALS	Negative RSID
HTLW3R	Pos.\Ind. KM Takayama Hematrace	Negative AP	Negative Amylase

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
HYQTLR	Pos.\Ind. TMB Hematrace <u>Other Tests Performed</u> Alternate light source	Negative AP	Negative RSID
HZN2WW	Pos.\Ind. LMG	Negative ALS AP	Negative Amylase Diffusion
J7MACN	Pos.\Ind. Hemastix HemaTrace <u>Other Tests Performed</u> Alternate Light Source	Not Tested ALS negative	Not Tested ALS negative
J9DZ9N	Pos.\Ind. TMB HemaTrace Luminol	Negative AP Alternative light source - polilight	Negative Phadebas paper test for amylase
JCDB6N	Pos.\Ind. Hemastix Hematrace <u>Other Tests Performed</u> Polilight	Negative AP	Negative RSID
JKNMA9	Pos.\Ind. Thevenon-Roland (Piramidón) Occult Blood card test (organics)	Negative Micro (Christmas Tree) Human semen RSID	
JLK3JK	Pos.\Ind. KM	Negative AP	Negative RSID saliva
JPYWZG	Pos.\Ind. Hemastix	Negative AP	Not Tested sample had visible RBS and was positive for blood, extraction method would be the same even if saliva was present and no indication of another stain using ALS
JQTH9	KM	Not Tested	Not Tested

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
JVMFHY	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presumable skin cells	Not Tested	Not Tested
K266GY	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Epithelial skin cells - Removed. Swabs are taken to w/c lab for further analysis.	Negative Brentamine	Not Tested
K9P7XC	Pos.\Ind. KM	Negative Micro P30 ALS	Not Tested
KALNYD	Pos.\Ind. Hemastix HemaTrace	Negative ALS	Not Tested
KCR7XA	Pos.\Ind. KM Hexagon OBTI	Negative AP	Not Tested Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.
KHD4NH	Pos.\Ind. Phenolphthalein	Negative AP PSA	Negative RSID
KPVPBU	Pos.\Ind. LMG HemaTrace	Negative ALS AP Micro PSA	Negative Amylase Diffusion
KX7RWV	Pos.\Ind. hematrace LMG	Negative micro AP AP mapping ALS	Negative amylase diffusion amylase mapping
L2KN2W	Pos.\Ind. O-tol	Negative AP ALS	Not Tested Not trained to perform this test

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LAGNCJ	Pos.\Ind. Hemastix HemaTrace <u>Other Tests Performed</u> ALS	Negative AP P30	Negative RSID-Saliva
LBBCWY	Pos.\Ind. Hemastix Test Luminol Test	Negative Brentamine Test	Not Tested Refer to comments on item 1.
LH97QR	Pos.\Ind. KM Modified Takayama	Negative AP	Negative Phadebas
LM4VB6	Pos.\Ind. TMB HemaTrace	Negative AP	Negative Amylase Radial Diffusion
LMHJ9P	Pos.\Ind. KM Hematrace	Negative AP	Negative Phadebas
LNFPQ6	Pos.\Ind. TMB HemaTrace	Negative AP PSA	Negative Amylase radial diffusion
LPC9T7	Pos.\Ind. KM	Negative AP PSA Micro	Negative RSID
LTAP6Z	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presumable epithelial material - Removed	Not Tested Play the same role as epithelial material of linking suspect at the crime scene.	Not Tested Not performed at the laboratory
LUKDK7	Pos.\Ind. KM HemaTrace	Negative AP	Negative Phadebas

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
LZUPLD	Pos.\Ind. KM	Negative AP	Not Tested no allegation to saliva
M2JDJY	Pos.\Ind. Hem	Negative Brent	Not Tested
M79Y47	Pos.\Ind. Visual LMG	Negative Visual ALS AP	Not Tested
M7UNBT	Pos.\Ind. Micro KM	Negative AP Micro ALS	Negative Amylase
MAAWX8	Pos.\Ind. Human Blood	Negative Micro (Christmas Tree) semenogelina[sic]	Not Tested Our Laboratory dont perform test to identify saliva
MJXRWM	Pos.\Ind. KM HemaTrace	Not Tested	Negative Phadebas
MYCZXQ	Pos.\Ind. Visual KM Hematrace	Negative Acid phosphatase ALS	Negative RSID-Saliva ALS
NP4RN6	Pos.\Ind. RSID-Blood	Negative RSID-Semen	Negative RSID-Saliva
P2VUNC	Pos.\Ind. KM Luminol <u>Other Tests Performed</u> ALS	Negative AP	Not Tested Extraction type for DNA sample determined by blood testing. No ALS positive areas to indicate further testing.

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
P362R6	Pos.\Ind. Occult blood Rapid Test (Cassette) immuno- chromatographic [sic]	Negative Micro (Christmas Tree) RSID TM- semen	Not Tested
PALC3K	Pos.\Ind. KM HemaTrace <u>Other Tests Performed</u> ALS	Negative AP	Negative RSID Phadebas
PEG7ZL	Pos.\Ind. Visual HemaTrace	Negative ALS p30	Not Tested
PGNNYG	Pos.\Ind. TMB HemaTrace <u>Other Tests Performed</u> Biological material- ALS	Negative AP	Negative RSID Saliva
PJUZ7J	Pos.\Ind. KM ABAcad-HemaTrace	Negative AP	Negative Phadebas
Q2N2AZ	Pos.\Ind. TMB HemaTrace	Negative AP	Negative Amylase
Q2QWQL	Pos.\Ind. KM Hematrace	Negative AP	Negative Phadebas
Q3KHKC	Pos.\Ind. KM	Negative AP	Not Tested Not indicated
Q6ND7Z	Pos.\Ind. Thevenon-Roland Piramidon Occult Blood Cassette	Negative Micro (Christmas Tree) RSID Semen	Not Tested
Q6P8ML	Pos.\Ind. KM HEMA	Negative AP	Negative Phadebas

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
Q9PD7X	Pos.\Ind. KM	Not Tested Item examined as per standard head covering, i.e. hat. No information to suggest it had been used to wipe body fluids.	Not Tested Item examined for modifications such that it might have been worn as a face covering/balaclava. None found therefore no Phadebas screen undertaken.
QTUY74	Pos.\Ind. Occult Blood Cassette	Negative Micro (Christmas Tree) RSID - semen	
QTXJVR	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presumable epithelia was removed from exhibit to determine ownership.	Negative Brentamine	
RE7EYF	Pos.\Ind. Hemastix KM HemaTrace <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Negative RSID-Saliva
RERMCO	Pos.\Ind. LMG HemaTrace	Negative ALS AP Micro	Negative Amylase Diffusion
REVAPX	Pos.\Ind. Hemastix	Negative Brentamine (Alternate light source used)	Not Tested No presumptive test done at our laboratory
RJ24JT	Pos.\Ind. Hemastix <u>Other Tests Performed</u> High skin contact areas - no presumptive test. Visual inspection for hair - positive	Negative Brentamine (Acid Phosphatase)	Not Tested No presumptive testing for saliva
RTD3D4	Pos.\Ind. KM	Negative ALS Micro P30	Not Tested

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
R TTLX2	Pos.\Ind. KM HemaTrace	Negative AP	Not Tested I am not trained in saliva identification.
RWRWU2	Pos.\Ind. KM Hexagon OBTI	Negative AP	Not Tested Sexual assault case exhibits routinely test for blood and semen. Not tested for saliva unless specified.
RXMFV3	Pos.\Ind. Rapid Signal Occult Blood Thevenon-Roland (Piramidón)	Negative Micro (Christmas Tree) RSID	
T887XL	Pos.\Ind. LMG HemaTrace	Negative ALS AP Micro	Negative Amylase Diffusion
TKDZQJ	Pos.\Ind. LMG HemaTrace	Negative AP Micro PSA ALS	Negative Amylase Radial Diffusion Micro
TMFAAZ	Pos.\Ind. KM	Negative ALS AP Overlay	Negative ALS
TXEXAA	Pos.\Ind. KM	Negative AP	Negative RSID
U6EFKF	Pos.\Ind. Visual LMG HemaTrace	Negative ALS AP ABA p30 Micro	Negative ALS RSID
U7AXMG	Pos.\Ind. Tetramethylbenzidine HemaTrace <u>Other Tests Performed</u> Semen/Saliva - Alternate Light Source	Negative Acid Phosphatase	Negative RSID-Saliva

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
U7DK4U	Pos.\Ind. ALS o-tol Hexagon OBTI	Negative ALS	Not Tested our lab does not test for saliva
UCDZPV	Pos.\Ind. Hemastix	Negative Brentamine (AP)	Not Tested
UMDRUF	Pos.\Ind. Visual HemaTrace	Negative ALS p30	Not Tested
UVNYNX	Pos.\Ind. KM Hemoglobin Immunochromatography	Negative AP PSA Micro	Negative Phadebas Amylase Test
V37VZC	Pos.\Ind. KM HemaTrace	Negative AP	Negative Phadebas
V76ZRB	Pos.\Ind. KM HemaTrace	Negative AP	Negative RSID
V7LEWZ	Pos.\Ind. KM	Not Tested	Not Tested
V8ZJTC	Pos.\Ind. Hemastix KM Hematrace <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Negative RSID
VBED9A	Pos.\Ind. Phenolphthalein	Negative AP PSA ALS	Negative ALS

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
VK2EPJ	Pos.\Ind. KM	Negative AP Micro PSA	Not Tested
VPL6FN	Pos.\Ind. Hemastix <u>Other Tests Performed</u> Presumable sweat - not tested.	Negative Brentamine	
VWJY9F	Pos.\Ind. O-Tol HemaTrace	Negative ALS AP	Not Tested Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)
VXCMUW	Pos.\Ind. KM SERATEC Hemoglobin	Negative AP Micro PSA	Negative Phadebas Amylase RSID Amylase
VXPG8C	Pos.\Ind. Hemastix KM HemaTrace <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Negative RSID
VXWHHD	Pos.\Ind. Hemochromogen	Not Tested	Not Tested
W3KN7E	Pos.\Ind. O-tol	Negative AP Micro	Negative RSID Saliva
WDLV87	Pos.\Ind. KM <u>Other Tests Performed</u> ALS	Negative AP Micro	Negative RSID
WGW7XE	Pos.\Ind. Visual KM HemaTrace	Negative ALS AP	Negative ALS RSID

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
WPR7ER	Pos.\Ind. Hemastix	Negative Brentamine ALS	Not Tested No test for saliva at this lab
WQNK2K	Pos.\Ind. LMG HemaTrace	Negative ALS AP Micro	Negative Amylase Diffusion
WX9KFC	KM HemaTrace	AP ALS	RSID
WYHPTZ	Pos.\Ind. KM Bluestar Hexagon OBTI	Negative AP	Not Tested Laboratory only routinely test for blood and semen in sexual assault cases. Saliva test done only when specified by client.
X2NEVA	Pos.\Ind. KM Hematrace <u>Other Tests Performed</u> Luminol (for blood)	Negative AP	Not Tested Test not indicated by scenario
X4PFV7	Pos.\Ind. Hemastix KM HemaTrace <u>Other Tests Performed</u> ALS	Negative AP PSA Micro	Negative RSID
X6K2PX	Pos.\Ind. Immuno- chromatografic[sic] for human blood	Negative Christmas tree stain kit rapid stain identification test for semen (RSID TM) semen	Not Tested Our laboratory not included in the portafolio[sic] of service testing for the presence of saliva
XAVCE7	Pos.\Ind. KM	Negative ALS AP PSA	Negative ALS-no dilute staining

Table 1 - Item 6

Webcode	Blood Conclusion Tests Performed	Semen Conclusion Tests Performed	Saliva Conclusion Tests Performed
XXNLL2	Pos.\Ind. KM	Negative AP	Negative RSID Saliva
XXN4ZA	Pos.\Ind. KM HemaTrace <u>Other Tests Performed</u> ALS	Negative AP	Negative RSID
YPQT7P	Pos.\Ind. KM Hexagon OBTI (Human origin)	Negative Brentamine (AP) solution	Negative Phadebas
YRRYJB	Pos.\Ind. KM HemaTrace	Negative ALS AP	Negative Phadebas Press Test
YULM4R	Pos.\Ind. Hemastix Luminol (rest of beanie) <u>Other Tests Performed</u> Presumable epithelia. No presumptive testing.	Negative Brentamine Polilight	Not Tested No presumptive tests for saliva
YVR63M	Pos.\Ind. Hemastix	Negative Brentamine	Not Tested
YWNJPF	Pos.\Ind. LMG Hematrace	Negative ALS AP Micro	Negative Amylase Diffusion
YX6TN8	Pos.\Ind. KM Hematrace	Negative AP	Negative Padebas[sic] paper
ZUGMGW	Pos.\Ind. Visual Phenolphthalein Hematrace	Negative ALS AP	Negative ALS

Response Summary for Table 1 - Item 6

	<u>Blood</u>	<u>Semen</u>	<u>Saliva</u>
Positive/Indicative	216	0	0
Negative	0	189	108
Inconclusive	0	0	2
Not Tested (NT)	0	29	95

Serology Screening Results

Indicate the results of any screening tests performed on each Item.

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	Hematrace	Pos.\Ind.	3UMPFZ	Luminol	Pos.\Ind.
	Luminol	Pos.\Ind.		KM	Pos.\Ind.
	KM	Pos.\Ind.		Hemastix	Pos.\Ind.
	Hemastix	Pos.\Ind.		HemaTrace	Pos.\Ind.
2HWV9D	O-tol	Pos.\Ind.	3V3BP2	KM	Pos.\Ind.
2JCY36	Hemastix	Pos.\Ind.	3VZG9G	Hematrace	Pos.\Ind.
	KM	Pos.\Ind.		Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Luminol	Pos.\Ind.
2KK86X	KM	Pos.\Ind.	42H9XL	PTMB	Pos.\Ind.
	Hemastix	Pos.\Ind.		Seratec HemDirect	Pos.\Ind.
	HemaTrace	Pos.\Ind.	489NK8	Visual Exam	Pos.\Ind.
	Luminol	Pos.\Ind.		KM	Pos.\Ind.
2R8ZJH	H/stix	Pos.\Ind.	4947L9	HemaTrace	Pos.\Ind.
	Luminol	Pos.\Ind.		KM	Pos.\Ind.
2TG8H6	Phenolphthalein	Pos.\Ind.	4EVE73	Modified Takayama	Pos.\Ind.
	Hemastix	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.		KM	Pos.\Ind.
	Luminol	Pos.\Ind.		Hemastix	Pos.\Ind.
2UAV3K	H stix	Pos.\Ind.	4FPYZU	HemaTrace	Pos.\Ind.
	Luminol	Pos.\Ind.		KM	Pos.\Ind.
3AJ4FU	KM	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
3JQPKM	ALS	Pos.\Ind.	4KVTUP	KM	Pos.\Ind.
	KM	Pos.\Ind.	4LPEMG	O-tol	Pos.\Ind.
	Heme-Stix	Pos.\Ind.		HemaTrace	Pos.\Ind.
3LEEQ	Hemastix	Pos.\Ind.	4LR942	KM	Pos.\Ind.
	Luminol	Pos.\Ind.		Hematrace	Pos.\Ind.
3NMATD	KM	Pos.\Ind.	4M6ZWH	H/stix	Pos.\Ind.
	HemaTrace (HT)	Pos.\Ind.		Luminol	Pos.\Ind.

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
4QNR9K	O-Tolidine	Pos.\Ind.		Luminol	Pos.\Ind.
	HemDirect	Pos.\Ind.	7PXQ8L	Benzidine	Pos.\Ind.
4U8RNZ	Hemastix	Pos.\Ind.		Heme Kit	Pos.\Ind.
	HemaTrace	Pos.\Ind.	7W3HKQ	LMG	Pos.\Ind.
4UHRHA	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Modified Takayama	Pos.\Ind.	7XW4DG	H-stix	Pos.\Ind.
4ULB9X	KM	Pos.\Ind.		Luminol	Pos.\Ind.
	Hemastix	Pos.\Ind.	8FRWYE	Hemastix	Pos.\Ind.
	Hematrace	Pos.\Ind.		Luminol	Pos.\Ind.
	Luminol	Pos.\Ind.	8GP9H2	KM	Pos.\Ind.
66YXU4	LMG	Pos.\Ind.		Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.		ABACard HemaTrace	Pos.\Ind.
	Visual	Pos.\Ind.	8JUWYC	Hemastix	Pos.\Ind.
6CYCHQ	KM	Pos.\Ind.		Luminol	Pos.\Ind.
6DUXBG	Hstix	Pos.\Ind.	8Z4WU2	KM	Pos.\Ind.
	Luminol	Pos.\Ind.		ABACard HemaTrace	Pos.\Ind.
6KQVWY	Hemastix	Pos.\Ind.	98WFMF	KM swab and supernatant	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Appearance	Pos.\Ind.
	PTMB	Pos.\Ind.	9GJEDL	KM	Pos.\Ind.
6L9HVG	Hemastix	Pos.\Ind.		Hexagon-OBTI	Pos.\Ind.
	Luminol	Pos.\Ind.	9HEWFM	Thevenon-Roland (Piramidón)	Pos.\Ind.
6LKGPP	Occult Blood Immunocromatographic[sic] Orgenics	Pos.\Ind.		Rapid Signal Occult Blood Cassette	Pos.\Ind.
6NP7RY	Hemastix, KM, Hematrace	Pos.\Ind.	9LCKNG	LMG	Pos.\Ind.
6QJVCF	Hemastix	Pos.\Ind.	9PEEQT	KM	Pos.\Ind.
	Luminol	Pos.\Ind.		Hemastix	Pos.\Ind.
6Y9NK7	KM	Pos.\Ind.		Hematrace	Pos.\Ind.
	Hexgon[sic] OBTI	Pos.\Ind.		Luminol	Pos.\Ind.
6Z7WTP	Hematrace	Pos.\Ind.			
7GMEZG	H-stix	Pos.\Ind.			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
9QAWRU	KM	Pos.\Ind.	AY3HLY	KM	Pos.\Ind.
	Hemastix	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	B3RQWJ	Inmuno-cromatographic[sic] test (occult blood)	Pos.\Ind.
	Luminol	Pos.\Ind.			
9QLWNN	KM	Pos.\Ind.	B3TLFP	Luminol	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.		Phenolphthalein	Pos.\Ind.
9YGUDC	Hem	Pos.\Ind.		Hemastix	Pos.\Ind.
	Lum	Pos.\Ind.		Hematrace	Pos.\Ind.
9ZCE3W	Hemastix, Hematrace	Pos.\Ind.	B8KNLA	H-stix	Pos.\Ind.
9ZD826	LMG	Pos.\Ind.		Luminol	Pos.\Ind.
	HemaTrace	Pos.\Ind.	BGTZ3D	luminol BLueStar	Pos.\Ind.
9ZWYAP	KM	Pos.\Ind.		Hexagon OBTI Test	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.	BGVUJY	Visual	Pos.\Ind.
AAHEF6	LMG	Pos.\Ind.		LMG	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
ABP2P3	KM (swabbing[sic])	Pos.\Ind.	BJF2K7	LMG	Pos.\Ind.
	Micro (modified Takayama, cutting)	Pos.\Ind.		HemaTrace	Pos.\Ind.
ACG6CH	LMG	Pos.\Ind.	BRDK9V	KM	Pos.\Ind.
	RSID - Blood	Pos.\Ind.		Hematrace	Pos.\Ind.
AFJXEU	KM	Pos.\Ind.	BYFG7A	Hemastix	Pos.\Ind.
	Hemastix	Pos.\Ind.		Luminol	Pos.\Ind.
	HemaTrace	Pos.\Ind.	BYGDG7	KM	Pos.\Ind.
AGEGFV	KM	Pos.\Ind.		Hematrace	Pos.\Ind.
	Hemastix	Pos.\Ind.	C2W63R	KM	Pos.\Ind.
	Hematrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
AHCMYA	PHTH	Pos.\Ind.	C8YE8Y	O-tol	Pos.\Ind.
AQ6ZWP	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hemastix	Pos.\Ind.	C8YJFG	KM	Pos.\Ind.
	Luminol	Pos.\Ind.	C9B9R7	Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Luminol	Pos.\Ind.

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CA8RP2	KM	Pos.\Ind.		Luminol	Pos.\Ind.
	Modified Takayama	Pos.\Ind.		LCV	Pos.\Ind.
CGAK2G	KM	Pos.\Ind.	DMAFGV	KM	Pos.\Ind.
CJNXE	Hemastix	Pos.\Ind.		Hemastix	Pos.\Ind.
	Luminol	Pos.\Ind.		Hematrace	Pos.\Ind.
CPKZUB	Hemastix	Pos.\Ind.	DN9KZA	H-stix	Pos.\Ind.
	Luminol	Pos.\Ind.		Luminol	Pos.\Ind.
CPLUBV	KM	Pos.\Ind.	DV7EU3	KM	Pos.\Ind.
	Hemastix	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	E4DCFK	KM	Pos.\Ind.
CV7VTU	Luminol	Pos.\Ind.		Hemastix	Pos.\Ind.
	Hemastix	Pos.\Ind.		Luminol	Pos.\Ind.
	KM	Pos.\Ind.		Hematrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	E4UMV4	Luminol	Pos.\Ind.
CV9KYC	KM	Pos.\Ind.		H/stix	Pos.\Ind.
	OBTI (indicates human origin)	Pos.\Ind.	E8Y4EU	KM	Pos.\Ind.
DCRXNN	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hemastix	Pos.\Ind.	ED6MRZ	O-tol	Pos.\Ind.
	Hematrace	Pos.\Ind.	EKKJHT	Hemastix	Pos.\Ind.
	Luminol	Pos.\Ind.		Hematrace	Pos.\Ind.
DDMGQP	KM	Pos.\Ind.	ELF3KU	Hemochromogen	Pos.\Ind.
	Hemastix	Pos.\Ind.	ELYVB7	Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Luminol	Pos.\Ind.
	Luminol	Pos.\Ind.	ELZRK2	VISUAL	Pos.\Ind.
DFUYPK	KM	Pos.\Ind.		MICRO	Pos.\Ind.
	Hemastix	Pos.\Ind.		KM	Pos.\Ind.
	Hematrace	Pos.\Ind.	EM96ZH	KM	Pos.\Ind.
	Luminol	Pos.\Ind.		HEXAGON OBTI	Pos.\Ind.
DLEWFT	TMB	Pos.\Ind.	ERZ9R2	LMG	Pos.\Ind.
	Hematrace	Pos.\Ind.		HemaTrace	Pos.\Ind.

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
EZBBD3	KM	Pos.\Ind.	GQEE4W	Visual	Pos.\Ind.
	Hematrace	Pos.\Ind.		KM	Pos.\Ind.
F8TA9T	Hemochromogen	Pos.\Ind.		HemaTrace	Pos.\Ind.
FE8632	LMG	Pos.\Ind.	H2Q9QA	KM	Pos.\Ind.
	Hematrace	Pos.\Ind.	H3LRRB	ABA Card Hematrace	Pos.\Ind.
FJ7LFV	Hemastix	Pos.\Ind.	H44MQP	TMB	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
FM386D	o-tol	Pos.\Ind.	H6XLFN	KM	Pos.\Ind.
	HemaTrace Card	Pos.\Ind.		HemaTrace	Pos.\Ind.
FMLXEX	KM	Pos.\Ind.		Hemastix	Pos.\Ind.
	mod Taka	Pos.\Ind.		Luminol	Pos.\Ind.
	Hema Trace	Pos.\Ind.	H74DMX	KM	Pos.\Ind.
G8M9XQ	Hemastix	Pos.\Ind.		Hematrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	HTLW3R	KM	Pos.\Ind.
	KM	Pos.\Ind.		Takayama	Pos.\Ind.
GB8FYY	Micro	Pos.\Ind.		Hematrace	Pos.\Ind.
	KM	Pos.\Ind.	HYQTLR	TMB	Pos.\Ind.
GCG7MH	KM	Pos.\Ind.		Hematrace	Pos.\Ind.
	Hemastix	Pos.\Ind.		Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.		LCV	Pos.\Ind.
	Luminol	Pos.\Ind.		Luminol	Pos.\Ind.
GDENCQ	TMB	Pos.\Ind.	HZN2WW	LMG	Pos.\Ind.
GDT3RM	KM	Pos.\Ind.	J7MACN	Hemastix	Pos.\Ind.
	Hemastix	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	J9DZ9N	TMB	Pos.\Ind.
GJHHKZ	Micro	Pos.\Ind.		HemaTrace	Pos.\Ind.
	KM	Pos.\Ind.		Hemachromagen crystal formation	Pos.\Ind.
GKDZM2	LMG	Pos.\Ind.	JCDB6N	Hemastix	Pos.\Ind.
GMJLB2	Hemastix	Pos.\Ind.		Hematrace	Pos.\Ind.
	Luminol	Pos.\Ind.			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
JKNMA9	Thevenon-Roland (Piramidón)	Pos.\Ind.	LBBCWY	Hemastix Test	Pos.\Ind.
	Occult Blood card test (orgenics)	Pos.\Ind.		Luminol Test	Pos.\Ind.
JLK3JK	KM	Pos.\Ind.	LH97QR	KM	Pos.\Ind.
	Luminol	Pos.\Ind.		Modified Takayama	Pos.\Ind.
	Hemastix	Pos.\Ind.	LM4VB6	TMB	Pos.\Ind.
	Hematrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
JPYWZG	KM	Pos.\Ind.	LMHJ9P	KM	Pos.\Ind.
	Hemastix	Pos.\Ind.		Hematrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	LNFPQ6	TMB	Pos.\Ind.
JQTHT9	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
JVMFHY	Hemastix	Pos.\Ind.	LPC9T7	KM	Pos.\Ind.
	Luminol	Pos.\Ind.	LTAP6Z	Hemastix	Pos.\Ind.
K266GY	Hemastix	Pos.\Ind.		Luminol	Pos.\Ind.
	Luminol	Pos.\Ind.	LUKDK7	KM	Pos.\Ind.
K9P7XC	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
KALNYD	Hemastix	Pos.\Ind.	LZUPLD	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Hemastix	Pos.\Ind.
KCR7XA	KM	Pos.\Ind.		Hematrace	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.		Luminol	Pos.\Ind.
KHD4NH	Phenolphthalein	Pos.\Ind.	M2JDJY	Hem	Pos.\Ind.
	HemaStix	Pos.\Ind.		Lum	Pos.\Ind.
	HemaTrace	Pos.\Ind.	M79Y47	Visual	Pos.\Ind.
KPVPBU	LMG	Pos.\Ind.		LMG	Pos.\Ind.
	HemaTrace	Pos.\Ind.	M7UNBT	Micro	Pos.\Ind.
KX7RWV	LMG	Pos.\Ind.		KM	Pos.\Ind.
	Hematrace	Pos.\Ind.	MAAWX8	Human Blood	Pos.\Ind.
L2KN2W	O-tol	Pos.\Ind.	MJXRWM	KM	Pos.\Ind.
LAGNCJ	Hemastix	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
MYCZXQ	visual	Pos.\Ind.	Q6P8ML	KM	Pos.\Ind.
	KM	Pos.\Ind.		HEMA	Pos.\Ind.
	Hematrace	Pos.\Ind.	Q9PD7X	KM	Pos.\Ind.
NP4RN6	RSID-Blood	Pos.\Ind.	QTUY74	Occult Blood Cassette	Pos.\Ind.
P2VUNC	HemaTrace	Pos.\Ind.	QTXJVR	Hemastix	Pos.\Ind.
	Hemastix	Pos.\Ind.		Luminol	Pos.\Ind.
	KM	Pos.\Ind.	RE7EYF	Hemastix	Pos.\Ind.
	Luminol	Pos.\Ind.		KM	Pos.\Ind.
P362R6	Occult Blood Rapid Signal	Pos.\Ind.		HemaTrace	Pos.\Ind.
PALC3K	KM	Pos.\Ind.	RERMCO	LMG	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
PEG7ZL	Visual	Pos.\Ind.	REVAPX	Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Luminol	Pos.\Ind.
PGNNYG	TMB	Pos.\Ind.	RJ24JT	Hemastx[sic]	Pos.\Ind.
	Luminol	Pos.\Ind.		Luminol	Pos.\Ind.
	Leucocrystal Violet	Pos.\Ind.	RTD3D4	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.	RTTLX2	KM	Pos.\Ind.
PJUZ7J	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	ABACard - HemaTrace	Pos.\Ind.	RWRWU2	KM	Pos.\Ind.
Q2N2AZ	TMB	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
	HemaTrace	Pos.\Ind.	RXMFV3	Rapid Signal Occult Blood	Pos.\Ind.
Q2QWQL	KM	Pos.\Ind.		Thevenon-Roland (Piramidón)	Pos.\Ind.
	Hematrace	Pos.\Ind.	T887XL	LMG	Pos.\Ind.
Q3KHKC	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hemastix	Pos.\Ind.	TKDZQJ	LMG	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Luminol	Pos.\Ind.	TMFAAZ	KM	Pos.\Ind.
Q6ND7Z	Thevenon-Roland (Piramidón)	Pos.\Ind.			
	Occult Blood Cassette	Pos.\Ind.			

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
TXEXAA	KM	Pos.\Ind.		Hematrace	Pos.\Ind.
	Hemastix	Pos.\Ind.	VBED9A	Phenolphthalein	Pos.\Ind.
	Hematrace	Pos.\Ind.		Hematrace	Pos.\Ind.
	Luminol	Pos.\Ind.		Hemastix	Pos.\Ind.
U6EFKF	Visual	Pos.\Ind.	VK2EPJ	KM	Pos.\Ind.
	LMG	Pos.\Ind.	VPL6FN	Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Luminol	Pos.\Ind.
U7AXMG	Tetramethylbenzidine	Pos.\Ind.	VWJY9F	O-Tol	Pos.\Ind.
	Hemastix	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	VXCMUW	KM	Pos.\Ind.
	Leucocrystal Violet	Pos.\Ind.		SERATEC Hemoglobin	Pos.\Ind.
	Luminol	Pos.\Ind.	VXPG8C	Hemastix	Pos.\Ind.
U7DK4U	o-tol	Pos.\Ind.		KM	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.		HemaTrace	Pos.\Ind.
UCDZPV	Hemastix	Pos.\Ind.	VXWHHD	Hemochromogen	Pos.\Ind.
	Luminol	Pos.\Ind.	W3KN7E	O-tol	Pos.\Ind.
UMDRUF	Visual	Pos.\Ind.	WDLV87	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Hemastix	Pos.\Ind.
UVNYNX	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hemoglobin Immunochromatography	Pos.\Ind.	WGW7XE	KM	Pos.\Ind.
				HemaTrace	Pos.\Ind.
V37VZC	KM	Pos.\Ind.		Visual	Pos.\Ind.
	HemaTrace	Pos.\Ind.	WPR7ER	Hemastix	Pos.\Ind.
V76ZRB	KM	Pos.\Ind.		Luminol	Pos.\Ind.
	TMB (Hemastix)	Pos.\Ind.	WQNK2K	LMG	Pos.\Ind.
	Luminol	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	WX9KFC	KM	Pos.\Ind.
V7LEWZ	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
V8ZJTC	Hemastix	Pos.\Ind.	WYHPTZ	KM	Pos.\Ind.
	KM	Pos.\Ind.		Bluestar Hexagon OBTI	Pos.\Ind.

TABLE 2 - Item 1

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
X2NEVA	KM	Pos.\Ind.	YX6TN8	KM	Pos.\Ind.
	Hemastix	Pos.\Ind.		Hematrace	Pos.\Ind.
	Hematrace	Pos.\Ind.	ZUGMGW	Visual	Pos.\Ind.
X4PFV7	Hemastix	Pos.\Ind.		Phenolphthalein	Pos.\Ind.
	KM	Pos.\Ind.		Hematrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.			
X6K2PX	Immuno- chromatografic[sic] for human blood	Pos.\Ind.			
XAVCE7	KM	Pos.\Ind.			
	Hemastix	Pos.\Ind.			
	Hematrace	Pos.\Ind.			
XNXLL2	Hemastix - TMB	Pos.\Ind.			
	KM	Pos.\Ind.			
	Luminol	Pos.\Ind.			
	HemaTrace	Pos.\Ind.			
XXN4ZA	KM	Pos.\Ind.			
	HemaTrace	Pos.\Ind.			
	HemaStix	Pos.\Ind.			
	LCV	Pos.\Ind.			
	Luminol	Pos.\Ind.			
YPQT7P	KM	Pos.\Ind.			
	Hexagon OBTI (Human Origin)	Pos.\Ind.			
YRRYJB	KM	Pos.\Ind.			
	HemaTrace	Pos.\Ind.			
YULM4R	Hemastix	Pos.\Ind.			
	Luminol	Pos.\Ind.			
YVR63M	Hemastix	Pos.\Ind.			
	Luminol	Pos.\Ind.			
YWNJPF	LMG	Pos.\Ind.			
	Hematrace	Pos.\Ind.			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	AP	Negative		Micro	Negative
	Micro	Negative		PSA	Negative
	Seratec PSA	Negative	3VZG9G	Brentamine	Negative
	Abacus PSA	Negative	42H9XL	AP	Negative
2HWV9D	AP	Negative		Seratec PSA Semiquant	Negative
	Micro	Negative	489NK8	AP	Negative
2JCY36	AP	Negative	4947L9	AP	Negative
	PSA	Negative	4EVE73	AP	Negative
	micro	Negative		Micro	Negative
2KK86X	AP	Negative		PSA	Negative
	Micro	Negative	4FPYZU	RSID-Semen	Negative
	PSA	Negative		PSA	Negative
2R8ZJH	Brentamine	Negative	4KVTUP	AP	Negative
2TG8H6	Acid Phosphatase	Negative		Micro	Negative
	Christmas Tree Stain	Negative	4LPEMG	PSA	Negative
	Seratec PSA	Negative		Micro (sperm)	Negative
2UAV3K	Brentamine	Negative	4LR942	ALS	Negative
3AJ4FU	Micro	Negative		AP	Negative
	P30	Negative		Micro	Negative
3JQPKM	ALS	Negative		PSA	Negative
	AP	Negative	4M6ZWH	Brentamine	Negative
3LEEQL	Acid Phosphatase (Brentamine)	Negative	4QNR9K	Acid Phosphatase	Inconclusive
3NMATD	AP	Negative		PSA	Negative
	P30	Negative	4U8RNZ	AP	Negative
	Micro Sperm	Negative		Micro	Negative
3UMPfZ	AP	Negative		PSA	Negative
	PSA	Negative	4UHRHA	AP	Negative
	Micro	Negative	4ULB9X	AP	Negative
3V3BP2	ALS	Negative		Micro	Negative
	AP	Negative		PSA	Negative

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
66YXU4	AP	Negative		Micro	Negative
	P30	Negative	8JUWYC	Brentamine	Negative
	Micro	Negative	8Z4WU2	AP	Negative
6CYCHQ	Micro	Negative		Micro	Negative
	PSA	Negative	98WFMF	AP	Negative
6DUXBG	Acid Phosphatase (Brentamine)	Negative		Slide prepared	Negative
6KQVWY	AP	Negative	9GJEDL	SPERM HY-LITER PI	Negative
	PSA	Negative		RSID-Semen	Negative
	Micro	Negative		PSA	Negative
6L9HVG	Brentamine (Acid Phosphatase)	Negative	9HEWFM	Christmas tree stain	Negative
6LKGPP	Micro (Christmas Tree)	Negative		Rapid stain identification of human semen semenogelin	Negative
	RSID TM- semen. Semenogelina[sic]	Negative	9LCKNG	AP	Negative
6NP7RY	AP, Micro, PSA	Negative		Micro	Negative
6QJVCF	Brentamine	Negative	9PEEQT	AP	Negative
6Y9NK7	AP	Negative		Micro	Negative
6Z7WTP	Micro (Christmas Tree)	Negative		PSA	Negative
	RSID. Semenogelina[sic]	Negative	9QAWRU	AP	Negative
7GMEZG	Brentamine	Negative		PSA	Negative
7PXQ8L	AP (Acid Phosphatase)	Negative		Micro	Negative
	PSA	Negative	9QLWNN	RSID-Semen	Negative
	Micro	Negative		PSA	Negative
7W3HKQ	AP	Negative	9YGUDC	Brent	Negative
	PSA	Negative	9ZCE3W	AP, PSA, Micro	Negative
	Micro	Negative	9ZD826	AP	Negative
7XW4DG	Brentamine	Negative		Micro	Negative
8FRWYE	Brentamine	Negative	9ZWYAP	SPERM HY-LITER PI	Negative
8GP9H2	AP	Negative		RSID-Semen	Negative
	Seratec PSA	Negative		PSA	Negative

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
AAHEF6	AP	Negative	BGTZ3D	AP	Negative
	PSA	Negative	BGVUJY	AP	Negative
	micro	Negative		P30 (ABA card)	Negative
ABP2P3	Seri AP (cutting)	Negative		Micro	Negative
ACG6CH	AP	Negative	BJF2K7	AP	Negative
	RSID - Semen	Negative		Micro	Negative
AFJXEU	AP	Negative	BRDK9V	AP	Negative
	PSA	Negative		Brentamine	Negative
	Micro	Negative	BYGDG7	BCIP	Negative
AGEGFV	AP	Negative	C2W63R	AP	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative		micro	Negative
AHCMYA	P30	Negative	C8YE8Y	ALS	Inconclusive
	MICRO	Negative		AP	Negative
AQ6ZWP	AP	Negative	C8YJFG	AP	Negative
	Abacus p30	Negative		Micro	Negative
	Seratec PSA	Negative	C9B9R7	Brentamine	Negative
	Micro	Negative	CA8RP2	AP	Negative
AY3HLY	AP	Negative	CGAK2G	AP	Negative
	ABAcad p30	Negative		MICRO	Negative
	Micro	Negative	CJNXE	Brentamine	Negative
B3RQWJ	Christman[sic] tree coloring	Negative	CPKZUB	Brentamine	Negative
	Inmuno-cromatographic[sic] Test (human Semen-RSID)	Negative	CPLUBV	AP	Negative
				PSA	Negative
				Micro	Negative
B3TLFP	AP	Negative	CV7VTU	ALS	Inconclusive
	Micro	Negative		AP	Negative
	ABAcad p30	Negative		Micro	Negative
	Seratec PSA	Negative		PSA	Negative
B8KNLA	Brent	Negative			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CV9KYC	AP	Negative		Micro	Negative
	Micro	Negative	ED6MRZ	AP	Negative
DCRXNN	AP	Negative		Micro	Negative
	Micro	Negative	EKKJHT	Micro	Negative
	ABA Card P30	Negative		AP	Negative
	Seratec PSA semiquant	Negative		PSA	Negative
DDMGQP	AP	Negative	ELF3KU	AP	Negative
	Micro	Negative		Micro	Negative
	Seratec PSA	Negative		PSA	Negative
	Abacus PSA	Negative	ELYVB7	Brentamine	Negative
DFUYPK	AP	Negative	ELZRK2	AP	Negative
	Seratec PSA	Negative		X-MAS	Negative
	ABA PSA	Negative	EM96ZH	SPERM HY-LITER PI	Negative
	Micro	Negative		RSID	Negative
DLEWFT	AP	Negative		PSA	Negative
	PSA	Negative	ERZ9R2	AP	Negative
	Micro	Negative		PSA	Negative
DMAFGV	Acid Phosphatase	Negative		Micro	Negative
	Microscopic	Negative	EZBBD3	AP	Negative
	PSA/P30	Negative	F8TA9T	AP	Negative
DN9KZA	Brentamine	Negative		Micro	Negative
DV7EU3	AP	Pos.\Ind.		PSA	Negative
	PSA	Negative	FE8632	AP	Negative
	Micro	Negative		micro	Negative
E4DCFK	AP	Negative	FJ7LFV	AP	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative		P30	Negative
E4UMV4	Brentamine	Negative	FM386D	ALS	Negative
E8Y4EU	AP	Negative		AP	Negative
	ABAcad p30	Negative		PSA	Negative

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
FMLXEX	AP	Inconclusive		Micro	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative	H74DMX	AP	Negative
G8M9XQ	AP	Negative	HTLW3R	AP	Negative
	PSA	Negative	HYQTLR	AP	Negative
	Micro	Negative		Micro	Negative
GB8FYY	AP	Negative		Seratec PSA	Negative
	Micro	Negative	HZN2WW	AP	Negative
GCG7MH	AP	Negative		PSA	Negative
	PSA	Negative	J7MACN	Acid Phosphatase	Negative
	Micro	Negative		PSA	Negative
GDENCQ	MICRO	Negative		Microscopic examination	Negative
	AP	Negative	J9DZ9N	AP	Negative
GDT3RM	ALS	Pos.\Ind.		Micro	Negative
	AP	Negative	JCDB6N	AP	Negative
	Micro	Negative	JKNMA9	Micro (Christmas Tree)	Negative
	PSA	Negative		Human semen RSID	Negative
GJHHKZ	FBB	Negative	JLK3JK	AP	Negative
	Micro	Negative		PSA	Negative
GKDZM2	AP	Negative		Micro	Negative
	Micro	Negative	JPYWZG	AP	Negative
	ALS	Negative		Micro	Negative
GMJLB2	Brentamine	Negative		PSA	Negative
GQEE4W	AP	Negative	JVMFHY	Brentamine	Negative
H2Q9QA	AP	Negative	K266GY	Brentamine	Negative
H3LRRB	ABA Card P30	Negative	K9P7XC	Micro	Negative
H44MQP	Microscopic	Negative		P30	Negative
	Acid Phosphatase	Negative	KALNYD	AP	Negative
	PSA (p30)	Negative			
H6XLFN	AP	Negative			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
KCR7XA	Sperm HY-Liter PI	Negative	LZUPLD	AP	Negative
	RSID-Semen	Negative		Abacus PSA	Negative
	PSA	Negative		micro	Negative
KHD4NH	AP	Negative	M2JDJY	Brent	Negative
	PSA	Negative	M79Y47	Visual	Negative
	Microscopic	Negative		ALS	Negative
KPVPBU	AP	Negative		AP	Negative
	Micro	Negative	M7UNBT	AP	Negative
	PSA	Negative		Micro	Negative
KX7RWV	micro	Negative	MAAWX8	Micro (Christmas Tree)	Negative
	PSA	Negative		semenogelina[sic]	Negative
	AP	Inconclusive	MJXRWM	AP	Negative
L2KN2W	AP	Negative		Micro	Negative
	ALS	Negative	MYCZXQ	Acid Phosphatase	Negative
LAGNCJ	AP	Negative	NP4RN6	RSID-Semen	Negative
	MICRO	Negative	P2VUNC	AP	Negative
	P30	Negative		PSA	Negative
LBBCWY	Brentamine Test	Negative		Micro	Negative
LH97QR	AP	Negative	P362R6	Micro (Christmas Tree)	Negative
LM4VB6	AP	Negative		RSID TM- semen	
LMHJ9P	AP	Negative	PALC3K	AP	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative	PEG7ZL	ALS	Negative
LNFPQ6	AP	Negative		p30	Negative
	PSA	Negative	PGNNYG	AP	Negative
LPC9T7	AP	Negative		Micro	Negative
	PSA	Negative		Seratec PSA	Negative
	Micro	Negative			
LTAP6Z	Brentamine	Negative			
LUKDK7	AP	Negative			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
PJUZ7J	AP	Negative		P30	Negative
	ABAcad-p30	Negative	RTTLX2	AP	Negative
	Micro	Negative	RWRWU2	SPERM HY-LITER PI	Negative
Q2N2AZ	AP	Negative		RSID-Semen	Negative
Q2QWQL	AP	Negative		PSA	Negative
	Micro	Negative	RXMFV3	Micro (Christmas Tree)	Negative
	PSA	Negative		RSID	Negative
Q3KHKC	AP	Negative	T887XL	AP	Negative
	ABA PSA	Negative		Micro	Negative
	Seratec PSA	Negative	TKDZQJ	AP	Negative
	Micro	Negative		Micro	Negative
Q6ND7Z	Micro (Christmas Tree)	Negative		PSA	Negative
	RSID Semen	Negative	TMFAAZ	AP Spot	Negative
Q6P8ML	AP	Negative		Microscopy	Negative
	PSA	Negative	TXEXAA	AP	Negative
	Micro	Negative		PSA (Abacus)	Negative
Q9PD7X	AP	Negative		PSA (Seratec)	Negative
	Micro	Negative		Micro	Negative
QTUY74	Micro (Christmas Tree)	Negative	U6EFKF	AP	Negative
	RSID - semen	Negative		ABA p30	Negative
QTXJVR	Brentamine	Negative		Micro	Negative
RE7EYF	AP	Negative	U7AXMG	Acid Phosphatase	Negative
	PSA	Negative		Microscopic exam	Negative
	Micro	Negative		Prostate Specific Antigen	Negative
RERMCO	AP	Negative	U7DK4U	swab tested positive for something else	
	Micro	Negative	UCDZPV	Brentamine (AP)	Negative
REVAPX	Brentamine	Negative	UMDRUF	ALS	Negative
RJ24JT	(Brentamine) Acid Phosphotasa[sic]	Negative		p30	Negative
RTD3D4	Micro	Negative			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
UVNYNX	AP	Negative		Micro	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative	W3KN7E	AP	Negative
V37VZC	AP	Negative		Micro	Negative
	Micro	Negative	WDLV87	AP	Negative
	ABACard P30	Negative		Micro	Negative
V76ZRB	AP	Negative		PSA	Negative
	PSA	Negative	WGW7XE	AP	Negative
	Micro	Negative	WPR7ER	Brentamine	Negative
V7LEWZ	P-30	Negative	WQNK2K	AP	Negative
	Micro	Negative		Micro	Negative
V8ZJTC	AP	Negative	WX9KFC	AP	Negative
	PSA	Negative	WYHPTZ	RSID-Semen	Negative
	Micro	Negative		SERATEC PSA Semiquant	Negative
VBED9A	AP	Negative	X2NEVA	AP	Negative
	Micro	Negative		PSA	Negative
	PSA	Negative		Microscopic	Negative
VK2EPJ	AP	Negative	X4PFV7	AP	Negative
	Micro	Negative		PSA	Negative
	PSA	Negative		Micro	Negative
VPL6FN	Brentamine	Negative	X6K2PX	Christmas tree stain	Negative
VWJY9F	ALS	Inconclusive		kit rapid stain identification test for semen (RSID TM) semen	Negative
	AP	Negative			
VXCMUW	AP	Negative	XAVCE7	AP	Negative
	Micro	Negative		Micro	Negative
	PSA	Negative		PSA	Negative
VXPG8C	AP	Negative	XNXLL2	AP	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative		micro	Negative
VXWHHD	AP	Negative			

TABLE 2 - Item 1

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
XXN4ZA	AP	Negative			
	Micro	Negative			
	PSA	Negative			
YPQT7P	Brentamine Solution (Acid Phosphatase)	Negative			
YRRYJB	AP	Negative			
	PSA	Negative			
YULM4R	Brentamine	Negative			
YVR63M	Brentamine	Negative			
YWNJPF	AP	Negative			
	Micro	Negative			
YX6TN8	AP	Negative			
ZUGMGW	ALS	Negative			
	AP	Negative			

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	RSID Saliva	Negative	4M6ZWH	There is no presumptive test that is performed at the laboratory for saliva.	
2HWV9D	RSID Saliva	Negative			
2JCY36	RSID	Negative	4QNR9K	Amylase Diffusion	Negative
2KK86X	RSID - Saliva	Negative	4U8RNZ	RSID	Negative
2R8ZJH	Not part of our routine testing.		4UHRHA	Phadebas	Negative
2TG8H6	RSID-Saliva	Negative	4ULB9X	RSID-Saliva	Negative
2UAV3K	We do not have a presumptive test for saliva.		66YXU4	RSID	Negative
3AJ4FU	Saliva testing not available.		6DUXBG	No presumptive test	
3JQPKM	SALIgAE	Negative	6KQVWY	RSID - Saliva	Negative
	ALS	Negative	6L9HVG	No pesumptive[sic] test for saliva.	
3NMATD	Amylase Radial Diffusion (ARD)	Negative	6NP7RY	RSID	Negative
	Micro Nucleated Epithelial Cells (NEC)	Negative	6QJVCF	There is no presumptive test for saliva at our laboratory	
3UMPFZ	RSID saliva	Negative	6Y9NK7	Phadebas paper	Negative
3V3BP2	ALS	Negative	7GMEZG	No presumptive test for saliva	
	RSID - saliva	Negative	8FRWYE	No presumptive test at lab.	
3VZG9G	Not tested - test not available at Biology-EC.		8GP9H2	RSID Saliva	Negative
42H9XL	Seratec Amylase	Negative	8JUWYC	The laboratory does not have a saliva test hence the fourth swab was not tested.	
489NK8	RSID	Negative	8Z4WU2	Phadebas	Negative
4947L9	Phadebas Amylase	Negative	98WFMF	Phadebas Tube test	Negative
4EVE73	RSID	Negative	9GJEDL	Testing for saliva is generally not done when item is positive for blood or semen.	
4KVTUP	Radial Diffusion	Negative	9LCKNG	Phadebas	Negative
4LPEMG	Micro (NECs)	Negative	9PEEQT	RSID-Saliva	Negative
	Amylase (Low)	Negative	9QAWRU	RSID - Saliva	Negative
4LR942	ALS	Negative			
	RSID	Negative			

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
9QLWNN	Laboratory only examines for saliva if blood and semen are not detected		CA8RP2	Phadebas	Negative
9ZCE3W	RSID	Negative	CGAK2G	AMYLASE	Negative
9ZD826	Amylase diffusion	Negative	CJJNXE	No presumptive testing specific method	
9ZWYAP	Testing for saliva is generally not done when item is positive for blood or semen.		CPKZUB	Saliva test not performed at our lab	
AAHEF6	Amylase diffusion	Negative	CPLUBV	RSID	Negative
ABP2P3	Amylase (Phadebas tablet, micro, cutting)	Negative	CV7VTU	ALS	Inconclusive
ACG6CH	RSID - Saliva	Negative		RSID-Saliva	Negative
AFJXEU	RSID	Negative	CV9KYC	Phadebas tube test	Inconclusive
AGEGFV	RSID-Saliva	Negative	DCRXNN	RSID saliva	Negative
AHCMYA	PHADEBAS	Negative	DDMGQP	RSID Saliva	Negative
AQ6ZWP	RSID Saliva	Negative	DFUYPK	RSID saliva	Negative
AY3HLY	Phadebas	Negative	DLEWFT	RSID	Negative
B3TLFP	RSID saliva	Negative	DMAFGV	RSID-saliva	Negative
BGTZ3D	Phadebas	Negative	DN9KZA	No testing (no presumptive)	
BGVUJY	RSID-Saliva	Negative	DV7EU3	Amylase Radial Diffusion	Pos.\Ind.
BJF2K7	Amylase Diffusion	Negative		Micro	Negative
BRDK9V	Phadebas paper	Negative	E4DCFK	RSID-saliva	Negative
BYFG7A	There are only three methods that we use, we do not have a testing method for saliva.		E8Y4EU	Phadebas	Negative
BYGDG7	Lab does not test for saliva		ED6MRZ	RSID	Negative
C2W63R	RSID Amylase	Negative	EKKJHT	RSID	Negative
C8YE8Y	ALS	Inconclusive	ELYVB7	Not performed by our laboratory.	
	RSID	Negative	ELZRK2	AMYLASE	Negative
C8YJFG	Amy	Negative	EM96ZH	Testing for saliva is generally not done when item is positive for blood or semen.	
C9B9R7	Test not performed at laboratory.		ERZ9R2	Amylase Radial Diffusion	Negative
				Micro	Negative

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
EZBBD3	Since swab was positive for blood, no saliva testing performed per normal casework procedures		KCR7XA	Testing for saliva is generally not done when item is positive for blood or semen	
FE8632	Amylase Diffusion	Negative	KHD4NH	RSID	Negative
FJ7LFV	Amylase Radial Diffusion	Negative	KVPVBU	Amylase Diffusion	Negative
FMLXEX	Phadebas Amylase	Negative	KX7RWW	amylase diffusion	Negative
G8M9XQ	RSID	Negative	L2KN2W	Not trained to perform this test	
GB8FYY	Amylase	Inconclusive	LAGNCJ	RSID-Saliva	Negative
GCG7MH	RSID Saliva	Negative	LBBCWY	No specific tests are done for the collection of saliva/epithelia. Please refer to evidence recovery SOP [Laboratory SOP].	
GDENCQ	PHADEBAS	Negative	LH97QR	Phadebas	Negative
GDT3RM	ALS	Pos.\Ind.	LM4VB6	Amylase Radial Diffusion	Negative
	RSID	Negative	LMHJ9P	Phadebas	Negative
GJHHKZ	Amylase	Inconclusive	LNFPQ6	Amylase radial diffusion	Negative
GKDZM2	Amylase diffusion	Negative	LPC9T7	RSID	Negative
GMJLB2	Not done by ER laboratory		LTAP6Z	Not performed at the laboratory	
GQEE4W	RSID-Saliva	Negative	LUKDK7	Lab not accredited to test swabs. This would go to a forensic service provider.	
H3LRRB	SALigAE	Negative	LZUPLD	RSID-Saliva	Negative
H44MQP	RSID - Saliva	Negative	M7UNBT	Amylase	Inconclusive
H6XLFN	RSID	Negative	MAAWX8	Our Laboratory dont perform test to identify saliva	
H74DMX	RSID	Negative	MJXRWM	Phadebas	Negative
HTLW3R	Amylase	Negative	MYCZXQ	RSID-saliva	Negative
HYQTLR	RSID	Pos.\Ind.	NP4RN6	RSID-Saliva	Negative
HZN2WW	Amylase Diffusion	Negative	P2VUNC	RSID-Saliva	Negative
J7MACN	RSID	Negative	PALC3K	RSID	Negative
JCDB6N	RSID	Negative			
JLK3JK	RSID Saliva	Negative			
JPYWZG	RSID - Saliva	Negative			
K266GY	N/A - Test not done in our lab.				

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
PGNNYG	RSID Saliva	Negative	UVNYNX	Phadebas Amylase Test	Negative
PJUZ7J	Phadebas	Negative	V37VZC	Phadebas	Negative
Q2N2AZ	Amylase	Negative	V76ZRB	RSID	Negative
Q2QWQL	Phadebas	Negative	V8ZJTC	RSID	Negative
Q3KHKC	RSID saliva	Negative	VBED9A	RSID	Negative
Q6P8ML	Phadebas	Negative	VPL6FN	Not tested because our laboratory have no presumptive test for it.	
Q9PD7X	Phadebas tube test	Negative	VWJY9F	ALS	Inconclusive
QTXJVR	Presumptive test for the presence of saliva not performed at Evidence Recovery Lab (ER).			RSID	Negative
RE7EYF	RSID-Saliva	Negative	VXCMUW	Phadebas Amylase	Negative
RERMCO	Amylase Diffusion	Negative		RSID Amylase	Negative
REVAPX	No presumptive test done at the laboratory.		VXPG8C	RSID	Negative
RJ24JT	No presumptive test for saliva.		W3KN7E	RSID Saliva	Negative
RTD3D4	Not tested due to no validated test.		WDLV87	RSID	Negative
RTTLX2	I am not trained in saliva identification.		WGW7XE	RSID	Negative
RWRWU2	Testing for saliva is generally not done when item is positive for blood or semen.		WPR7ER	No test for saliva at this lab.	
T887XL	Amylase Diffusion	Negative	WQNK2K	Amylase Diffusion	Negative
TKDZQJ	Amylase Radial Diffusion	Inconclusive	WX9KFC	RSID	Negative
	Micro	Negative	WYHPTZ	Test for saliva is generally not conducted when item is tested positive for blood or semen	
TMFAAZ	Radial Diffusion	Negative	X2NEVA	RSID Saliva	Negative
TXEXAA	RSID	Negative	X4PFV7	RSID	Negative
U6EFKF	RSID	Negative	X6K2PX	Our laboratory not included in the portafolio[sic] of service testing for the presence of saliva	
U7AXMG	RSID-Saliva	Negative	XAVCE7	RSID	Negative
U7DK4U	our lab does not test for saliva		XNXLL2	RSID Saliva	Negative
			XXN4ZA	RSID	Negative

TABLE 2 - Item 1

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
YPQT7P	Phadebas	Negative			
YRRYJB	RSID-Saliva	Negative			
YULM4R	No presumptive testing for saliva.				
YWNJPF	Amylase Diffusion	Negative			
YX6TN8	Phadebas Paper	Negative			
ZUGMGW	ALS	Negative			

TABLE 2 - Item 1

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
3VZG9G	Presumable skin cells		HTLW3R	Urine - Creatinine	Negative
4947L9	urine - creatinine	Negative		Urine - DMAC	Negative
	fecal material - urobilinogen	Negative		Fecal Material - Urobilinogen	Negative
4UHRHA	Urine - Creatinine	Negative	HYQTLR	Alternate Light Source	Negative
	Feces - Urobilinogen	Negative	J9DZ9N	Ouchterlony species testing for human antigen	Pos.\Ind.
	Species - Hematrace (human)	Pos.\Ind.		Price's reagent for presence of fecal material	Negative
6KQVWY	ALS	Negative		Micro for spermatozoa	Negative
9ZCE3W	ALS	Pos.\Ind.	JVMFHY	Presumable skin cells	
ABP2P3	Human Hemoglobin (Hematrace - cutting)	Pos.\Ind.	K266GY	Epithelial skin cells - Not tested - Swabs are sent to w/c for further DNA analysis.	
	Urine (Creatinine - cutting)	Negative	LH97QR	Creatinine	Negative
	Urine (DMAC - cutting)	Negative		Urobilinogen	Negative
	Feces (Urobilinogen - cutting)	Negative		HemaTrace	Pos.\Ind.
ACG6CH	Urine - RSID - Urine	Negative	LPC9T7	Urease	Negative
BYGDG7	Amylase- Amylase Diffusion	Negative	LTAP6Z	Presumable epithelial material - 4th - swab will be submitted for presumable epithelial material.	
C9B9R7	Presum. skin cells		P2VUNC	ALS	Negative
CA8RP2	Urine - Creatinine	Negative	PGNNYG	Fecal - Urobilinogen	Negative
	Fecal Material - Urobilinogen	Negative		Urine - Creatinine	Negative
	Species - Hematrace (Human)	Pos.\Ind.		Biological Material - ALS	Negative
CPKZUB	Presumable epithelial material - (submitted)		U7AXMG	Semen/Saliva - Alternate Light Source	Negative
DLEWFT	Urine - Creatinine	Negative	WDLV87	ALS	Inconclusive
	Feces - Urobilinogen	Negative	X2NEVA	Luminol (for blood)	Pos.\Ind.
	BFI Screening - ALS	Pos.\Ind.			
E4UMV4	Presumable skin cells (not tested)				
FMLXEX	Urine- Creatinine	Negative			
	Urine- DMAC	Negative			
	Fecal Material- Uro	Negative			

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	Hematrace	Negative		Hemastix	Negative
	KM	Negative		HemaTrace	Pos.\Ind.
	Hemastix	Pos.\Ind.	3V3BP2	KM	Negative
	Luminol	Pos.\Ind.		Hematrace (see comments section)	Pos.\Ind.
2HWV9D	No reddish/brown stain observed		3VZG9G	Hemastix	Negative
2JCY36	Hemastix	Negative		Luminol	Negative
	KM	Negative	42H9XL	PTMB	Negative
	HemaTrace	Negative		Seratec HemDirect	Negative
2KK86X	KM	Negative	489NK8	Visual Exam	Negative
	Hemastix	Pos.\Ind.	4947L9	KM	Negative
	HemaTrace	Negative	4EVE73	KM	Negative
	Luminol	Negative		Hemastix	Negative
2R8ZJH	H/stix	Negative		HemaTrace	Negative
	Luminol	Negative	4FPYZU	KM	Negative
2TG8H6	Phenolphthalein	Negative	4KVTUP	KM	Negative
	Hemastix	Negative	4LR942	KM	Negative
	HemaTrace	Negative		Hematrace	Negative
	Luminol	Negative	4M6ZWH	H/stix	Negative
2UAV3K	H.stix	Negative		Luminol	Negative
	Luminol	Negative	4QNR9K	O-Tolidine	Negative
3AJ4FU	Swabs are not brown stained.			HemDirect	Negative
3JQPKM	ALS	Negative	4U8RNZ	Hemastix	Negative
	KM	Negative		HemaTrace	Negative
	Heme-Stix	Negative	4UHRHA	KM	Negative
3LEEQ	Hemastix	Negative	4ULB9X	KM	Negative
	Luminol	Negative		Hemastix	Negative
3NMATD	Swabs were not red.			Hematrace	Negative
3UMPFZ	Luminol	Negative		Luminol	Negative
	KM	Negative	66YXU4	LMG	Negative
				Visual	Negative

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
6CYCHQ	KM	Negative		ABACard HemaTrace	Negative
6DUXBG	Hstix	Negative	8JUWYC	Hemastix	Negative
	Luminol	Negative		Luminol	Negative
6KQVWY	Hemastix	Negative	8Z4WU2	KM	Negative
	HemaTrace	Negative	98WFMF	KM swab and supernatant	Negative
	PTMB	Negative		Appearance	Negative
6L9HVG	Hstix	Negative	9GJEDL	KM	Negative
	Luminol	Negative	9HEWFM	Thevenon-Roland (Piramidón) Technique	Negative
6LKGPP	Occult Blood Immunocromatographic[sic] Organics	Negative	9LCKNG	LMG	Negative
	Thevenon-Roland (Piramidón)	Negative	9PEEQT	KM	Negative
6NP7RY	Hemastix, KM, Hematrace	Negative		Hemastix	Negative
6QJVCF	Hemastix	Negative		Hematrace	Negative
	Luminol	Negative		Luminol	Negative
6Y9NK7	No suspected blood stains observed.		9QAWRU	KM	Negative
6Z7WTP	Hematrace	Negative		Hemastix	Negative
	Thevenon-Roland (Piramidón)	Negative		HemaTrace	Negative
7GMEZG	H-stix	Negative		Luminol	Negative
	Luminol	Negative	9QLWNN	KM	Negative
7PXQ8L	Benzidine	Negative	9YGUDC	Lum	Negative
	Heme Kit	Negative		Hem	Negative
7W3HKQ	LMG	Negative	9ZCE3W	Hemastix, Hematrace	Negative
	HemaTrace	Negative	9ZD826	LMG	Negative
7XW4DG	H-stix	Negative	9ZWYAP	KM	Negative
	Luminol	Negative	AAHEF6	LMG	Negative
8FRWYE	Hemastix	Negative	ABP2P3	KM (swabbing)	Negative
	Luminol	Negative	ACG6CH	LMG	Negative
8GP9H2	KM	Negative		RSID-Blood	Negative
	Hemastix	Negative			

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
AFJXEU	KM	Negative	C2W63R	KM	Negative
	Hemastix	Negative		HemaTrace	Negative
	HemaTrace*	Inconclusive	C8YE8Y	O-tol	Negative
AGEGFV	KM	Negative	C9B9R7	Hemastix	Negative
	Hemastix	Negative		Luminol	Negative
	Hematrace	Pos.\Ind.	CA8RP2	KM	Negative
AHCMYA	PHTH	Negative	CGAK2G	KM	Negative
AQ6ZWP	KM	Negative	CJNXE	Hemastix	Negative
	Hemastix	Pos.\Ind.		Luminol	Negative
	Luminol	Pos.\Ind.	CPKZUB	Hemastix	Negative
	HemaTrace	Pos.\Ind.		Luminol	Negative
AY3HLY	KM	Negative	CPLUBV	KM	Negative
B3RQWJ	Inmuno- cromatographic[sic] test (occult blood)	Negative		Hemastix	Negative
	Thevenon-Roland (Piramidón)	Negative	CV7VTU	Luminol	Negative
B3TLFP	Luminol	Negative		Hemastix	Negative
	Phenolphthalein	Negative		KM	Negative
	Hemastix	Pos.\Ind.		HemaTrace (see comments)	Pos.\Ind.
	HemaTrace	Negative	CV9KYC	KM	Negative
B8KNLA	H-stix	Negative	DCRXNN	KM	Negative
	Luminol	Negative		Hemastix	Negative
BGTZ3D	luminol BlueStar	Negative		Hematrace	Negative
BGVUJY	Visual	Negative		Luminol	Negative
BJF2K7	No stain observed		DDMGQP	KM	Negative
BRDK9V	Appearance of swab head is white in colour, no indications of bloodstaining			Hemastix	Negative
				HemaTrace	Negative
BYFG7A	Hemastix	Negative		Luminol	Negative
	Luminol	Negative			
BYGDG7	KM	Negative			

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
DFUYPK	KM	Negative		KM	Negative
	Hemastix	Negative	EM96ZH	KM	Negative
	Hematrace	Negative	ERZ9R2	LMG	Negative
	Luminol	Negative	EZBBD3	Swab not stained red/brown	
DLEWFT	TMB	Negative	F8TA9T	Visual	Negative
	Hematrace	Negative	FE8632	swabs white in color	
	LCV	Negative	FJ7LFV	Lack of visible appearance of blood.	
	Luminol	Negative	FM386D	o-tol	Negative
DMAFGV	KM	Pos.\Ind.		HemaTrace Card	Negative
	Hemastix	Pos.\Ind.	FMLXEX	KM	Negative
	Hematrace	Pos.\Ind.	G8M9XQ	Hemastix	Negative
DN9KZA	H-stix	Negative		HemaTrace	Negative
	Luminol	Negative		KM	Negative
DV7EU3	KM	Negative	GB8FYY	Micro	Negative
E4DCFK	KM	Negative		KM	Negative
	Hemastix	Negative	GCG7MH	KM	Negative
	Luminol	Negative		Hemastix	Negative
	Hematrace	Negative		HemaTrace	Negative
E4UMV4	Luminol	Negative		Luminol	Negative
	Hemastix	Negative	GDT3RM	KM	Negative
E8Y4EU	KM	Negative		Hemastix	Negative
ED6MRZ	No red-brown color visible.			HemaTrace	Pos.\Ind.
EKKJHT	Hemastix	Negative	GJHHKZ	Micro	Negative
	Hematrace x1	Pos.\Ind.		KM	Negative
	Hematrace x2	Negative	GKDZM2	LMG	Negative
ELF3KU	Visual	Negative	GMJLB2	Hemastix	Negative
ELYVB7	Hemastix	Negative		Luminol	Negative
	Luminol	Negative	GQEE4W	Visual	Negative
ELZRK2	VISUAL	Negative	H3LRRB	ABA Card Hematrace	Negative
	MICRO	Negative			

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
H44MQP	TMB	Negative	K266GY	Hemastix	Negative
H6XLFN	KM	Negative		Luminol	Negative
	Hemastix	Negative	KALNYD	no red staining present	
	Luminol	Pos.\Ind.	KCR7XA	KM	Negative
	HemaTrace	Pos.\Ind.	KHD4NH	Phenolphthalein	Negative
H74DMX	KM	Negative		HemaStix	Negative
HTLW3R	KM	Negative		HemaTrace	Negative
HYQTLR	TMB	Negative	KPVPBU	No red/brown discoloration observed	
	Hematrace	Negative	KX7RWW	no stain observed	
	Hemastix	Negative	L2KN2W	O-tol	Negative
	LCV	Negative	LAGNCJ	Hemastix	Negative
	Luminol	Negative		HemaTrace	Negative
HZN2WW	LMG	Negative	LBBCWY	Luminol Test	Negative
J7MACN	Hemastix	Negative		Hemastix Test	Negative
	HemaTrace	Negative	LH97QR	KM	Negative
J9DZ9N	TMB	Negative	LM4VB6	TMB	Negative
JCDB6N	Hemastix	Negative	LMHJ9P	KM	Negative
JKNMA9	Thevenon-Roland (Piramidón)	Negative	LNFPQ6	TMB	Negative
	Occult Blood card test (organics)	Negative		HemaTrace	Negative
JLK3JK	KM	Negative	LPC9T7	Swabs had no stains for testing	
	Hemastix	Negative	LTAP6Z	Hemastix	Negative
	Hematrace	Negative		Luminol	Negative
	Luminol	Negative	LUKDK7	KM	Negative
JPYWZG	KM	Negative	LZUPLD	KM	Negative
	Hemastix	Negative		Hemastix	Negative
	HemaTrace	Negative		Hematrace	Negative
JQHT9	KM	Negative		Luminol	Negative
JVMFHY	Hemastix	Negative	M2JDJY	Hem	Negative
	Luminol	Negative		Lum	Negative

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
M79Y47	Visual	Negative	Q6P8ML	KM	Negative
	LMG	Negative	Q9PD7X	KM	Negative
M7UNBT	Micro	Negative	QTUY74	Occult Blood Cassette	Negative
	KM	Negative		Thevenon-Roland (Piramidón)	Negative
MAAWX8	Human Blood	Negative	QTXJVR	Hemastix	Negative
	Thevenon-Roland (Piramidón)	Negative		Luminol	Negative
MYCZXQ	visual	Negative	RE7EYF	Hemastix	Negative
NP4RN6	RSID-Blood	Negative		KM	Negative
P2VUNC	KM	Negative		HemaTrace	Negative
	Hemastix	Negative	RERMCO	No visible discoloration	
	HemaTrace	Pos.\Ind.	REVAPX	Hemastix	Negative
	Luminol	Negative		Luminol	Negative
P362R6	Thevenon-Roland (Piramidón)	Negative	RJ24JT	Hemastix	Negative
	Occult Blood Rapid Signal	Negative		Luminol	Negative
PALC3K	KM	Negative	RTD3D4	Not red stained.	
PEG7ZL	Visual	Negative	RTTLX2	There was no discoloration on the swabs.	
PGNNYG	TMB	Negative	RWRWU2	KM	Negative
	HemaTrace	Negative	RXMFV3	Rapid Signal Occult Blood	Negative
	Luminol	Negative		Thevenon-Roland (Piramidón)	Negative
	Leucocrystal Violet	Negative	T887XL	LMG	Negative
PJUZ7J	KM	Negative	TKDZQJ	LMG	Negative
Q2N2AZ	TMB	Negative	TXEXAA	KM	Negative
Q2QWQL	KM	Negative		Hemastix	Negative
Q3KHKC	KM	Negative		Hematrace	Pos.\Ind.
	Hemastix	Negative		Luminol	Negative
	HemaTrace	Negative	U6EFKF	Visual	Negative
	Luminol	Negative			
Q6ND7Z	Thevenon-Roland (Piramidón)	Negative			
	Occult Blood Cassette	Negative			

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
U7AXMG	Tetramethylbenzidine	Negative		KM	Negative
	Hemastix	Negative		HemaTrace	Negative
	HemaTrace	Negative	VXWHHD	Visual Exam	Negative
	Leucocrystal Violet	Negative	W3KN7E	Item 2 lacks the characteristic reddish-brown stains associated with the presumptive presence of blood.	
	Luminol	Negative			
U7DK4U	o-tol	Negative			
UCDZPV	Hemastix	Negative	WDLV87	KM	Negative
	Luminol	Negative		Hemastix	Negative
UMDRUF	Visual	Negative		HemaTrace	Negative
UVNYNX	KM	Negative	WG7XE	Visual	Negative
	Hemoglobin	Negative	WPR7ER	Hemastix	Negative
	Immunochromatography			Luminol	Negative
V37VZC	KM	Negative			
V76ZRB	KM	Negative	WQNK2K	No apparent blood observed	
	TMB (HemaStix)	Negative	WX9KFC	KM	Negative
	Luminol	Negative	WYHPTZ	KM	Negative
	HemaTrace	Negative	X2NEVA	KM	Negative
V8ZJTC	Hemastix	Negative		Hemastix	Negative
	KM	Negative		Hematrace	Negative
	Hematrace	Negative	X4PFV7	Hemastix	Negative
VBED9A	Phenolphthalein	Negative		KM	Negative
	Hematrace	Negative		HemaTrace	Negative
	Hemastix	Negative	X6K2PX	Inmunochromatographic[sic] for human blood	Negative
VK2EPJ	KM	Negative		Thevenon-Roland (Piramidón)	
VPL6FN	Hemastix	Negative	XAVCE7	KM	Negative
	Luminol	Negative		Hemastix	Negative
VWJY9F	O-Tol	Negative		Hematrace	Negative
VXCMUW	KM	Negative			
	SERATEC Hemoglobin	Negative			
VXPG8C	Hemastix	Negative			

TABLE 2 - Item 2

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
XNXLL2	Hemastix - TMB	Negative			
	KM	Negative			
	Luminol	Negative			
	HemaTrace	Negative			
XXN4ZA	KM	Negative			
	HemaTrace	Negative			
	HemaStix	Negative			
	LCV	Negative			
	Luminol	Pos.\Ind.			
YPQT7P	KM	Negative			
YRRYJB	No testing performed due to the fact that the appearance of this item did not indicate the possible presence of blood (no red/brown staining)				
YULM4R	Hemastix	Negative			
	Luminol	Negative			
YVR63M	Hemastix	Negative			
	Luminol	Negative			
YWNJPF	LMG	Negative			
YX6TN8	No staining visible. No testing performed				
ZUGMGW	Visual	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	AP	Negative		Micro	Negative
	Micro	Negative		PSA	Negative
	Seratec PSA	Negative	3VZG9G	Brentamine	Negative
	Abacus PSA	Negative	42H9XL	AP	Negative
2HWV9D	AP	Negative		Seratec PSA Semiquant	Negative
	Micro	Negative	489NK8	AP	Negative
2JCY36	AP	Negative	4947L9	AP	Negative
	PSA	Negative	4EVE73	AP	Negative
	micro	Negative		Microscopic	Negative
2KK86X	AP	Negative		PSA	Negative
	Micro	Negative	4FPYZU	RSID-Semen	Negative
	PSA	Negative		PSA	Negative
2R8ZJH	Brentamine	Negative	4KVTUP	AP	Negative
2TG8H6	Acid Phosphatase	Negative		Micro	Negative
	Christmas Tree Stain	Negative	4LPEMG	PSA	Negative
	Seratec PSA	Negative		Micro (sperm)	Negative
2UAV3K	Brentamine	Negative	4LR942	ALS	Pos.\Ind.
3AJ4FU	Micro	Negative		AP	Negative
	P30	Negative		Micro	Negative
3JQPKM	ALS	Inconclusive		PSA	Negative
	AP	Inconclusive	4M6ZWH	Brentamine	Negative
3LEEQL	AP (Brentamine)	Negative	4QNR9K	Acid Phosphatase	Negative
3NMATD	AP	Negative		PSA	Negative
	P30	Negative	4U8RNZ	AP	Negative
	Micro Sperm	Negative		Micro	Negative
3UMPFZ	AP	Negative		PSA	Negative
	PSA	Negative	4UHRHA	AP	Negative
	Micro	Negative	4ULB9X	AP	Negative
3V3BP2	ALS	Pos.\Ind.		Micro	Negative
	AP	Negative		PSA	Negative

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
66YXU4	AP	Negative		Micro	Negative
6CYCHQ	Micro	Negative	8JUWYC	Brentamine	Negative
	PSA	Negative	8Z4WU2	AP	Negative
6DUXBG	Acid Phosphatase	Negative		Micro	Negative
6KQVWY	AP	Negative	98WFMF	AP	Negative
	PSA	Negative		Slide prepared	Negative
	Micro	Negative	9GJEDL	SPERM HY-LITER PI	Negative
6L9HVG	Brentamine (Acid Phosphatase)	Negative		RSID-Semen	Negative
6LKGPP	Micro (Christmas Tree)	Negative		PSA	Negative
	RSID TM- semen. Semenogelina[sic]	Negative	9HEWFM	Christmas tree stain	Negative
6NP7RY	AP, Micro, PSA	Negative		Rapid stain identification of human semen semenogelin	Negative
6QJVCF	Brentamine (pos 45 sec) (very faint purple colour change was observed within 65 seconds.)	Pos.\Ind.	9LCKNG	AP	Negative
				Micro	Negative
6Y9NK7	AP	Negative	9PEEQT	AP	Negative
				Micro	Negative
6Z7WTP	Micro (Christmas Tree)	Negative		PSA	Negative
	RSID. Semenogelina[sic]	Negative	9QAWRU	AP	Negative
7GMEZG	Brentamine	Negative		PSA	Negative
7PXQ8L	AP	Negative		Micro	Negative
	PSA	Negative	9QLWNN	RSID-Semen	Negative
	Micro	Negative		PSA	Negative
7W3HKQ	AP	Negative	9YGUDC	Brent	Negative
	PSA	Negative	9ZCE3W	AP, PSA, Micro	Negative
	Micro	Negative	9ZD826	AP	Pos.\Ind.
7XW4DG	Brentamine	Negative		Micro	Negative
8FRWYE	Brentamine	Negative		p30	Negative
8GP9H2	AP	Negative			
	Seratec PSA	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
9ZWYAP	SPERM HY-LITER PI	Negative		ABAcad p30	Negative
	RSID-Semen	Negative		Seratec PSA	Negative
	PSA	Negative	B8KNLA	Brent	Negative
AAHEF6	AP	Negative	BGTZ3D	AP	Negative
	PSA	Negative	BGVUJY	AP	Negative
	micro	Negative	BJF2K7	AP	Pos.\Ind.
ABP2P3	Seri AP (cutting)	Negative		Micro	Negative
ACG6CH	AP	Negative		PSA	Negative
	RSID-Semen	Negative	BRDK9V	AP	Negative
AFJXEU	AP	Negative	BYFG7A	Brentamine	Negative
	PSA	Negative	BYGDG7	BCIP	Negative
	Micro	Negative	C2W63R	AP	Negative
AGEGFV	AP	Negative		Micro	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative	C8YE8Y	ALS	Pos.\Ind.
AHCMYA	P30	Negative		AP	Negative
	MICRO	Negative	C8YJFG	AP	Negative
AQ6ZWP	AP	Negative		Micro	Negative
	Abacus p30	Negative	C9B9R7	Brentamine	Negative
	Seratec PSA	Negative	CA8RP2	AP	Negative
	Micro	Negative	CGAK2G	AP	Negative
AY3HLY	AP	Negative		MICRO	Negative
	ABAcad p30	Negative	CJINXE	Brentamine	Negative
	Micro	Negative	CPKZUB	Brentamine	Negative
B3RQWJ	Christman[sic] tree coloring	Negative	CPLUBV	AP	Negative
	Inmuno-cromatographic[sic] Test (human Semen-RSID)	Negative		PSA	Negative
				Micro	Negative
B3TLFP	AP	Negative			
	Micro	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CV7VTU	ALS	Inconclusive		Micro	Negative
	AP	Negative	E4UMV4	Brentamine	Negative
	Micro	Negative	E8Y4EU	AP	Negative
	PSA	Negative		ABACard p30	Negative
CV9KYC	AP	Negative		Micro	Negative
	Micro	Negative	ED6MRZ	AP	Negative
DCRXNN	AP	Negative		Micro	Negative
	Micro	Negative	EKKJHT	Micro	Negative
	ABA card P30	Negative		AP	Negative
	Seratec PSA semiquant	Negative		PSA	Negative
DDMGQP	AP	Negative	ELF3KU	AP	Negative
	Micro	Negative		Micro	Negative
	Seratec PSA	Negative		PSA	Negative
	Abacus PSA	Negative	ELYVB7	Brentamine	Pos.\Ind.
DFUYPK	AP	Negative	ELZRK2	AP	Negative
	Seratec PSA	Negative		X-MAS	Negative
	ABA PSA	Negative	EM96ZH	SPERM HY-LITER PI	Negative
	Micro	Negative		RSID	Negative
DLEWFT	AP	Negative		PSA	Negative
	PSA	Negative	ERZ9R2	AP	Negative
	Micro	Negative		PSA	Negative
DMAFGV	Acid Phosphatase	Negative		Micro	Negative
	Microscopic	Negative	EZBBD3	AP	Negative
	PSA/P30	Negative		PSA	Negative
DN9KZA	Brentamine	Negative		Micro	Negative
DV7EU3	AP	Negative	F8TA9T	AP	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative		PSA	Negative
E4DCFK	AP	Negative	FE8632	AP	Negative
	PSA	Negative		Micro	Negative

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
FJ7LFV	AP	Negative	H2Q9QA	AP	Negative
	Micro	Negative	H3LRRB	ABA Card P30	Negative
	P30	Negative	H44MQP	Microscopy	Negative
FM386D	ALS	Pos.\Ind.		Acid Phosphatase	Negative
	AP	Negative		PSA (p30)	Negative
	PSA	Negative	H6XLFN	AP	Negative
FMLXEX	AP	Negative		Micro	Negative
	PSA	Negative		PSA	Negative
G8M9XQ	AP	Negative	H74DMX	AP	Negative
	PSA	Negative	HTLW3R	AP	Negative
	Micro	Negative	HYQTLR	AP	Negative
GB8FYY	AP	Negative		Micro	Negative
	Micro	Negative		Seratec PSA	Negative
GCG7MH	AP	Negative	HZN2WW	AP	Pos.\Ind.
	PSA	Negative		Micro	Negative
	Micro	Negative		PSA	Negative
GDENCQ	MICRO	Negative	J7MACN	Acid Phosphatase	Negative
	AP	Negative		PSA	Negative
GDT3RM	ALS	Pos.\Ind.		Microscopic Examination	Negative
	AP	Negative	J9DZ9N	AP	Negative
	Micro	Negative		Micro	Negative
	PSA	Negative	JCDB6N	AP	Negative
GJHHKZ	FBB	Negative	JKNMA9	Micro (Christmas Tree)	Negative
	Micro	Negative		Human semen RSID	Negative
GKDZM2	ALS	Pos.\Ind.	JLK3JK	AP	Negative
	AP	Pos.\Ind.		PSA	Negative
	Micro	Negative		Micro	Negative
	PSA	Negative			
GMJLB2	Brentamine	Negative			
GQEE4W	AP	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
JPYWZG	AP	Negative	LNFPQ6	PSA	Negative
	Micro	Negative		Micro	Negative
	PSA	Negative		AP	Negative
JVMFHY	Brentamine	Negative		PSA	Negative
K266GY	Brentamine	Negative	LPC9T7	AP	Negative
K9P7XC	Micro	Negative		PSA	Negative
	P30	Negative		Micro	Negative
KALNYD	AP	Negative	LTAP6Z	Brentamine	Negative
	P30	Negative	LUKDK7	AP	Negative
KCR7XA	Sperm HY-Liter PI	Negative	LZUPLD	AP	Negative
	RSID-Semen	Negative		Abacus PSA	Negative
	PSA	Negative		micro	Negative
KHD4NH	AP	Negative	M2JDJY	Brent	Negative
	PSA	Negative	M79Y47	Visual	Negative
	Microscopic	Negative		ALS	Negative
KVPVBU	AP	Negative		AP	Negative
	Micro	Negative	M7UNBT	AP	Negative
	PSA	Negative		Micro	Negative
KX7RWV	micro	Negative	MAAWX8	Micro (Christmas Tree)	Negative
	AP	Pos.\Ind.		Semenogelina[sic]	Negative
	PSA	Negative		MJXRWM	AP
L2KN2W	AP	Negative	MYCZXQ	Acid phosphatase	Negative
	ALS	Pos.\Ind.	NP4RN6	RSID-Semen	Negative
LAGNCJ	AP	Negative	P2VUNC	AP	Negative
	MICRO	Negative		PSA	Negative
	P30	Negative		Micro	Negative
LBBCWY	Brentamine Test	Negative	P362R6	Micro (Christmas Tree)	Negative
LH97QR	AP	Negative		RSID TM- semen	Negative
LM4VB6	AP	Negative			
LMHJ9P	AP	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
PALC3K	AP	Negative		PSA	Negative
	PSA	Negative		Micro	Negative
PEG7ZL	ALS	Negative	RERMCO	AP	Negative
	p30	Negative		Micro	Negative
PGNNYG	AP	Negative	REVPX	Brentamine	Negative
	Micro	Negative	RJ24JT	Brentamine (Acid Phosphatase)	Negative
	Seratec PSA	Negative	RTD3D4	Micro	Negative
PJUZ7J	AP	Negative		P30	
	ABAcad-p30	Negative	RTTLX2	AP	Negative
	Micro	Negative		Micro	Negative
Q2N2AZ	AP	Negative	RWRWU2	SPERM HY-LITER PI	Negative
Q2QWQL	AP	Negative		RSID-Semen	Negative
	Micro	Negative		PSA	Negative
	PSA	Negative	RXMFV3	Micro (Christmas Tree)	Negative
Q3KHKC	AP	Negative		RSID	Negative
	ABA PSA	Negative	T887XL	AP	Negative
	Seratec PSA	Negative		Micro	Negative
	Micro	Negative		PSA	Negative
Q6ND7Z	Micro (Christmas Tree)	Negative	TKDZQJ	AP	Negative
	RSID Semen	Negative		Micro	Negative
Q6P8ML	AP	Negative		PSA	Negative
	PSA	Negative	TMFAAZ	AP Spot	Negative
	Micro	Negative		Microscopy	Negative
Q9PD7X	AP	Negative	TXEXAA	AP	Negative
	Micro	Negative		PSA (Seratec)	Negative
QTUY74	Micro (Christmas Tree)	Negative		PSA (Abacus)	Negative
	RSID - semen	Negative		Micro	Negative
			U6EFKF	AP	Negative
QTXJVR	Brentamine	Negative			
RE7EYF	AP	Negative			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
U7AXMG	Acid Phosphatase	Negative		AP	Negative
	Microscopic exam	Negative	VXCMUW	AP	Negative
	Prostate Specific Antigen	Negative		Micro	Negative
U7DK4U	ALS	Inconclusive		PSA	Negative
	AP	Negative	VXPG8C	AP	Negative
UCDZPV	Brentamine (AP)	Negative		PSA	Negative
UMDRUF	ALS	Inconclusive		Micro	Negative
	p30	Negative	VXWHHD	AP	Negative
UVNYNX	AP	Negative		Micro	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative	W3KN7E	AP	Negative
V37VZC	AP	Negative		Micro	Negative
	Micro	Negative	WDLV87	AP	Negative
	ABACard P30	Negative		Micro	Negative
V76ZRB	AP	Negative		PSA	Negative
	PSA	Negative	WGW7XE	AP	Negative
	Micro	Negative	WPR7ER	Brentamine	Negative
V7LEWZ	P-30	Negative	WQNK2K	AP	Negative
	Micro	Negative		Micro	Negative
V8ZJTC	AP	Negative	WX9KFC	AP	Negative
	PSA	Negative	WYHPTZ	RSID-Semen	Negative
	Micro	Negative		SERATEC PSA Semiquant	Negative
VBED9A	AP	Negative	X2NEVA	AP	Negative
	Micro	Negative		PSA	Negative
	PSA	Negative		Microscopic	Negative
VK2EPJ	AP	Negative	X4PFV7	AP	Negative
	Micro	Negative		PSA	Negative
	PSA	Negative		Micro	Negative
VPL6FN	Brentamine	Negative			
VWJY9F	ALS	Pos.\Ind.			

TABLE 2 - Item 2

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
X6K2PX	Christmas tree stain	Negative			
	kit rapid stain identification test for semen (RSID TM) semen	Negative			
XAVCE7	AP	Negative			
	Micro	Negative			
	PSA	Negative			
XNXLL2	AP	Negative			
	PSA	Negative			
	micro	Negative			
XXN4ZA	AP	Negative			
	Micro	Negative			
	PSA	Negative			
YPQT7P	Brentamine solution	Negative			
YRRYJB	AP	Negative			
	PSA	Negative			
YULM4R	Brentamine	Negative			
YVR63M	Brentamine	Negative			
YWNJPF	AP	Negative			
	Micro	Negative			
	P-30	Negative			
YX6TN8	AP	Negative			
ZUGMGW	ALS	Pos.\Ind.			
	AP	Negative			

TABLE 2 - Item 2

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	RSID Saliva	Pos.\Ind.	4QNR9K	Amylase Diffusion	Pos.\Ind.
2HWV9D	RSID Saliva	Pos.\Ind.	4U8RNZ	RSID	Pos.\Ind.
2JCY36	RSID	Pos.\Ind.	4UHRHA	Phadebas	Pos.\Ind.
2KK86X	RSID - Saliva	Pos.\Ind.	4ULB9X	RSID-Saliva	Pos.\Ind.
2R8ZJH	Not part of our routine tests.		66YXU4	RSID	Pos.\Ind.
2TG8H6	RSID-Saliva	Pos.\Ind.	6DUXBG	No presumptive test.	
2UAV3K	We do not have a presumptive[sic] test for saliva.		6KQVWY	RSID - Saliva	Pos.\Ind.
3AJ4FU	Saliva testing not available.		6L9HVG	No presumptive test for saliva.	
3JQPKM	ALS	Negative	6NP7RY	RSID	Pos.\Ind.
	Saligae	Negative	6QJVCF	No presumptive test for saliva at our laboratory	
3NMATD	ARD	Pos.\Ind.	6Y9NK7	Phadebas paper	Pos.\Ind.
	Micro NEC	Pos.\Ind.	7GMEZG	No presumptive test for saliva.	
3UMPFZ	RSID saliva	Pos.\Ind.	8FRWYE	No presumptive test at lab.	
3V3BP2	ALS	Pos.\Ind.	8GP9H2	RSID Saliva	Pos.\Ind.
	RSID - saliva	Pos.\Ind.	8JUWYC	The laboratory does not have a saliva test hence the fourth swab was not tested.	
3VZG9G	Test not available at Biology EC		8Z4WU2	Phadebas	Pos.\Ind.
42H9XL	Seratec Amylase	Pos.\Ind.	98WFMF	Phadebas tube test	Pos.\Ind.
489NK8	RSID	Pos.\Ind.	9GJEDL	Amylase	Pos.\Ind.
4947L9	Phadebas Amylase	Pos.\Ind.	9LCKNG	Phadebas	Pos.\Ind.
4EVE73	RSID	Pos.\Ind.	9PEEQT	RSID-Saliva	Pos.\Ind.
4FPYZU	Starch-iodine test	Pos.\Ind.	9QAWRU	RSID - Saliva	Pos.\Ind.
4KVTUP	Radial Diffusion	Pos.\Ind.	9QLWNN	Amylase	Pos.\Ind.
4LPEMG	Amylase (high)	Pos.\Ind.	9ZCE3W	RSID	Pos.\Ind.
	Micro (NECs)	Pos.\Ind.	9ZD826	Amylase diffusion	Pos.\Ind.
4LR942	ALS	Pos.\Ind.	9ZWYAP	Amylase	Pos.\Ind.
	RSID	Pos.\Ind.	AAHEF6	Amylase diffusion	Pos.\Ind.
4M6ZWH	There is no presumptive test that is performed at the laboratory for saliva.				

TABLE 2 - Item 2

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
ABP2P3	Amylase (Phadebas tablet, micro, cutting)	Pos.\Ind.	DCRXNN	RSID saliva	Pos.\Ind.
ACG6CH	RSID-Saliva	Pos.\Ind.	DDMGQP	RSID Saliva	Pos.\Ind.
AFJXEU	RSID	Pos.\Ind.	DFUYPK	RSID saliva	Pos.\Ind.
AGEGFV	RSID-Saliva	Pos.\Ind.	DLEWFT	RSID	Pos.\Ind.
AHCMYA	PHADEBAS	Pos.\Ind.	DMAFGV	RSID-Saliva	Pos.\Ind.
AQ6ZWP	RSID Saliva	Pos.\Ind.	DN9KZA	Not done (no presumptive)	
AY3HLY	Phadebas	Pos.\Ind.	DV7EU3	Amylase Radial Diffusion	Pos.\Ind.
B3TLFP	RSID Saliva	Pos.\Ind.		Micro	Pos.\Ind.
BGTZ3D	Phadebas	Pos.\Ind.	E4DCFK	RSID-saliva	Pos.\Ind.
BGVUJY	RSID-Saliva	Pos.\Ind.	E8Y4EU	Phadebas	Pos.\Ind.
BJF2K7	Amylase Diffusion	Pos.\Ind.	ED6MRZ	RSID	Pos.\Ind.
BRDK9V	Phadebas paper	Pos.\Ind.	EKKJHT	RSID	Pos.\Ind.
BYFG7A	We do not have a test method for saliva		ELYVB7	Not performed by our laboratory	
BYGDG7	Lab does not test for saliva		ELZRK2	AMYLASE	Pos.\Ind.
C2W63R	RSID Amylase	Pos.\Ind.	EM96ZH	AMYLASE	Pos.\Ind.
C8YE8Y	ALS	Pos.\Ind.	ERZ9R2	Amylase Radial Diffusion	Pos.\Ind.
	RSID	Pos.\Ind.		Micro	Pos.\Ind.
C8YJFG	Amy	Pos.\Ind.	EZBBD3	Radial Diffusion	Pos.\Ind.
C9B9R7	Test not performed at laboratory.			Micro-nucleated cells observed	Pos.\Ind.
CA8RP2	Phadebas	Pos.\Ind.	FE8632	Amylase Diffusion	Pos.\Ind.
CGAK2G	AMYLASE	Pos.\Ind.	FJ7LFV	Amylase Radial Diffusion	Pos.\Ind.
CJJNXE	No specific method for presumptive testing		FMLXEX	Phadebas Amylase	Pos.\Ind.
CPKZUB	Saliva tests not performed at our laboratory		G8M9XQ	RSID	Pos.\Ind.
CPLUBV	RSID	Pos.\Ind.	GB8FYY	Amylase	Pos.\Ind.
CV7VTU	ALS	Inconclusive	GCG7MH	RSID Saliva	Pos.\Ind.
	RSID-Saliva	Pos.\Ind.	GDENCQ	PHADEBAS	Pos.\Ind.
CV9KYC	Phadebas tube test	Pos.\Ind.	GDT3RM	ALS	Pos.\Ind.
				RSID	Pos.\Ind.

TABLE 2 - Item 2

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GJHHKZ	Amylase	Pos.\Ind.	LNFPQ6	Amylase radial diffusion	Pos.\Ind.
GKDZM2	Amylase diffusion	Pos.\Ind.	LPC9T7	RSID	Pos.\Ind.
GMJLB2	Not done by ER laboratory.		LTAP6Z	Not performed at the laboratory	
GQEE4W	RSID-Saliva	Pos.\Ind.	LUKDK7	Lab not accredited to test swabs. This would go to a forensic service provider.	
H2Q9QA	Radial Diffusion	Pos.\Ind.	LZUPLD	RSID-Saliva	Pos.\Ind.
H3LRRB	SALlgAE	Pos.\Ind.	M7UNBT	Amylase	Pos.\Ind.
H44MQP	RSID - Saliva	Pos.\Ind.	MAAWX8	Our Laboratory dont perform test to identify saliva	
H6XLFN	RSID	Pos.\Ind.	MJXRWM	Phadebas	Pos.\Ind.
H74DMX	RSID	Pos.\Ind.	MYCZXQ	RSID-Saliva	Pos.\Ind.
HTLW3R	Amylase	Pos.\Ind.	NP4RN6	RSID-Saliva	Pos.\Ind.
HYQTLR	RSID	Pos.\Ind.	P2VUNC	RSID-Saliva	Pos.\Ind.
HZN2WW	Amylase Diffusion	Pos.\Ind.	PALC3K	RSID	Pos.\Ind.
J7MACN	RSID	Pos.\Ind.	PGNNYG	RSID Saliva	Pos.\Ind.
J9DZ9N	Phadebas tube test for amylase detection	Pos.\Ind.	PJUZ7J	Phadebas	Pos.\Ind.
	Micro	Pos.\Ind.	Q2N2AZ	Amylase	Pos.\Ind.
JCDB6N	RSID	Pos.\Ind.	Q2QWQL	Phadebas	Pos.\Ind.
JLK3JK	RSID Saliva	Pos.\Ind.	Q3KHKC	RSID saliva	Pos.\Ind.
JPYWZG	RSID - Saliva	Pos.\Ind.	Q6P8ML	Phadebas	Pos.\Ind.
K266GY	N/A - Test was not done in our lab.		Q9PD7X	Phadebas Tube Test	Pos.\Ind.
KCR7XA	Amylase test	Pos.\Ind.	QTXJVR	Not performed at lab (ER).	
KHD4NH	RSID	Pos.\Ind.	RE7EYF	RSID-Saliva	Pos.\Ind.
KPVPBU	Amylase Diffusion	Pos.\Ind.	RERMCO	Amylase Diffusion	Pos.\Ind.
KX7RWV	amylase diffusion	Pos.\Ind.	REVAPX	No presumptive test done at our laboratory.	
L2KN2W	Not trained to perform this test		RJ24JT	No presumptive test for saliva.	
LAGNCJ	RSID-Saliva	Pos.\Ind.	RTTLX2	I am not trained in saliva identification.	
LH97QR	Phadebas	Pos.\Ind.			
LM4VB6	Amylase Radial Diffusion	Pos.\Ind.			
LMHJ9P	Phadebas	Pos.\Ind.			

TABLE 2 - Item 2

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
RWRWU2	Amylase	Pos.\Ind.	X2NEVA	RSID Saliva	Pos.\Ind.
T887XL	Amylase Diffusion	Pos.\Ind.	X4PFV7	RSID	Pos.\Ind.
TKDZQJ	Amylase Radial Diffusion	Pos.\Ind.	X6K2PX	Our laboratory not included in the portafolio[sic] of service testing for the presence of saliva	
	Micro	Pos.\Ind.			
TMFAAZ	Radial Diffusion	Pos.\Ind.			
TXEXAA	RSID	Pos.\Ind.	XAVCE7	RSID	Pos.\Ind.
U6EFKF	RSID	Pos.\Ind.	XNXLL2	RSID - Saliva	Pos.\Ind.
U7AXMG	RSID-Saliva	Pos.\Ind.	XXN4ZA	RSID	Pos.\Ind.
U7DK4U	our lab does not test for saliva		YPQT7P	Phadebas	Pos.\Ind.
UVNYNX	Phadebas Amylase Test	Pos.\Ind.	YRRYJB	RSID-Saliva	Pos.\Ind.
V37VZC	Phadebas	Pos.\Ind.	YULM4R	No presumptive test for saliva	
V76ZRB	RSID	Pos.\Ind.	YWNJPF	Amylase Diffusion	Pos.\Ind.
V8ZJTC	RSID	Pos.\Ind.	YX6TN8	Phadebas paper	Pos.\Ind.
VBED9A	RSID	Pos.\Ind.	ZUGMGW	ALS	Pos.\Ind.
VPL6FN	Not tested because our laboratory have no presumptive testing for it.			SaligAE	Pos.\Ind.
VWJY9F	ALS	Pos.\Ind.			
	RSID	Pos.\Ind.			
VXCMUW	Phadebas Amylase	Pos.\Ind.			
	RSID Amylase	Pos.\Ind.			
VXPG8C	RSID	Pos.\Ind.			
W3KN7E	RSID Saliva	Pos.\Ind.			
WDLV87	RSID	Pos.\Ind.			
WGW7XE	RSID	Pos.\Ind.			
WPR7ER	No test for saliva at this lab.				
WQNK2K	Amylase Diffusion	Pos.\Ind.			
WX9KFC	RSID	Pos.\Ind.			
WYHPTZ	Iodine-Starch	Pos.\Ind.			

TABLE 2 - Item 2

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
3VZG9G	Presumable skin cells		LH97QR	Creatinine	Negative
4947L9	urine - creatinine	Negative	LPC9T7	Urease	Negative
4UHRHA	Urine - Creatinine	Negative	LTAP6Z	Presumable epithelial material - 4th - swab will be submitted for presumable epithelial material.	
6KQVWY	ALS	Negative			
9ZCE3W	ALS	Inconclusive			
ABP2P3	Urine (Creatinine - cutting)	Negative	P2VUNC	ALS	Negative
	Urine (DMAC - cutting)	Negative	PGNNYG	Fecal-Urobilinogen	Negative
ACG6CH	Urine - RSID - Urine - Neg	Negative		Urine-Creatinine	Negative
BYGDG7	Amylase- Amylase Diffusion	Pos.\Ind.		Biological material-ALS	Pos.\Ind.
C9B9R7	Presum. skin cells		TMFAAZ	No RBS was observed on the swab	
CA8RP2	Urine-Creatinine	Negative	U7AXMG	Semen/Saliva - Alternate Light Source	Inconclusive
CPKZUB	Presumable epithelial material - submitted		WDLV87	ALS	Pos.\Ind.
DLEWFT	Urine - Creatinine	Negative	X2NEVA	Luminol (for blood)	Negative
	Feces - Urobilingen[sic]	Negative	YULM4R	Presumable epithelia - No test performed.	
	BFI Screening - ALS	Pos.\Ind.			
E4UMV4	Presumable skin cells (not tested)				
FMLXEX	Urine- Creatinine	Negative			
	Urine- DMAC	Negative			
HTLW3R	Urine - Creatinine	Negative			
	Urine - DMAC	Negative			
	Fecal Material - Urobilinogen	Negative			
HYQTLR	Alternate Light Source	Inconclusive			
J9DZ9N	Prices reagent for presence of fecal material	Negative			
JVMFHY	Presumable skin cells				
K266GY	Epithelial skin cells - Not tested. Swabs are sent to w/c for further DNA analysis.				

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	KM	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
	Hemastix	Pos.\Ind.	4KVTUP	KM	Pos.\Ind.
2HWV9D	O-tol	Pos.\Ind.	4LPEMG	O-tol	Pos.\Ind.
2JCY36	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
2KK86X	KM	Pos.\Ind.	4LR942	KM	Pos.\Ind.
2R8ZJH	H/stix	Pos.\Ind.		Hematrace	Pos.\Ind.
2TG8H6	Phenolphthalein	Pos.\Ind.	4M6ZWH	H/stix	Pos.\Ind.
	HemaTrace	Pos.\Ind.	4QNR9K	O-Tolidine	Pos.\Ind.
2UAV3K	H.stix	Pos.\Ind.		HemDirect	Pos.\Ind.
3AJ4FU	KM	Pos.\Ind.	4U8RNZ	Hemastix	Pos.\Ind.
3JQPKM	ALS	Pos.\Ind.		HemaTrace	Pos.\Ind.
	KM	Pos.\Ind.	4UHRHA	KM	Pos.\Ind.
	Heme-Stix	Pos.\Ind.		Modified Takayama	Pos.\Ind.
3LEEQQL	Hemastix	Pos.\Ind.	4ULB9X	KM	Pos.\Ind.
3NMATD	KM	Pos.\Ind.	66YXU4	LMG	Pos.\Ind.
	HT	Pos.\Ind.		HemaTrace	Pos.\Ind.
3UMPFZ	KM	Pos.\Ind.		Visual	Pos.\Ind.
3V3BP2	KM	Pos.\Ind.	6CYCHQ	KM	Pos.\Ind.
	Hematrace	Pos.\Ind.	6DUXBG	Hstix	Pos.\Ind.
3VZG9G	Hemastix	Pos.\Ind.	6KQVWY	Hemastix	Pos.\Ind.
42H9XL	PTMB	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Seratec HemDirect	Pos.\Ind.	6L9HVG	Hstix	Pos.\Ind.
489NK8	Visual Exam	Pos.\Ind.	6LKGPP	Occult Blood Immuno- chromatographic[sic] Orgenics	Pos.\Ind.
	KM	Pos.\Ind.	6NP7RY	Hemastix, KM, Hematrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	6QJVCF	Hemastix (see notes)	Pos.\Ind.
4947L9	KM	Pos.\Ind.	6Y9NK7	KM	Pos.\Ind.
	Modified Takayama	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
	HemaTrace	Pos.\Ind.	6Z7WTP	Hematrace	Pos.\Ind.
4EVE73	KM	Pos.\Ind.	7GMEZG	H-stix	Pos.\Ind.
4FPYZU	KM	Pos.\Ind.			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
7PXQ8L	Benzidine	Pos.\Ind.		hematrace	Pos.\Ind.
	Heme Kit	Pos.\Ind.	ABP2P3	KM (swabbing)	Pos.\Ind.
7W3HKQ	LMG	Pos.\Ind.		Micro (modified Takayama, cutting)	Pos.\Ind.
	HemaTrace	Pos.\Ind.	ACG6CH	LMG	Pos.\Ind.
7XW4DG	H-stix	Pos.\Ind.		RSID-Blood	Pos.\Ind.
8FRWYE	Hemastix	Pos.\Ind.	AFJXEU	KM	Pos.\Ind.
8GP9H2	KM	Pos.\Ind.	AGEGFV	KM	Pos.\Ind.
8JUWYC	Hemastix	Pos.\Ind.	AHCMYA	PHTH	Pos.\Ind.
8Z4WU2	KM	Pos.\Ind.	AQ6ZWP	Hemastix	Pos.\Ind.
	ABACard HemaTrace	Pos.\Ind.	AY3HLY	KM	Pos.\Ind.
98WFMF	KM swab and supernatant	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Appearance	Pos.\Ind.	B3RQWJ	Inmuno-cromatographic[sic] test (occult blood)	Pos.\Ind.
9GJEDL	KM	Pos.\Ind.	B3TLFP	Phenolphthalein	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.	B8KNLA	H-stix	Pos.\Ind.
9HEWFM	Thevenon-Roland (Piramidón) Technique	Pos.\Ind.	BGTZ3D	luminol BLueStar	Pos.\Ind.
	Rapid Signal Occult Blood Cassette			Hexagon OBTI Test	Pos.\Ind.
9LCKNG	LMG	Pos.\Ind.	BGVUJY	Visual	Pos.\Ind.
9PEEQT	KM	Pos.\Ind.		LMG	Pos.\Ind.
9QAWRU	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
9QLWNN	KM	Pos.\Ind.	BJF2K7	LMG	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.		HemaTrace	Pos.\Ind.
9YGUDC	Hem	Pos.\Ind.	BRDK9V	KM	Pos.\Ind.
	Lum	Pos.\Ind.	BYFG7A	Hemastix	Pos.\Ind.
9ZCE3W	Hemastix, Hematrace	Pos.\Ind.	BYGDG7	KM	Pos.\Ind.
9ZD826	LMG	Pos.\Ind.		Hematrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	C2W63R	KM	Pos.\Ind.
9ZWYAP	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.	C8YE8Y	O-tol	Pos.\Ind.
AAHEF6	LMG	Pos.\Ind.		HemaTrace	Pos.\Ind.

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
C8YJFG	KM	Pos.\Ind.	ELF3KU	Hemochromogen	Pos.\Ind.
C9B9R7	Hemastix	Pos.\Ind.	ELYVB7	Hemastix	Pos.\Ind.
CA8RP2	KM	Pos.\Ind.	ELZRK2	VISUAL	Pos.\Ind.
	Modified Takayama	Pos.\Ind.		MICRO	Pos.\Ind.
CGAK2G	KM	Pos.\Ind.		KM	Pos.\Ind.
CJJNXE	Hemastix	Pos.\Ind.	EM96ZH	KM	Pos.\Ind.
CPKZUB	Hemastix	Pos.\Ind.		HEXAGON OBTI	Pos.\Ind.
CPLUBV	KM	Pos.\Ind.	ERZ9R2	LMG	Pos.\Ind.
CV7VTU	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	EZBBD3	KM	Pos.\Ind.
CV9KYC	KM	Pos.\Ind.		Hematrace	Pos.\Ind.
DCRXNN	KM	Pos.\Ind.	F8TA9T	Hemochromogen	Pos.\Ind.
DDMGQP	KM	Pos.\Ind.	FE8632	LMG	Pos.\Ind.
	Hemastix	Pos.\Ind.		Hematrace	Pos.\Ind.
	Luminol	Pos.\Ind.	FJ7LFV	Hemastix	Pos.\Ind.
DFUYPK	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
DLEWFT	TMB	Pos.\Ind.	FM386D	o-tol	Pos.\Ind.
	Hematrace	Pos.\Ind.		HemaTrace Card	Pos.\Ind.
DMAFGV	KM	Pos.\Ind.	FMLXEX	KM	Pos.\Ind.
DN9KZA	H-stix	Pos.\Ind.		mod Taka	Pos.\Ind.
DV7EU3	KM	Pos.\Ind.	G8M9XQ	Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
E4DCFK	KM	Pos.\Ind.		KM	Pos.\Ind.
	Hemastix	Pos.\Ind.	GB8FYY	Micro	Pos.\Ind.
	Hematrace	Pos.\Ind.		KM	Pos.\Ind.
E4UMV4	Hemastix	Pos.\Ind.	GCG7MH	KM	Pos.\Ind.
E8Y4EU	KM	Pos.\Ind.	GDENCQ	TMB	Pos.\Ind.
	HemaTrace	Pos.\Ind.	GDT3RM	KM	Pos.\Ind.
ED6MRZ	O-tol	Pos.\Ind.		HemaTrace	Pos.\Ind.
EKKJHT	Hemastix				

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GJHHKZ	Micro	Pos.\Ind.	JLK3JK	KM	Pos.\Ind.
	KM	Pos.\Ind.	JPYWZG	Hemastix	Pos.\Ind.
GKDZM2	LMG	Pos.\Ind.	JQTHT9	KM	Pos.\Ind.
GMJLB2	Hemastix	Pos.\Ind.	JVMFHY	Hemastix	Pos.\Ind.
GQEE4W	Visual	Pos.\Ind.	K266GY	Hemastix	Pos.\Ind.
	KM	Pos.\Ind.	K9P7XC	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.	KALNYD	Hemastix	Pos.\Ind.
H2Q9QA	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
H3LRRB	ABA Card Hematrace	Pos.\Ind.	KCR7XA	KM	Pos.\Ind.
H44MQP	TMB	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
	HemaTrace	Pos.\Ind.	KHD4NH	Phenolphthalein	Pos.\Ind.
H6XLFN	KM	Pos.\Ind.	KPVPBU	LMG	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
H74DMX	KM	Pos.\Ind.	KX7RWW	LMG	Pos.\Ind.
	Hematrace	Pos.\Ind.		hematrace	Pos.\Ind.
HTLW3R	KM	Pos.\Ind.	L2KN2W	O-tol	Pos.\Ind.
	Takayama	Pos.\Ind.	LAGNCJ	Hemastix	Pos.\Ind.
	Hematrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
HYQTLR	TMB	Pos.\Ind.	LBBCWY	Luminol	Pos.\Ind.
	Hematrace	Pos.\Ind.		Hemastix	Pos.\Ind.
HZN2WW	LMG	Pos.\Ind.	LH97QR	KM	Pos.\Ind.
J7MACN	Hemastix	Pos.\Ind.		Modified Takayama	Pos.\Ind.
	HemaTrace	Pos.\Ind.	LM4VB6	TMB	Pos.\Ind.
J9DZ9N	TMB	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	LMHJ9P	KM	Pos.\Ind.
JCDB6N	Hemastix	Pos.\Ind.		Hematrace	Pos.\Ind.
	Hematrace	Pos.\Ind.	LNFPQ6	TMB	Pos.\Ind.
JKNMA9	Thevenon-Roland (Piramidón)	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Occult Blood card test (organics)	Pos.\Ind.	LPC9T7	KM	Pos.\Ind.
			LTAP6Z	Hemastix	Pos.\Ind.

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LUKDK7	KM	Pos.\Ind.		Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
LZUPLD	KM	Pos.\Ind.		Luminol	Pos.\Ind.
M2JDJY	Hem	Pos.\Ind.	Q6ND7Z	Thevenon-Roland Piramidon	Pos.\Ind.
M79Y47	Visual	Pos.\Ind.		Occult Blood Cassette	Pos.\Ind.
	LMG	Pos.\Ind.	Q6P8ML	KM	Pos.\Ind.
M7UNBT	Micro	Pos.\Ind.		HEMA	Pos.\Ind.
	KM	Pos.\Ind.	Q9PD7X	KM	Pos.\Ind.
MAAWX8	Human Blood	Pos.\Ind.	QTUY74	Occult Blood Cassette	Pos.\Ind.
MJXRWM	KM	Pos.\Ind.	QTXJVR	Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.	RE7EYF	Hemastix	Pos.\Ind.
MYCZXQ	Visual	Pos.\Ind.		KM	Pos.\Ind.
	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hematrace	Pos.\Ind.	RERMCO	LMG	Pos.\Ind.
NP4RN6	RSID-Blood	Pos.\Ind.		HemaTrace	Pos.\Ind.
P2VUNC	KM	Pos.\Ind.	REVAPX	Hemastix	Pos.\Ind.
P362R6	Occult Blood Rapid Signal	Pos.\Ind.	RJ24JT	Hemastix	Pos.\Ind.
PALC3K	KM	Pos.\Ind.	RTD3D4	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.	RTTLX2	KM	Pos.\Ind.
PEG7ZL	Visual	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	RWRWU2	KM	Pos.\Ind.
PGNNYG	TMB	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
	HemaTrace	Pos.\Ind.	RXMFV3	Rapid Signal Occult Blood	Pos.\Ind.
PJUJ7J	KM	Pos.\Ind.		Thevenon-Roland (Piramidón)	Pos.\Ind.
	ABAcad-HemaTrace	Pos.\Ind.	T887XL	LMG	Pos.\Ind.
Q2N2AZ	TMB	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	TKDZQJ	LMG	Pos.\Ind.
Q2QWQL	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hematrace	Pos.\Ind.	TMFAAZ	KM	Pos.\Ind.
Q3KHKC	KM	Pos.\Ind.			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
TXEXAA	KM	Pos.\Ind.		KM	Pos.\Ind.
U6EFKF	Visual	Pos.\Ind.		HemaTrace	Pos.\Ind.
	LMG	Pos.\Ind.	VXWHHD	Hemochromogen	Pos.\Ind.
	HemaTrace	Pos.\Ind.	W3KN7E	O-tol	Pos.\Ind.
U7AXMG	Tetramethylbenzidine	Pos.\Ind.	WDLV87	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.	WGW7XE	KM	Pos.\Ind.
U7DK4U	o-tol	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.		Visual	Pos.\Ind.
UCDZPV	Hemastix	Pos.\Ind.	WPR7ER	Hemastix	Pos.\Ind.
UMDRUF	Visual	Pos.\Ind.	WQNK2K	LMG	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
UVNYNX	KM	Pos.\Ind.	WX9KFC	KM	Pos.\Ind.
	Hemoglobin Immunochromatograp hy	Pos.\Ind.		HemaTrace	Pos.\Ind.
V37VZC	KM	Pos.\Ind.	WYHPTZ	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Bluestar Hexagon OBTI	Pos.\Ind.
V76ZRB	KM	Pos.\Ind.	X2NEVA	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Hematrace	Pos.\Ind.
V7LEWZ	KM	Pos.\Ind.	X4PFV7	Hemastix	Pos.\Ind.
V8ZJTC	Hemastix	Pos.\Ind.		KM	Pos.\Ind.
	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hematrace	Pos.\Ind.	X6K2PX	Inmuno- cromatografic[sic] for human blood	Pos.\Ind.
VBED9A	phenolphthalein	Pos.\Ind.	XAVCE7	KM	Pos.\Ind.
VK2EPJ	KM	Pos.\Ind.	XNXLL2	KM	Pos.\Ind.
VPL6FN	Hemastix	Pos.\Ind.	XXN4ZA	KM	Pos.\Ind.
VWJY9F	O-Tol	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	YPQT7P	KM	Pos.\Ind.
VXCMUW	KM	Pos.\Ind.		Hexagon OBTI (Human origin)	Pos.\Ind.
	SERATEC Hemoglobin	Pos.\Ind.			
VXPG8C	Hemastix	Pos.\Ind.			

TABLE 2 - Item 3

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
YRRYJB	KM	Pos.\Ind.			
	HemaTrace	Pos.\Ind.			
YULM4R	Hemastix	Pos.\Ind.			
	Luminol	Pos.\Ind.			
YVR63M	Hemastix	Pos.\Ind.			
	Luminol	Pos.\Ind.			
YWNJPF	LMG	Pos.\Ind.			
	Hematrace	Pos.\Ind.			
YX6TN8	KM	Pos.\Ind.			
	Hematrace	Pos.\Ind.			
ZUGMGW	Visual	Pos.\Ind.			
	Phenolphthalein	Pos.\Ind.			
	Hematrace	Pos.\Ind.			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	AP	Negative		Seratec PSA Semiquant	Negative
	PSA	Negative	489NK8	AP	Negative
	Micro	Negative	4947L9	AP	Negative
2HWV9D	AP	Negative	4FPYZU	RSID-Semen	Negative
	Micro	Negative		PSA	Negative
2JCY36	AP	Negative	4KVTUP	AP	Negative
	PSA	Negative	4LPEMG	PSA	Negative
2KK86X	AP	Negative		Micro (sperm)	Negative
2R8ZJH	Body fluid swabs are not tested for semen, unless stated to contain poss. semen.		4LR942	ALS	Negative
				AP	Negative
2TG8H6	Acid Phosphatase	Negative		PSA	Negative
2UAV3K	Brentamine - our SOP states swabs will only be tested for possible semen if it is specified as poss. semen.		4M6ZWH	Brentamine	Negative
			4QNR9K	Acid Phosphatase	Inconclusive
				PSA	Negative
3AJ4FU	Micro	Negative	4U8RNZ	AP	Negative
	P30	Negative		Micro	Negative
3JQPKM	ALS	Negative		PSA	Negative
	AP	Negative	4UHRHA	AP	Negative
3LEEQL	AP (Brentamine)	Negative	4ULB9X	AP	Negative
3NMATD	AP	Negative	66YXU4	AP	Negative
	P30	Negative		P30	Negative
	Micro Sperm	Negative		Micro	Negative
3UMPFZ	AP	Negative	6CYCHQ	Micro	Negative
3V3BP2	ALS	Negative		PSA	Negative
	AP	Negative	6DUXBG	Only test evidence on body if it is specified for semen. [Laboratory documentation]	
	Micro	Negative			
	PSA	Negative	6KQVWY	AP	Negative
3VZG9G	SOP does not indicate that semen should be tested on 'neck'.			PSA	Negative
				Micro	Negative
42H9XL	AP	Negative			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
6L9HVG	[Laboratory documentation] states that swabs from body of victim will not be tested for semen unless indicated or specified as possible semen.			Micro	Negative
			98WFMF	AP	Negative
				Slide prepared	Negative
			9GJEDL	SPERM HY-LITER PI	Negative
				RSID-Semen	Negative
6LKGPP	Micro (Christmas Tree)	Negative		PSA	Negative
	RSID TM- semen. Semenogelina[sic]	Negative	9HEWFM	Christmas tree stain	Negative
6NP7RY	AP, Micro, PSA	Negative		Rapid stain identification of human semen semenogelin	Negative
6Y9NK7	AP	Negative			
6Z7WTP	Micro (Christmas Tree)	Negative	9LCKNG	AP	Negative
	Semenogelina[sic]	Negative		Micro	Negative
	RSID		9PEEQT	Not required per case information	
7GMEZG	According to the [Laboratory documentation], swabs will only be tested for possible semen if specified as possible semen.		9QAWRU	AP	Negative
			9QLWNN	RSID-Semen	Negative
				PSA	Negative
7PXQ8L	AP	Negative	9YGUDC	Brent	Negative
	PSA	Negative	9ZCE3W	AP, PSA	Negative
	Micro	Negative	9ZD826	AP	Negative
7W3HKQ	AP	Negative		Micro	Negative
	PSA	Negative	9ZWYAP	SPERM HY-LITER PI	Negative
	Micro	Negative		RSID-Semen	Negative
				PSA	Negative
7XW4DG	According to the standard operating procedures, body fluid swab are not tested for brentamine unless stated "possible semen" in the covering minute.		AAHEF6	AP	Negative
				PSA	Negative
				micro	Negative
			ABP2P3	Seri AP (cutting)	Negative
8FRWYE	Brentamine	Negative	ACG6CH	AP	Negative
8GP9H2	swabs from victim's neck			RSID-Semen	Negative
8Z4WU2	AP	Negative			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
AFJXEU	AP	Negative	CA8RP2	AP	Negative
	Micro	Negative	CGAK2G	AP	Negative
AGEGFV	AP	Negative		MICRO	Negative
	PSA	Negative	CJNXE	Brentamine	Negative
AHCMYA	P30	Negative	CPKZUB	Does not have evidential value because of the location where it was collected	
	MICRO	Negative			
AQ6ZWP	AP	Negative			
AY3HLY	AP	Negative	CPLUBV	AP	Negative
	ABAcad p30	Negative	CV7VTU	ALS	Inconclusive
	Micro	Negative		AP	Negative
B3RQWJ	Christman[sic] tree coloring	Negative		Micro	Negative
	Immuno-cromatographic[sic] Test (human Semen-RSID)	Negative		PSA	Negative
B3TLFP	AP	Negative	CV9KYC	AP	Negative
BGTZ3D	AP	Negative		Micro	Negative
BGVUJY	AP	Negative	DCRXNN	AP	Negative
	P30 (ABA card)	Negative	DDMGQP	AP	Negative
	Micro	Negative	DFUYPK	AP	Negative
BJF2K7	AP	Negative	DLEWFT	AP	Negative
	Micro	Negative	DMAFGV	Acid Phosphatase	Negative
BRDK9V	AP	Negative	DN9KZA	Not done	
BYGDG7	BCIP	Negative	DV7EU3	AP	Pos.\Ind.
C2W63R	AP	Negative		PSA	Negative
	PSA	Negative		Micro	Negative
C8YE8Y	ALS	Inconclusive	E4DCFK	AP	Negative
	AP	Negative		PSA	Negative
C8YJFG	AP	Negative	E8Y4EU	AP	Negative
	Micro	Negative		ABAcad p30	Negative
C9B9R7	No evidential value		ED6MRZ	AP	Negative
				Micro	Negative

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
EKKJHT	Micro	Negative		PSA	Negative
	AP	Negative		Micro	Negative
ELF3KU	AP	Negative	GB8FYY	AP	Negative
	Micro	Negative		Micro	Negative
	PSA	Negative	GCG7MH	AP	Negative
ELZRK2	AP	Negative	GDENCQ	MICRO	Negative
	X-MAS	Negative		AP	Negative
EM96ZH	SPERM HY-LITER PI	Negative	GDT3RM	AP	Negative
	RSID	Negative		Micro	Negative
	PSA	Negative		PSA	Negative
ERZ9R2	AP	Negative	GJHHKZ	FBB	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative	GKDZM2	AP	Negative
EZBBD3	AP	Negative		ALS	Negative
F8TA9T	AP	Negative		Micro	Negative
	Micro	Negative	GQEE4W	AP	Negative
	PSA	Negative	H2Q9QA	AP	Negative
FE8632	AP	Negative		Micro	Negative
	Micro	Negative	H3LRRB	ABA Card P30	Negative
	PSA	Negative	H44MQP	Microscopy	Negative
FJ7LFV	AP	Negative		Acid Phosphatase	Negative
	Micro	Negative		PSA (p30)	Negative
	P30	Negative	H6XLFN	AP	Negative
FM386D	ALS	Negative	H74DMX	AP	Negative
	AP	Negative	HTLW3R	AP	Negative
	PSA	Negative	HYQTLR	AP	Negative
FMLXEX	AP	Inconclusive	HZN2WW	AP	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative	J7MACN	Acid Phosphatase	Negative
G8M9XQ	AP	Negative	J9DZ9N	AP	Negative

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
JCDB6N	AP	Negative	LNFPQ6	AP	Negative
JKNMA9	Micro (Christmas Tree)	Negative		PSA	Negative
	Human semen RSID	Negative	LPC9T7	AP	Negative
JLK3JK	AP	Negative		PSA	Negative
JPYWZG	semen detected on other samples in case			Micro	Negative
K9P7XC	Micro	Negative	LTAP6Z	Semen does not have evidential value	
	P30	Negative	LUKDK7	AP	Negative
KALNYD	AP	Negative	LZUPLD	AP	Negative
KCR7XA	Sperm HY-Liter PI	Negative	M2JDJY	Brent	Negative
	RSID-Semen	Negative	M79Y47	Visual	Negative
	PSA	Negative		ALS	Negative
KHD4NH	AP	Negative		AP	Negative
	PSA	Negative	M7UNBT	AP	Negative
KPVPBU	AP	Negative		Micro	Negative
	Micro	Negative	MAAWX8	Micro (Christmas Tree)	Negative
	PSA	Negative		Semenogelina[sic]	Negative
KX7RWV	micro	Negative	MJXRWM	AP	Negative
	AP	Pos.\Ind.		Micro	Negative
	PSA	Negative	MYCZXQ	Acid phosphatase	Negative
L2KN2W	AP	Negative	NP4RN6	RSID-Semen	Negative
	ALS	Negative	P2VUNC	AP	Negative
LAGNCJ	AP	Negative	P362R6	Micro (Christmas Tree)	Negative
	MICRO	Negative		RSID TM- semen	Negative
	P30	Negative	PALC3K	AP	Negative
LH97QR	AP	Negative	PEG7ZL	ALS	Negative
LM4VB6	AP	Negative		p30	Negative
LMHJ9P	AP	Negative	PGNNYG	AP	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
PJUZ7J	AP	Negative	RJ24JT	[Laboratory documentation] states swabs from the victim's body will only be tested for possible semen if specified.	
	ABAcad-p30	Negative			
	Micro	Negative			
Q2N2AZ	AP	Negative			
Q2QWQL	AP	Negative	RTD3D4	Micro	Negative
	Micro	Negative		P30	Negative
	PSA	Negative	RTTLX2	AP	Negative
Q3KHKC	AP	Negative	RWRWU2	SPERM HY-LITER PI	Negative
	ABA PSA	Negative		RSID-Semen	Negative
	Seratec PSA	Negative		PSA	Negative
	Micro	Negative	RXMFV3	Micro (Christmas Tree)	Negative
Q6ND7Z	Micro (Christmas Tree)	Negative		RSID	Negative
	RSID Semen	Negative	T887XL	AP	Negative
Q6P8ML	AP	Negative		Micro	Negative
	PSA	Negative	TKDZQJ	AP	Negative
	Micro	Negative		Micro	Negative
Q9PD7X	AP	Negative		PSA	Negative
	Micro	Negative	TMFAAZ	AP Spot	Negative
QTUY74	Micro (Christmas Tree)	Negative		Microscopy	Negative
	RSID - semen	Negative	TXEXAA	AP	Negative
RE7EYF	AP	Negative	U6EFKF	AP	Negative
	PSA	Negative		ABA p30	Negative
	Micro	Negative		Micro	Negative
RERMCO	AP	Negative	U7AXMG	Acid Phosphatase	Negative
	Micro	Negative	U7DK4U	swab tested positive for something else	
	PSA	Negative	UCDZPV	Brentamine (AP)	Negative
REVAPX	Brentamine	Negative	UMDRUF	ALS	Negative
				p30	Negative

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
UVNYNX	AP	Negative		Micro	Negative
	PSA	Negative	WDLV87	AP	Negative
	Micro	Negative		Micro	Negative
V37VZC	AP	Negative	WGW7XE	AP	Negative
	Micro	Negative	WPR7ER	Brentamine	Negative
	ABACard P30	Negative	WQNK2K	AP	Negative
V76ZRB	AP	Negative		Micro	Negative
	PSA	Negative	WX9KFC	AP	Negative
V7LEWZ	P-30	Negative	WYHPTZ	RSID-Semen	Negative
	Micro	Negative		SERATEC PSA Semiquant	Negative
V8ZJTC	AP	Negative	X2NEVA	AP	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative		Microscopic	Negative
VBED9A	AP	Negative	X4PFV7	AP	Negative
	Micro	Negative		PSA	Negative
VK2EPJ	AP	Negative		Micro	Negative
	Micro	Negative	X6K2PX	Christmas tree stain kit rapid stain identification test for semen (RSID TM) semen	Negative
	PSA	Negative			
VWJY9F	ALS	Inconclusive	XAVCE7	AP	Negative
	AP	Negative		PSA	Negative
VXCMUW	AP	Negative	XNXLL2	AP	Negative
	Micro	Negative	XXN4ZA	AP	Negative
	PSA	Negative	YPQT7P	Brentamine (AP) solution	Negative
VXPG8C	AP	Negative	YRRYJB	AP	Negative
	PSA	Negative		PSA	Negative
	Micro	Negative	YULM4R	Brentamine	Negative
VXWHHD	AP	Negative	YVR63M	Brentamine	Negative
	Micro	Negative			
	PSA	Negative			
W3KN7E	AP	Negative			

TABLE 2 - Item 3

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
YWNJPF	AP	Negative			
	Micro	Negative			
YX6TN8	AP	Negative			
ZUGMGW	ALS	Negative			
	AP	Negative			

TABLE 2 - Item 3

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	RSID Saliva	Negative		RSID	Negative
2HWV9D	RSID Saliva	Negative	4M6ZWH	There is no presumptive test that is performed at the laboratory for saliva.	
2JCY36	RSID	Negative			
2KK86X	RSID - Saliva	Negative	4QNR9K	Amylase Diffusion	Negative
2R8ZJH	Not part of our routine tests.		4U8RNZ	RSID	Negative
2TG8H6	RSID-Saliva	Negative	4UHRHA	Phadebas	Negative
2UAV3K	We do not have a presumptive[sic] test for saliva.		4ULB9X	RSID-Saliva	Negative
3AJ4FU	Saliva testing not available.		66YXU4	RSID	Negative
3JQPKM	ALS	Negative	6DUXBG	No presumptive test	
	SALlgAE	Negative	6KQVWY	RSID - Saliva	Negative
3NMATD	ARD	Negative	6L9HVG	No presumptive test for saliva.	
	Micro NEC	Negative	6NP7RY	RSID	Negative
3UMPFZ	A positive RSID result would not affect how this sample is extracted. Case facts indicate a sexual assault and other items tested positive for semen.		6Y9NK7	Phadebas paper	Negative
			7GMEZG	No presumptive test for saliva.	
			8FRWYE	No presumptive test at lab.	
			8GP9H2	RSID Saliva	Negative
3V3BP2	ALS	Negative	8Z4WU2	Phadebas	Negative
	RSID - saliva (see comments section)	Inconclusive	98WFMF	Phadebas tube test	Negative
3VZG9G	Test not available at Biology EC		9GJEDL	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.	
42H9XL	Seratec Amylase	Negative			
489NK8	RSID	Negative	9LCKNG	Phadebas	Negative
4947L9	Phadebas Amylase	Negative	9PEEQT	Not required per case information	
4KVTUP	NT since the KM positive sample would be taken on to DNA		9QAWRU	RSID - Saliva	Negative
4LPEMG	Micro (NECs)	Negative	9QLWNN	Laboratory only routinely examines for blood and semen in sexual assault cases	
	Amylase (Low)	Negative			
4LR942	ALS	Negative	9ZCE3W	RSID	Negative

TABLE 2 - Item 3

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
9ZD826	Amylase diffusion	Negative	CPLUBV	RSID	Negative
9ZWYAP	Sexual assault case exhibit routinely tested for blood and semen. Not tested for saliva unless specified.		CV7VTU	ALS	Inconclusive
AAHEF6	amylase diffusion	Negative		RSID-Saliva	Negative
ABP2P3	Amylase (Phadebas tablet, micro, cutting)	Negative	CV9KYC	Phadebas tube test	Inconclusive
ACG6CH	RSID-Saliva	Negative	DCRXNN	RSID saliva	Negative
AFJXEU	RSID	Negative	DDMGQP	RSID Saliva	Negative
AGEGFV	RSID-Saliva	Negative	DFUYPK	RSID saliva	Negative
AHCMYA	PHADEBAS	Negative	DLEWFT	RSID	Negative
AQ6ZWP	RSID Saliva	Negative	DMAFGV	RSID-Saliva	Negative
AY3HLY	Phadebas	Negative	DN9KZA	Not done (no presumptive)	
B3TLFP	Possible body fluid detected, RSID may get positive result with neat stain		DV7EU3	Amylase Radial Diffusion	Pos.\Ind.
BGTZ3D	Phadebas	Negative		Micro	Negative
BGVUJY	RSID-Saliva	Negative	E4DCFK	RSID-saliva	Negative
BJF2K7	Amylase Diffusion	Negative	E8Y4EU	Phadebas	Negative
BRDK9V	Phadebas paper	Negative	ED6MRZ	RSID	Negative
BYGDG7	Lab does not test for saliva		EKKJHT	RSID	Negative
C2W63R	RSID Amylase	Negative	ELZRK2	AMYLASE	Negative
C8YE8Y	ALS	Inconclusive	EM96ZH	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.	
	RSID	Negative	ERZ9R2	Amylase Radial Diffusion	Negative
C8YJFG	Amy	Negative		Micro	Negative
C9B9R7	Test not performed at laboratory.		EZBBD3	Since swab was positive for blood, no saliva testing performed per normal casework procedures	
CA8RP2	Phadebas	Negative	FE8632	Amylase Diffusion	Negative
CGAK2G	AMYLASE	Negative	FJ7LFV	Amylase Radial Diffusion	Negative
CJNXE	No specific method for presumptive testing		FMLXEX	Phadebas Amylase	Negative
CPKZUB	We don't test the saliva				

TABLE 2 - Item 3

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
G8M9XQ	RSID	Negative	KHD4NH	RSID	Negative
GB8FYY	Amylase	Inconclusive	KPVPBU	Amylase Diffusion	Negative
GCG7MH	RSID Saliva	Negative	KX7RWW	amylase diffusion	Negative
GDENCQ	PHADEBAS	Negative	L2KN2W	Not trained to perform this test	
GDT3RM	RSID	Negative	LAGNCJ	RSID-Saliva	Negative
GJHHKZ	Amylase	Inconclusive	LBBCWY	Please refer to item 1 comments section	
GKDZM2	Amylase diffusion	Negative	LH97QR	Phadebas	Negative
GQEE4W	RSID-Saliva	Negative	LM4VB6	Amylase Radial Diffusion	Negative
H3LRRB	SALlgAE	Negative	LMHJ9P	Phadebas	Negative
H44MQP	RSID - Saliva	Negative	LNFPQ6	Amylase radial diffusion	Negative
H6XLFN	RSID	Negative	LPC9T7	RSID	Negative
H74DMX	RSID	Negative	LTAP6Z	Not performed at the laboratory.	
HTLW3R	Amylase	Negative	LUKDK7	Lab not accredited to test swabs. This would go to a forensic service provider.	
HYQTLR	RSID	Negative	LZUPLD	RSID-Saliva	Negative
HZN2WW	Amylase Diffusion	Negative	M7UNBT	Amylase	Negative
J7MACN	RSID	Negative	MAAWX8	Our Laboratory dont perform test to identify saliva	
J9DZ9N	Phadebas tube test	Negative	MJXRWM	Phadebas	Negative
	Phadebas paper test	Negative	MYCZXQ	RSID-Saliva	Negative
JCDB6N	RSID	Negative	NP4RN6	RSID-Saliva	Negative
JLK3JK	RSID Saliva	Negative	P2VUNC	RSID-Saliva	Negative
JPYWZG	sample had visible RBS and was positive for blood, extraction method would be the same even if saliva was present and semen was detected on other samples, which is more probative to case		PALC3K	RSID	Negative
KCR7XA	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.		PGNNYG	RSID Saliva	Negative
			PJUJ7J	Phadebas	Negative
			Q2N2AZ	Amylase	Negative
			Q2QWQL	Phadebas	Negative
			Q3KHKC	RSID saliva	Negative

TABLE 2 - Item 3

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
Q6P8ML	Phadebas	Negative		RSID Amylase	Negative
Q9PD7X	Phadebas Tube Test	Negative	VXPG8C	RSID	Negative
QTXJVR	Not performed at lab (ER).		W3KN7E	RSID Saliva	Negative
RE7EYF	RSID-Saliva	Negative	WDLV87	RSID	Negative
RERMCO	Amylase Diffusion	Negative	WGW7XE	RSID	Negative
REVAPX	No presumptive test done at our laboratory.		WPR7ER	No test for saliva at this lab.	
RJ24JT	No presumptive test for saliva		WQNK2K	Amylase Diffusion	Negative
RTTLX2	I am not trained in saliva identification.		WX9KFC	RSID	Negative
RWRWU2	Sexual assault case exhibits routinely test for blood and semen. Not tested for saliva unless specified.		WYHPTZ	Laboratory only routinely test for blood and semen in sexual assault cases. Saliva test done only when specified by client.	
T887XL	Amylase Diffusion	Negative	X2NEVA	RSID Saliva	Negative
TKDZQJ	Amylase Radial Diffusion	Inconclusive	X4PFV7	RSID	Negative
	Micro	Negative	X6K2PX	Our laboratory not included in the portafolio[sic] of service testing for the presence of saliva	
TMFAAZ	Radial Diffusion	Negative	XAVCE7	RSID	Negative
TXEXAA	RSID	Negative	XNXLL2	RSID Saliva	Negative
U6EFKF	RSID	Negative	XXN4ZA	RSID	Negative
U7AXMG	RSID-Saliva	Negative	YPQT7P	Phadebas	Negative
U7DK4U	our lab does not test for saliva		YRRYJB	RSID-Saliva	Negative
UVNYNX	Phadebas Amylase Test	Negative	YULM4R	No presumptive tests for saliva	
V37VZC	Phadebas	Negative	YWNJPF	Amylase Diffusion	Negative
V76ZRB	RSID	Negative	YX6TN8	Phadebas paper	Negative
V8ZJTC	RSID	Negative	ZUGMGW	ALS	Negative
VBED9A	RSID	Pos.\Ind.			
VWJY9F	ALS	Inconclusive			
	RSID	Negative			
VXCMUW	Phadebas Amylase	Negative			

TABLE 2 - Item 3

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
3VZG9G	Presumable skin cells				
6KQVWY	ALS	Negative			
7XW4DG	Epithelial Cells - High Friction	Inconclusive			
9ZCE3W	ALS	Pos.\Ind.			
ACG6CH	Urine - RSID - Urine	Negative			
BYGDG7	Amylase-Amylase Diffusion	Negative			
C9B9R7	Presum. skin cells				
CPKZUB	Presumable epithelial material				
DN9KZA	Hair - Visual examination	Negative			
JVMFHY	Presumable skin cells				
PGNNYG	Biological material-ALS	Negative			

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	KM	Negative	4947L9	KM	Negative
2HWV9D	No reddish/brown stain observed		4FPYZU	KM	Negative
2JCY36	visual examination was not consistent with the appearance of blood		4KVTUP	No staining indicating a need for KM. Sample would be taken on to DNA.	
2KK86X	No visible staining		4LR942	KM	Negative
2R8ZJH	Body fluid swabs not tested unless indicated (or stain for poss. blood visible & may have EV)		4QNR9K	O-Tolidine	Inconclusive
2TG8H6	No staining indicating the possible presence of blood			HemDirect	Negative
2UAV3K	I did a visual inspection & the swabs did not have any presumable blood on them.		4U8RNZ	Hemastix	Negative
3AJ4FU	Swabs are not brown stained.			HemaTrace	Negative
3JQPKM	ALS	Negative	4UHRHA	KM	Negative
	KM	Negative	4ULB9X	no red-brown staining	
	Heme-Stix	Negative	66YXU4	LMG	Negative
3LEEQL	Hemastix	Negative		Visual	Negative
	Luminol	Negative	6CYCHQ	KM	Negative
3NMATD	Swabs were not red		6KQVWY	Hemastix	Negative
3UMPFZ	No staining consistent with blood was observed.		6L9HVG	No visible blood. Not tested with Luminol/Hstix.	
3V3BP2	Not tested due to the fact that no reddish brown staining was observed on this item.		6LKGPP	Occult blood Rapid Test (Cassette) immuno-chromatographic[sic]	Negative
3VZG9G	No visible blood noted.			Thevenon-Roland (Piramidón)	Negative
42H9XL	PTMB	Negative	6NP7RY	Hemastix, KM, Hematrace	Negative
	Seratec HemDirect	Negative	6Y9NK7	KM	Negative
489NK8	Visual Exam	Negative	6Z7WTP	Hematrace	Negative
				Thevenon-Roland (Piramidón)	Negative
			7GMEZG	Swabs, as per visual inspection, did not appear bloody.	
			7PXQ8L	Benzidine	Negative
				Heme Kit	Negative

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
7W3HKQ	LMG	Negative	AY3HLY	KM	Negative
7XW4DG	H-stix	Negative	B3RQWJ	Immuno-cromatographic[sic] test (occult blood)	Negative
	Luminol	Negative		Thevenon-Roland (Piramidón)	Negative
8FRWYE	Luminol	Negative	B3TLFP	No reddish brown staining observed	
8GP9H2	no discoloration consistent with blood		BGTZ3D	luminol BLueStar	Negative
8Z4WU2	KM	Negative	BGVUJY	Visual	Negative
98WFMF	KM swab and supernatant	Negative	BJF2K7	LMG	Negative
	Appearance	Negative	BRDK9V	Appearance of swab head is white in colour, no indications of bloodstaining	
9GJEDL	KM	Negative	BYGDG7	KM	Negative
9HEWFM	Thevenon-Roland (Piramidón)	Negative	C2W63R	Not tested because no red/brown color observed.	
9LCKNG	LMG	Negative	C8YE8Y	O-tol	Negative
9PEEQT	No reddish brown staining obs/pos for other fluids		C8YJFG	KM	Negative
9QAWRU	KM	Negative	C9B9R7	No evidential value	
9QLWNN	KM	Negative	CA8RP2	KM	Negative
9YGUDC	Hem	Negative	CGAK2G	KM	Negative
	Lum	Negative	CJJNXE	Luminol	Negative
9ZCE3W	Hemastix, Hematrace	Negative	CPKZUB	Does not have evidential value because of the location where it was collected	
9ZD826	LMG	Negative	CV7VTU	KM	Negative
9ZWYAP	KM	Negative	CV9KYC	KM	Negative
AAHEF6	LMG	Negative	DCRXNN	KM	Negative
ABP2P3	KM (swabbing)	Negative	DDMGQP	KM	Negative
ACG6CH	LMG	Negative		Hemastix	Pos.\Ind.
	RSID - Blood	Negative		Hematrace	Pos.\Ind.
AFJXEU	KM	Negative	DFUYPK	KM	Negative
AGEGFV	item not tested due to lack of apparent staining characteristic of blood				
AHCMYA	PHTH	Negative			
AQ6ZWP	Hemastix	Negative			

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
DLEWFT	TMB	Negative	GJHHKZ	Micro	Negative
DN9KZA	H-stix	Negative		KM	Negative
	Luminol	Negative	GKDZM2	LMG	Negative
DV7EU3	KM	Negative	GQEE4W	Visual	Negative
E4DCFK	KM	Negative	H3LRRB	ABA Card Hematrace	Negative
E8Y4EU	KM	Negative	H44MQP	TMB	Negative
ED6MRZ	No red-brown color visible.		H6XLFN	KM	Negative
EKKJHT	N/A to case scenario & no visible staining		H74DMX	KM	Negative
ELF3KU	Visual	Negative	HTLW3R	KM	Negative
ELZRK2	VISUAL	Negative	HYQTLR	Red/brown staining was not observed	
	MICRO	Negative	HZN2WW	LMG	Negative
	KM	Negative	J7MACN	No red/brown staining noted	
EM96ZH	KM	Negative	J9DZ9N	TMB	Negative
ERZ9R2	LMG	Negative	JCDB6N	Hemastix	Negative
EZBBD3	Swab not stained red/brown		JKNMA9	Thevenon-Roland (Piramidón)	Negative
F8TA9T	Visual	Negative		Occult Blood card test (organics)	Negative
FE8632	Swabs white in color		JLK3JK	no reddish brown staining	
FJ7LFV	Lack of visible appearance of blood.		JPYWZG	no visible RBS	
FM386D	o-tol	Negative	JQHT9	KM	Negative
	HemaTrace Card	Negative	K266GY	N/A - Swab was clean hence presumable blood was not tested.	
FMLXEX	KM	Negative	KALNYD	no red staining present	
G8M9XQ	Hemastix	Negative	KCR7XA	KM	Negative
	HemaTrace	Negative	KHD4NH	no red staining	
	KM	Negative	KPVPBU	LMG	Negative
GB8FYY	Micro	Negative	KX7RWW	no stain observed	
	KM	Negative	L2KN2W	O-tol	Negative
GCG7MH	KM	Negative			
GDT3RM	No apparent bloodstains noted				

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LAGNCJ	Hemastix	Negative	PGNNYG	No red/brown staining observed	
	HemaTrace	Negative	PJUZ7J	KM	Negative
LH97QR	KM	Negative	Q2N2AZ	TMB	Negative
LM4VB6	TMB	Negative	Q2QWQL	KM	Negative
LMHJ9P	KM	Negative	Q3KHKC	KM	Negative
LNFPQ6	TMB	Inconclusive		Hemastix	Negative
	HemaTrace	Pos.\Ind.		HemaTrace	Negative
LPC9T7	Swabs with faint yellowish discoloration. No stains for testing.			Luminol	Negative
LTAP6Z	Does not have evidential value		Q6ND7Z	Thevenon-Roland Piramidon	Negative
LUKDK7	KM	Negative		Occult Blood Cassette	Negative
LZUPLD	no reddish brown staining, no allegation to blood		Q6P8ML	KM	Negative
M2JDJY	Hem	Negative	Q9PD7X	KM	Negative
	Lum	Negative	QTUY74	Occult Blood Cassette	Negative
M79Y47	Visual	Negative		Thevenon-Roland (Piramidón)	Negative
	LMG	Negative	QTXJVR	Hemastix	Negative
M7UNBT	Micro	Negative		Luminol	Negative
	KM	Negative	RE7EYF	Hemastix	Negative
MAAWX8	Human Blood	Negative		KM	Negative
	Thevenon-Roland (Piramidón)	Negative		HemaTrace	Negative
MYCZXQ	Visual	Negative	RERMCO	No visible discoloration	
NP4RN6	RSID-Blood	Negative	REVAPX	Luminol	Negative
P2VUNC	No notable staining to indicate blood		RJ24JT	No visual blood.	
P362R6	Thevenon-Roland (Piramidón)	Negative	RTD3D4	Not red stained.	
	Occult Blood Rapid Signal	Negative	RTTLX2	There was no discoloration on the swabs.	
PALC3K	KM	Negative	RWRWU2	KM	Negative
PEG7ZL	Visual	Negative	RXMFV3	Rapid Signal Occult Blood Cassette	Negative
				Thevenon-Roland (Piramidón)	Negative

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
T887XL	LMG	Negative			
TKDZQJ	LMG	Negative		associated with the presumptive presence of blood.	
TXEXAA	KM	Negative	WDLV87	no staining present/observed - scenario based	
U6EFKF	Visual	Pos.\Ind.			
	LMG	Negative	WGW7XE	Visual	Negative
U7AXMG	Tetramethylbenzidine[si c]	Negative	WPR7ER	Luminol	Negative
U7DK4U	swab tested positive for semen - also no red/brown staining		WQNK2K	No apparent blood observed	
UCDZPV	Luminol	Negative	WX9KFC	KM	Negative
	Hemastix	Negative	WYHPTZ	KM	Negative
UMDRUF	Visual	Negative	X2NEVA	KM	Negative
UVNYNX	KM	Negative		Hematrace	Negative
	Hemoglobin Immunochromatography	Negative	X4PFV7	Hemastix	Negative
V37VZC	KM	Negative		KM	Negative
V76ZRB	KM	Negative		HemaTrace	Negative
V8ZJTC	Hemastix	Negative	X6K2PX	Inmuno-cromatografic[sic] for human blood	Negative
	KM	Negative		Thevenon-Roland (Piramidón)	Negative
	Hematrace	Negative	XAVCE7	No red brown stains observed on the swabs to warrant blood testing	
VBED9A	no red/brown staining				
VK2EPJ	KM	Negative	XNXLL2	no red/brown staining observed on swabs	
VWJY9F	O-Tol	Negative	XXN4ZA	KM	Negative
VXCMUW	KM	Negative	YPQT7P	KM	Negative
	SERATEC Hemoglobin	Negative	YRRYJB	No testing performed due to the fact that the appearance of this item did not indicate the possible presence of blood (no red/brown staining)	
VXPG8C	Hemastix	Negative			
	KM	Negative			
	HemaTrace	Negative			
VXWHHD	Visual	Negative	YULM4R	Luminol	Negative
W3KN7E	Item 4 lacks the characteristic reddish-brown stains		YVR63M	Hemastix	Negative
				Luminol	Negative

TABLE 2 - Item 4

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
YWNJPF	Negative	Negative			
YX6TN8	No staining visible. No tests performed.				
ZUGMGW	Visual	Negative			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	AP	Pos.\Ind.	3VZG9G	Brentamine	Pos.\Ind.
	Micro	Pos.\Ind.	42H9XL	AP	Pos.\Ind.
	PSA	Pos.\Ind.		Seratec PSA Semiquant	Pos.\Ind.
2HWV9D	AP	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.	489NK8	AP	Pos.\Ind.
2JCY36	AP	Pos.\Ind.		Micro	Pos.\Ind.
	micro	Pos.\Ind.	4947L9	AP	Pos.\Ind.
2KK86X	AP	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.	4EVE73	AP	Pos.\Ind.
2R8ZJH	Body fluid swabs not tested unless poss. semen is indicated.			Micro	Pos.\Ind.
2TG8H6	Acid Phosphatase	Pos.\Ind.	4FPYZU	RSID-Semen	Pos.\Ind.
	Christmas Tree stain	Pos.\Ind.		PSA	Pos.\Ind.
2UAV3K	Our SOP states that swabs will only be tested for possible semen if it is spesified[sic] as poss. semen.		4KVTUP	AP	Pos.\Ind.
				Micro	Pos.\Ind.
3AJ4FU	Micro	Pos.\Ind.	4LPEMG	PSA	Pos.\Ind.
3JQPKM	ALS	Pos.\Ind.		Micro (sperm)	Pos.\Ind.
	AP	Pos.\Ind.	4LR942	ALS	Pos.\Ind.
3LEEQL	AP (Brentamine)	Pos.\Ind.		AP	Pos.\Ind.
3NMATD	AP	Pos.\Ind.		Micro	Pos.\Ind.
	P30	Pos.\Ind.	4QNR9K	Acid Phosphatase	Pos.\Ind.
	Micro Sperm	Pos.\Ind.		PSA	Pos.\Ind.
3UMPfZ	AP	Pos.\Ind.	4U8RNZ	AP	Pos.\Ind.
	PSA	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.	4UHRHA	AP	Pos.\Ind.
3V3BP2	ALS	Pos.\Ind.		Micro	Pos.\Ind.
	AP	Pos.\Ind.	4ULB9X	AP	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
66YXU4	AP	Pos.\Ind.		Micro	Pos.\Ind.
	P30	Pos.\Ind.	7XW4DG	According to the SOP, body fluid swabs are not tested for brent unless stated "possible semen" in the covering minute.	
	Micro	Pos.\Ind.			
6CYCHQ	Micro	Pos.\Ind.			
6DUXBG	Evidence on body is only tested if specified for evidence is for possible semen.		8FRWYE	Brentamine	Pos.\Ind.
			8GP9H2	AP	Pos.\Ind.
6KQVWY	AP	Pos.\Ind.		Micro	Pos.\Ind.
	PSA	Pos.\Ind.	8JUWYC	Brentamine	Pos.\Ind.
	Micro	Pos.\Ind.		[Laboratory documentation]	
6L9HVG	[Laboratory documentation] only to be tested if specified as possible semen.		8Z4WU2	AP	Pos.\Ind.
				P30	Pos.\Ind.
6LKGPP	Micro (Christmas Tree)	Pos.\Ind.	98WFMF	AP	Pos.\Ind.
				Slide prepared	Pos.\Ind.
6NP7RY	AP, Micro, PSA	Pos.\Ind.	9GJEDL	SPERM HY-LITER PI	Pos.\Ind.
6QJVCF	Brentamine (pos 1 sec) (very rapid reaction observed) (see notes)	Pos.\Ind.	9HEWFM	Christmas tree stain	Pos.\Ind.
			9LCKNG	AP	Pos.\Ind.
6Y9NK7	AP	Pos.\Ind.		Micro	Pos.\Ind.
	Seratec PSA Semiquant	Pos.\Ind.	9PEEQT	AP	Pos.\Ind.
				Micro	Pos.\Ind.
6Z7WTP	Micro (Christmas Tree)	Pos.\Ind.	9QAWRU	AP	Pos.\Ind.
				Micro	Pos.\Ind.
7GMEZG	According to [Laboratory documentation], body fluid swabs will only be tested for possible semen if specified as possible semen.		9QLWNN	RSID-Semen	Pos.\Ind.
				PSA	Pos.\Ind.
7PXQ8L	AP	Pos.\Ind.	9YGUDC	Brent	Pos.\Ind.
	PSA	Pos.\Ind.	9ZCE3W	AP, PSA, Micro	Pos.\Ind.
	Micro	Pos.\Ind.	9ZD826	AP	Pos.\Ind.
7W3HKQ	AP	Pos.\Ind.		Micro	Pos.\Ind.
	PSA	Pos.\Ind.		p30	Pos.\Ind.
			9ZWYAP	SPERM HY-LITER PI	Pos.\Ind.

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
AAHEF6	AP	Pos.\Ind.		PSA	Pos.\Ind.
	PSA	Pos.\Ind.	BRDK9V	AP	Pos.\Ind.
	micro	Pos.\Ind.		Micro	Pos.\Ind.
ABP2P3	Seri AP (cutting)	Pos.\Ind.	BYFG7A	Brentamine	Pos.\Ind.
	Micro (Christmas Tree Stain, extract from cutting)	Pos.\Ind.	BYGDG7	BCIP	Pos.\Ind.
				Micro	Pos.\Ind.
ACG6CH	AP	Pos.\Ind.	C2W63R	AP	Pos.\Ind.
	RSID - Semen	Pos.\Ind.		PSA	Pos.\Ind.
AFJXEU	AP	Pos.\Ind.		micro	Pos.\Ind.
	Micro	Pos.\Ind.	C8YE8Y	ALS	Pos.\Ind.
AGEGFV	AP	Pos.\Ind.		AP	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
AHCMYA	P30	Pos.\Ind.	C8YJFG	AP	Pos.\Ind.
	MICRO	Pos.\Ind.		Micro	Pos.\Ind.
AQ6ZWP	AP	Pos.\Ind.	C9B9R7	Brentamine	Pos.\Ind.
	Micro	Pos.\Ind.	CA8RP2	AP	Pos.\Ind.
AY3HLY	AP	Pos.\Ind.		Micro	Pos.\Ind.
	ABAcad p30	Pos.\Ind.	CGAK2G	AP	Pos.\Ind.
	Micro	Pos.\Ind.		MICRO	Pos.\Ind.
B3RQWJ	Christman[sic] tree coloring	Pos.\Ind.	CJJNXE	Brentamine	Pos.\Ind.
B3TLFP	AP	Pos.\Ind.	CPKZUB	Brentamine	Pos.\Ind.
	Micro	Pos.\Ind.	CPLUBV	AP	Pos.\Ind.
BGTZ3D	AP	Pos.\Ind.		Micro	Pos.\Ind.
	RSID Semen	Pos.\Ind.	CV7VTU	ALS	Pos.\Ind.
	Micro	Pos.\Ind.		AP	Pos.\Ind.
BGVUJY	AP	Pos.\Ind.		Micro	Pos.\Ind.
	P30 (ABA card)	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.	CV9KYC	AP	Pos.\Ind.
BJF2K7	AP	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
DCRXNN	AP	Pos.\Ind.	ELYVB7	Brentamine	Pos.\Ind.
	Micro	Pos.\Ind.	ELZRK2	AP	Pos.\Ind.
DDMGQP	AP	Pos.\Ind.		X-MAS	Pos.\Ind.
	Micro	Pos.\Ind.	EM96ZH	SPERM HY-LITER PI	Pos.\Ind.
	Seratec PSA	Pos.\Ind.	ERZ9R2	AP	Pos.\Ind.
	Abacus PSA	Pos.\Ind.		PSA	Pos.\Ind.
DFUYPK	AP	Pos.\Ind.		Micro	Pos.\Ind.
	Seratec PSA	Pos.\Ind.	EZBBD3	AP	Pos.\Ind.
	ABA PSA	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.		Micro-Sperm	Pos.\Ind.
DLEWFT	AP	Pos.\Ind.	F8TA9T	AP	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
DMAFGV	Acid Phosphatase	Pos.\Ind.	FE8632	AP	Pos.\Ind.
	Microscopic	Pos.\Ind.		Micro	Pos.\Ind.
DN9KZA	No presumptive testing done			PSA	Pos.\Ind.
DV7EU3	AP	Pos.\Ind.	FJ7LFV	AP	Pos.\Ind.
	PSA	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.	FM386D	ALS	Pos.\Ind.
E4DCFK	AP	Pos.\Ind.		AP	Pos.\Ind.
	PSA	Pos.\Ind.		PAS	Pos.\Ind.
	Micro	Pos.\Ind.	FMLXEX	AP	Pos.\Ind.
E4UMV4	Brentamine	Pos.\Ind.		Micro	Pos.\Ind.
E8Y4EU	AP	Pos.\Ind.	G8M9XQ	AP	Pos.\Ind.
	ABAcad p30	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
ED6MRZ	AP	Pos.\Ind.	GB8FYY	AP	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
EKKJHT	Micro	Pos.\Ind.	GCG7MH	AP	Pos.\Ind.
ELF3KU	AP	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GDENCQ	MICRO	Pos.\Ind.		PSA	Pos.\Ind.
GDT3RM	AP	Pos.\Ind.		Microscopic examination	Pos.\Ind.
	Micro	Pos.\Ind.	J9DZ9N	AP	Pos.\Ind.
GJHHKZ	FBB	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
GKDZM2	ALS	Pos.\Ind.	JCDB6N	AP	Pos.\Ind.
	AP	Pos.\Ind.		Microscopic - Xmas tree stain	Pos.\Ind.
	Micro	Pos.\Ind.	JKNMA9	Micro (Christmas Tree)	Pos.\Ind.
	PSA	Pos.\Ind.		Human semen RSID	Pos.\Ind.
GMJLB2	Brentamine	Pos.\Ind.	JLK3JK	AP	Pos.\Ind.
	Refer to [Laboratory documentation]			Micro	Pos.\Ind.
GQEE4W	AP	Pos.\Ind.	JPYWZG	AP	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
H2Q9QA	AP	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.	JVMFHY	Brentamine	Pos.\Ind.
H3LRRB	ABA Card P30	Pos.\Ind.	K266GY	Brentamine	Pos.\Ind.
H44MQP	Microscopy	Pos.\Ind.	K9P7XC	Micro	Pos.\Ind.
H6XLFN	AP	Pos.\Ind.	KALNYD	AP	Pos.\Ind.
	Micro	Pos.\Ind.		P30	Pos.\Ind.
H74DMX	AP	Pos.\Ind.	KCR7XA	Sperm HY-Liter PI	Pos.\Ind.
	PSA	Pos.\Ind.	KHD4NH	AP	Pos.\Ind.
	Micro	Pos.\Ind.		Microscopic	Pos.\Ind.
HTLW3R	AP	Pos.\Ind.	KPVPBU	AP	Pos.\Ind.
	Micro (Xmas)	Pos.\Ind.		Micro	Pos.\Ind.
HYQTLR	AP	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.	KX7RWW	micro	Pos.\Ind.
HZN2WW	AP	Pos.\Ind.		AP	Pos.\Ind.
	Micro	Pos.\Ind.		PSA	Pos.\Ind.
	PSA	Pos.\Ind.			
J7MACN	Acid Phosphatase	Pos.\Ind.			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
L2KN2W	AP	Pos.\Ind.	M7UNBT	AP	Pos.\Ind.
	ALS	Pos.\Ind.		Micro	Pos.\Ind.
LAGNCJ	AP	Pos.\Ind.	MAAWX8	Micro (Christmas Tree)	Pos.\Ind.
	MICRO	Pos.\Ind.	MJXRWM	AP	Pos.\Ind.
	P30	Pos.\Ind.		Micro	Pos.\Ind.
LBBCWY	Brentamine Test	Pos.\Ind.	MYCZXQ	Acid phosphatase	Pos.\Ind.
LH97QR	AP	Pos.\Ind.		Micro	Pos.\Ind.
	PSA	Pos.\Ind.	NP4RN6	RSID-Semen	Pos.\Ind.
	Micro	Pos.\Ind.	P2VUNC	AP	Pos.\Ind.
LM4VB6	AP	Pos.\Ind.		PSA	Pos.\Ind.
	PSA	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.	P362R6	Micro (Christmas Tree)	Pos.\Ind.
LMHJ9P	AP	Pos.\Ind.	PALC3K	AP	Pos.\Ind.
	PSA	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
LNFPQ6	AP	Pos.\Ind.	PEG7ZL	ALS	Pos.\Ind.
	PSA	Pos.\Ind.		p30	Pos.\Ind.
	Microscopic	Pos.\Ind.	PGNNYG	AP	Pos.\Ind.
LPC9T7	AP	Pos.\Ind.		Micro	Pos.\Ind.
	PSA	Pos.\Ind.	PJU7J	AP	Pos.\Ind.
	Micro	Pos.\Ind.		ABAcad-p30	Pos.\Ind.
LTAP6Z	Bentamine[sic]	Pos.\Ind.		Micro	Pos.\Ind.
LUKDK7	AP	Pos.\Ind.	Q2N2AZ	AP	Pos.\Ind.
	Micro	Pos.\Ind.		PSA	Pos.\Ind.
LZUPLD	AP	Pos.\Ind.		Micro	Pos.\Ind.
	micro	Pos.\Ind.	Q2QWQL	AP	Pos.\Ind.
M2JDJY	Brent	Pos.\Ind.		Micro	Pos.\Ind.
M79Y47	Visual	Negative		PSA	Pos.\Ind.
	ALS	Pos.\Ind.			
	AP	Pos.\Ind.			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
Q3KHKC	AP	Pos.\Ind.	T887XL	AP	Pos.\Ind.
	ABA PSA	Pos.\Ind.		Micro	Pos.\Ind.
	Seratec PSA	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.	TKDZQJ	AP	Pos.\Ind.
Q6ND7Z	Micro (Christmas Tree)	Pos.\Ind.		Micro	Pos.\Ind.
	RSID Semen	Pos.\Ind.	TMFAAZ	AP Spot	Pos.\Ind.
Q6P8ML	AP	Pos.\Ind.		Microscopy	Pos.\Ind.
	PSA	Pos.\Ind.	TXEXAA	AP	Pos.\Ind.
	Micro	Pos.\Ind.		PSA (Abacus)	Pos.\Ind.
Q9PD7X	AP	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.	U6EFKF	AP	Pos.\Ind.
QTUY74	Micro (Christmas Tree)	Pos.\Ind.		ABA p30	Pos.\Ind.
QTXJVR	Brentamine	Pos.\Ind.		Micro	Pos.\Ind.
RE7EYF	AP	Pos.\Ind.	U7AXMG	Acid Phosphatase	Pos.\Ind.
	PSA	Pos.\Ind.		Microscopic exam	Pos.\Ind.
	Micro	Pos.\Ind.	U7DK4U	ALS	Inconclusive
RERMCO	AP	Pos.\Ind.		AP	Pos.\Ind.
	Micro	Pos.\Ind.	UCDZPV	Brentamine (AP)	Pos.\Ind.
	PSA	Pos.\Ind.	UMDRUF	ALS	Pos.\Ind.
REVAPX	Brentamine	Pos.\Ind.		p30	Pos.\Ind.
RJ24JT	[Laboratory documentation] states swabs from the victim's body will only be tested for possible semen if specified.		UVNYNX	AP	Pos.\Ind.
				PSA	Pos.\Ind.
RTD3D4	Micro	Pos.\Ind.		Micro	Pos.\Ind.
RTTLX2	AP	Pos.\Ind.		ABACard P30	Pos.\Ind.
	Micro	Pos.\Ind.	V76ZRB	AP	Pos.\Ind.
RWRWU2	SPERM HY-LITER PI	Pos.\Ind.		PSA	Pos.\Ind.
RXMFV3	MICRO	Pos.\Ind.		Micro	Pos.\Ind.
	RSID	Pos.\Ind.	V7LEWZ	Micro	Pos.\Ind.

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
V8ZJTC	AP	Pos.\Ind.		PSA	Pos.\Ind.
	PSA	Pos.\Ind.	WX9KFC	AP	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
VBED9A	AP	Pos.\Ind.	WYHPTZ	RSID-Semen	Pos.\Ind.
	Micro	Pos.\Ind.		SERATEC PSA Semiquant	Pos.\Ind.
VK2EPJ	AP	Pos.\Ind.	X2NEVA	AP	Pos.\Ind.
	Micro	Pos.\Ind.		PSA	Pos.\Ind.
	PSA	Pos.\Ind.		Microscopic	Pos.\Ind.
VPL6FN	Brentamine	Pos.\Ind.	X4PFV7	AP	Pos.\Ind.
	[Laboratory documentation]			PSA	Pos.\Ind.
VWJY9F	ALS	Pos.\Ind.		Micro	Pos.\Ind.
	AP	Pos.\Ind.	X6K2PX	Christmas tree stain	Pos.\Ind.
	Micro	Pos.\Ind.	XAVCE7	AP	Pos.\Ind.
VXCMUW	AP	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.	XNXLL2	AP	Pos.\Ind.
	PSA	Pos.\Ind.		micro	Pos.\Ind.
VXPG8C	AP	Pos.\Ind.	XXN4ZA	AP	Pos.\Ind.
	PSA	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.	YPQT7P	Brentamine (AP) solution	Pos.\Ind.
VXWHHD	AP	Pos.\Ind.		Miccroscopy[sic] (Sperm Search)	Pos.\Ind.
	Micro	Pos.\Ind.	YRRYJB	AP	Pos.\Ind.
W3KN7E	AP	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
WDLV87	AP	Pos.\Ind.	YULM4R	Brentamine	Pos.\Ind.
	Micro	Pos.\Ind.	YVR63M	Brentamine	Pos.\Ind.
WGW7XE	AP	Pos.\Ind.	YWNJPF	AP	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
WPR7ER	Brentamine	Pos.\Ind.		P-30	Pos.\Ind.
WQNK2K	AP	Pos.\Ind.			
	Micro	Pos.\Ind.			

TABLE 2 - Item 4

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
YX6TN8	AP	Pos.\Ind.			
	Micro	Pos.\Ind.			
ZUGMGW	ALS	Pos.\Ind.			
	AP	Pos.\Ind.			
	p30	Pos.\Ind.			
	Microscopic	Pos.\Ind.			

TABLE 2 - Item 4

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	RSID Saliva	Negative	4M6ZWH	There is no presumptive test that is done at the laboratory for saliva.	
2HWV9D	RSID Saliva	Negative			
2JCY36	RSID	Negative	4QNR9K	Amylase Diffusion	Negative
2KK86X	Semen present		4U8RNZ	RSID	Negative
2R8ZJH	Not part of our routine tests		4UHRHA	Phadebas	Negative
2TG8H6	RSID-Saliva	Negative	4ULB9X	semen pos	
2UAV3K	We do not have a presumptive[sic] test for saliva.		66YXU4	RSID	Negative
3AJ4FU	Saliva testing not available.		6DUXBG	No presumptive test.	
3JQPKM	ALS	Negative	6KQVWY	RSID - Saliva	Negative
	SALlgAE	Negative	6L9HVG	No presumptive test for saliva.	
3NMATD	ARD	Negative	6NP7RY	RSID	Negative
	Micro NEC	Negative	6Y9NK7	Phadebas paper	Negative
3UMPFZ	Case facts indicate a sexual assault; this item tested positive for semen.		7GMEZG	No presumptive test for saliva	
3V3BP2	ALS	Pos.\Ind.	8FRWYE	No presumptive test at lab.	
	RSID - saliva	Negative	8GP9H2	RSID Saliva	Negative
3VZG9G	Test not available at Biology EC		8Z4WU2	Phadebas	Negative
42H9XL	Seratec Amylase	Negative	98WFMF	Phadebas tube test	Negative
489NK8	RSID	Negative	9GJEDL	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested	
4947L9	Phadebas Amylase	Negative	9LCKNG	Phadebas	Negative
4KVTUP	NT since micro positive sample would be taken on to DNA		9PEEQT	not required per case information	
4LPEMG	Micro (NECs)	Negative	9QAWRU	RSID - Saliva	Negative
	Amylase (very low)	Negative	9QLWNN	Laboratory only routinely examines for blood and semen in sexual assault cases	
4LR942	ALS	Pos.\Ind.	9ZCE3W	RSID	Negative
	RSID	Negative	9ZD826	Amylase diffusion	Negative

TABLE 2 - Item 4

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
9ZWYAP	Sexual assault case exhibit routinely tested for blood and semen. Not tested for saliva unless specified.		CPKZUB	We don't test for saliva	
AAHEF6	amylase diffusion	Negative	CPLUBV	RSID	Negative
ABP2P3	Amylase (Phadebas tablet, micro, cutting)	Negative	CV7VTU	ALS	Pos.\Ind.
ACG6CH	RSID - Saliva	Negative		RSID-Saliva	Negative
AFJXEU	RSID	Negative	CV9KYC	Phadebas tube test	Negative
AGEGFV	RSID-Saliva	Negative	DCRXNN	RSID saliva	Negative
AHCMYA	PHADEBAS	Negative	DDMGQP	RSID Saliva	Negative
AQ6ZWP	RSID Saliva	Negative	DFUYPK	Not indicated	
AY3HLY	Phadebas	Negative	DLEWFT	RSID	Negative
B3TLFP	Not tested due to positive AP and Micro results		DMAFGV	RSID-Saliva	Negative
BGTZ3D	Phadebas	Negative	DN9KZA	No presumptive testing	
BGVUJY	RSID-Saliva	Negative	DV7EU3	Amylase Radial Diffusion	Negative
BJF2K7	Amylase Diffusion	Negative		Micro	Negative
BRDK9V	Phadebas paper	Negative	E4DCFK	RSID-saliva	Negative
BYGDG7	lab does not test for saliva		E8Y4EU	Phadebas	Negative
C2W63R	RSID Amylase	Negative	ED6MRZ	RSID	Negative
C8YE8Y	Oral contact not likely, not indicated in scenario.		EKKJHT	RSID	Negative
C8YJFG	Amy	Negative	ELZRK2	AMYLASE	Negative
C9B9R7	Test not performed at laboratory.		EM96ZH	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.	
CA8RP2	Phadebas	Negative	ERZ9R2	Amylase Radial Diffusion	Negative
CGAK2G	AMYLASE	Negative		Micro	Negative
CJJNXE	No specific method for presumptive testing, but 1x swab is taken as possible epithelial cells received for further analysis.		EZBBD3	Since swab was positive for semen, no saliva testing performed per normal casework procedures	
			FE8632	Amylase diffusion	Negative
			FJ7LFV	Amylase Radial Diffusion	Negative

TABLE 2 - Item 4

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
FMLXEX	Phadebas Amylase	Negative	LAGNCJ	RSID-Saliva	Negative
G8M9XQ	RSID	Negative	LH97QR	Phadebas	Negative
GB8FYY	Amylase	Negative	LM4VB6	Amylase Radial Diffusion	Negative
GCG7MH	RSID Saliva	Negative	LMHJ9P	Phadebas	Negative
GDENCQ	PHADEBAS	Negative	LNFPQ6	Amylase radial diffusion	Negative
GDT3RM	RSID	Negative	LPC9T7	RSID	Negative
GJHHKZ	Amylase	Negative	LTAP6Z	Not performed at the laboratory	
GKDZM2	Amylase diffusion	Negative	LUKDK7	Lab not accredited to test swabs. This would go to a forensic service provider.	
GQEE4W	RSID-Sliva[sic]	Negative	LZUPLD	semen found, no allegation to saliva	
H2Q9QA	Radial Diffusion	Negative	M7UNBT	Amylase	Negative
H3LRRB	SALlgAE	Negative	MAAWX8	Our Laboratory dont perform test to identify saliva	
H44MQP	RSID - Saliva	Negative	MJXRWM	Phadebas	Negative
H6XLFN	RSID	Negative	MYCZXQ	RSID-Saliva	Negative
H74DMX	RSID	Negative	NP4RN6	RSID-Saliva	Negative
HTLW3R	Amylase	Negative	P2VUNC	Extraction type for DNA sample determined by semen testing results	
HYQTLR	Semen was found		PALC3K	RSID	Negative
HZN2WW	Amylase Diffusion	Negative	PGNNYG	RSID saliva	Negative
J7MACN	RSID	Negative	PJUZ7J	Phadebas	Negative
JCDB6N	RSID	Negative	Q2N2AZ	Amylase	Negative
JLK3JK	RSID Saliva	Negative	Q2QWQL	Phadebas	Negative
JPYWZG	semen was detected, which is more probative to case		Q3KHKC	RSID saliva	Negative
KCR7XA	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.		Q6P8ML	Phadebas	Negative
KHD4NH	RSID	Negative	Q9PD7X	Phadebas Tube Test	Negative
KPVPBU	Amylase Diffusion	Negative	QTXJVR	Not performed at lab (ER).	
KX7RWV	amylase diffusion	Negative			
L2KN2W	Not trained to perform this test				

TABLE 2 - Item 4

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
RE7EYF	RSID-Saliva	Negative	W3KN7E	RSID Saliva	Negative
RERMCQ	Amylase Diffusion	Negative	WDLV87	RSID	Negative
REVAPX	No presumptive test done at our laboratory.		WGW7XE	RSID	Negative
RJ24JT	No presumptive test for saliva.		WPR7ER	No test for saliva at this lab.	
RTTLX2	I am not trained in saliva identification.		WQNK2K	Amylase Diffusion	Negative
RWRWU2	Sexual assault case exhibits routinely test for blood and semen. Not tested for saliva unless specified.		WX9KFC	RSID	Pos.\Ind.
T887XL	Amylase Diffusion	Negative	WYHPTZ	Laboratory only routinely test for blood and semen in sexual assault cases. Saliva test done only when specified by client.	
TKDZQJ	Amylase Radial Diffusion	Negative	X2NEVA	RSID Saliva	Negative
	Micro	Negative	X4PFV7	RSID	Negative
TMFAAZ	Radial Diffusion	Negative	X6K2PX	Our laboratory not included in the portafolio[sic] of service testing for the presence of saliva	
TXEXAA	RSID	Negative	XAVCE7	RSID	Negative
U6EFKF	RSID	Negative	XNXLL2	RSID Saliva	Negative
U7AXMG	RSID-Saliva	Negative	XXN4ZA	RSID	Negative
U7DK4U	our lab does not test for saliva		YPQT7P	Phadebas	Negative
UVNYNX	Phadebas Amylase Test	Negative	YRRYJB	RSID-Saliva	Negative
V37VZC	Phadebas	Negative	YULM4R	No presumptive test for saliva	
V76ZRB	RSID	Negative	YWNJPF	Amylase Diffusion	Negative
V8ZJTC	RSID	Negative	YX6TN8	Phadebas paper	Negative
VBED9A	RSID	Pos.\Ind.			
VWJY9F	Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)				
VXCMUW	Phadebas Amylase	Negative			
	RSID Amylase	Negative			
VXPG8C	RSID	Negative			

TABLE 2 - Item 4

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
6KQVWY	ALS	Pos.\Ind.			
7XW4DG	Epithelial Cells - High Friction	Inconclusive			
9ZCE3W	ALS	Pos.\Ind.			
ACG6CH	Urine - RSID - Urine	Negative			
BYGDG7	Amylase-Amylase Diffusion	Negative			
CPKZUB	Presumable epithelial material				
DN9KZA	Hair - Visual inspection	Negative			
J9DZ9N	Prices reagent for presence of fecal material	Negative			
PGNNYG	Biological material-ALS	Pos.\Ind.			
TMFAAZ	No RBS observed on the swab				
YULM4R	Presumable epithelia. No presumptive test for presumable epithelia.				

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	KM	Pos.\Ind.	4FPYZU	KM	Pos.\Ind.
	Luminol	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
2HWV9D	O-tol	Pos.\Ind.	4KVTUP	KM	Pos.\Ind.
2JCY36	pheno	Pos.\Ind.	4LPEMG	O-tol	Pos.\Ind.
2KK86X	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
2R8ZJH	Luminol	Pos.\Ind.	4LR942	KM	Pos.\Ind.
2TG8H6	Phenolphthalein	Pos.\Ind.	4M6ZWH	Luminol	Pos.\Ind.
	HemaTrace	Pos.\Ind.	4QNR9K	O-Tolidine	Pos.\Ind.
2UAV3K	H.stix	Pos.\Ind.		HemDirect	Pos.\Ind.
3AJ4FU	KM	Pos.\Ind.	4U8RNZ	Hemastix	Pos.\Ind.
3JQPKM	ALS	Pos.\Ind.		HemaTrace	Pos.\Ind.
	KM	Pos.\Ind.	4UHRHA	KM	Pos.\Ind.
	Heme-Stix	Pos.\Ind.		Modified Takayama	Pos.\Ind.
3LEEQL	Hemastix (stain 1)	Pos.\Ind.	4ULB9X	KM	Pos.\Ind.
	Luminol (rest of exhibit)	Negative	66YXU4	LMG	Pos.\Ind.
3NMATD	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HT	Pos.\Ind.		Visual	Pos.\Ind.
3UMPFZ	KM	Pos.\Ind.	6CYCHQ	KM	Pos.\Ind.
3V3BP2	KM	Pos.\Ind.	6DUXBG	Hstix	Pos.\Ind.
	Hematrace	Pos.\Ind.	6KQVWY	Hemastix	Pos.\Ind.
3VZG9G	Luminol	Pos.\Ind.		HemaTrace	Pos.\Ind.
42H9XL	PTMB	Pos.\Ind.	6L9HVG	Hstix	Pos.\Ind.
	Seratec HemDirect		6LKGPP	Occult blood Rapid Test (Cassette immuno-chromatographic[sic])	Pos.\Ind.
489NK8	Visual Exam	Pos.\Ind.	6NP7RY	Hemastix, Hematrace	Pos.\Ind.
	KM	Pos.\Ind.	6QJVCF	Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.	6Y9NK7	KM	Pos.\Ind.
4947L9	KM	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
	Modified Takayama	Pos.\Ind.		BlueStar	Pos.\Ind.
	HemaTrace	Pos.\Ind.			
4EVE73	KM	Pos.\Ind.			

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
6Z7WTP	Hematrace	Pos.\Ind.	9ZD826	LMG	Pos.\Ind.
7GMEZG	H-stix	Pos.\Ind.		HemaTrace	Pos.\Ind.
7PXQ8L	Benzidine	Pos.\Ind.	9ZWYAP	KM	Pos.\Ind.
	Heme Kit	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
7W3HKQ	LMG	Pos.\Ind.	AAHEF6	LMG	Pos.\Ind.
	HemaTrace	Pos.\Ind.		hematrace	Pos.\Ind.
7XW4DG	H-stix	Pos.\Ind.	ABP2P3	KM (swabbing)	Pos.\Ind.
8FRWYE	Hemastix	Pos.\Ind.		Micro (modified Takayama, cutting)	Pos.\Ind.
	Luminol (rest of underwear)	Negative	ACG6CH	LMG	Pos.\Ind.
8GP9H2	KM	Pos.\Ind.		RSID-Blood	Pos.\Ind.
8JUWYC	Luminol	Pos.\Ind.	AFJXEU	KM	Pos.\Ind.
8Z4WU2	KM	Pos.\Ind.	AGEGFV	KM	Pos.\Ind.
	ABACard HemaTrace	Pos.\Ind.	AHCMYA	PHTH	Pos.\Ind.
98WFMF	Visual search	Pos.\Ind.	AQ6ZWP	Hemastix	Pos.\Ind.
	Spot KM	Pos.\Ind.	AY3HLY	KM	Pos.\Ind.
	KM screen of remaining areas	Negative		HemaTrace	Pos.\Ind.
9GJEDL	KM	Pos.\Ind.	B3RQWJ	Inmuno-cromatographic[sic] test (occult blood)	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.	B3TLFP	Phenolphthalein	Pos.\Ind.
9HEWFM	Thevenon-Roland (Piramidón)	Pos.\Ind.	B8KNLA	H-stix	Pos.\Ind.
	Rapid Signal Occult Blood Cassette	Pos.\Ind.	BGTZ3D	luminol BLueStar	Pos.\Ind.
9LCKNG	LMG	Pos.\Ind.		Hexagon OBTI Test	Pos.\Ind.
9PEEQT	KM	Pos.\Ind.	BGVUJY	Visual	Pos.\Ind.
	Luminol	Pos.\Ind.		LMG	Pos.\Ind.
9QAWRU	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
9QLWNN	KM	Pos.\Ind.	BJF2K7	LMG	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.		HemaTrace	Pos.\Ind.
9YGUDC	Hem	Pos.\Ind.	BRDK9V	KM	Pos.\Ind.
	Lum	Pos.\Ind.	BYFG7A	Lum	Pos.\Ind.
9ZCE3W	Hemastix, Hematrace	Pos.\Ind.	BYGDG7	KM	Pos.\Ind.

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
C2W63R	KM	Pos.\Ind.	ED6MRZ	O-tol	Pos.\Ind.
	HemaTrace	Pos.\Ind.	EKKJHT	Hemastix	Pos.\Ind.
C8YE8Y	O-tol	Pos.\Ind.	ELF3KU	Hemochromogen	Pos.\Ind.
	HemaTrace	Pos.\Ind.	ELYVB7	Luminol	Negative
C8YJFG	KM	Pos.\Ind.	ELZRK2	VISUAL	Pos.\Ind.
C9B9R7	Luminol	Pos.\Ind.		MICRO	Pos.\Ind.
CA8RP2	KM	Pos.\Ind.		KM	Pos.\Ind.
	Modified Takayama	Pos.\Ind.	EM96ZH	KM	Pos.\Ind.
CGAK2G	KM	Pos.\Ind.		HEXAGON OBTI	Pos.\Ind.
CJJNXE	Hemastix	Pos.\Ind.	ERZ9R2	LMG	Pos.\Ind.
CPKZUB	Luminol	Pos.\Ind.		HemaTrace	Pos.\Ind.
CPLUBV	KM	Pos.\Ind.	EZBBD3	KM	Pos.\Ind.
CV7VTU	KM	Pos.\Ind.		Hematrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	F8TA9T	Hemochromogen	Pos.\Ind.
CV9KYC	KM	Pos.\Ind.		Hemastix	Pos.\Ind.
DCRXNN	KM	Pos.\Ind.	FE8632	ALS	Pos.\Ind.
DDMGQP	KM	Pos.\Ind.		LMG	Pos.\Ind.
	Hemastix	Pos.\Ind.		Hematrace	Pos.\Ind.
DFUYPK	KM	Pos.\Ind.	FJ7LFV	Hemastix	Pos.\Ind.
DLEWFT	TMB	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hematrace	Pos.\Ind.		Oblique Lighting	Pos.\Ind.
DMAFGV	KM	Pos.\Ind.		ALS	Pos.\Ind.
DN9KZA	Luminol	Pos.\Ind.	FM386D	o-tol	Pos.\Ind.
DV7EU3	Hemastix	Pos.\Ind.		HemaTrace Card	Pos.\Ind.
	HemaTrace	Pos.\Ind.	FMLXEX	KM	Pos.\Ind.
E4DCFK	KM	Pos.\Ind.		mod Taka	Pos.\Ind.
	Hematrace	Pos.\Ind.	G8M9XQ	Hemastix	Pos.\Ind.
E4UMV4	Luminol	Pos.\Ind.		HemaTrace	Pos.\Ind.
E8Y4EU	KM	Pos.\Ind.		KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.			

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GB8FYY	Micro	Inconclusive		HemaTrace	Pos.\Ind.
	KM	Pos.\Ind.		Luminol	Pos.\Ind.
GCG7MH	KM	Pos.\Ind.	JCDB6N	Hemastix	Pos.\Ind.
GDENCQ	TMB	Pos.\Ind.		Hematrache	Pos.\Ind.
GDT3RM	KM	Pos.\Ind.	JKNMA9	Thevenon-Roland (Piramidón)	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Occult Blood card test (orgenics)	Pos.\Ind.
GJHHKZ	Micro	Inconclusive	JLK3JK	KM	Pos.\Ind.
	KM	Pos.\Ind.		Luminol	Pos.\Ind.
GKDZM2	LMG	Pos.\Ind.	JPYWZG	Hemastix	Pos.\Ind.
GMJLB2	Luminol	Pos.\Ind.	JQTHT9	KM	Pos.\Ind.
GQEE4W	Visual	Pos.\Ind.	JVMFHY	Luminol	Pos.\Ind.
	KM	Pos.\Ind.	K266GY	Luminol	Pos.\Ind.
	HemaTrace	Pos.\Ind.	K9P7XC	KM	Pos.\Ind.
H2Q9QA	KM	Pos.\Ind.	KALNYD	Hemastix	Pos.\Ind.
H3LRRB	ABA Card Hematrache	Pos.\Ind.	KCR7XA	KM	Pos.\Ind.
H44MQP	TMB	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
	HemaTrace	Pos.\Ind.	KHD4NH	Phenolphthalein	Pos.\Ind.
H6XLFN	KM	Pos.\Ind.	KPVPBU	LMG	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
H74DMX	KM	Pos.\Ind.	KX7RWW	LMG	Pos.\Ind.
	Hematrache	Pos.\Ind.		hematrache	Pos.\Ind.
HTLW3R	KM	Pos.\Ind.	L2KN2W	O-tol	Pos.\Ind.
	Takayama	Pos.\Ind.	LAGNCJ	Hemastix	Pos.\Ind.
	Hematrache	Pos.\Ind.		HemaTrace	Pos.\Ind.
HYQTLR	TMB	Pos.\Ind.	LBBCWY	Luminol Test	Negative
	Hematrache	Pos.\Ind.	LH97QR	KM	Pos.\Ind.
HZN2WW	LMG	Pos.\Ind.		Modified Takayama	Pos.\Ind.
J7MACN	Hemastix positive	Pos.\Ind.	LM4VB6	TMB	Pos.\Ind.
	HemaTrace positive	Pos.\Ind.		HemaTrace	Pos.\Ind.
J9DZ9N	TMB	Pos.\Ind.			

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LMHJ9P	KM	Pos.\Ind.	PEG7ZL	Visual	Inconclusive
	Hematrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
LNFPQ6	TMB	Pos.\Ind.	PGNNYG	TMB	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
LPC9T7	KM	Pos.\Ind.	PJUZ7J	KM	Pos.\Ind.
LTAP6Z	Luminol	Pos.\Ind.		ABAcad-HemaTrace	Pos.\Ind.
LUKDK7	KM	Pos.\Ind.	Q2N2AZ	TMB	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
LZUPLD	KM	Pos.\Ind.	Q2QWQL	KM	Pos.\Ind.
	luminol	Pos.\Ind.		Hematrace	Pos.\Ind.
M2JDJY	Hem (stain 1)	Pos.\Ind.	Q3KHKC	KM	Pos.\Ind.
	Lum (the rest of the underwear)	Negative	Q6ND7Z	Thevenon-Roland Piramidon	Pos.\Ind.
M79Y47	Visual	Pos.\Ind.		Occult Blood Cassette	Pos.\Ind.
	LMG	Pos.\Ind.	Q6P8ML	KM	Pos.\Ind.
	ALS	Pos.\Ind.		HEMA	Pos.\Ind.
M7UNBT	Micro	Inconclusive	Q9PD7X	KM	Negative
	KM	Pos.\Ind.	QTUY74	Occult Blood Cassette	Pos.\Ind.
MAAWX8	Human Blood	Pos.\Ind.	QTXJVR	Luminol	Pos.\Ind.
MJXRWM	KM	Pos.\Ind.	RE7EYF	Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.		KM	Pos.\Ind.
MYCZXQ	Visual	Pos.\Ind.		HemaTrace	Pos.\Ind.
	KM	Pos.\Ind.	RERMCO	LMG	Pos.\Ind.
	Hematrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
NP4RN6	RSID-Blood	Pos.\Ind.	REVAPX	Hemastix (stain 1)	Pos.\Ind.
P2VUNC	KM	Pos.\Ind.		Luminol (the rest of the black underwear) for optimal testing	Negative
	Luminol	Pos.\Ind.			
P362R6	Occult Blood Rapid Signal	Pos.\Ind.	RJ24JT	Hemastix	Pos.\Ind.
PALC3K	KM	Pos.\Ind.	RTD3D4	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.			

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
RTTLX2	KM	Pos.\Ind.	V37VZC	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
RWRWU2	KM	Pos.\Ind.	V76ZRB	KM	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.		Luminol	Pos.\Ind.
RXMFV3	Rapid Signal Occult Blood	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Thevenon-Roland (Piramidón)	Pos.\Ind.	V7LEWZ	KM	Pos.\Ind.
T887XL	LMG	Pos.\Ind.	V8ZJTC	Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.		KM	Pos.\Ind.
TKDZQJ	LMG	Pos.\Ind.		Hematrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	VBED9A	Phenolphthalein	Pos.\Ind.
	ALS	Pos.\Ind.	VK2EPJ	KM	Pos.\Ind.
TMFAAZ	KM	Pos.\Ind.	VPL6FN	Luminol	Pos.\Ind.
TXEXAA	KM	Pos.\Ind.	VWJY9F	O-Tol	Pos.\Ind.
	Luminol	Pos.\Ind.		HemaTrace	Pos.\Ind.
U6EFKF	Visual	Pos.\Ind.	VXCMUW	KM	Pos.\Ind.
	LMG	Pos.\Ind.		SERATEC Hemoglobin	Pos.\Ind.
	HemaTrace	Pos.\Ind.	VXPG8C	Hemastix	Pos.\Ind.
U7AXMG	Tetramethylbenzidine	Pos.\Ind.		KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
U7DK4U	o-tol	Pos.\Ind.	VXWHHD	Hemochromogen	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.	W3KN7E	O-tol	Pos.\Ind.
UCDZPV	(ALS used)		WDLV87	KM	Pos.\Ind.
	Hemastix	Pos.\Ind.	WGW7XE	Visual	Pos.\Ind.
	Luminol	Negative		KM	Pos.\Ind.
UMDRUF	Visual	Inconclusive		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	WPR7ER	Hemastix	Pos.\Ind.
UVNYNX	KM	Pos.\Ind.		Luminol (rest of black underwear)	Negative
	Hemoglobin Immunochromatography	Pos.\Ind.	WQNK2K	LMG	Pos.\Ind.
				HemaTrace	Pos.\Ind.

TABLE 2 - Item 5

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
WX9KFC	KM	Pos.\Ind.		Phenolphthalein	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Hematrace	Pos.\Ind.
WYHPTZ	KM	Pos.\Ind.			
	Bluestar Hexagon OBTI	Pos.\Ind.			
X2NEVA	KM	Pos.\Ind.			
	Hematrace	Pos.\Ind.			
X4PFV7	Hemastix	Pos.\Ind.			
	KM	Pos.\Ind.			
	HemaTrace	Pos.\Ind.			
X6K2PX	Inmuno- cromatografic[sic] for human blood	Pos.\Ind.			
XAVCE7	KM	Pos.\Ind.			
XNXLL2	KM	Pos.\Ind.			
	Luminol	Pos.\Ind.			
XXN4ZA	KM	Pos.\Ind.			
	HemaTrace	Pos.\Ind.			
YPQT7P	KM	Pos.\Ind.			
	Hexagon OBTI (Human Origin)	Pos.\Ind.			
YRRYJB	KM	Pos.\Ind.			
	HemaTrace	Pos.\Ind.			
YULM4R	Hemastix	Pos.\Ind.			
	Luminol (rest of underwear)	Negative			
YVR63M	Hemastix	Pos.\Ind.			
	Luminol (The rest of the underwear)	Negative			
YWNJPF	LMG	Pos.\Ind.			
	Hematrace	Pos.\Ind.			
YX6TN8	KM	Pos.\Ind.			
	Hematrace	Pos.\Ind.			
ZUGMGW	Visual	Pos.\Ind.			

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	AP	Pos.\Ind.	42H9XL	AP	Pos.\Ind.
	Micro	Pos.\Ind.		Seratec PSA Semiquant	Pos.\Ind.
	PSA	Pos.\Ind.		Micro	Pos.\Ind.
2HWV9D	AP	Pos.\Ind.	489NK8	Visual Exam	Pos.\Ind.
	Micro	Pos.\Ind.		ALS	Pos.\Ind.
2JCY36	ALS	Pos.\Ind.		AP	Pos.\Ind.
	AP	Pos.\Ind.		Micro	Pos.\Ind.
	micro	Pos.\Ind.	4947L9	AP	Pos.\Ind.
2KK86X	AP	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.	4EVE73	AP	Pos.\Ind.
2R8ZJH	Brentamine	Pos.\Ind.		Micro	Pos.\Ind.
2TG8H6	Acid Phosphatase	Pos.\Ind.	4FPYZU	AP	Pos.\Ind.
	Christmas Tree Stain	Pos.\Ind.		RSID-Semen	Pos.\Ind.
2UAV3K	Brentamine	Pos.\Ind.		PSA	Pos.\Ind.
3AJ4FU	Micro	Pos.\Ind.	4KVTUP	AP	Pos.\Ind.
	ALS	Pos.\Ind.		Micro	Pos.\Ind.
3JQPKM	ALS	Negative	4LPEMG	AP	Pos.\Ind.
	AP	Negative		PSA	Pos.\Ind.
3LEEQL	AP (Brentamine)	Pos.\Ind.		Micro (sperm)	Pos.\Ind.
3NMATD	AP	Pos.\Ind.		ALS	Pos.\Ind.
	P30	Pos.\Ind.	4LR942	ALS	Pos.\Ind.
	Micro Sperm	Pos.\Ind.		AP	Pos.\Ind.
	ALS	Pos.\Ind.		Micro	Pos.\Ind.
3UMPFZ	AP	Pos.\Ind.		PSA	Pos.\Ind.
	PSA	Pos.\Ind.	4M6ZWH	Brentamine	Pos.\Ind.
	Micro	Pos.\Ind.	4QNR9K	Acid Phosphatase	Pos.\Ind.
3V3BP2	ALS	Negative		PSA	Pos.\Ind.
	AP	Pos.\Ind.	4U8RNZ	AP	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
3VZG9G	Brentamine	Pos.\Ind.		PSA	Pos.\Ind.

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
4UHRHA	AP	Pos.\Ind.	7XW4DG	Brentamine	Pos.\Ind.
	Micro	Pos.\Ind.	8FRWYE	Brentamine	Pos.\Ind.
4ULB9X	AP	Pos.\Ind.		ALS	Pos.\Ind.
	Micro	Pos.\Ind.	8GP9H2	AP	Pos.\Ind.
66YXU4	AP	Pos.\Ind.		Micro	Pos.\Ind.
	P30	Pos.\Ind.	8JUWYC	Brentamine	Pos.\Ind.
	Micro	Pos.\Ind.	8Z4WU2	AP	Pos.\Ind.
	ALS	Pos.\Ind.		P30	Pos.\Ind.
6CYCHQ	Micro	Pos.\Ind.	98WFMF	AP screen of phadebas paper	Pos.\Ind.
	ALS	Pos.\Ind.		AP screen	Pos.\Ind.
6DUXBG	Acid Phosphatase	Pos.\Ind.		Slide prepared	Pos.\Ind.
6KQVWY	AP	Pos.\Ind.	9GJEDL	AP	Pos.\Ind.
	PSA	Pos.\Ind.		RSID-Semen	Pos.\Ind.
	Micro	Pos.\Ind.		PSA	Pos.\Ind.
6L9HVG	Brentamine (Acid Phosp)	Pos.\Ind.	9HEWFM	Christmas tree stain	Pos.\Ind.
6LKGPP	Micro (Christmas Tree)	Pos.\Ind.	9LCKNG	AP	Pos.\Ind.
6NP7RY	AP, Micro, PSA	Pos.\Ind.		Micro	Pos.\Ind.
6QJVCF	Brentamine	Pos.\Ind.	9PEEQT	AP	Pos.\Ind.
6Y9NK7	AP	Pos.\Ind.		Micro	Pos.\Ind.
	Seratec PSA Semiquant	Pos.\Ind.	9QAWRU	AP	Pos.\Ind.
6Z7WTP	Micro (Christmas Tree)	Pos.\Ind.		Micro	Pos.\Ind.
7GMEZG	Brentamine	Pos.\Ind.	9QLWNN	AP	Pos.\Ind.
7PXQ8L	AP	Pos.\Ind.		RSID-Semen	Pos.\Ind.
	PSA	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.	9YGUDC	Brent	Pos.\Ind.
7W3HKQ	ALS	Negative	9ZCE3W	AP, PSA, Micro	Pos.\Ind.
	AP	Pos.\Ind.			
	PSA	Pos.\Ind.			
	Micro	Pos.\Ind.			

TABLE 2 - Item 5

Semen						
Webcode	Test Performed	Results	Webcode	Test Performed	Results	
9ZD826	ALS	Pos.\Ind.		ABAcad p30	Pos.\Ind.	
	AP	Pos.\Ind.		Micro	Pos.\Ind.	
	Micro	Pos.\Ind.		B3RQWJ	Christman[sic] tree coloring	Pos.\Ind.
	p30	Pos.\Ind.		B3TLFP	AP	Pos.\Ind.
	AP mapping	Pos.\Ind.			Micro	Pos.\Ind.
9ZWYAP	AP	Pos.\Ind.	B8KNLA	Brent	Pos.\Ind.	
	RSID-Semen	Pos.\Ind.	BGTZ3D	AP	Pos.\Ind.	
	PSA	Pos.\Ind.		RSID Semen	Pos.\Ind.	
AAHEF6	AP	Pos.\Ind.		Seratec Semiquant PSA	Pos.\Ind.	
	PSA	Pos.\Ind.		Micro	Pos.\Ind.	
	Micro	Pos.\Ind.	BGVUJY	ALS	Pos.\Ind.	
	ALS	Pos.\Ind.		AP	Pos.\Ind.	
ABP2P3	Seri AP (cutting)	Pos.\Ind.		P30 (ABA card)	Pos.\Ind.	
	Micro (Christmas Tree Stain, extract from cutting)	Pos.\Ind.		Micro	Pos.\Ind.	
ACG6CH	AP	Pos.\Ind.	BJF2K7	AP	Pos.\Ind.	
	RSID-Semen	Pos.\Ind.		Micro	Pos.\Ind.	
AFJXEU	AP	Pos.\Ind.	BRDK9V	AP	Pos.\Ind.	
	Micro	Pos.\Ind.		Micro	Pos.\Ind.	
	ALS**	Pos.\Ind.	BYFG7A	Brentamine	Pos.\Ind.	
AGEGFV	ALS	Pos.\Ind.	BYGDG7	BCIP	Pos.\Ind.	
	AP	Pos.\Ind.		Micro	Pos.\Ind.	
	Micro	Pos.\Ind.	C2W63R	AP	Pos.\Ind.	
AHCMYA	ALS	Pos.\Ind.		PSA	Pos.\Ind.	
	BCIP	Pos.\Ind.		micro	Pos.\Ind.	
	P30	Pos.\Ind.		ALS	Pos.\Ind.	
	MICRO	Pos.\Ind.	C8YE8Y	ALS	Pos.\Ind.	
AQ6ZWP	AP	Pos.\Ind.		AP	Pos.\Ind.	
	Micro	Pos.\Ind.		Micro	Pos.\Ind.	
AY3HLY	AP	Pos.\Ind.				

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
C8YJFG	AP	Pos.\Ind.		Microscopic	Pos.\Ind.
	Micro	Pos.\Ind.	DN9KZA	Brentamine	Pos.\Ind.
C9B9R7	Brentamine	Pos.\Ind.	DV7EU3	AP	Pos.\Ind.
CA8RP2	AP	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
CGAK2G	ALS	Pos.\Ind.	E4DCFK	AP	Pos.\Ind.
	AP	Pos.\Ind.		PSA	Pos.\Ind.
	MICRO	Pos.\Ind.		Micro	Pos.\Ind.
CJJNXE	Brentamine	Pos.\Ind.	E4UMV4	Brentamine	Pos.\Ind.
CPKZUB	Brentamine	Pos.\Ind.	E8Y4EU	AP	Pos.\Ind.
CPLUBV	AP	Pos.\Ind.		ABACard p30	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
CV7VTU	ALS	Pos.\Ind.	ED6MRZ	AP	Pos.\Ind.
	AP	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.	EKKJHT	ALS	Pos.\Ind.
	PSA	Pos.\Ind.		AP	Pos.\Ind.
CV9KYC	AP	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.	ELF3KU	AP	Pos.\Ind.
DCRXNN	AP	Pos.\Ind.		Micro	Pos.\Ind.
	Micro	Pos.\Ind.	ELYVB7	Brentamine	Pos.\Ind.
DDMGQP	AP	Pos.\Ind.	ELZRK2	ALS	Negative
	Micro	Pos.\Ind.		AP	Pos.\Ind.
	Seratec PSA	Pos.\Ind.		X-MAS	Pos.\Ind.
DFUYPK	AP	Pos.\Ind.	EM96ZH	AP	Pos.\Ind.
	Seratec PSA	Pos.\Ind.		RSID	Pos.\Ind.
	ABA P30	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.	ERZ9R2	AP	Pos.\Ind.
DLEWFT	AP	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
DMAFGV	Acid Phosphatase	Pos.\Ind.			

TABLE 2 - Item 5

Semen						
Webcode	Test Performed	Results	Webcode	Test Performed	Results	
EZBBD3	AP	Pos.\Ind.		FBB	Pos.\Ind.	
	Micro-Sperm	Pos.\Ind.		Micro	Pos.\Ind.	
F8TA9T	AP	Pos.\Ind.	GKDZM2	ALS	Pos.\Ind.	
	Micro	Pos.\Ind.		AP	Pos.\Ind.	
FE8632	ALS	Negative		Micro	Pos.\Ind.	
	AP	Pos.\Ind.		PSA	Pos.\Ind.	
	Micro	Pos.\Ind.		GMJLB2	Brentamine	Pos.\Ind.
FJ7LFV	AP Mapping	Pos.\Ind.	GQEE4W	ALS	Pos.\Ind.	
	AP	Pos.\Ind.		AP	Pos.\Ind.	
	Micro	Pos.\Ind.		Micro	Pos.\Ind.	
FM386D	ALS	Pos.\Ind.	H2Q9QA	AP	Pos.\Ind.	
	AP	Inconclusive		Micro	Pos.\Ind.	
	PSA	Pos.\Ind.		H3LRRB	ABA Card P30	Pos.\Ind.
	AP	Pos.\Ind.		H44MQP	ALS	Inconclusive
FMLXEX	AP	Pos.\Ind.		Acid Phosphatase	Pos.\Ind.	
	Micro	Pos.\Ind.		Microscopy	Pos.\Ind.	
G8M9XQ	AP	Pos.\Ind.	H6XLFN	AP	Pos.\Ind.	
	PSA	Pos.\Ind.		Micro	Pos.\Ind.	
	Micro	Pos.\Ind.		H74DMX	AP	Pos.\Ind.
GB8FYY	ALS	Pos.\Ind.		PSA	Pos.\Ind.	
	AP	Pos.\Ind.		Micro	Pos.\Ind.	
	Micro	Pos.\Ind.		ALS	Pos.\Ind.	
GCG7MH	AP	Pos.\Ind.	HTLW3R	AP	Pos.\Ind.	
	PSA	Pos.\Ind.		Micro (Xmas)	Pos.\Ind.	
	Micro	Pos.\Ind.		HYQTLR	AP	Inconclusive
GDENCQ	MICRO	Pos.\Ind.		Micro	Pos.\Ind.	
GDT3RM	ALS	Pos.\Ind.	HZN2WW	ALS	Pos.\Ind.	
	AP	Pos.\Ind.		AP	Pos.\Ind.	
	Micro	Pos.\Ind.		Micro	Pos.\Ind.	
GJHHKZ	ALS	Pos.\Ind.				

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
J7MACN	Acid Phosphatase	Pos.\Ind.		AP	Pos.\Ind.
	PSA	Pos.\Ind.		Micro	Pos.\Ind.
	Microscopic Examination	Pos.\Ind.		PSA	Pos.\Ind.
J9DZ9N	AP	Pos.\Ind.	KX7RWW	ALS	Pos.\Ind.
	PSA	Pos.\Ind.		AP	Pos.\Ind.
	Micro	Pos.\Ind.		micro	Pos.\Ind.
	AP	Pos.\Ind.		AP Mapping	Pos.\Ind.
	Microscopy - Xmas tree stain	Pos.\Ind.	L2KN2W	AP	Pos.\Ind.
JKNMA9	Micro (Christmas Tree)	Pos.\Ind.		ALS	Pos.\Ind.
	Human semen RSID	Pos.\Ind.	LAGNCJ	AP	Pos.\Ind.
JLK3JK	AP	Pos.\Ind.		MICRO	Pos.\Ind.
	Micro	Pos.\Ind.		P30	Pos.\Ind.
JPYWZG	AP	Pos.\Ind.	LBBCWY	Brentamine Test	Pos.\Ind.
	Micro	Pos.\Ind.	LH97QR	AP	Pos.\Ind.
	PSA	Pos.\Ind.		PSA	Pos.\Ind.
JVMFHY	Brentamine	Pos.\Ind.		Micro	Pos.\Ind.
K266GY	Brentamine	Pos.\Ind.	LM4VB6	AP	Pos.\Ind.
K9P7XC	Micro	Pos.\Ind.		PSA	Pos.\Ind.
	P30	Pos.\Ind.		Micro	Pos.\Ind.
	ALS	Negative	LMHJ9P	AP	Pos.\Ind.
KALNYD	AP	Pos.\Ind.		PSA	Pos.\Ind.
	P30	Pos.\Ind.		Micro	Pos.\Ind.
	ALS	Pos.\Ind.	LNFPQ6	AP	Pos.\Ind.
KCR7XA	AP	Pos.\Ind.		PSA	Pos.\Ind.
	RSID-Semen	Pos.\Ind.		Microscopic	Pos.\Ind.
	PSA	Pos.\Ind.	LPC9T7	AP	Pos.\Ind.
KHD4NH	AP	Pos.\Ind.		PSA	Pos.\Ind.
	Microscopic	Pos.\Ind.		Micro	Pos.\Ind.
KPVPBU	ALS	Pos.\Ind.	LTAP6Z	Bentamine[sic]	Pos.\Ind.

TABLE 2 - Item 5

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LUKDK7	AP	Pos.\Ind.	PJUZ7J	AP	Pos.\Ind.
	Micro	Pos.\Ind.		ABAcad-p30	Pos.\Ind.
LZUPLD	AP	Pos.\Ind.		Micro	Pos.\Ind.
	micro	Pos.\Ind.	Q2N2AZ	AP	Pos.\Ind.
M2JDJY	Brent	Pos.\Ind.		PSA	Pos.\Ind.
M79Y47	Visual	Pos.\Ind.		Micro	Pos.\Ind.
	ALS	Pos.\Ind.	Q2QWQL	AP	Pos.\Ind.
	AP	Pos.\Ind.		Micro	Pos.\Ind.
M7UNBT	AP	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.	Q3KHKC	AP	Pos.\Ind.
	ALS	Pos.\Ind.		Micro	Pos.\Ind.
MAAWX8	Micro (Christmas Tree)	Pos.\Ind.	Q6ND7Z	Micro (Christmas Tree)	Pos.\Ind.
MJXRWM	AP	Pos.\Ind.		RSID Semen	Pos.\Ind.
	Micro	Pos.\Ind.	Q6P8ML	AP	Pos.\Ind.
MYCZXQ	Acid phosphatase	Pos.\Ind.		PSA	Pos.\Ind.
	Micro	Pos.\Ind.		Micro	Pos.\Ind.
	ALS	Pos.\Ind.	Q9PD7X	AP	Pos.\Ind.
NP4RN6	RSID-Semen	Pos.\Ind.		Micro	Pos.\Ind.
P2VUNC	AP	Pos.\Ind.	QTUY74	Micro (Christmas Tree)	Pos.\Ind.
	PSA	Pos.\Ind.	QTXJVR	Brentamine	Pos.\Ind.
	Micro	Pos.\Ind.	RE7EYF	AP	Pos.\Ind.
P362R6	Micro (Christmas Tree)	Pos.\Ind.		PSA	Pos.\Ind.
PALC3K	AP	Pos.\Ind.		Micro	Pos.\Ind.
	PSA	Pos.\Ind.	RERMCO	ALS	Pos.\Ind.
	Micro	Pos.\Ind.		AP	Pos.\Ind.
PEG7ZL	ALS	Inconclusive		Micro	Pos.\Ind.
	p30	Pos.\Ind.	REVAPX	Brentamine	Pos.\Ind.
PGNNYG	AP	Pos.\Ind.		(Alternate light source used)	
	Micro	Pos.\Ind.	RJ24JT	Brentamine (Acid Phosphatase)	Pos.\Ind.

TABLE 2 - Item 5

Semen						
Webcode	Test Performed	Results	Webcode	Test Performed	Results	
RTD3D4	ALS	Pos.\Ind.	U7DK4U	ALS	Inconclusive	
	Micro	Pos.\Ind.		AP	Negative	
RTTLX2	AP	Pos.\Ind.	UCDZPV	Brentamine	Pos.\Ind.	
	Micro	Pos.\Ind.		(ALS used)		
RWRWU2	AP	Pos.\Ind.	UMDRUF	ALS	Inconclusive	
	RSID-Semen	Pos.\Ind.		p30	Pos.\Ind.	
	PSA	Pos.\Ind.	UVNYNX	AP	Pos.\Ind.	
RXMFV3	Micro (Christmas Tree)	Pos.\Ind.	V37VZC	PSA	Pos.\Ind.	
	RSID	Pos.\Ind.		Micro	Pos.\Ind.	
T887XL	ALS	Pos.\Ind.	V76ZRB	AP	Pos.\Ind.	
	AP	Pos.\Ind.		Micro	Pos.\Ind.	
	Micro	Pos.\Ind.		ABAcad P30	Pos.\Ind.	
	PSA	Pos.\Ind.		AP	Pos.\Ind.	
TKDZQJ	AP	Pos.\Ind.	V7LEWZ	Micro	Pos.\Ind.	
	Micro	Pos.\Ind.		ALS	Pos.\Ind.	
	PSA	Pos.\Ind.		V8ZJTC	AP	Pos.\Ind.
	ALS	Pos.\Ind.		PSA	Pos.\Ind.	
TMFAAZ	ALS (very faint fluorescence)	Inconclusive	VBED9A	Micro	Pos.\Ind.	
	AP Overlay	Pos.\Ind.		AP	Pos.\Ind.	
	Microscopy	Pos.\Ind.		Micro	Pos.\Ind.	
TXEXAA	AP	Pos.\Ind.	VK2EPJ	ALS	Pos.\Ind.	
	PSA (Abacus)	Pos.\Ind.		AP	Pos.\Ind.	
	Micro	Pos.\Ind.		Micro	Pos.\Ind.	
U6EFKF	ALS	Pos.\Ind.	VPL6FN	PSA	Pos.\Ind.	
	AP	Pos.\Ind.		Brentamine	Pos.\Ind.	
	ABA p30	Pos.\Ind.		VWJY9F	ALS	Pos.\Ind.
	Micro	Pos.\Ind.		AP	Pos.\Ind.	
U7AXMG	Acid Phosphatase	Pos.\Ind.		Micro	Pos.\Ind.	
	Microscopic exam	Pos.\Ind.				

TABLE 2 - Item 5

Semen						
Webcode	Test Performed	Results	Webcode	Test Performed	Results	
VXCMUW	AP	Pos.\Ind.	X6K2PX	PSA	Pos.\Ind.	
	Micro	Pos.\Ind.		Micro	Pos.\Ind.	
	PSA	Pos.\Ind.		Christmas tree stain	Pos.\Ind.	
VXPG8C	AP	Pos.\Ind.	XAVCE7	ALS	Pos.\Ind.	
	PSA	Pos.\Ind.		AP	Pos.\Ind.	
	Micro	Pos.\Ind.		Micro	Pos.\Ind.	
VXWHHD	AP	Pos.\Ind.	XNXLL2	AP	Pos.\Ind.	
	Micro	Pos.\Ind.		micro	Pos.\Ind.	
W3KN7E	AP	Pos.\Ind.	XXN4ZA	AP	Pos.\Ind.	
	Micro	Pos.\Ind.		Micro	Pos.\Ind.	
WDLV87	AP	Pos.\Ind.	YPQT7P	Brentamine (AP) solution	Pos.\Ind.	
	Micro	Pos.\Ind.		Microscopy (Sperm Search)	Pos.\Ind.	
WGW7XE	ALS	Pos.\Ind.	YRRYJB	ALS	Pos.\Ind.	
	AP	Pos.\Ind.		AP	Pos.\Ind.	
	Micro	Pos.\Ind.		PSA	Pos.\Ind.	
WPR7ER	Brentamine	Pos.\Ind.	YULM4R	Micro	Pos.\Ind.	
	ALS	Pos.\Ind.		Brentamine	Pos.\Ind.	
WQNK2K	ALS	Pos.\Ind.	YVR63M	Polilight	Pos.\Ind.	
	AP	Pos.\Ind.		Brentamine	Pos.\Ind.	
	Micro	Pos.\Ind.		YWNJPF	ALS	Negative
	AP Mapping	Pos.\Ind.		AP	Pos.\Ind.	
WX9KFC	AP	Pos.\Ind.	YX6TN8	Micro	Pos.\Ind.	
	Micro	Pos.\Ind.		P-30	Pos.\Ind.	
	ALS	Pos.\Ind.		AP	Pos.\Ind.	
WYHPTZ	AP	Pos.\Ind.	ZUGMGW	Micro	Pos.\Ind.	
	RSID-Semen	Pos.\Ind.		ALS	Inconclusive	
	SERATEC PSA Semiquant	Pos.\Ind.		AP	Pos.\Ind.	
X2NEVA	AP	Pos.\Ind.	X4PFV7	p30	Pos.\Ind.	
	Micro	Pos.\Ind.		Microscopic	Pos.\Ind.	
	AP	Pos.\Ind.				

TABLE 2 - Item 5

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	RSID Saliva	Negative	4M6ZWH	There is no presumptive test done at the laboratory for saliva.	
2HWV9D	RSID Saliva	Negative			
2JCY36	RSID	Negative	4QNR9K	Amylase Diffusion	Negative
2KK86X	Semen present		4U8RNZ	RSID	Negative
2R8ZJH	Not part of our routine tests		4UHRHA	Phadebas	Negative
2TG8H6	RSID-Saliva	Negative	4ULB9X	semen pos	
2UAV3K	We do not have a presumptive test for saliva.		66YXU4	RSID	Negative
3AJ4FU	Saliva testing not available.		6DUXBG	No presumptive test	
3JQPKM	ALS	Negative	6KQVWY	RSID - Saliva	Negative
	SALlgAE	Negative	6L9HVG	No presumptive test for saliva - also not done in routine casework.	
3NMATD	ARD	Negative	6NP7RY	RSID	Negative
	Micro NEC	Negative	6Y9NK7	Phadebas paper	Negative
3UMPFZ	Case facts indicate a sexual assault; this item tested positive for semen.		7GMEZG	No presumptive test for saliva	
3V3BP2	ALS	Negative	8FRWYE	No presumptive test at lab.	
	RSID - saliva	Negative	8GP9H2	location of stain	
3VZG9G	Test not available at Biology EC		8Z4WU2	Phadebas	Negative
42H9XL	Seratec Amylase	Negative	98WFMF	Phadebas screen	Negative
489NK8	RSID	Negative	9GJEDL	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested	
	ALS	Pos.\Ind.	9LCKNG	Phadebas	Negative
4947L9	Phadebas Amylase	Negative	9PEEQT	not required per case information	
4KVTUP	NT since KM and AP positive sample would be taken on to DNA		9QAWRU	RSID - Saliva	Negative
4LPEMG	Amylase (ND)	Negative	9QLWNN	Laboratory only routinely examines for blood and semen in sexual assault cases	
	Micro (NECs)	Negative	9ZCE3W	RSID	Negative
4LR942	ALS	Pos.\Ind.			
	RSID	Negative			

TABLE 2 - Item 5

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
9ZD826	Amylase diffusion	Negative	CJNNE	No specific method for presumptive testing but possible epithelial cells collected at high skin contact area.	
	Amylase mapping	Negative			
9ZWYAP	Sexual assault case exhibit routinely tested for blood and semen. Not tested for saliva unless specified.		CPKZUB	Saliva test not done at our lab	
AAHEF6	amylase diffusion	Negative	CPLUBV	RSID	Negative
ABP2P3	Amylase (Phadebas tablet, micro, cutting)	Negative	CV7VTU	ALS	Pos.\Ind.
ACG6CH	RSID-Saliva	Negative		RSID-Saliva	Negative
AFJXEU	RSID	Negative	CV9KYC	Phadebas tube test	Negative
	ALS**	Pos.\Ind.	DCRXNN	RSID saliva	Negative
AGEGFV	ALS	Negative	DDMGQP	RSID Saliva	Negative
AHCMYA	ALS	Pos.\Ind.	DFUYPK	not indicated	
	PHADEBAS	Negative	DLEWFT	RSID	Negative
AQ6ZWP	RSID Saliva	Negative	DMAFGV	RSID-Saliva	Negative
AY3HLY	Phadebas	Negative	DN9KZA	No presumptive test done	
B3TLFP	Not tested due to positive AP and Micro results		DV7EU3	Amylase Radial Diffusion	Negative
BGTZ3D	Phadebas	Negative		Micro	Negative
BGVUJY	RSID-Saliva	Negative	E4DCFK	scenario did not support the need to test for saliva	
BJF2K7	Amylase Diffusion	Negative	E8Y4EU	Phadebas	Negative
BRDK9V	Phadebas paper	Negative	ED6MRZ	RSID	Negative
BYGDG7	did not test per scenario		EKKJHT	Phadebas	Negative
C2W63R	RSID Amylase	Negative	ELYVB7	Not performed by our laboratory.	
	ALS	Pos.\Ind.	ELZRK2	AMYLASE	Negative
C8YE8Y	Oral contact not likely, not indicated in scenario.		EM96ZH	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.	
C8YJFG	Amy	Negative			
CA8RP2	Phadebas	Negative	ERZ9R2	Amylase Radial Diffusion	Negative
CGAK2G	AMYLASE	Negative		Micro	Negative

TABLE 2 - Item 5

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
EZBBD3	Since stain was positive for blood and semen, no saliva testing performed per normal casework procedures		HZN2WW	Amylase Diffusion	Negative
			J7MACN	RSID	Negative
			JCDB6N	RSID	Negative
			JLK3JK	RSID Saliva	Negative
FE8632	Amylase Diffusion	Negative	JPYWZG	semen was detected, which is more probative to case	
	Phadebas [sic] Paper- Amylase Mapping	Negative	JQHT9	Phadebas	Negative
FJ7LFV	Amylase Radial Diffusion	Negative	KCR7XA	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.	
FMLXEX	Phadebas Amylase	Negative			
G8M9XQ	RSID	Negative	KHD4NH	RSID	Negative
GB8FYY	Amylase	Negative		ALS	Pos.\Ind.
GCG7MH	Item examined under ALS - one area of fluorescence that was AP positive, PSA positive, and Micro positive		KVPVBU	Amylase Diffusion	Negative
			KX7RWW	amylase diffusion	Negative
GDENCQ	PHADEBAS	Negative		amylase mapping	Negative
GDT3RM	ALS	Pos.\Ind.	L2KN2W	Not trained to perform this test	
	RSID	Negative	LAGNCJ	RSID-Saliva	Negative
GJHHKZ	ALS	Pos.\Ind.	LH97QR	Phadebas	Negative
	Amylase	Negative	LM4VB6	Amylase Radial Diffusion	Negative
GKDZM2	Amylase diffusion	Negative	LMHJ9P	Phadebas	Negative
GQEE4W	ALS	Pos.\Ind.	LNFPQ6	Amylase radial diffusion	Negative
	RSID-Saliva	Negative	LPC9T7	RSID	Negative
H3LRRB	SALlgAE	Negative	LTAP6Z	Not performed at the laboratory	
H44MQP	Story indicated assault/sexual assault. ALS inc corresponded to the AP pos area		LUKDK7	Phadebas	Negative
H6XLFN	RSID	Negative	LZUPLD	semen and blood found, no allegation to saliva	
H74DMX	RSID	Negative	M7UNBT	Amylase	Negative
HTLW3R	Amylase	Negative			
HYQTLR	RSID	Negative			

TABLE 2 - Item 5

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
MAAWX8	Our Laboratory dont perform test to identify saliva		TMFAAZ	Radial Diffusion	Negative
MJXRWM	Phadebas	Negative	TXEXAA	RSID	Negative
MYCZXQ	RSID Saliva	Negative	U6EFKF	ALS	Pos.\Ind.
	ALS	Pos.\Ind.		RSID	Negative
NP4RN6	RSID-Saliva	Negative	U7AXMG	RSID-Saliva	Negative
P2VUNC	Extraction type for DNA sample determined by semen testing results		U7DK4U	our lab does not test for saliva	
			UVNYNX	Phadebas Amylase Test	Negative
PALC3K	RSID	Negative	V37VZC	Phadebas	Negative
	Phadebas	Negative	V76ZRB	RSID	Negative
PGNNYG	RSID Saliva	Negative	V8ZJTC	RSID	Negative
PJU7J	Phadebas	Negative	VBED9A	RSID	Negative
Q2N2AZ	Amylase	Negative		ALS	Pos.\Ind.
Q2QWQL	Phadebas	Negative	VWJY9F	Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)	
Q3KHKC	Not indicated				
Q6P8ML	Phadebas	Negative	VXCMUW	Phadebas Amylase	Negative
Q9PD7X	Phadebas paper screen	Negative		RSID Amylase	Negative
RE7EYF	RSID-Saliva	Negative	VXPG8C	RSID	Negative
RERMCO	Amylase Diffusion	Negative	W3KN7E	Case scenario does not indicate any oral contact on underwear.	
REVAPX	No presumptive test done at our laboratory		WDLV87	RSID	Negative
RJ24JT	No presumptive test for saliva		WG7XE	ALS	Pos.\Ind.
RTTLX2	I am not trained in saliva identification.			RSID	Negative
RWRWU2	Sexual assault case exhibits routinely test for blood and semen. Not tested for saliva unless specified.		WPR7ER	No test for saliva at this lab.	
			WQNK2K	Amylase Diffusion	Negative
				Amylase Mapping	Negative
T887XL	Amylase Diffusion	Negative	WX9KFC	RSID	Negative
TKDZQJ	Amylase radial diffusion	Inconclusive			
	Micro	Negative			

TABLE 2 - Item 5

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
WYHPTZ	Laboratory only routinely test for blood and semen in sexual assault cases. Saliva test done only when specified by client.				
X2NEVA	RSID Saliva	Negative			
X4PFV7	RSID	Negative			
X6K2PX	Our laboratory not included in the portafolio[sic] of service testing for the presence of saliva				
XAVCE7	ALS-no dilute staining	Negative			
XNXLL2	RSID Saliva	Negative			
XXN4ZA	RSID	Negative			
YPQT7P	Phadebas	Negative			
YRRYJB	Phadebas Press Test	Negative			
YULM4R	No presumptive tests for saliva				
YWNJPF	Amylase Diffusion	Negative			
YX6TN8	Phadebas paper	Negative			

TABLE 2 - Item 5

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
2R8ZJH	Check for visible hair	Negative	HYQTLR	Alternate light source	Pos.\Ind.
2TG8H6	Semen/saliva - ALS	Pos.\Ind.	JCDB6N	Polilight	Negative
2UAV3K	Hair - Visual inspection	Negative	LAGNCJ	ALS	Pos.\Ind.
4EVE73	ALS	Pos.\Ind.	MJXRWM	ALS	Pos.\Ind.
4M6ZWH	Visual inspection of possible hair	Negative	P2VUNC	ALS	Negative
4U8RNZ	ALS	Pos.\Ind.	PALC3K	ALS	Pos.\Ind.
6DUXBG	Visual hair inspection	Negative	PGNNYG	Biological Material-ALS	Pos.\Ind.
6KQVWY	ALS	Pos.\Ind.	RJ24JT	Visual inspection hair: negative	Negative
6L9HVG	Possible Hair (visual inspection)	Negative	U7AXMG	Semen/Saliva - Alternate Light Source	Negative
7GMEZG	Hair - Visual inspection	Negative	V76ZRB	semen/saliva -- ALS	Negative
7XW4DG	Hair - Visual Inspection	Negative	VXCMUW	ALS	Pos.\Ind.
8GP9H2	ALS	Pos.\Ind.	VXPG8C	ALS	Negative
98WFMF	Faeces - Visual search only	Negative	WDLV87	ALS	Pos.\Ind.
9YGUDC	Semen - Polilight	Pos.\Ind.	X2NEVA	Luminol (for blood)	Pos.\Ind.
9ZCE3W	ALS	Pos.\Ind.		ALS (body fluids that fluoresce[sic], ie semen, saliva)	Pos.\Ind.
ACG6CH	Urine - RSID-Urine	Negative	X4PFV7	ALS	Pos.\Ind.
B8KNLA	Hair	Negative	XXN4ZA	ALS	Pos.\Ind.
C8YJFG	ALS	Negative	YULM4R	Presumable epithelia. No presumptive testing	
CPKZUB	Presumable epithelial material				
CPLUBV	ALS	Pos.\Ind.			
DLEWFT	BFI Screening - ALS	Pos.\Ind.			
DMAFGV	Alternate Light Source	Pos.\Ind.			
DN9KZA	Hair - Physical examination	Negative			
E4UMV4	Hair	Negative			
F8TA9T	Mini Crime Scene Scope	Pos.\Ind.			
	LSV Camera	Pos.\Ind.			
H6XLFN	Semen/Saliva - ALS	Pos.\Ind.			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	KM	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
	Luminol	Pos.\Ind.	4KVTUP	KM	Pos.\Ind.
2HWV9D	O-tol	Pos.\Ind.	4LPEMG	O-tol	Pos.\Ind.
2JCY36	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
2KK86X	KM	Pos.\Ind.	4LR942	KM	Pos.\Ind.
2R8ZJH	H/stix	Pos.\Ind.	4M6ZWH	H/stix	Pos.\Ind.
2TG8H6	Phenolphthalein	Pos.\Ind.	4QNR9K	O-Tolidine	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemDirect	Pos.\Ind.
2UAV3K	H.stix	Pos.\Ind.	4U8RNZ	Hemastix	Pos.\Ind.
3AJ4FU	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
3JQPKM	ALS	Pos.\Ind.	4UHRHA	KM	Pos.\Ind.
	KM	Pos.\Ind.		Modified Takayama	Pos.\Ind.
	Heme-Stix	Pos.\Ind.	4ULB9X	KM	Pos.\Ind.
3LEEQ	Hemastix	Pos.\Ind.	66YXU4	LMG	Pos.\Ind.
3NMATD	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HT	Pos.\Ind.		Visual	Pos.\Ind.
3UMPFZ	KM	Pos.\Ind.	6CYCHQ	KM	Pos.\Ind.
3V3BP2	KM	Pos.\Ind.	6DUXBG	Hstix	Pos.\Ind.
	Hematrace	Pos.\Ind.	6KQVWY	Hemastix	Pos.\Ind.
3VZG9G	Hemastix	Pos.\Ind.		HemaTrace	Pos.\Ind.
42H9XL	PTMB	Pos.\Ind.	6L9HVG	Hstix	Pos.\Ind.
	Seratec HemDirect	Pos.\Ind.	6LKGPP	Occult blood Rapid Test (Cassette)	Pos.\Ind.
489NK8	Visual Exam	Pos.\Ind.		immuno-chromatographic[sic]	
	KM	Pos.\Ind.	6NP7RY	Hemastix, Hematrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	6QJVCF	Hemastix	Pos.\Ind.
4947L9	KM	Pos.\Ind.	6Y9NK7	KM	Pos.\Ind.
	Modified Takayama	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
	HemaTrace	Pos.\Ind.	6Z7WTP	Hematrace	Pos.\Ind.
4EVE73	KM	Pos.\Ind.	7GMEZG	H-stix	Pos.\Ind.
4FPYZU	KM	Pos.\Ind.			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
7PXQ8L	Benzidine	Pos.\Ind.	ABP2P3	KM (swabbing)	Pos.\Ind.
	Heme Kit	Pos.\Ind.		Micro (modified Takayama, cutting)	Pos.\Ind.
7W3HKQ	LMG	Pos.\Ind.	ACG6CH	LMG	Pos.\Ind.
	HemaTrace	Pos.\Ind.		RSID-Blood	Pos.\Ind.
7XW4DG	H-stix	Pos.\Ind.	AFJXEU	KM	Pos.\Ind.
8FRWYE	Hemastix	Pos.\Ind.	AGEGFV	KM	Pos.\Ind.
8GP9H2	KM	Pos.\Ind.	AHCMYA	PHTH	Pos.\Ind.
8JUWYC	Hemastix	Pos.\Ind.	AQ6ZWP	Hemastix	Pos.\Ind.
8Z4WU2	KM	Pos.\Ind.	AY3HLY	KM	Pos.\Ind.
	ABACard HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
98WFMF	KM spot test	Pos.\Ind.	B3RQWJ	Immuno-cromatographic[sic] test (occult blood)	Pos.\Ind.
9GJEDL	KM	Pos.\Ind.	B3TLFP	Phenolphthalein	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.	B8KNLA	H-stix	Pos.\Ind.
9HEWFM	Thevenon-Roland (Piramidón)	Pos.\Ind.	BGTZ3D	luminol BLueStar	Pos.\Ind.
	Rapid Signal Occult Blood Cassette	Pos.\Ind.		Hexagon OBTI Test	Pos.\Ind.
9LCKNG	LMG	Pos.\Ind.	BGVUJY	Visual	Pos.\Ind.
9PEEQT	KM	Pos.\Ind.		LMG	Pos.\Ind.
9QAWRU	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
9QLWNN	KM	Pos.\Ind.	BJF2K7	LMG	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.		HemaTrace	Pos.\Ind.
9YGUDC	Hem	Pos.\Ind.	BRDK9V	KM	Pos.\Ind.
	Lum	Pos.\Ind.	BYFG7A	Hemastix	Pos.\Ind.
9ZCE3W	Hemastix, Hematrace	Pos.\Ind.	BYGDG7	KM	Pos.\Ind.
9ZD826	LMG	Pos.\Ind.	C2W63R	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
9ZWYAP	KM	Pos.\Ind.	C8YE8Y	O-tol	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.		HemaTrace	Pos.\Ind.
AAHEF6	LMG	Pos.\Ind.	C8YJFG	KM	Pos.\Ind.
	hematrace	Pos.\Ind.	C9B9R7	Hemastix	Pos.\Ind.

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
CA8RP2	KM	Pos.\Ind.		MICRO	Pos.\Ind.
	Modified Takayama	Pos.\Ind.		KM	Pos.\Ind.
CGAK2G	KM	Pos.\Ind.	EM96ZH	KM	Pos.\Ind.
CJJNXE	Hemastix	Pos.\Ind.		HEXAGON OBTI	Pos.\Ind.
CPKZUB	(M/stix) Hemastix	Pos.\Ind.	ERZ9R2	LMG	Pos.\Ind.
CPLUBV	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
CV7VTU	KM	Pos.\Ind.	EZBBD3	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Hematrace	Pos.\Ind.
CV9KYC	KM	Pos.\Ind.	F8TA9T	Hemochromogen	Pos.\Ind.
DCRXNN	KM	Pos.\Ind.	FE8632	LMG	Pos.\Ind.
DDMGQP	KM	Pos.\Ind.		Hematrace	Pos.\Ind.
	Hemastix	Pos.\Ind.	FJ7LFV	Hemastix	Pos.\Ind.
DFUYPK	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
DLEWFT	TMB	Pos.\Ind.	FM386D	o-tol	Pos.\Ind.
	Hematrace	Pos.\Ind.		HemaTrace Card	Pos.\Ind.
DMAFGV	KM	Pos.\Ind.	FMLXEX	KM	Pos.\Ind.
DN8MPE	KM	Pos.\Ind.		mod Taka	Pos.\Ind.
DN9KZA	H-stix	Pos.\Ind.	G8M9XQ	Hemastix	Pos.\Ind.
DV7EU3	Hemastix	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.		KM	Pos.\Ind.
E4DCFK	KM	Pos.\Ind.	GB8FYY	Micro	Pos.\Ind.
	Hematrace	Pos.\Ind.		KM	Pos.\Ind.
E4UMV4	Hemastix	Pos.\Ind.	GCG7MH	KM	Pos.\Ind.
E8Y4EU	KM	Pos.\Ind.	GDENCQ	TMB	Pos.\Ind.
	HemaTrace	Pos.\Ind.	GDT3RM	KM	Pos.\Ind.
ED6MRZ	O-tol	Pos.\Ind.		HemaTrace	Pos.\Ind.
EKKJHT	Hemastix	Pos.\Ind.	GJHHKZ	Micro	Pos.\Ind.
ELF3KU	Hemochromogen	Pos.\Ind.		KM	Pos.\Ind.
ELYVB7	Hemastix	Pos.\Ind.	GKDZM2	LMG	Pos.\Ind.
ELZRK2	VISUAL	Pos.\Ind.	GMJLB2	Hemastix	Pos.\Ind.

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
GQEE4W	Visual	Pos.\Ind.	JVMFHY	Hemastix	Pos.\Ind.
	KM	Pos.\Ind.	K266GY	Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.	K9P7XC	KM	Pos.\Ind.
H2Q9QA	KM	Pos.\Ind.	KALNYD	Hemastix	Pos.\Ind.
H3LRRB	ABA Card Hematrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
H44MQP	TMB	Pos.\Ind.	KCR7XA	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
H6XLFN	KM	Pos.\Ind.	KHD4NH	Phenolphthalein	Pos.\Ind.
	HemaTrace	Pos.\Ind.	KPVPBU	LMG	Pos.\Ind.
H74DMX	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hematrace	Pos.\Ind.	KX7RWW	hematrace	Pos.\Ind.
HTLW3R	KM	Pos.\Ind.		LMG	Pos.\Ind.
	Takayama	Pos.\Ind.	L2KN2W	O-tol	Pos.\Ind.
	Hematrace	Pos.\Ind.	LAGNCJ	Hemastix	Pos.\Ind.
HYQTLR	TMB	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hematrace	Pos.\Ind.	LBBCWY	Hemastix Test	Pos.\Ind.
HZN2WW	LMG	Pos.\Ind.		Luminol Test	Pos.\Ind.
J7MACN	Hemastix	Pos.\Ind.	LH97QR	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Modified Takayama	Pos.\Ind.
J9DZ9N	TMB	Pos.\Ind.	LM4VB6	TMB	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Luminol	Pos.\Ind.	LMHJ9P	KM	Pos.\Ind.
JCDB6N	Hemastix	Pos.\Ind.		Hematrace	Pos.\Ind.
	Hematrace	Pos.\Ind.	LNFPQ6	TMB	Pos.\Ind.
JKNMA9	Thevenon-Roland (Piramidón)	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Occult Blood card test (orgenics)	Pos.\Ind.	LPC9T7	KM	Pos.\Ind.
JLK3JK	KM	Pos.\Ind.	LTAP6Z	Hemastix	Pos.\Ind.
JPYWZG	Hemastix	Pos.\Ind.	LUKDK7	KM	Pos.\Ind.
				HemaTrace	Pos.\Ind.
JQTH9	KM	Pos.\Ind.	LZUPLD	KM	Pos.\Ind.

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
M2JDJY	Hem	Pos.\Ind.	Q6ND7Z	Thevenon-Roland Piramidon	Pos.\Ind.
M79Y47	Visual	Pos.\Ind.		Occult Blood Cassette	Pos.\Ind.
	LMG	Pos.\Ind.	Q6P8ML	KM	Pos.\Ind.
M7UNBT	Micro	Pos.\Ind.		HEMA	Pos.\Ind.
	KM	Pos.\Ind.	Q9PD7X	KM	Pos.\Ind.
MAAWX8	Human Blood	Pos.\Ind.	QTUY74	Occult Blood Cassette	Pos.\Ind.
MJXRWM	KM	Pos.\Ind.	QTXJVR	Hemastix	Pos.\Ind.
	HemaTrace	Pos.\Ind.	RE7EYF	Hemastix	Pos.\Ind.
MYCZXQ	Visual	Pos.\Ind.		KM	Pos.\Ind.
	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hematrace	Pos.\Ind.	RERMCO	LMG	Pos.\Ind.
NP4RN6	RSID-Blood	Pos.\Ind.		HemaTrace	Pos.\Ind.
P2VUNC	KM	Pos.\Ind.	REVAPX	Hemastix	Pos.\Ind.
	Luminol	Pos.\Ind.	RJ24JT	Hemastix	Pos.\Ind.
P362R6	Occult blood Rapid Test (Cassette) immuno- chromatographic [sic]	Pos.\Ind.	RTD3D4	KM	Pos.\Ind.
			RTTLX2	KM	Pos.\Ind.
PALC3K	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	RWRWU2	KM	Pos.\Ind.
PEG7ZL	Visual	Pos.\Ind.		Hexagon OBTI	Pos.\Ind.
	HemaTrace	Pos.\Ind.	RXMFV3	Rapid Signal Occult Blood	Pos.\Ind.
PGNNYG	TMB	Pos.\Ind.		Thevenon-Roland (Piramidón)	Pos.\Ind.
	HemaTrace	Pos.\Ind.	T887XL	LMG	Pos.\Ind.
PJU77J	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	ABAcad-HemaTrace	Pos.\Ind.	TKDZQJ	LMG	Pos.\Ind.
Q2N2AZ	TMB	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	TMFAAZ	KM	Pos.\Ind.
Q2QWQL	KM	Pos.\Ind.	TXEXAA	KM	Pos.\Ind.
	Hematrace	Pos.\Ind.			
Q3KHKC	KM	Pos.\Ind.			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
U6EFKF	Visual	Pos.\Ind.		KM	Pos.\Ind.
	LMG	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	VXWHHD	Hemochromogen	Pos.\Ind.
U7AXMG	Tetramethylbenzidine	Pos.\Ind.	W3KN7E	O-tol	Pos.\Ind.
	HemaTrace	Pos.\Ind.	WDLV87	KM	Pos.\Ind.
U7DK4U	ALS	Pos.\Ind.	WGW7XE	Visual	Pos.\Ind.
	o-tol	Pos.\Ind.		KM	Pos.\Ind.
	Hexagon OBTI	Pos.\Ind.		HemaTrace	Pos.\Ind.
UCDZPV	Hemastix	Pos.\Ind.	WPR7ER	Hemastix	Pos.\Ind.
UMDRUF	Visual	Pos.\Ind.	WQNK2K	LMG	Pos.\Ind.
	HemaTrace	Pos.\Ind.		HemaTrace	Pos.\Ind.
UVNYNX	KM	Pos.\Ind.	WX9KFC	KM	Pos.\Ind.
	Hemoglobin Immunochromatograp hy	Pos.\Ind.		HemaTrace	Pos.\Ind.
V37VZC	KM	Pos.\Ind.	WYHPTZ	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Bluestar Hexagon OBTI	Pos.\Ind.
V76ZRB	KM	Pos.\Ind.	X2NEVA	KM	Pos.\Ind.
	HemaTrace	Pos.\Ind.		Hematrace	Pos.\Ind.
V7LEWZ	KM	Pos.\Ind.	X4PFV7	Hemastix	Pos.\Ind.
V8ZJTC	Hemastix	Pos.\Ind.		KM	Pos.\Ind.
	KM	Pos.\Ind.		HemaTrace	Pos.\Ind.
	Hematrace	Pos.\Ind.	X6K2PX	Inmuno- cromatografic[sic] for human blood	Pos.\Ind.
VBED9A	Phenolphthalein	Pos.\Ind.	XAVCE7	KM	Pos.\Ind.
VK2EPJ	KM	Pos.\Ind.	XNXLL2	KM	Pos.\Ind.
VPL6FN	Hemastix	Pos.\Ind.	XXN4ZA	KM	Pos.\Ind.
VWJY9F	O-Tol	Pos.\Ind.		HemaTrace	Pos.\Ind.
	HemaTrace	Pos.\Ind.	YPQT7P	KM	Pos.\Ind.
VXCMUW	KM	Pos.\Ind.		Hexagon OBTI (Human origin)	Pos.\Ind.
	SERATEC Hemoglobin	Pos.\Ind.			
VXPG8C	Hemastix	Pos.\Ind.			

TABLE 2 - Item 6

Blood					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
YRRYJB	KM	Pos.\Ind.			
	HemaTrace	Pos.\Ind.			
YULM4R	Hemastix	Pos.\Ind.			
	Luminol (rest of beanie)	Negative			
YVR63M	Hemastix	Pos.\Ind.			
YWNJPF	LMG	Pos.\Ind.			
	Hematrace	Pos.\Ind.			
YX6TN8	KM	Pos.\Ind.			
	Hematrace	Pos.\Ind.			
ZUGMGW	Visual	Pos.\Ind.			
	Phenolphthalein	Pos.\Ind.			
	Hematrace	Pos.\Ind.			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	Per scenario details and the results of other items, this item was not tested for semen at this time.			Seratec PSA Semiquant	Negative
			489NK8	ALS	Negative
				AP	Negative
2HWV9D	AP	Negative	4947L9	AP	Negative
	Micro	Negative	4FPYZU	AP	Negative
2JCY36	AP	Negative	4KVTUP	NT based on scenario and how we approach casework	
	PSA	Negative			
2KK86X	AP	Negative	4LPEMG	AP	Negative
2R8ZJH	No evidential value			Micro (sperm)	Negative
2TG8H6	Acid Phosphatase	Negative		ALS	Negative
2UAV3K	Brentamine		4LR942	ALS	Inconclusive
3AJ4FU	Micro	Negative		AP	Negative
	P30	Negative		PSA	Negative
	ALS	Negative	4QNR9K	Acid Phosphatase	Negative
3JQPKM	ALS	Negative		PSA	Negative
	AP	Negative	4U8RNZ	AP	Negative
3LEEQL	AP (Brentamine)	Negative		Micro	Negative
3NMATD	AP	Negative		PSA	Negative
	P30	Negative	4UHRHA	AP	Negative
	Micro Sperm	Negative	4ULB9X	ALS neg	
	ALS	Negative	66YXU4	AP	Negative
3UMPFZ	AP	Negative		P30	Negative
3V3BP2	ALS	Negative		Micro	Negative
	AP	Negative		ALS	
	Micro	Negative	6CYCHQ	ALS	Negative
	PSA	Negative		Micro	Negative
3VZG9G	Semen will not have evidential value on exhibit belonging to suspect.		6DUXBG	Acid Phosphatase[sic]	Negative
			6KQVWY	No semen testing because ALS negative	
42H9XL	AP	Negative		...	

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
6L9HVG	Brentamine (Acid Phosphatase)	Negative	9HEWFM	Christmas tree stain	Negative
6LKGPP	Micro (Christmas Tree)	Negative		Rapid stain identification of human semen semenogelin	Negative
	RSID TM- semen. Semenogelina[sic]	Negative	9LCKNG	AP	Negative
6NP7RY	AP, Micro, PSA	Negative	9PEEQT	AP	Negative
6QJVCF	Brentamine (see notes)	Negative	9QAWRU	AP	Negative
6Y9NK7	AP	Negative	9QLWNN	AP	Negative
6Z7WTP	Micro (Christmas Tree)	Negative	9YGUDC	Brent	Negative
	Semenogelina[sic] RSID	Negative	9ZCE3W	AP, PSA	Negative
7GMEZG	Brentamine	Negative	9ZD826	ALS	Negative
7PXQ8L	AP	Negative		AP	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative	9ZWYAP	AP	Negative
7W3HKQ	ALS	Negative	AAHEF6	AP	Negative
	AP	Negative		PSA	Negative
	PSA	Negative		Micro	Negative
	Micro	Negative	ABP2P3	No testing performed based on case scenario.	
7XW4DG	No evidential value		ACG6CH	AP	Negative
8FRWYE	Brentamine	Negative		RSID-Semen	Negative
	ALS	Negative	AFJXEU	AP	Negative
8GP9H2	no areas of fluorescence with ALS			Micro	Negative
8JUWYC	Brentamine	Negative		ALS	Negative
8Z4WU2	AP	Negative	AGEGFV	ALS	Pos.\Ind.
98WFMF	Trying to id wearer and/or source of blood. Therefore no value in finding further body fluid as expect to get a DNA profile from whats been found.			AP	Negative
				PSA	Negative
9GJEDL	AP	Negative	AHCMYA	ALS	Negative
			AQ6ZWP	AP	Negative
			AY3HLY	AP	Negative

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
B3RQWJ	Christman[sic] tree coloring	Negative	CV7VTU	ALS	Inconclusive
	Inmuno-cromatographic[sic] Test (human Semen-RSID)	Negative		AP	Negative
				Micro	Negative
				PSA	Negative
B3TLFP	ALS negative		CV9KYC	AP	Negative
B8KNLA	Brent	Negative	DCRXNN	AP	Negative
BGTZ3D	AP	Negative	DDMGQP	AP	Negative
BGVUJY	ALS	Negative	DFUYPK	AP	Negative
	AP	Negative	DLEWFT	AP	Negative
	P30 (ABA card)	Negative	DMAFGV	Acid Phosphatase	Negative
	Micro	Negative	DN9KZA	Brentamine	Negative
BJF2K7	AP	Negative	DV7EU3	PSA	Negative
	Micro	Negative		Micro	Negative
BRDK9V	AP	Negative	E4DCFK	AP	Negative
BYFG7A	Brentamine	Negative	E4UMV4	Brentamine	Negative
BYGDG7	BCIP	Negative	E8Y4EU	AP	Negative
C2W63R	ALS	Negative	ED6MRZ	AP	Negative
	AP	Negative		Micro	Negative
	PSA	Negative	EKKJHT	N/A to case scenario	
C8YE8Y	ALS	Negative	ELZRK2	ALS	Negative
	AP	Negative		AP	Negative
C8YJFG	AP	Negative		X-MAS	Negative
C9B9R7	No evidential value		EM96ZH	AP	Negative
CA8RP2	AP	Negative	ERZ9R2	AP	Negative
CGAK2G	ALS	Negative		PSA	Negative
	AP	Negative		Micro	Negative
	MICRO	Negative	EZBBD3	AP	Negative
CJJNXE	Brentamine	Negative		PSA	Negative
CPKZUB	Not tested.			Micro for sperm	Negative
CPLUBV	AP	Negative			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
FE8632	ALS	Negative		Micro	Negative
	AP	Negative	GMJLB2	Brentamine	Negative
	Micro	Negative	GQEE4W	ALS	Negative
	PSA	Negative		AP	Negative
FJ7LFV	AP	Negative	H2Q9QA	AP	Negative
	Micro	Negative		Micro	Negative
	P30	Negative	H3LRRB	ABA Card P30	Negative
	ALS	Negative	H44MQP	Polilight	Negative
FM386D	ALS	Negative		Acid Phosphatase	Negative
	AP	Negative	H6XLFN	AP	Negative
	PAS	Negative	H74DMX	AP	Negative
FMLXEX	AP	Inconclusive		ALS	Negative
	PSA	Negative	HTLW3R	AP	Negative
	Micro	Negative	HYQTLR	AP	Negative
G8M9XQ	AP	Negative	HZN2WW	ALS	Negative
	PSA	Negative		AP	Negative
	Micro	Negative	J7MACN	ALS negative	
GB8FYY	ALS	Negative	J9DZ9N	AP	Negative
	AP	Negative		Alternative light source - polilight	Negative
	Micro	Negative	JCDB6N	AP	Negative
GCG7MH	AP	Negative	JKNMA9	Micro (Christmas Tree)	Negative
GDT3RM	ALS	Negative		Human semen RSID	Negative
	AP	Negative	JLK3JK	AP	Negative
	Micro	Negative	JPYWZG	AP	Negative
	PSA	Negative	K266GY	Brentamine	Negative
GJHHKZ	ALS	Negative	K9P7XC	Micro	Negative
	FBB	Negative		P30	Negative
	Micro	Negative		ALS	Negative
GKDZM2	ALS	Negative	KALNYD	ALS	Negative
	AP	Negative			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
KCR7XA	AP	Negative	M79Y47	Visual	Negative
KHD4NH	AP	Negative		ALS	Negative
	PSA	Negative		AP	Negative
KPVPBU	ALS	Negative	M7UNBT	AP	Negative
	AP	Negative		Micro	Negative
	Micro	Negative		ALS	Pos.\Ind.
	PSA	Negative	MAAWX8	Micro (Christmas Tree)	Negative
KX7RWV	micro	Negative		semenogelina[sic]	Negative
	AP	Pos.\Ind.	MYCZXQ	Acid phosphatase	Negative
	AP mapping	Negative		ALS	Negative
	ALS	Negative	NP4RN6	RSID-Semen	Negative
L2KN2W	AP	Negative	P2VUNC	AP	Negative
	ALS	Negative	P362R6	Micro (Christmas Tree)	Negative
LAGNCJ	AP	Negative		RSID TM- semen	Negative
	P30	Negative	PALC3K	AP	Negative
LBBCWY	Brentamine Test	Negative	PEG7ZL	ALS	Negative
LH97QR	AP	Negative		p30	Negative
LM4VB6	AP	Negative	PGNNYG	AP	Negative
LMHJ9P	AP	Negative	PJUZZJ	AP	Negative
LNFPQ6	AP	Negative	Q2N2AZ	AP	Negative
	PSA	Negative	Q2QWQL	AP	Negative
LPC9T7	AP	Negative	Q3KHKC	AP	Negative
	PSA	Negative	Q6ND7Z	Micro (Christmas Tree)	Negative
	Micro	Negative		RSID Semen	Negative
LTAP6Z	Play the same role as epithelial material of linking suspect at the crime scene.		Q6P8ML	AP	Negative
LUKDK7	AP	Negative	Q9PD7X	Item examined as per standard head covering, i.e. hat. No information to suggest it had been used to wipe body fluids.	
LZUPLD	AP	Negative			
M2JDJY	Brent	Negative			

TABLE 2 - Item 6

Semen					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
QTUY74	Micro (Christmas Tree)	Negative	U6EFKF	ALS	Pos.\Ind.
	RSID - semen	Negative		AP	Negative
QTXJVR	Brentamine	Negative		ABA p30	Negative
RE7EYF	AP	Negative		Micro	Negative
	PSA	Negative	U7AXMG	Acid Phosphatase	Negative
	Micro	Negative	U7DK4U	ALS	Negative
RERMCQ	ALS	Negative	UCDZPV	Brentamine (AP)	Negative
	AP	Negative	UMDRUF	ALS	Negative
	Micro	Negative		p30	Negative
REVAPX	Brentamine	Negative	UVNYNX	AP	Negative
	(Alternate light source used)			PSA	Negative
				Micro	Negative
RJ24JT	Brentamine (Acid Phosphatase)	Negative	V37VZC	AP	Negative
RTD3D4	ALS	Negative	V76ZRB	AP	Negative
	Micro	Negative	V8ZJTC	AP	Negative
	P30	Negative		PSA	Negative
RTTLX2	AP	Negative		Micro	Negative
RWRWU2	AP	Negative	VBED9A	AP	Negative
RXMFV3	Micro (Christmas Tree)	Negative		PSA	Negative
	RSID	Negative		ALS	Negative
T887XL	ALS	Negative	VK2EPJ	AP	Negative
	AP	Negative		Micro	Negative
	Micro	Negative		PSA	Negative
TKDZQJ	AP	Negative	VPL6FN	Brentamine	Negative
	Micro	Negative	VWJY9F	ALS	Negative
	PSA	Negative		AP	Negative
	ALS	Negative	VXCMUW	AP	Negative
TMFAAZ	ALS	Negative		Micro	Negative
	AP Overlay	Negative		PSA	Negative
TXEXAA	AP	Negative			

TABLE 2 - Item 6

Semen						
Webcode	Test Performed	Results	Webcode	Test Performed	Results	
VXPG8C	AP	Negative	YPQT7P	Brentamine (AP) solution	Negative	
	PSA	Negative		YRRYJB	ALS	Negative
	Micro	Negative			AP	Negative
W3KN7E	AP	Negative	YULM4R	Brentamine	Negative	
	Micro	Negative		Polilight	Negative	
WDLV87	AP	Negative	YVR63M	Brentamine	Negative	
	Micro	Negative		YWNJPF	ALS	Negative
WGW7XE	ALS	Negative	AP		Negative	
	AP	Negative	Micro		Negative	
WPR7ER	Brentamine	Negative	YX6TN8	AP	Negative	
	ALS	Negative		ZUGMGW	ALS	Negative
WQNK2K	ALS	Negative	AP		Negative	
	AP	Negative				
	Micro	Negative				
WX9KFC	AP	Negative				
	ALS	Negative				
WYHPTZ	AP	Negative				
X2NEVA	AP	Negative				
X4PFV7	AP	Negative				
	PSA	Negative				
	Micro	Negative				
X6K2PX	Christmas tree stain	Negative				
	kit rapid stain identification test for semen (RSID TM) semen	Negative				
XAVCE7	ALS	Pos.\Ind.				
	AP	Negative				
	PSA	Negative				
XNXLL2	AP	Negative				
XXN4ZA	AP	Negative				

TABLE 2 - Item 6

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
24XQ22	RSID Saliva	Negative	4LR942	ALS	Inconclusive
2HWV9D	RSID Saliva	Negative		RSID	Negative
2JCY36	RSID	Negative	4M6ZWH	There is no presumptive test done at the laboratory for saliva	
2KK86X	Blood present				
2R8ZJH	Not part of routine tests.		4QNR9K	Amylase Diffusion	Negative
2TG8H6	RSID-Saliva	Negative	4U8RNZ	RSID	Negative
2UAV3K	We do not have a presumptive test for saliva.		4UHRHA	Phadebas	Negative
3AJ4FU	Saliva testing not available.		4ULB9X	ALS neg	
3JQPKM	ALS	Negative	66YXU4	RSID	Negative
	SALlgAE	Negative	6DUXBG	No presumptive test	
3NMATD	ARD	Negative	6KQVWY	No saliva testing because ALS negative ...	
	Micro NEC	Negative	6L9HVG	No presumptive test. Also not done in routine casework.	
3UMPFZ	A positive RSID result would not affect how this sample is extracted. Case facts indicate a sexual assault and other items tested positive for semen.		6NP7RY	RSID	Negative
			6Y9NK7	Phadebas paper	Negative
3V3BP2	ALS	Negative	7GMEZG	No presumptive test for saliva	
	RSID - saliva	Negative	8FRWYE	No presumptive test at lab.	
3VZG9G	Test not available at Biology EC.		8GP9H2	no areas of fluorescence with ALS	
42H9XL	Seratec Amylase	Negative	8Z4WU2	Phadebas	Negative
489NK8	RSID	Negative	98WFMF	Same rationale as for semen tests.	
	ALS	Negative	9GJEDL	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.	
4947L9	Phadebas Amylase	Negative			
4KVTUP	NT based on scenario and how we approach casework		9LCKNG	Phadebas	Negative
4LPEMG	Amylase (ND)	Negative	9PEEQT	not required per case information	
	Micro (NECs)	Negative	9QAWRU	RSID - Saliva	Negative

TABLE 2 - Item 6

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
9QLWNN	Laboratory only routinely examines for blood and semen in sexual assault cases		C8YE8Y	Oral contact not likely, not indicated in scenario.	
9ZCE3W	RSID	Negative	C9B9R7	Test not performed at laboratory[sic].	
9ZD826	Amylase diffusion	Negative	CA8RP2	Phadebas	Negative
9ZWYAP	Sexual assault case exhibit routinely tested for blood and semen. Not tested for saliva unless specified.		CGAK2G	ALS PERFORMED WITH NEGATIVE RESULT	Negative
AAHEF6	amylase diffusion	Negative	CJNNE	No specific test method for presumptive testing but possible epithelial cells collected at high skin contact area.	
ABP2P3	No testing performed based on case scenario.		CPKZUB	Not tested at our lab	
ACG6CH	RSID-Saliva	Negative	CPLUBV	RSID	Negative
AFJXEU	ALS (ALS was negative except for possible area of bloodstain. Saliva was not tested due to case information pertaining to item.)		CV7VTU	ALS	Inconclusive
AGEGFV	ALS	Negative		RSID-Saliva	Negative
AHCMYA	ALS	Negative	CV9KYC	Phadebas	Negative
AQ6ZWP	RSID Saliva	Negative	DCRXNN	RSID saliva	Negative
AY3HLY	Phadebas	Negative	DDMGQP	RSID Saliva	Negative
B3TLFP	ALS negative		DFUYPK	not indicated	
BGTZ3D	Phadebas	Negative	DLEWFT	RSID	Negative
BGVUJY	RSID-Saliva	Negative	DMAFGV	RSID-Saliva	Negative
BJF2K7	Amylase Diffusion	Negative	DN9KZA	No presumptive test	
BRDK9V	The style of hat does not have areas i would target for saliva testing		DV7EU3	Amylase Radial Diffusion	Pos.\Ind.
BYGDG7	not tested per scenario			Micro	Negative
C2W63R	Not tested because no ALS positive staining and nature of item (hat).		E4DCFK	scenario did not support the need to test for saliva	
			E8Y4EU	Phadebas	Negative
			ED6MRZ	RSID	Negative
			EKKJHT	N/A to case scenario	
			ELYVB7	Not performed by our laboratory	
			ELZRK2	AMYLASE	Negative

TABLE 2 - Item 6

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
EM96ZH	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.		HTLW3R	Amylase	Negative
			HYQTLR	RSID	Negative
			HZN2WW	Amylase Diffusion	Negative
ERZ9R2	Amylase Radial Diffusion	Negative	J7MACN	ALS negative	
	Micro	Negative	J9DZ9N	Phadebas paper test for amylase	Negative
EZBBD3	Since stain was positive for blood, no saliva testing performed per normal casework procedures		JCDB6N	RSID	Negative
FE8632	Amylase Diffusion	Negative	JLK3JK	RSID saliva	Negative
FJ7LFV	Amylase Radial Diffusion	Negative	JPYWZG	sample had visible RBS and was positive for blood, extraction method would be the same even if saliva was present and no indication of another stain using ALS	
FMLXEX	Phadebas Amylase	Negative	KCR7XA	Sexual assault case exhibit routinely test for blood and semen. Not tested for saliva unless specifically requested.	
G8M9XQ	RSID	Negative	KHD4NH	RSID	Negative
GB8FYF	Amylase	Inconclusive	KPVPBU	Amylase Diffusion	Negative
GCG7MH	Item examined with ALS but no fluorescence observed, no indicative stains observed during visual examination		KX7RWW	amylase diffusion	Negative
GDT3RM	ALS	Negative		amylase mapping	Negative
	RSID	Negative	L2KN2W	Not trained to perform this test	
GJHHKZ	ALS	Negative	LAGNCJ	RSID-Saliva	Negative
	Amylase	Negative	LBBCWY	Refer to comments on item 1.	
GKDZM2	Amylase diffusion	Negative	LH97QR	Phadebas	Negative
GQEE4W	ALS	Negative	LM4VB6	Amylase Radial Diffusion	Negative
	RSID-Saliva	Negative	LMHJ9P	Phadebas	Negative
H3LRRB	SALlgAE	Negative	LNFPQ6	Amylase radial diffusion	Negative
H44MQP	Story indicated assault/sexual assault. ALS neg		LPC9T7	RSID	Negative
H6XLFN	RSID	Negative	LTAP6Z	Not performed at the laboratory	
H74DMX	RSID	Negative			

TABLE 2 - Item 6

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
LUKDK7	Phadebas	Negative	RJ24JT	No presumptive testing for saliva	
LZUPLD	no allegation to saliva		RRTLX2	I am not trained in saliva identification.	
M7UNBT	Amylase	Negative	RWRWU2	Sexual assault case exhibits routinely test for blood and semen. Not tested for saliva unless specified.	
MAAWX8	Our Laboratory dont perform test to identify saliva		T887XL	Amylase Diffusion	Negative
MJXRWM	Phadebas	Negative	TKDZQJ	Amylase Radial Diffusion	Inconclusive
MYCZXQ	RSID-Saliva	Negative		Micro	Negative
	ALS	Negative	TMFAAZ	ALS	Negative
NP4RN6	RSID-Saliva	Negative	TXEXAA	RSID	Negative
P2VUNC	Extraction type for DNA sample determined by blood testing. No ALS positive areas to indicate further testing.		U6EFKF	ALS	Pos.\Ind.
				RSID	Negative
PALC3K	RSID	Negative	U7AXMG	RSID-Saliva	Negative
	Phadebas	Negative	U7DK4U	our lab does not test for saliva	
PGNNYG	RSID Saliva	Negative	UVNYNX	Phadebas Amylase Test	Negative
PJU7J	Phadebas	Negative	V37VZC	Phadebas	Negative
Q2N2AZ	Amylase	Negative	V76ZRB	RSID	Negative
Q2QWQL	Phadebas	Negative	V8ZJTC	RSID	Negative
Q3KHKC	Not indicated		VBED9A	ALS	Negative
Q6P8ML	Phadebas	Negative	VWJY9F	Case synopsis did not suggest reasons to test for saliva (no biting, oral assault, spitting etc)	
Q9PD7X	Item examined for modifications such that it might have been worn as a face covering/balaclava. None found therefore no Phadebas screen undertaken.		VXCMUW	Phadebas Amylase	Negative
				RSID Amylase	Negative
RE7EYF	RSID-Saliva	Negative	VXPG8C	RSID	Negative
RERMCO	Amylase Diffusion	Negative	W3KN7E	RSID Saliva	Negative
REVAPX	No presumptive test done at our laboratory		WDLV87	RSID	Negative

TABLE 2 - Item 6

Saliva					
Webcode	Test Performed	Results	Webcode	Test Performed	Results
WGW7XE	ALS	Negative			
	RSID	Negative			
WPR7ER	No test for saliva at this lab				
WQNK2K	Amylase Diffusion	Negative			
WX9KFC	RSID	Negative			
WYHPTZ	Laboratory only routinely test for blood and semen in sexual assault cases. Saliva test done only when specified by client.				
X2NEVA	Test not indicated by scenario				
X4PFV7	RSID	Negative			
X6K2PX	Our laboratory not included in the portafolio[sic] of service testing for the presence of saliva				
XAVCE7	ALS-no dilute staining	Negative			
XNXLL2	RSID Saliva	Negative			
XXN4ZA	RSID	Negative			
YPQT7P	Phadebas	Negative			
YRRYJB	Phadebas Press Test	Negative			
YULM4R	No presumptive tests for saliva				
YWNJPF	Amylase Diffusion	Negative			
YX6TN8	Padebas[sic] paper	Negative			
ZUGMGW	ALS	Negative			

TABLE 2 - Item 6

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
2R8ZJH	Collected poss. - high-friction	Pos.\Ind.	9ZCE3W	ALS	Pos.\Ind.
	Check for visible hair	Negative	ACG6CH	Urine - RSID-Urine	Negative
2TG8H6	Semen/Saliva - ALS	Negative	B8KNLA	Epithelial Cell - High friction was taken	
2UAV3K	Skin cells - High friction			Hair	Pos.\Ind.
3VZG9G	Presumable skin cells - removed		BYFG7A	Presumable sweat	Pos.\Ind.
4EVE73	ALS	Negative	C8YJFG	ALS	Negative
4M6ZWH	Presumed epithelia cells removed (swab optimally collected)		C9B9R7	Presum. skin cells - Removed	
	Visual inspection of possible hair	Negative	CJJNXE	1x possible hair collected. No test performed but kept in the docket.	
4U8RNZ	ALS	Negative	CPKZUB	Presumable skin cells - removed	
6DUXBG	Epithelial cells	Inconclusive	CPLUBV	ALS	Negative
	Visual hair inspection	Negative	DLEWFT	BFI Screening - ALS	Negative
6KQVWY	ALS	Negative	DMAFGV	Alternate Light Source	Negative
6L9HVG	High skin contact areas - no presumptive test	Inconclusive	DN9KZA	Epithelial Cells - Swabs	Inconclusive
	Hair - visual[sic] inspection	Negative		Hair - Visual Inspection	Negative
6NP7RY	ALS	Negative	E4UMV4	Hair	Negative
6QJVCF	Presumable sweat was removed. There is no presumptive test for epithelial cells.			Presumable skin cells (not tested)	
7GMEZG	Skin cells - Possible high friction		ELYVB7	Presumable epithelia - removed from the exhibit.	
7XW4DG	Epithelial Cells - High Friction	Inconclusive	GMJLB2	Presumable sweat (not tested)	
	Hair - Visual Inspection	Negative	H6XLFN	Semen/Saliva - ALS	Negative
8GP9H2	ALS	Negative	HYQTLR	Alternate light source	Pos.\Ind.
8JUWYC	Presumable sweat (epithelial cells removed) (not tested) as the laboratory does not have a specific test (preliminary) for such.		J7MACN	Alternate Light Source	Negative
			JCDB6N	Polilight	Negative
			JVMFHY	Presumable skin cells	
			K266GY	Epithelial skin cells - Removed. Swabs are taken to w/c lab for further analysis.	

TABLE 2 - Item 6

Other Body Fluid Types					
Webcode	Body Fluid Type - Test Performed	Results	Webcode	Body Fluid Type - Test Performed	Results
LAGNCJ	ALS	Negative			
LTAP6Z	Presumable epithelial material - Removed				
P2VUNC	ALS	Negative			
PALC3K	ALS	Negative			
PGNNYG	Biological material-ALS	Negative			
QTXJVR	Presumable epithelia was removed from exhibit to determine ownership.				
RE7EYF	ALS	Negative			
RJ24JT	High skin contact areas - no presumptive test.	Inconclusive			
	Visual inspection for hair - positive	Pos.\Ind.			
U7AXMG	Semen/Saliva - Alternate Light Source	Negative			
V8ZJTC	ALS	Negative			
VPL6FN	Presumable sweat - not tested.				
VXPG8C	ALS	Inconclusive			
WDLV87	ALS	Inconclusive			
X2NEVA	Luminol (for blood)	Pos.\Ind.			
X4PFV7	ALS	Negative			
XXN4ZA	ALS	Negative			
YULM4R	Presumable epithelia. No presumptive testing.				

Additional Comments

TABLE 3

WebCode	Additional Comments
2R8ZJH	Swabs 1A, 2A, 3A, not tested as we don't test for saliva (not part of our routine casework). Swab 3B tested for blood cos[sic] there was visible stain and since it was mentioned that the victim may have injured the assailant in the struggle it may have evidential value. Otherwise body fluid swab would not have been tested, hence swabs 4A, 4B, 4C & 4D are not tested. Item 6: collected high-friction because it is a crime scene exhibit which the victim believes may have been left by the suspect. Did not test for semen as there is no evidential value, the high-friction swab collected will prove ownership and place him at the scene of the crime. Victim's underpants also already tested positive for poss. semen which can be used to link the suspect to the victim.
2UAV3K	Item 3: I only tested the swab for poss. blood as I saw poss. blood on it. No mention was made of poss. semen on the neck in the cover letter that is why no Brentamine test were performed. Item 4: I did not test the swab for poss. semen as it were not requested or specified in the cover letter. I could not see any poss. blood on the swabs either. No tests were performed on these swabs. Item 5: The underpants had a mixture stain of possible blood and possible semen. I did a visual inspection for hair and could not find any. Item 6: I could see possible blood on the Beanie. I also did a visual inspection for hair but could not find any. In case ownership becomes a problem I did high friction on the Beanie. If anything is unclear in the cover letter regarding the exhibits we will phone the investigating officer for clarity.
3JQPKM	Item #2- Cotton swabs with pink handle. Under ALS examine I observed "spots" (i.e. dots) which fluoresced. Using the acid phosphatase presumptive test, I observed very little, if any, color discoloration. The discoloration could have been due in part to the pink handle of the swab itself. Overall the test would have been negative, but due to fluorescing spots/dot I would recommend the swabs be examined further (microscopically) for indication of sperm cells. My unit does not have this capability; and only collects "presumptive" evidence. Erring on the side of caution "Inconclusive" was chosen[sic].
3LEEQL	We don't test for saliva in our laboratory. The rest of the exhibit (underwear) item 5, I tested with luminol and the result: lum Neg (optimal test).
3UMPFZ	Item 2: an inconclusive result for blood was given due to the negative presumptive test results and the positive immunological test result. Our procedures state we should give a final conclusion of inconclusive when a sample has these results and item has a body fluid that may contain hemoglobin.
3V3BP2	An overall conclusion of inconclusive for blood was reported for Item 2 due to the fact that negative Phenolphthalein results were obtained, yet positive Hematrace results were also then obtained. The Hematrace product insert states under the limitations section that, "Due to the extreme sensitivity of the test, trace levels of hemoglobin might be detected occasionally in body fluid samples other than blood (e.g. urine, semen, stool, saliva, vaginal fluid, perspiration)". An overall conclusion of inconclusive for saliva was reported for Item 3 due to the fact that a faint line was present in the test area on the RSID saliva card, however, the line did not exhibit redness in color.
3VZG9G	Submitted item 3 for presumable skin cells as it is not specified why swab taken. Suspect might have strangled victim and left possible skin cells. Item 4 tested for Brentamine as the victim is male. Item 5 tested with Luminol for possible blood as a struggle had occurred[sic] between suspect and victim, and suspect was possibly injured.
42H9XL	Item 4 micro - 4+ sperm heads, a few with tails. Item 5 micro - 1+ sperm heads only.
489NK8	The positive HemaTrace results from the Item 1 swabs, Item 3 swabs, Item 5 stain, and the Item 6 stain is indicative for the presence of human blood. This HemaTrace test may cross-react with ferret and higher primate blood. The positive RSID result from the Item 2 swabs is indicative for the presence of human saliva. This RSID test may react with human breast milk, menstrual blood, and fecal material. A negative overall conclusion for saliva was obtained from the stain on Item 5. It is likely this stain exhibited fluorescence with exposure to an ALS because of the semen that was present.
4FPYZU	Item 1: General Screening- Saliva test not done. Saliva will only be tested if item tested negative for both blood and semen. Item 3 to 6: Case-specific Screening- Saliva not routinely tested for in sexual

TABLE 3

WebCode	Additional Comments
	assault cases. It is only performed when specifically requested for by the client.
4LPEMG	Item 2 and item 4 were not tested for blood as there was no visible red staining.
4M6ZWH	Item 1; Item 2; Item 3: one swab was not analysed in case retesting will be required. Item 4: all swabs were not tested, according to the Standard Operating Procedure [Laboratory SOP] evidence on body will only be tested if specified as possible semen. Item 6: Brentamine (possible semen was not tested), there is no mention of the hat being used or containing possible semen. Therefore presumable epithelia cells will place the suspect on the scene & the possible blood if it's his or not. All exhibits were not tested for saliva, the laboratory does not conduct saliva tests. Exhibit "B" (swab; 2x controls) not tested.
66YXU4	No hairs observed on any of the submitted items.
6CYCHQ	No current validated method for saliva.
6DUXBG	No presumptive test for saliva. Item 3 and 4 were not tested for presumable semen. SOP states that evidence on body or body fluid swabs will only be tested if specified that swabs are for possible semen. In normal case work, if still unclear the investigating officer will be contacted for clarity regarding swabs.
6L9HVG	Item 5: No high friction as ownership is known. Was able to see the stain that I suspected to be possible blood. Therefore I opted to use Hstix. Possible saliva - no presumptive test & not done in routine casework. Item 6: High friction was collected as ownership is in question. Possible saliva - no presumptive test & not performed/collected in routine casework. Item 3: No possible semen tested as per [Laboratory SOP] - only to be tested if specified as possible semen. Item 4: No possible semen tested as per [Laboratory SOP] - only to be tested if specified as a questioned possible semen stain. In routine casework I would phone & attempt to find out more info on sample taken.
6QJVCF	Item 3: Neck swabbing was tested for presumable blood because it is mentioned in the covering minute that the victim fought back and may have injured the assailant. Blood of the assailant on the victim's neck has evidential value in the sense that it links the victim to the suspect and proves that there was a struggle. Item 4: This is a body fluid swab and normally we would not test this kind of swab for semen as per [Laboratory SOP] where it is stated that the analyst shall only test a body fluid swab in the event where it is mentioned that the swab may contain semen. In all other instances, the body fluid swab will be treated as presumable epithelial material. The reason that I have deviated from the SOP is that the sample quantity (4 duplicated swabs) is sufficient for testing without compromising the sample. Item 6: the woolen hat is a crime scene sample, there is no certainty of ownership, hence optimal testing was performed on it.
6Z7WTP	1. According to the analyzes performed on samples of swabs taken from a location on victims lower back (item 4), and one pair of black underwear (item 5), sperm was detected. 2. According to the analyzes performed on samples of swabs (item 1), swabs (item 2) swabs taken from a location on victim 's neck (item 3), and one white knit hat (item 6) sperm was not detected. 3. According to the analyzes performed on samples of swabs (item2), and swabs taken from a location on victim 's lower back (item 4) human blood was not detected. 4. According to the analyzes performed on samples of swabs (item 1) , swabs taken from a location on victim 's neck (item 3), one pair of black underwear (item 5), and one white knit hat (item6), human blood was detected. [sic]
7GMEZG	Item 3: I did not test the swab for semen, because it was not specified and it was a swab taken off the victim's body. Usually, I would call the I/O for clarity. I tested it for possible blood because through visual inspection, swab appeared bloody. Item 4: I did not test the swab for blood or semen, because it was not specified and the swab did not have visible blood on it. Usually I would inquire from the I/O but was not possible in this scenario. Furthermore, according to the SOP we do not test swabs taken from the body for possible semen unless specified. Item 5: The stain on the underwear has a mixture stain with possible blood and possible semen. We test for hair by means of a visual inspection and no possible hair was detected. Item 6: Tested item 6 optimally because ownership is unknown, and victim allegedly believed that it may have been left by the assailant. If ownership is in question, we usually phone the I/O, which was not possible in this case.
7PXQ8L	Human blood was detected on items (1, 3, 5, and 6). No blood traces were detected on items (2, 4).

TABLE 3

WebCode	Additional Comments
	Seminal fluid was detected on items (4, 5). No traces of seminal fluid were detected on items (1, 2, 3, and 6). Saliva Tests are not carried out in our laboratory. The control swab is negative blood and negative semen.
7W3HKQ	Saliva Testing is not performed at this laboratory.
8FRWYE	Item 2 - swab c was tested for brentamine. I noticed swab turned purple but only after 65 seconds, so results noted as negative. Item 6: Presumable sweat taken but not tested as the lab does not have a presumptive[sic] test for sweat. Item 3: Only tested with hemastix and not luminol due to the stain being visible and testing positive with hemastix. Item 4: Only tested with luminol and not hemastix as there is no visible stain. Luminol is used when stain is not visible.
8GP9H2	No hairs noted on item 5 or 6. Item 5 (underwear) received inside out.
8JUWYC	Item 4: [Laboratory SOP] states that evidence on body or body fluid swabs will only be tested if specified as possible semen. I however tested this swab (not specified as semen) because my testing would not have compromised the sample in any way as the sample was more than enough i.e. 4 duplicate swabs. Item 5: [Laboratory SOP] states that for dark exhibits where blood would not be visible but has evidential value, luminol testing should be done. Item 6: Presumable sweat was removed as it would have evidential value in terms of proving ownership. [Laboratory SOP] states that when such examinations have evidential value, sterile swabs must be moistened with a few drops of sterile water and wiped numerous times over the area. Brentamine test was done, just in case the sample removed from white knit hat (p. sweat) has not enough. Optimal testing was done to gather as much evidence as possible since the exhibit was taken from a neutral location.
98WFMF	In reality, I would have minitaped the waist band and any grabbed areas on the underpants (item 5). Furthermore, I would have recovered any hairs from the hat (item 6) and minitaped the crown or inside front depending on the nature of the item. I did not test all 4 swabs. I chose a single swab to perform the tests on assuming that all four are replicates.
9LCKNG	Due to visibility of stain on the back of the underwear, and lack of visible staining on the front, only the back of the underwear was tested for body fluids. The front of the underwear was not tested.
9YGUDC	Item 1-6 no test for saliva available at this laboratory.
AFJXEU	*HemaTrace was inconclusive for Item 2, due to possible high levels of hemoglobin in saliva. KM and Hemastix were negative for indications of blood; therefore, the overall conclusion for blood on item 2 was negative. **ALS was positive for fluorescence; however, specific body fluids cannot be determined unless further analysis with additional testing.
AGEGFV	Item 2: Although hematrace card was positive, overall blood conclusions deemed negative due to the lack of staining on the swabs, other presumptive testing being negative, and to the extreme sensitivity of the hematrace cards where hemoglobin can be detected in other body fluids such as saliva.
B3RQWJ	Item 1: Human blood was detectd[sic]. Semen was not detected. Item 2: No blood or semen was detected. Item 3 Human blood was detected. Semen was not detected. Item 4: Semen was detected. Human blood was not detected. Item 5: Both human blood and semen were detected. Item 6: Human blood was detected. Semen was not detected.
B3TLFP	Hemastix provided a positive result when all other blood tests utilized (luminol, phenolphthalein, and HemaTrace) provided negative results. [Laboratory] Standard Operating Procedures (SOPs) do not state how to report results when two presumptive tests give conflicting results (one positive and one negative) for the same item. The [Laboratory] technical leader was contacted and stated the results were to be reported as "presumptive positive but unable to be confirmed with HT." Therefore, the result is listed as negative. Per [Laboratory SOP], RSID Saliva could provide a false positive result for neat body fluid stains so RSID saliva was not tested on item [Laboratory Code] due to the phenolphthalein positive and AP negative test results. Due to the case information and additional items that tested positive for semen, establishing the presence of saliva on item [Laboratory Code] 3 is not required. Possible sexual assault may be determined by semen positive stains on other items in the case.
B8KNLA	Item 4 no presumptive testing was done because our SOP states that "evidence on the body will only be

TABLE 3

WebCode	Additional Comments
	tested if specified for possible semen or blood. In routine case work swabs will be submitted for touch DNA or epithelial cells, if anything is unsure, the I/O will be contacted for clarity.
BGVUJY	No hairs were observed on the underwear or the knit cap.
BRDK9V	The position of the bloodstaining and the semen staining corresponded on the underpants, therefore I would add a sentence to state that "the corresponding position of the bloodstaining and semen staining is consistent with these being deposited as a mixture." Hematrace analysis was undertaken on item 1, I would report this as being human blood or blood from a member of the Mustelidae family. Hematrace was not performed on item 3, as I understand from the accompanying paperwork outlining the case scenario that these swabs were taken from the victim's neck and the incident occurred in a prison library. Hematrace was also not performed on item 5, pair of underpants or item 6, white hat, to preserve material for any subsequent DNA analysis. The reporting of blood in this statement is based on its appearance and a positive result for a presumptive chemical test for blood. A presumptive test is used to screen for the presence of a substance but it cannot confirm its presence.
BYFG7A	Item 2: Negative for semen test because the reaction time as stipulated on the SOP was exceeded. The reaction occurred beyond the 65 sec. As per [Laboratory SOP] which states that: due to the fact that acid phosphatase is present in very high conc in semen, the colour reaction should take place within and 65 sec. Item 3: Tested Item 3 with hemastix because the scenario refers that a struggle took place whereby the victim fought back. Therefore the swab taken from the victim's neck could be the suspect's blood because of the struggle. Item 4: Tested the body fluid swab found on the lower back of the victim. Due to the charge being rape and there being enough sample I tested the swab. Under normal circumstances we do not test body fluid swabs unless it is specified what it is. Referred to [Laboratory SOP]. Item 5: removed the item for stain ad[sic] kept it in the docket as per [Laboratory SOP]. Item 6: Tested the white knit hat with brentamine as well because the ownership of the hat is unknown. It's a crime scene sample who's ownership is unknown (evidential value). [Laboratory SOP].
BYGDG7	Laboratory doesn't conduct tests identifying saliva. Our lab tests for amylase, which may indicate the presence of saliva.
C8YE8Y	Latent stains may be visualized using an alternate light source and / or optical filters. Presumptive chemical testing for the presence of blood is done with ortho-Tolidine. A positive presumptive chemical test result does not confirm the presence of blood. Testing for the presence of human blood is done with the ABACard HemaTrace test kit. This kit is known to cross react with some species of the Mustelidae family and with higher primates. Presumptive chemical testing for the presence of seminal fluid / semen is done by the Modified Walker Acid Phosphatase test. A positive presumptive chemical test result does not confirm the presence of seminal fluid / semen. Sperm cell identification is done by microscopic examination of stained (nuclear fast red / picroindigocarmine) slides. Testing for the presence of alpha-amylase (an enzyme found in human saliva) is done with the Rapid Stain Identification-Saliva test kit (RSID-Saliva). This kit is known to yield weakly positive results with breastmilk and fecal samples.
C9B9R7	For item 6, presumable skin cells were considered to have more evidential value than presumable semen (hence presumable semen was not tested for).
CJJNXE	Swab from Item 3(2) is not tested for luminol even though the swab may have blood on it. Reason for this is that the swabs were collected from the same location and visible blood from that location tested possible for hemastix.
CPKZUB	Item 5 - Presumable epithelial material was not removed because the ownership of the exhibit is known. I have one cutting because the test for presumable blood was done within the Brentamine stain. Item 6 - Semen test not done on the exhibit because the epithelial material that is removed will place the suspect on the crime scene.
CV7VTU	* Note regarding the blood testing for item 2: All presumptive testing for item 2 was negative (Luminol, KM, and Hemastix), but a positive HemaTrace test was observed. Due to the extreme sensitivity of the HemaTrace test, trace levels of hemoglobin might be detected occasionally in body fluid samples other than blood (e.g. urine, semen, stool, saliva, vaginal fluid, perspiration). This item also yielded a very strong positive result for the RSID-Saliva test.

TABLE 3

WebCode	Additional Comments
CV9KYC	Unable to read the phadebas results from items Item 1 and Item 3 due to extent of bloodstaining. Therefore recorded as inconclusive/not determined.
DFUYPK	RSID was not performed on items 4-6 because case facts did not indicate that there was a possible presence of saliva.
DMAFGV	ITEM 2: Pheno (KM) and hemastix results were weak but positive.
DN8MPE	Item 1, 2 and 3 - Consideration given to Pro-K on slides as negative for semen. However, given AP negative and initial Christmas Tree slides not very dense with cells/debris, the Pro-K tests have not been completed on these items. Item 1 and 2 - Normal laboratory testing for blood, semen and saliva were completed on these items. However, other infrequent tests are available for these body fluids and would be considered, dependant on the outcome of other tests/DNA results. Item 5 - Cellular material samples were taken from the inside front, outside left hip and outside right hip. Hairs and fibres recovery was also completed. Also, given that the Phadebas Paper Test was negative at 10 minutes, this test was not run for the full 40 minutes. Item 6 - A cellular material sample was taken from the inside headband. Hairs and fibres recovery was also completed. Also, no saliva or semen screening was completed on this item given the case circumstances. Faeces - Each item as visually examined for the presence of any brown, faecal-like staining. None seen on any items, therefore, no further tests completed. Urine - Each item as visually examined for the presence of any yellow, urine-like staining, along with any ammonia type smells. None seen/smelt on any items, therefore, no further tests completed.
DN9KZA	Items 3 & 4 were not tested with brentamine as there was no confirmation from I/O that it was possible semen. Thus I proceeded according to the SOP. Black square around item 6 denotes removal of high friction from entire item.
DV7EU3	Items 1, 3, and 6- Trace levels of amylase activity and no nucleated epithelial cells were observed for these samples. Consequently, they are being reported as inconclusive for the presence of saliva. Other body fluids present on these samples may account for the trace levels of amylase activity detected. Items 1 and 3- Acid phosphatase was detected but seminal fluid was not confirmed and no sperm cells were observed; therefore, both are reported as negative for semen. Acid phosphatase can be found at lower levels in other bodily fluids.
E4UMV4	1. Presumable Hair and epithelial cells were checked on item 5 and 6. 2. The Biology EC Lab does not do saliva tests hence these were not done in this CTS.
EKKJHT	These comments relate to the inconclusive result for Item 2 (Negative Hemastix result, 1 Positive Hematrace result and 1 Negative Hematrace result): Normal [Laboratory] procedure would be to Hematrace only after a positive Hemastix result. In normal circumstances a Hematrace test would not have been carried out on this sample. Furthermore, when testing a duplicate swab the second Hematrace test gave a negative result indicating the presence of blood was not equally detectable on all duplicate swabs. It is known that the Hematrace test is highly sensitive (more sensitive than Hemastix testing). Therefore it is possible that a very small amount of blood has contaminated or was pre-existing in the saliva sample used for Item 2. The result has been reported as inconclusive as it can not be replicated.
ELYVB7	Item 1: Saliva test was not performed, as we only do preliminary screening for the following: Hemastix, Luminol and Brentamine tests. Item 2: Saliva test was not performed, as we only do preliminary screening for the following: Hemastix, Luminol and Brentamine tests. Item 4: as stated in evidence recovery [Laboratory SOP] body fluid swabs will only be tested if specified as possible semen ie [Laboratory SOP]. However the exhibit received (4 duplicates), enabled the testing for more than one type of body fluid, as the exhibit was not compromised in any manner due to sufficient sample. Hence the testing with brentamine, as the evidential value was considered, as the location of the sample was the lower back of the victim. Item 5: saliva test was not performed, as we only do preliminary screening for the following: Hemastix, Luminol and Brentamine tests. Item 6: saliva test was not performed, as we only do preliminary screening for the following: Hemastix, Luminol and Brentamine tests. Item 6: No presumptive brentamine testing was performed, as the hat belongs to the suspect, therefore no evidential value in the case.

TABLE 3

WebCode	Additional Comments
FM386D	This laboratory does not confirm the presence of saliva.
FMLXEX	AP results for items 1, 3, and 6 were inconclusive due to heavy staining on samples potentially masking any reaction.
GB8FYY	Did not test control swabs due to the case circumstances indicating that these swabs were "unused."
GDT3RM	16-578 Item #2: Per ABACard HemaTrace Technical Information sheet under Limitations: "Due to the extreme sensitivity of the test, trace levels of hemoglobin might be detected occasionally in body fluid samples other than blood (e.g. urine, semen, stool, saliva, vaginal fluid, perspiration)." Item #2 tested positive for saliva and negative for all other blood tests. In casework, HemaTrace would not be conducted after obtaining the previous negative results. Therefore, the overall conclusion for blood is inconclusive.
GMJLB2	Item 4: as per [Laboratory SOP], this Item was not suppose to be tested. But Brentamine test was performed as samples provided was more than enough but if only one test sample was provided then the sample was not going to tested.[Laboratory SOP]. Item 5: was not tested with hemastix as per order of testing but as per Ref. [Laboratory SOP] hemastix is only used for visible blood. Item received was black and it was not visible, therefore luminol testing was performed. Item 6: as per [Laboratory SOP] presumable sweat was removed in order to identify the owner of the item/ [Laboratory SOP] ownership. Brentamine testing was performed in case the fluids taken from the item is not enough or as the item was taken from crime scene it is encouraged to do optimal testing, because the ownership is not identified. Item 1: for saliva: there are no specific tests done in the laboratory for saliva, if received it is forwarded to DNA analysis laboratory: Ref. [Laboratory SOP]. Item 2: Refer to Item 1 for saliva not being tested.
GQEE4W	A negative overall conclusion for saliva was obtained from the stain on Item 5. It is likely this stain exhibited fluorescence with exposure to an ALS because of the semen that was present.
H6XLFN	Per email from Technical Coordinator: "...If you have all negative presumptives and a positive Hematrace then I'd report that as inconclusive. If you have some negative AND some positive presumptives with a positive Hematrace I'd report that as positive for blood."
J7MACN	For item 6, no additional stains were noted with the alternate light source. The one stain visible without the assistance of the alternate light source remained visible with the alternate light source as well.
JKNMA9	Item N°1: Four (4) swabs are positive for blood and negative for semen. Item N°2: Four (4) swabs are negative for blood and semen. Item N°3: Four (4) swabs taken from a location on victim's neck are positive for blood and negative for semen. Item N° 4: Four (4) swabs taken from a location on victim's lower back are positive for semen and negative for blood . Item N°5: one pair of black underwear is positive for semen and blood. Item N°6: one white knit hat is positive for blood and negative [sic] for semen.
JQTH9	The lab is not accredited for semen screening or Phadebas testing of swabs at this time, as such these tests have not been carried out.
JVMFHY	Item 3 - 2 swabs were not tested since the swabs are duplicate. Item 4 - swabs not tested for blood because the swabs were clear. They were tested (one swab) for semen only and the rests[sic] were not tested because the swabs are duplicate. Item 6 - Semen not tested because the item belongs to the assailant.
K9P7XC	Item 2 and 4 were not tested for blood because the swabs were not brown or red stained. Items 1, 3 and sample 6A gave a faint test line for P-30, but disappeared within about 5 mins. Items and samples were not tested for saliva, because it is not a routine test in the lab.
KALNYD	Saliva is not tested for at the [Laboratory].
LBBCWY	Item 1: No specific tests are done for saliva or epithelia they are collected/received and sent for further analysis. Refer to evidence recovery [Laboratory SOP]. Brentamine test was indicated negative as a colour was observed after 65 sec. Refer to Brentamine [Laboratory SOP]. Item 3: No Brentamine tests were performed as the swabs were collected from the neck area. Item 4: no blood or saliva/epithelia swabs were considered due to the location of the evidence collected. Items 5: Presumable epithelia

TABLE 3

WebCode	Additional Comments
	evidence was collected although having no evidential value because the scenario states they belong to the victim but this evidence was collected if ever ownership is in doubt as aside from the scenario report. Item 6: Due to the type of exhibit hair (presumable) was checked for, non[sic] could be detected. Item 4: due
LH97QR	Trace material (potential hair) was noted as present on the black underwear (Item 5).
LTAP6Z	Luminol tests was done on item 1 and 2 based on the question. Must show casework (general screening for body fluids) - on normal basis cannot do luminol tests if the blood is visible. On item 3 semen does not have evidential value based on the location sample was taken. On item 6 semen and epithelial material play the same role of linking/placing suspect at the crime scene but epithelial material have more evidential value because it can link suspect on the crime scene as well as on the exhibit. On item 5 and 6 removal of hair was done but it was negative.
LUKDK7	No swabs tested for saliva. Lab is not accredited for this examination. All blood sample gave positive result for presene[sic] of human blood with HMT.
M2JDJY	Saliva test was not performed since we do not do the test for saliva in our lab.
M79Y47	Our lab here does not test for saliva & do not contain saliva tests. Our lab only uses AP to test for semen. Our lab only uses LMG to test for blood. Also uses PTMB, but less often. (on scene)
MJXRWM	Based on the scenario and in accordance with [Laboratory] protocols, the white knit hat was swabbed for ownership, as well. The swabs were not analyzed.
MYCZXQ	A negative overall conclusion for saliva was obtained from the stain on Item 5. It is likely that this stain fluoresced with an exposure to ALS because of the semen that was also present.
NP4RN6	Item #2, #4 : A weak immune response of hemoglobin was observed using the Abacard Hematrace kit. This phenomenon can be occurred by hemoglobin present in body fluids other than blood with low concentration. So, our laboratory normally gives positive conclusion only if obtaining the same results on both tests (the presumptive tests, immune tests).
PEG7ZL	Laboratory does not conduct testing for saliva.
Q3KHKC	Case facts did not indicate saliva testing for items 5 and 6.
Q6ND7Z	Item 1: Four swabs is positive for blood and negative for semen. Item 2: Four swabs is negative for blood and semen. Item 3: Four swabs is positive for blood and negative for semen. Item 4: For swabs is negative for blood and positive for semen. Item 5: One pair of black underwear is positive for blood and for semen. Item 6: One white knit hat is positive for blood and negative for semen.
QTUY74	IN OUR PORTAFOLIO[sic] OF SERVICE DOES NOT INCLUDE TESTING FOR THE DETERMINATION OF SALIVA
QTXJVR	Item 4: Routinely swabs collected from lower back would not be tested for presumable semen, unless body fluid (semen) is specified on covering letter. Due to samples be in duplicate and therefore not being limited, presumptive test for semen was performed. Item 5: Sexual assault occured[sic] and therefore semen would have evidential value on the victims underwear. Item 6: Presumable epithelia was removed from the exhibit as the ownership of the exhibit was unknown.
REVAPX	Item 3 and Item 4 - presumable epithelial cells were received on the swabs. Item 5 and Item 6 - presumable epithelial cells were removed from the exhibit (black underwear and white knit hat). Presumable hair have been removed from Item 5 and Item 6 by tapelifting the exhibits.
RTD3D4	My lab has no current validated test for methods of saliva identification so Items 1-6 were not tested for saliva.
RXMFV3	THE LABORATORY ONLY PERFORMS ANALYZES[sic] FOR FLUID IDENTIFICATION[sic] SEMEN AND BLOOD.
TKDZQJ	Items 1, 3, 5, and 6 - The amylase results were inconclusive (small partial clearing with radial diffusion). Because other body fluids were present on these samples, the results for saliva are reported as negative.

TABLE 3

WebCode	Additional Comments
U6EFKF	No hairs were observed on Item 5 or Item 6.
U7DK4U	While Item 5 showed no signs of fluorescence using ALS, the "crotch area" was swabbed and tested with AP for semen with no positive result.
UCDZPV	1. Item 1-6: No specific test for saliva in the laboratory. 2. Item 5-6: swabbed high skin contact areas for epithelial cells.
UMDRUF	Our laboratory does not offer saliva testing as a service.
V7LEWZ	Items # 1-6 saliva tests was not performed due to the fact, we do not have a validated protocol presently. Item # 6 semen test was not performed it belongs to the assailant. Items #2 & 4 were not tested for blood because they were not blood stained.
VBED9A	control swabs were not tested.
VK2EPJ	My laboratory does not perform screening tests for saliva. The ALS was used on items 5 and 6 as a screening tool to locate potential stains. My laboratory does not use the ALS as a test with a recorded result.
VPL6FN	Item 6: [Laboratory SOP] state that all genital area swabs from SAECKs will be tested. The following will only be tested as per description; oral swab (only if oral sex mentioned in the accompanying documentation); evidence on the body or body fluid swabs (if specified as possible semen). Because this was not a limited sample I tested for Brentamine and it tested Positive. Item 5: Hemastix was not used as a presumptive test as per order of testing but as Ref. [Laboratory SOP], Hemastix is used only on visible blood stains but on dark coloured Items is not used as the stains are invisibly[sic]. Item 6: Presumable sweat removed as it would have evidential value and can prove ownership of Item. [Laboratory SOP]: In the event of a request for epithelial cells and/or saliva identification, or where such case examinations have evidential value, a sterile swab must be moistened with a few drops of sterile water and swiped numerous times over the area. Brentamine analysis was performed on the Item because the Item was found on the crime scene and optimum testing is performed, also if the presumable sweat have not enough DNA to prove ownership of the Item, semen might have enough DNA to prove ownership.
VWJY9F	Latent stains may be visualized using an alternate light source and/or optical filters. Presumptive chemical testing for the presence of blood is done with ortho-Tolidine. A positive presumptive chemical test result does not confirm the presence of blood. Testing for the presence of human blood is done with the ABACard HemaTrace test kit. This kit is known to cross-react with some species of the Mustelidae family and with higher primates. Presumptive chemical testing for the presence of seminal fluid/semen is done by the Modified Walker Acid Phosphatase test. A positive presumptive chemical test result does not confirm the presence of seminal fluid/semen. Testing for the presence of prostate specific antigen (PSA), a component of seminal fluid, is done with the ABACard p30 test kit. This kit may yield positive results with male urine. Sperm cell identification is done by microscopic examination of stained (nuclear fast red/picroindigocarmine) slides. Testing for the presence of alpha-amylase, an enzyme found in human saliva, is done with the Rapid Stain Identification-Saliva test kit (RSID-Saliva). This kit is known to yield weakly positive results with breastmilk and fecal samples.
WDLV87	Item #1: ALS results reported as inconclusive due to the cotton fibers of swabs slightly fluoresced where no red/brown staining was present. Item #4: Blood not tested due to scenario based testing for this item and no staining present/observed. Item #6: ALS results reported as inconclusive due to the fabric fluorescing a yellowish color; it should be noted that no other brighter/difference color of fluorescence was observed.
WGW7XE	Item 5: A negative overall conclusion for saliva was obtained from the stain on Item 5. It is likely this stain exhibited fluorescence with exposure to an ALS because of the semen that was present.
WPR7ER	Swabs from item 3 and 4 was submitted for presumed epithelial cells. High skin contact areas were removed from item 5 and 6 to be submitted for presumed epithelial. This laboratory do not do tests for saliva. Control swabs was used as negative control swabs to test my Luminol and Brentamine reagents with.

TABLE 3

WebCode	Additional Comments
X6K2PX	1. According to the analysis method propose by our laboratroy when detected in blood of human origin immunocromatografic test and for sperm. Are observed in chrismas tree stain, no proof Thevenon and Roland Piramidon is made or test inimmunocromatografic is performed for presence of kit rapid stain identification test for semen (RSID TM SEMEN), respectively. 2. In the item 1, blood of human origin was detected, no semen was detected, no semen was detected. 3. In the item 2 not semen and blood was detected. 4. in the item 3, blood of human origin was detected, no semen was detected. 5. In the item 4 were observed fifity (50) to sixty (60) spermatozoa per field and not detected blood. 6. in the item 5 were observed zero (0) to the (03) spermatozoa for field and blood of human origin was detected. 7. In the item 6, blood of human origin was detected no semen wasn't detected. 8. In the white pattern swabs or no semen and blood wasn't detected. [sic]
YPQT7P	1. In event where assailant might have sustained injury during the struggle, blood on polo-cap may belong to either victim or suspect. Hence blood on cap happens to be that of victim, then swabbing of epithelial cells for contact DNA on inside and base of cap might result in a possible DNA profile for suspect. DNA (EEF): MAS518E 2. Polo cap was tested for semen with Brentamine solution as cap was on crime scene and could have been used for wiping purposes or accidental fall of body fluids onto it.
YVR63M	Items 1 - 6 were not tested for saliva because the laboratory does not test for saliva.
ZUGMGW	Items 4 and 5 were not additionally tested for saliva as these ALS positive or inconclusive items were already found to be positive for semen

Appendix: Data Sheet

Collaborative Testing Services ~ Forensic Testing Program
Test No. 16-578: Body Fluid Identification Test

DATA MUST BE RECEIVED BY May 16, 2016 TO BE INCLUDED IN THE REPORT

Participant Code:

WebCode:

Accreditation Release Statement

CTS submits external proficiency test data directly to ASCLD/LAB and ANAB. Please select one of the following statements to ensure your data is handled appropriately.

- This participant's data is intended for submission to ASCLD/LAB and/or ANAB.
(Accreditation Release section on the last page must be completed and submitted.)
- This participant's data is **NOT** intended for submission to ASCLD/LAB or ANAB.

Scenario (this scenario applies only to Items 3 - 6):

Police are investigating the sexual assault of a male prisoner who was attacked by an unknown inmate in the prison library. The victim described the incident and stated that he fought back and may have injured the assailant. The following items are being submitted to your department for examination. One envelope containing four duplicate swabs (Item 3) which were taken from a location on the victim's neck. One envelope containing four duplicate swabs (Item 4) which were taken from a location on the victim's lower back. A pair of black underwear (Item 5) that had been worn by the victim during the incident. A white knit hat (Item 6) that was recovered from the scene of the attack in the library, which the victim believed may have been left by the assailant.

Items Submitted (Sample Pack BF11):

- Item 1 Swab with white handle (provided as 4 duplicates) - intended for general screening for body fluids tested in normal laboratory casework; scenario not applicable
- Item 2 Swab with pink handle (provided as 4 duplicates) - intended for general screening for body fluids tested in normal laboratory casework; scenario not applicable
- Item 3 Swab with blue handle (provided as 4 duplicates) - taken from a location on victim's neck
- Item 4 Swab with wooden handle (provided as 4 duplicates) - taken from a location on victim's lower back
- Item 5 One pair of black underwear
- Item 6 One white knit hat
- 1 package of control swabs (unused)

Please return all pages of this data sheet.

Page 1 of 10

Instructions:

Please indicate the overall conclusion for each body fluid using the check boxes provided. List the tests performed and the results of each test. Item descriptions (as applicable) are provided at the top of each Item page.

For the purposes of this test, all swabs within an Item have been prepared as duplicates in order to provide sufficient sample quantity. A package of unused swabs is also provided for control purposes.

Please use the abbreviations listed in this response key to fill in the Screening Test tables. This is not an all inclusive list of tests, and should not be used to determine what tests should be performed. TESTS NOT ON THIS LIST MAY BE USED FOR SCREENING.

Test	Abbreviation	Test	Abbreviation
Acid Phosphatase	AP	Ortho-tolidine	O-tol
Alternate Light Source	ALS	Phenolphthalein-Tetramethyl benzidine	PTMB
Kastle Meyer	KM	Prostate Specific Antigen	PSA
Leucomalachite Green	LMG	Rapid Stain Identification	RSID
Microscopic	Micro	Tetramethyl benzidine	TMB

Example		Pos./Ind.	Neg.	Inc.	NT*
Blood Tests					
What is the overall conclusion for blood?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u> <u>Performed</u>	HemaTrace	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	KM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Pos./Ind. - Positive/Indicative; Neg. - Negative; Inc. - Inconclusive; NT - Not Tested

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Item 1: Cotton tipped swabs with white plastic handle

Four duplicate white handled swabs. Scenario is not applicable for this Item. Utilizing your laboratory policies, please examine this item for body fluids tested in normal laboratory casework.

Blood Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for blood?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s) Performed</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Semen Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for semen?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s) Performed</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Saliva Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for saliva?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s) Performed</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Other Tests		Test Results		
Body Fluid	Test(s) Performed	Pos./Ind.	Neg.	Inc.
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

Item 2: Cotton tipped swabs with pink plastic handle

Four duplicate pink handled swabs. Scenario is not applicable for this Item. Utilizing your laboratory policies, please examine this item for body fluids tested in normal laboratory casework.

Blood Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for blood?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s) Performed</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Semen Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for semen?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s) Performed</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Saliva Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for saliva?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s) Performed</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Other Tests		Test Results		
Body Fluid	Test(s) Performed	Pos./Ind.	Neg.	Inc.
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

Item 3: Cotton tipped swabs with blue plastic handle

Four duplicate blue handled swabs taken from a location on the victim's neck.

Blood Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for blood?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u> <u>Performed</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Semen Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for semen?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u> <u>Performed</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Saliva Tests		Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for saliva?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u> <u>Performed</u>	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Other Tests		Test Results		
Body Fluid	Test(s) Performed	Pos./Ind.	Neg.	Inc.
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

Item 4: Cotton tipped swabs with wooden handle

Four duplicate wooden handled swabs taken from a location on the victim's lower back.

Blood Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for blood?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u> <u>Performed</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Semen Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for semen?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u> <u>Performed</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Saliva Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for saliva?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u> <u>Performed</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Other Tests		Test Results		
Body Fluid	Test(s) Performed	Pos./Ind.	Neg.	Inc.
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

Item 5: One pair of black underwear

The item of evidence is a pair of black underwear worn by the victim during the incident.

Blood Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for blood?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s) Performed</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Semen Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for semen?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s) Performed</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Saliva Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for saliva?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s) Performed</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Other Tests		Test Results		
Body Fluid	Test(s) Performed	Pos./Ind.	Neg.	Inc.
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

Item 6: One white knit hat

The item of evidence is a white knit hat allegedly left by the suspect after the attack.

Blood Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for blood?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u> <u>Performed</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Semen Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for semen?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u> <u>Performed</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Saliva Tests	Pos./Ind.	Neg.	Inc.	NT*
What is the overall conclusion for saliva?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Test(s)</u> <u>Performed</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*Should a body fluid conclusion be marked as NT (Not Tested), please document any Item specific reasons under the "Test(s) Performed" section. All other reasons should be documented in the Additional Comments section of this data sheet.

Other Tests		Test Results		
Body Fluid	Test(s) Performed	Pos./Ind.	Neg.	Inc.
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please return all pages of this data sheet.

ADDITIONAL COMMENTS

<p>Return Instructions: Data must be received via online data entry, fax (please include a cover sheet), or mail by <i>May 16, 2016</i> to be included in the report. Emailed data sheets are not accepted.</p>	<p>Participant Code:</p>
<p>QUESTIONS? TEL: +1-571-434-1925 (8 am - 4:30 pm EST) EMAIL: forensics@cts-interlab.com www.ctsforensics.com</p>	<p>ONLINE DATA ENTRY: www.cts-portal.com FAX: +1-571-434-1937 MAIL: Collaborative Testing Services, Inc. P.O. Box 650820 Sterling, VA 20165-0820 USA</p>

Please return all pages of this data sheet.

RELEASE OF DATA TO ACCREDITATION BODIES

The following Accreditation Releases will apply only to:

Participant Code:

WebCode:

for Test No. **16-578: Body Fluid Identification**

This release page must be completed and received by **May 16, 2016** to have this participant's submitted data included in the reports forwarded to the respective Accreditation Bodies.

ASCLD/LAB RELEASE

If your lab has been accredited by ASCLD/LAB and you are submitting this data as part of their external proficiency test requirements, have the laboratory's designated individual complete the following.

The information below must be completed in its entirety for the results to be submitted to ASCLD/LAB.

ASCLD/LAB Legacy Certificate No. _____ ASCLD/LAB International Certificate No. _____

Signature _____ Date _____

Laboratory Name _____

Location (City/State) _____

ANAB RELEASE

If your laboratory maintains its accreditation through ANAB, please complete the following form in its entirety to have your results forwarded.

ANAB Certificate No. _____

Signature and Title _____ Date _____

Laboratory Name _____

Location (City/State) _____

Return Instructions

Please submit the completed Accreditation Release at the same time as your full data sheet. See Data Sheet Return Instructions on the previous page.

Accreditation Release

*Questions? Contact us 8 am-4:30 pm EST
Telephone: +1-571-434-1925
email: forensics@cts-interlab.com*

Please return all pages of this data sheet.

Page 10 of 10